Louisa J Degenhardt

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6469438/louisa-j-degenhardt-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

664 121,167 112 344 g-index h-index citations papers 8.2 8.26 149,780 702 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
664	Increase in Depression and Anxiety Among Australian Gay and Bisexual Men During COVID-19 Restrictions: Findings from a Prospective Online Cohort Study <i>Archives of Sexual Behavior</i> , 2022 , 51, 355	3.5	1
663	Trends in comorbid opioid and stimulant use disorders among Veterans receiving care from the Veterans Health Administration, 2005-2019 <i>Drug and Alcohol Dependence</i> , 2022 , 232, 109310	4.9	1
662	Changes in illicit drug use and markets with the COVID-19 pandemic and associated restrictions: findings from the Ecstasy and Related Drugs Reporting System, 2016-20. <i>Addiction</i> , 2022 , 117, 182-194	4.6	4
661	Interventions to enhance testing, linkage to care, and treatment initiation for hepatitis C virus infection: a systematic review and meta-analysis <i>The Lancet Gastroenterology and Hepatology</i> , 2022 ,	18.8	5
660	The impact of opioid agonist treatment on fatal and non-fatal drug overdose among people with a history of opioid dependence in NSW, Australia, 2001-2018: Findings from the OATS retrospective linkage study <i>Drug and Alcohol Dependence</i> , 2022 , 236, 109464	4.9	1
659	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys <i>World Psychiatry</i> , 2022 , 21, 272-286	14.4	2
658	Declining prevalence of current HCV infection and increased treatment uptake among people who inject drugs: The ETHOS Engage study <i>International Journal of Drug Policy</i> , 2022 , 105, 103706	5.5	O
657	Self-reported challenges obtaining ongoing prescription opioids among Australians with chronic non-cancer pain <i>International Journal of Drug Policy</i> , 2022 , 105, 103708	5.5	
656	The impact of opioid agonist treatment on hospitalisations for injecting-related diseases among an opioid dependent population: A retrospective data linkage study. <i>Drug and Alcohol Dependence</i> , 2022 , 109494	4.9	O
655	Perceptions of injectable opioid agonist treatment (iOAT) among people who regularly use opioids in Australia: findings from a cross-sectional study in three Australian cities. <i>Addiction</i> , 2021 , 116, 1482-1	4 9 4	1
654	Exposure to childhood trauma increases risk of opioid use disorder among people prescribed opioids for chronic non-cancer pain. <i>Drug and Alcohol Dependence</i> , 2021 , 230, 109199	4.9	O
653	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109158	4.9	1
652	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e70	5.1	2
651	Comorbidity between mood and substance-related disorders: A systematic review and meta-analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211054740	2.6	О
650	Economic analysis of out-of-pocket costs among people in opioid agonist treatment: A cross-sectional survey in three Australian jurisdictions. <i>International Journal of Drug Policy</i> , 2021 , 99, 103472	5.5	O
649	Outcomes of a single-arm implementation trial of extended-release subcutaneous buprenorphine depot injections in people with opioid dependence. <i>International Journal of Drug Policy</i> , 2021 , 100, 1034	1925	2
648	Progress Towards Elimination of Hepatitis C Infection Among People Who Inject Drugs in Australia: The ETHOS Engage Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e69-e78	11.6	14

(2021-2021)

647	Association Between Opioid Agonist Therapy and Testing, Treatment Uptake, and Treatment Outcomes for Hepatitis C Infection Among People Who Inject Drugs: A Systematic Review and Meta-analysis. <i>Clinical Infectious Diseases</i> , 2021 , 73, e107-e118	11.6	10
646	General risks of harm with cannabinoids, cannabis, and cannabis-based medicine possibly relevant to patients receiving these for pain management: an overview of systematic reviews. <i>Pain</i> , 2021 , 162, S80-S96	8	16
645	Societal issues and policy implications related to the use of cannabinoids, cannabis, and cannabis-based medicines for pain management. <i>Pain</i> , 2021 , 162, S110-S116	8	4
644	International Association for the Study of Pain Presidential Task Force on Cannabis and Cannabinoid Analgesia: research agenda on the use of cannabinoids, cannabis, and cannabis-based medicines for pain management. <i>Pain</i> , 2021 , 162, S117-S124	8	7
643	Pharmaceutical Opioid Use Patterns and Indicators of Extramedical Use and Harm in Adults With Chronic Noncancer Pain, 2012-2018. <i>JAMA Network Open</i> , 2021 , 4, e213059	10.4	2
642	Modelling the intervention effect of opioid agonist treatment on multiple mortality outcomes in people who inject drugs: a three-setting analysis. <i>Lancet Psychiatry,the</i> , 2021 , 8, 301-309	23.3	6
641	Estimating the risk of suicide associated with mental disorders: A systematic review and meta-regression analysis. <i>Journal of Psychiatric Research</i> , 2021 , 137, 242-249	5.2	18
640	The effect of person, treatment and prescriber characteristics on retention in opioid agonist treatment: a 15-year retrospective cohort study. <i>Addiction</i> , 2021 , 116, 3139-3152	4.6	3
639	Opportunities to Enhance Linkage to Hepatitis C Care Among Hospitalized People With Recent Drug Dependence in New South Wales, Australia: A Population-based Linkage Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, 2037-2044	11.6	1
638	Alcohol use among young Australian adults in May-June 2020 during the COVID-19 pandemic: a prospective cohort study. <i>Addiction</i> , 2021 , 116, 3398-3407	4.6	7
637	Big data and predictive modelling for the opioid crisis: existing research and future potential. <i>The Lancet Digital Health</i> , 2021 , 3, e397-e407	14.4	5
636	Gender differences in the supply of alcohol to adolescent daughters and sons. <i>American Journal of Drug and Alcohol Abuse</i> , 2021 , 47, 508-520	3.7	O
635	Data Resource Profile: The Opioid Agonist Treatment and Safety (OATS) Study, New South Wales, Australia. <i>International Journal of Epidemiology</i> , 2021 , 49, 1774-1775	7.8	4
634	Association between opioid agonist therapy use and HIV testing uptake among people who have recently injected drugs: a systematic review and meta-analysis. <i>Addiction</i> , 2021 , 116, 1664-1676	4.6	2
633	Feasibility and acceptability of take-home naloxone for people released from prison in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2021 , 40, 98-108	3.2	1
632	Substantial Decline in Use of HIV Preexposure Prophylaxis Following Introduction of COVID-19 Physical Distancing Restrictions in Australia: Results From a Prospective Observational Study of Gay and Bisexual Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 86, 22-30	3.1	23
631	A trial of Criminal Infringement Notices as an alternative to criminal penalties for illicit drug offences in New South Wales, Australia: Estimated savings. <i>Drug and Alcohol Review</i> , 2021 , 40, 93-97	3.2	O
630	Hospitalisations for non-fatal overdose among people with a history of opioid dependence in New South Wales, Australia, 2001-2018: Findings from the OATS retrospective cohort study. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108354	4.9	1

629	High hepatitis C treatment uptake among people with recent drug dependence in New South Wales, Australia. <i>Journal of Hepatology</i> , 2021 , 74, 293-302	13.4	8
628	All-cause and cause-specific mortality among people with regular or problematic cocaine use: a systematic review and meta-analysis. <i>Addiction</i> , 2021 , 116, 725-742	4.6	7
627	The Lancet Public Health Commission on gambling. Lancet Public Health, The, 2021, 6, e2-e3	22.4	11
626	Prevalence of childhood maltreatment among people with opioid use disorder: A systematic review and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108459	4.9	6
625	Trends in cocaine use, markets and harms in Australia, 2003-2019. <i>Drug and Alcohol Review</i> , 2021 , 40, 946-956	3.2	2
624	Genome-wide association study of phenotypes measuring progression from first cocaine or opioid use to dependence reveals novel risk genes. <i>Exploration of Medicine</i> , 2021 , 2, 60-73	1.1	1
623	Trends in treatment episodes for methamphetamine smoking and injecting in Australia, 2003-2019. Drug and Alcohol Review, 2021 , 40, 1281-1286	3.2	5
622	The next wave? Mental health comorbidities and patients with substance use disorders in under-resourced and rural areas. <i>Journal of Substance Abuse Treatment</i> , 2021 , 121, 108189	4.2	5
621	Retention of opioid agonist treatment prescribers across New South Wales, Australia, 2001-2018: Implications for treatment systems and potential impact on client outcomes. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108464	4.9	2
620	Variations in Long-term Opioid Therapy Definitions: A Systematic Review of Observational Studies Using Routinely Collected Data (2000-2019). <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 3706-372	2 ð .8	O
619	Patterns of smoking and injecting methamphetamine and their association with health and social outcomes. <i>Drug and Alcohol Review</i> , 2021 , 40, 1256-1265	3.2	4
618	Association of Opioid Agonist Treatment With All-Cause Mortality and Specific Causes of Death Among People With Opioid Dependence: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 979-993	14.5	50
617	Unintentional and intentional drug poisoning deaths, Australia, 2012-2016: Drug pattern profile and demographic characteristics. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109112	4.9	1
616	Global, regional, and national sex-specific burden and control of the HIV epidemic, 1990-2019, for 204 countries and territories: the Global Burden of Diseases Study 2019. <i>Lancet HIV,the</i> , 2021 , 8, e633-e	€5 ⁸	9
615	Using administrative data to predict cessation risk and identify novel predictors among new entrants to opioid agonist treatment. <i>Drug and Alcohol Dependence</i> , 2021 , 228, 109091	4.9	1
614	Hepatitis C virus cascade of care among people who inject drugs in Australia: Factors associated with testing and treatment in a universal healthcare system. <i>Drug and Alcohol Dependence</i> , 2021 , 228, 109050	4.9	O
613	Clinical correlates and outcomes associated with pregabalin use among people prescribed opioids for chronic non-cancer pain: A five-year prospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 3092-3104	3.8	2
612	Risk of discharge against medical advice among hospital inpatients with a history of opioid agonist therapy in New South Wales, Australia: A cohort study and nested crossover-cohort analysis. <i>Drug and Alcohol Dependence</i> , 2020 , 217, 108343	4.9	2

611	Generational trends in US opioid-overdose deaths. <i>Nature Medicine</i> , 2020 , 26, 651-652	50.5	2
610	Characteristics of gay and bisexual men who rarely use HIV risk reduction strategies during condomless anal intercourse: Results from the FLUX national online cohort study. <i>PLoS ONE</i> , 2020 , 15, e0233922	3.7	O
609	The association between parental supply of alcohol and supply from other sources to young people: a prospective cohort. <i>Addiction</i> , 2020 , 115, 2140-2147	4.6	1
608	Prevalence and Characteristics Associated with Chronic Noncancer Pain in Suicide Decedents: A National Study. <i>Suicide and Life-Threatening Behavior</i> , 2020 , 50, 778-791	3.9	6
607	Rates, characteristics and manner of cannabis-related deaths in Australia 2000-2018. <i>Drug and Alcohol Dependence</i> , 2020 , 212, 108028	4.9	8
606	The overall effect of parental supply of alcohol across adolescence on alcohol-related harms in early adulthood-a prospective cohort study. <i>Addiction</i> , 2020 , 115, 1833-1843	4.6	1
605	Socio-demographic and ecological factors associated with anti-HCV prevalence in people who inject drugs: A systematic review. <i>Drug and Alcohol Dependence</i> , 2020 , 209, 107899	4.9	1
604	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium. <i>Molecular Psychiatry</i> , 2020 , 25, 1673-1687	15.1	30
603	Genome-Wide Association Study of Opioid Cessation. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	10
	Global systematic review and ecological analysis of HIV in people who inject drugs: National		
602	population sizes and factors associated with HIV prevalence. <i>International Journal of Drug Policy</i> , 2020 , 77, 102656	5.5	5
602			5
	2020 , 77, 102656		103
601	2020, 77, 102656 Cannabinoids for the treatment of mental disorders - Author's reply. <i>Lancet Psychiatry, the</i> , 2020, 7, 127 Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of</i>	7-138 59.2	
600	2020, 77, 102656 Cannabinoids for the treatment of mental disorders - Author's reply. Lancet Psychiatry, the, 2020, 7, 127 Association between Mental Disorders and Subsequent Medical Conditions. New England Journal of Medicine, 2020, 382, 1721-1731	7-138 59.2	103
601 600 599	Cannabinoids for the treatment of mental disorders - Author's reply. <i>Lancet Psychiatry, the</i> , 2020 , 7, 127. Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020 , 382, 1721-1731 Global opioid agonist treatment: a review of clinical practices by country. <i>Addiction</i> , 2020 , 115, 2243-22 Development of a Brief Patient-Administered Screening Tool for Prescription Opioid Dependence	7 -138 , 59.2	103
601 600 599 598	Cannabinoids for the treatment of mental disorders - Author's reply. Lancet Psychiatry, the, 2020, 7, 127 Association between Mental Disorders and Subsequent Medical Conditions. New England Journal of Medicine, 2020, 382, 1721-1731 Global opioid agonist treatment: a review of clinical practices by country. Addiction, 2020, 115, 2243-22 Development of a Brief Patient-Administered Screening Tool for Prescription Opioid Dependence for Primary Care Settings. Pain Medicine, 2020, 21, e79-e88	7-138, 59.2 54.6 2.8	103
601 600 599 598	Cannabinoids for the treatment of mental disorders - Author's reply. <i>Lancet Psychiatry, the</i> , 2020, 7, 127 Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020, 382, 1721-1731 Global opioid agonist treatment: a review of clinical practices by country. <i>Addiction</i> , 2020, 115, 2243-22 Development of a Brief Patient-Administered Screening Tool for Prescription Opioid Dependence for Primary Care Settings. <i>Pain Medicine</i> , 2020, 21, e79-e88 Self-harm in primary school-aged children: Prospective cohort study. <i>PLoS ONE</i> , 2020, 15, e0242802 The Mortality After Release from Incarceration Consortium (MARIC): Protocol for a multi-national,	7-138, 59.2 54.6 2.8	103 21 4

593	Opioid use disorder. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 3	51.1	95
592	All-Cause and Cause-Specific Mortality Among People Using Extramedical Opioids: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2020 , 77, 493-502	14.5	23
591	Correlates of indicators of potential extra-medical opioid use in people prescribed opioids for chronic non-cancer pain. <i>Drug and Alcohol Review</i> , 2020 , 39, 128-134	3.2	3
590	Opioid use and harms associated with a sustained-release tapentadol formulation: A post-marketing surveillance study. <i>Drug and Alcohol Dependence</i> , 2020 , 206, 107697	4.9	4
589	Associations between national development indicators and the age profile of people who inject drugs: results from a global systematic review and meta-analysis. <i>The Lancet Global Health</i> , 2020 , 8, e76	5- 63 -6	7
588	Depression, post-traumatic stress disorder, suicidality and self-harm among people who inject drugs: A systematic review and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2020 , 207, 107793	4.9	17
587	Biomedical HIV Protection Among Gay and Bisexual Men Who Use Crystal Methamphetamine. <i>AIDS and Behavior</i> , 2020 , 24, 1400-1413	4.3	8
586	Perceptions of extended-release buprenorphine injections for opioid use disorder among people who regularly use opioids in Australia. <i>Addiction</i> , 2020 , 115, 1295-1305	4.6	29
585	Frequency of injecting among people who inject drugs: A systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2020 , 76, 102619	5.5	9
584	Parental supply of sips and whole drinks of alcohol to adolescents and associations with binge drinking and alcohol-related harms: A prospective cohort study. <i>Drug and Alcohol Dependence</i> , 2020 , 215, 108204	4.9	5
583	Injecting risk behaviours amongst people who inject drugs: A global multi-stage systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2020 , 84, 102866	5.5	5
582	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry,the</i> , 2020 , 7, 1032-1045	23.3	43
581	Physical Distancing Due to COVID-19 Disrupts Sexual Behaviors Among Gay and Bisexual Men in Australia: Implications for Trends in HIV and Other Sexually Transmissible Infections. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2020 , 85, 309-315	3.1	50
580	Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1204-1222	40	1847
579	Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1223-1249	40	1013
578	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2020 , 37, 972-994	8.4	8
577	Profile and correlates of injecting-related injuries and diseases among people who inject drugs in Australia. <i>Drug and Alcohol Dependence</i> , 2020 , 216, 108267	4.9	5
576	Risk factors for indicators of opioid-related harms amongst people living with chronic non-cancer pain: Findings from a 5-year prospective cohort study. <i>EClinicalMedicine</i> , 2020 , 28, 100592	11.3	3

(2019-2020)

575	Estimating the contribution of stimulant injection to HIV and HCV epidemics among people who inject drugs and implications for harm reduction: A modeling analysis. <i>Drug and Alcohol Dependence</i> , 2020 , 213, 108135	4.9	5
574	Integrating HIV pre-exposure prophylaxis and harm reduction among men who have sex with men and transgender women to address intersecting harms associated with stimulant use: a modelling study. <i>Journal of the International AIDS Society</i> , 2020 , 23 Suppl 1, e25495	5.4	7
573	The contribution of methamphetamine use to crime: Evidence from Australian longitudinal data. Drug and Alcohol Dependence, 2020 , 216, 108262	4.9	5
572	Open-label, multicentre, single-arm trial of monthly injections of depot buprenorphine in people with opioid dependence: protocol for the CoLAB study. <i>BMJ Open</i> , 2020 , 10, e034389	3	6
571	All-Cause and Overdose Mortality Risk Among People Prescribed Opioids: A Systematic Review and Meta-analysis. <i>Pain Medicine</i> , 2020 , 21, 3700-3711	2.8	4
570	Life expectancy of people who are dependent on opioids: A cohort study in New South Wales, Australia. <i>Journal of Psychiatric Research</i> , 2020 , 130, 435-440	5.2	3
569	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020 , 102, 106128	4.2	30
568	Adolescent cannabis use disorders 2020 , 111-135		1
567	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i12-i26	3.2	13
566	Cannabinoids for the treatment of mental disorders and symptoms of mental disorders: a systematic review and meta-analysis. <i>Lancet Psychiatry,the</i> , 2019 , 6, 995-1010	23.3	158
565	Global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet HIV,the</i> , 2019 , 6, e831-e859	7.8	191
564	Parental supply of alcohol as a predictor of adolescent alcohol consumption patterns: A prospective cohort. <i>Drug and Alcohol Dependence</i> , 2019 , 204, 107529	4.9	3
563	The effect of entry and retention in opioid agonist treatment on contact with the criminal justice system among opioid-dependent people: a retrospective cohort study. <i>Lancet Public Health, The</i> , 2019 , 4, e334-e342	22.4	13
562	Prevalence of HIV, HCV and HBV infection and sociodemographic characteristics of people who inject drugs in China: A systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2019 , 70, 87-93	5.5	5
561	Mortality among people with regular or problematic use of amphetamines: a systematic review and meta-analysis. <i>Addiction</i> , 2019 , 114, 1738-1750	4.6	17
560	Alcohol Use Disorders in ICD-11: Past, Present, and Future. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1617-1631	3.7	45
559	Alcohol and parenthood: An integrative analysis of the effects of transition to parenthood in three Australasian cohorts. <i>Drug and Alcohol Dependence</i> , 2019 , 197, 326-334	4.9	16
558	The contribution of injection drug use to hepatitis C virus transmission globally, regionally, and at country level: a modelling study. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 435-444	18.8	74

557	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 1446-1459	4.6	14
556	Effectiveness and framing of pharmaceutical opioid abuse-deterrent formulations. <i>Addiction</i> , 2019 , 114, 404-405	4.6	O
555	Does adolescent heavier alcohol use predict young adult aggression and delinquency? Parallel analyses from four Australasian cohort studies. <i>Aggressive Behavior</i> , 2019 , 45, 427-436	2.8	7
554	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2019 , 76, 708-720	14.5	16
553	Antidepressant Use Among People Prescribed Opioids for Chronic Noncancer Pain. <i>Pain Medicine</i> , 2019 , 20, 2450-2458	2.8	7
552	Regulatory and other responses to the pharmaceutical opioid problem. <i>Medical Journal of Australia</i> , 2019 , 210, 6-8.e1	4	15
551	A Global Meta-analysis of the Prevalence of HIV, Hepatitis C Virus, and Hepatitis B Virus Among People Who Inject Drugs-Do Gender-Based Differences Vary by Country-Level Indicators?. <i>Journal of Infectious Diseases</i> , 2019 , 220, 78-90	7	17
550	Global, regional, and country-level estimates of hepatitis C infection among people who have recently injected drugs. <i>Addiction</i> , 2019 , 114, 150-166	4.6	110
549	Concerns and Help-Seeking Among Patients Using Opioids for Management of Chronic Noncancer Pain. <i>Pain Medicine</i> , 2019 , 20, 758-769	2.8	7
548	Effects of medication-assisted treatment on mortality among opioids users: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2019 , 24, 1868-1883	15.1	113
547	Post-marketing studies of pharmaceutical opioid abuse-deterrent formulations: a framework for research design and reporting. <i>Addiction</i> , 2019 , 114, 389-399	4.6	10
546	Estimating Centre for Disease Control and Prevention-defined overdose risk in people prescribed opioids for chronic non-cancer pain: implications for take-home naloxone provision. <i>Internal Medicine Journal</i> , 2019 , 49, 1054-1055	1.6	7
545	Modelling the potential prevention benefits of a treat-all hepatitis C treatment strategy at global, regional and country levels: A modelling study. <i>Journal of Viral Hepatitis</i> , 2019 , 26, 1388-1403	3.4	9
544	The prevalence of non-fatal overdose among people who inject drugs: A multi-stage systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2019 , 73, 172-184	5.5	38
543	Take-Home Naloxone for the Emergency Interim Management of Opioid Overdose: The Public Health Application of an Emergency Medicine. <i>Drugs</i> , 2019 , 79, 1395-1418	12.1	47
542	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019 , 71, 103-112	5.5	25
541	Public health implications of legalising the production and sale of cannabis for medicinal and recreational use. <i>Lancet, The</i> , 2019 , 394, 1580-1590	40	117
540	Global patterns of opioid use and dependence: harms to populations, interventions, and future action. <i>Lancet, The</i> , 2019 , 394, 1560-1579	40	182

539	Responding to global stimulant use: challenges and opportunities. <i>Lancet, The</i> , 2019 , 394, 1652-1667	40	83
538	New psychoactive substances: challenges for drug surveillance, control, and public health responses. <i>Lancet, The</i> , 2019 , 394, 1668-1684	40	100
537	Strategies to reduce drug-related harm: responding to the evidence base. <i>Lancet, The</i> , 2019 , 394, 1490-	-14/93	10
536	Characteristics and circumstances of heroin and pharmaceutical opioid overdose deaths: Comparison across opioids. <i>Drug and Alcohol Dependence</i> , 2019 , 205, 107533	4.9	15
535	Mental health outcomes associated with of the use of amphetamines: A systematic review and meta-analysis. <i>EClinicalMedicine</i> , 2019 , 16, 81-97	11.3	49
534	Reductions in emergency department presentations associated with opioid agonist treatment vary by geographic location: A retrospective study in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2019 , 38, 690-698	3.2	4
533	Epidemiology of Substance Use Internationally. Advances in Prevention Science, 2019, 19-36	0.9	3
532	Trends in methamphetamine and opioid use among clients of needle-syringe programs in Queensland, Australia: 2007-2015. <i>Drug and Alcohol Review</i> , 2019 , 38, 159-168	3.2	
531	Protocol for the Data-Linkage Alcohol Cohort Study (DACS): investigating mortality, morbidity and offending among people with an alcohol-related problem using linked administrative data. <i>BMJ Open</i> , 2019 , 9, e030605	3	5
530	HIV Pre-exposure Prophylaxis (PrEP) Uptake Among Gay and Bisexual Men in Australia and Factors Associated With the Nonuse of PrEP Among Eligible Men: Results From a Prospective Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, e73-e84	3.1	30
529	Cannabinoids, cannabis, and cannabis-based medicine for pain management: a protocol for an overview of systematic reviews and a systematic review of randomised controlled trials. <i>Pain Reports</i> , 2019 , 4, e741	3.5	12
528	Increases in controlled-release oxycodone utilisation following the subsidy of oxycodone with naloxone formulations: An Australian population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 97-105	2.6	6
527	Longitudinal patterns of amphetamine use from adolescence to adulthood: A latent class analysis of a 20-year prospective study of Australians. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 121-127	4.9	3
526	A population-based study of transdermal fentanyl initiation in Australian clinical practice. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 401-408	2.8	5
525	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019 , 76, 259-270	14.5	188
524	Persistence and Subtype Stability of ADHD Among Substance Use Disorder Treatment Seekers. Journal of Attention Disorders, 2019 , 23, 1438-1453	3.7	23
523	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 534-552	4.6	17
522	The impact of cohort substance use upon likelihood of transitioning through stages of alcohol and cannabis use and use disorder: Findings from the Australian National Survey on Mental Health and Wellbeing. <i>Drug and Alcohol Review</i> , 2018 , 37, 546-556	3.2	9

521	Evidence for cannabis and cannabinoids for epilepsy: a systematic review of controlled and observational evidence. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 741-753	5.5	92
520	Physical appearance concerns are uniquely associated with the severity of steroid dependence and depression in anabolic-androgenic steroid users. <i>Drug and Alcohol Review</i> , 2018 , 37, 664-670	3.2	16
519	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2730-2739	6.9	16
518	Relationship between the duration of methamphetamine use and psychotic symptoms: A two-year prospective cohort study. <i>Drug and Alcohol Dependence</i> , 2018 , 187, 363-369	4.9	25
517	Familial alcohol supply, adolescent drinking and early alcohol onset in 45 low and middle income countries. <i>Addictive Behaviors</i> , 2018 , 84, 178-185	4.2	8
516	The State of US Health, 1990-2016: Burden of Diseases, Injuries, and Risk Factors Among US States. JAMA - Journal of the American Medical Association, 2018, 319, 1444-1472	27.4	632
515	Association of parental supply of alcohol with adolescent drinking, alcohol-related harms, and alcohol use disorder symptoms: a prospective cohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e64-e71	22.4	39
514	Systematic review and meta-analysis of cannabinoids in palliative medicine. <i>Journal of Cachexia,</i> Sarcopenia and Muscle, 2018 , 9, 220-234	10.3	55
513	Mental health, drug use and sexual risk behavior among gay and bisexual men. <i>International Journal of Drug Policy</i> , 2018 , 55, 169-179	5.5	49
512	The Use of Cannabis and Cannabinoids in Treating Symptoms of Multiple Sclerosis: a Systematic Review of Reviews. <i>Current Neurology and Neuroscience Reports</i> , 2018 , 18, 8	6.6	71
511	Longitudinal injecting risk behaviours among people with a history of injecting drug use in an Australian prison setting: The HITS-p study. <i>International Journal of Drug Policy</i> , 2018 , 54, 18-25	5.5	27
510	The relationship between methamphetamine use and heterosexual behaviour: evidence from a prospective longitudinal study. <i>Addiction</i> , 2018 , 113, 1276-1285	4.6	28
509	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018 , 113, 924-93	3 4 .6	31
508	Trends in opioid utilisation in Australia, 2006-2015: Insights from multiple metrics. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 504-512	2.6	28
507	The effect of a potentially tamper-resistant oxycodone formulation on opioid use and harm: main findings of the National Opioid Medications Abuse Deterrence (NOMAD) study. <i>Lancet Psychiatry,the</i> , 2018 , 5, 155-166	23.3	22
506	Person-level changes in oxycodone use after the introduction of a tamper-resistant formulation in Australia. <i>Cmaj</i> , 2018 , 190, E355-E362	3.5	8
505	Opioid use and harms associated with a sustained-release tapentadol formulation: a postmarketing study protocol. <i>BMJ Open</i> , 2018 , 8, e020006	3	1
504	Accurate identification of opioid overdose deaths using coronial data. <i>Forensic Science International</i> , 2018 , 287, 40-46	2.6	10

503	A polymorphism in the OPRM1 3'-untranslated region is associated with methadone efficacy in treating opioid dependence. <i>Pharmacogenomics Journal</i> , 2018 , 18, 173-179	3.5	19
502	Knowledge of Opioid Overdose and Attitudes to Supply of Take-Home Naloxone Among People with Chronic Noncancer Pain Prescribed Opioids. <i>Pain Medicine</i> , 2018 , 19, 533-540	2.8	23
501	Health service utilisation attributable to methamphetamine use in Australia: Patterns, predictors and national impact. <i>Drug and Alcohol Review</i> , 2018 , 37, 196-204	3.2	31
500	A nationwide study of the extent and factors associated with fentanyl use in Australia. <i>Research in Social and Administrative Pharmacy</i> , 2018 , 14, 303-308	2.9	5
499	Prescription Opioid Access Patterns and Factors Associated with Increasing Number of Prescribers, Pharmacies, and Dispensings: An Observational Study Using Pharmaceutical Claims. <i>Pain Medicine</i> , 2018 , 19, 1170-1183	2.8	4
498	To what extent do data from pharmaceutical claims under-estimate opioid analgesic utilisation in Australia?. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 550-555	2.6	25
497	Pharmaceutical opioid use and harm in Australia: The need for proactive and preventative responses. <i>Drug and Alcohol Review</i> , 2018 , 37 Suppl 1, S203-S205	3.2	21
496	Needle and syringe programmes and opioid substitution therapy for preventing HCV transmission among people who inject drugs: findings from a Cochrane Review and meta-analysis. <i>Addiction</i> , 2018 , 113, 545-563	4.6	176
495	Intensive sex partying with gamma-hydroxybutyrate: factors associated with using gamma-hydroxybutyrate for chemsex among Australian gay and bisexual men - results from the Flux Study. <i>Sexual Health</i> , 2018 , 15, 123-134	2	20
494	Amphetamine use in the fourth decade of life: Social profiles from a population-based Australian cohort. <i>Drug and Alcohol Review</i> , 2018 , 37, 743-751	3.2	3
493	Adverse adult consequences of different alcohol use patterns in adolescence: an integrative analysis of data to age 30 years from four Australasian cohorts. <i>Addiction</i> , 2018 , 113, 1811-1825	4.6	27
492	Alcohol Use Disorders in the Draft ICD-11, and How They Compare with DSM-5. <i>Current Addiction Reports</i> , 2018 , 5, 257-264	3.9	15
491	Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. <i>Addiction</i> , 2018 , 113, 1905-7	194266	371
490	Mortality trends among people with hepatitis B and C: a population-based linkage study, 1993-2012. <i>BMC Infectious Diseases</i> , 2018 , 18, 215	4	9
489	Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 392, 1015-1035	40	1171
488	Meeting Sexual Partners Through Internet Sites and Smartphone Apps in Australia: National Representative Study. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10683	7.6	18
487	Health and wellbeing of Indigenous adolescents in Australia: a systematic synthesis of population data. <i>Lancet, The</i> , 2018 , 391, 766-782	40	54
486	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788	40	2850

485	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994	40	1964
484	Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051	40	189
483	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858	40	4524
482	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922	40	1283
481	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018 , 21, 1656-1669	25.5	257
480	Combating escalating harms associated with pharmaceutical opioid use in Australia: the POPPY II study protocol. <i>BMJ Open</i> , 2018 , 8, e025840	3	6
479	Understanding an emerging treatment population: Protocol for and baseline characteristics of a prospective cohort of people receiving treatment for pharmaceutical opioid dependence. <i>Drug and Alcohol Review</i> , 2018 , 37, 887-896	3.2	3
478	Using routinely collected data to understand and predict adverse outcomes in opioid agonist treatment: Protocol for the Opioid Agonist Treatment Safety (OATS) Study. <i>BMJ Open</i> , 2018 , 8, e02520)4 ³	16
477	Current Opioid Access, Use, and Problems in Australasian Jurisdictions. <i>Current Addiction Reports</i> , 2018 , 5, 464-472	3.9	8
476	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Psychiatry,the</i> , 2018, 5, 987-1012	23.3	456
475	Cannabis use and non-cancer chronic pain - Authors' reply. Lancet Public Health, The, 2018, 3, e469	22.4	1
474	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018 , 201, 46-53	3.6	14
473	Alcohol use disorder and associated physical health complications and treatment amongst individuals with and without opioid dependence: A case-control study. <i>Drug and Alcohol Dependence</i> , 2018 , 188, 304-310	4.9	3
472	Cannabis and cannabinoids for the treatment of people with chronic noncancer pain conditions: a systematic review and meta-analysis of controlled and observational studies. <i>Pain</i> , 2018 , 159, 1932-195	54 ⁸	209
471	Age-related prevalence and twelve-month incidence of illicit drug use in a cohort of Australian gay and bisexual men: Results from the Flux Study. <i>Drug and Alcohol Dependence</i> , 2018 , 188, 175-179	4.9	3
470	Predictors of transitions across stages of heroin use and dependence prior to treatment-seeking among people in treatment for opioid dependence. <i>Drug and Alcohol Dependence</i> , 2018 , 191, 145-151	4.9	12
469	Effect of cannabis use in people with chronic non-cancer pain prescribed opioids: findings from a 4-year prospective cohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e341-e350	22.4	117
468	Opioid agonist doses for oxycodone and morphine dependence: Findings from a retrospective case series. <i>Drug and Alcohol Review</i> , 2017 , 36, 311-316	3.2	3

(2017-2017)

467	Crystalline methamphetamine use and methamphetamine-related harms in Australia. <i>Drug and Alcohol Review</i> , 2017 , 36, 160-170	3.2	83
466	Defined daily doses (DDD) do not accurately reflect opioid doses used in contemporary chronic pain treatment. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 587-591	2.6	28
465	A systematic review of injecting-related injury and disease among people who inject drugs. <i>Drug and Alcohol Dependence</i> , 2017 , 171, 39-49	4.9	106
464	Following Lives Undergoing Change (Flux) study: Implementation and baseline prevalence of drug use in an online cohort study of gay and bisexual men in Australia. <i>International Journal of Drug Policy</i> , 2017 , 41, 41-50	5.5	35
463	Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	10
462	Parental supply of alcohol and alcohol consumption in adolescence: prospective cohort study. <i>Psychological Medicine</i> , 2017 , 47, 267-278	6.9	29
461	A mapping review of take-home naloxone for people released from correctional settings. <i>International Journal of Drug Policy</i> , 2017 , 46, 7-16	5.5	15
460	Excessive gambling and gaming: addictive disorders?. Lancet Psychiatry, the, 2017, 4, 433-435	23.3	8
459	Trends in new psychoactive substances from surface and "dark" net monitoring. <i>Lancet Psychiatry,the</i> , 2017 , 4, 16-18	23.3	12
458	Global prevalence of injecting drug use and sociodemographic characteristics and prevalence of HIV, HBV, and HCV in people who inject drugs: a multistage systematic review. <i>The Lancet Global Health</i> , 2017 , 5, e1192-e1207	13.6	649
457	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017 , 16, 299-307	14.4	98
456	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017 , 12, e0169575	3.7	68
455	Estimating the number of people who inject drugs in Australia. BMC Public Health, 2017, 17, 757	4.1	25
454	Trends in heroin and pharmaceutical opioid overdose deaths in Australia. <i>Drug and Alcohol Dependence</i> , 2017 , 179, 291-298	4.9	109
453	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 1136-1144	14.5	41
452	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1084-1150	40	421
451	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1260-1344	40	1152
450	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1151-1210	40	2542

449	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259	40	3432
448	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1345-1422	40	1378
447	Needle syringe programmes and opioid substitution therapy for preventing hepatitis C transmission in people who inject drugs. <i>The Cochrane Library</i> , 2017 , 9, CD012021	5.2	111
446	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459	40	224
445	Escalating patterns of emergency health care prior to first admission with amphetamine psychosis: A window of opportunity?. <i>Drug and Alcohol Dependence</i> , 2017 , 180, 171-177	4.9	3
444	Estimating the number of adults with severe and persistent mental illness who have complex, multi-agency needs. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 799-809	2.6	7
443	Trauma and PTSD in the WHO World Mental Health Surveys. Hgre Utbildning, 2017, 8, 1353383	5	446
442	Global, regional, and country-level coverage of interventions to prevent and manage HIV and hepatitis C among people who inject drugs: a systematic review. <i>The Lancet Global Health</i> , 2017 , 5, e12	.0 ई- हे12	.2 3 36
441	Peer Victimization and Academic Performance in Primary School Children. <i>Academic Pediatrics</i> , 2017 , 17, 830-836	2.7	17
440	Research priorities to achieve universal access to hepatitis C prevention, management and direct-acting antiviral treatment among people who inject drugs. <i>International Journal of Drug Policy</i> , 2017 , 47, 51-60	5.5	40
439	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017 , 9, 47-65	3.1	284
438	Mortality risk during and after opioid substitution treatment: systematic review and meta-analysis of cohort studies. <i>BMJ, The</i> , 2017 , 357, j1550	5.9	693
437	Illicit Drugs: Patterns of Use, Dependence, and Contribution to Disease Burden in Developed Countries 2017 , 134-145		0
436	Cohort Profile: Ten to Men (the Australian Longitudinal Study on Male Health). <i>International Journal of Epidemiology</i> , 2017 , 46, 793-794i	7.8	25
435	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016 , 46, 151-69	3.2	77
434	Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2016 , 387, 1672-85	40	375
433	Evidence of CNIH3 involvement in opioid dependence. <i>Molecular Psychiatry</i> , 2016 , 21, 608-14	15.1	74
432	Concordance of ICD-11 and DSM-5 definitions of alcohol and cannabis use disorders: a population survey. <i>Lancet Psychiatry,the</i> , 2016 , 3, 673-84	23.3	29

431	The prevalence and burden of bipolar disorder: findings from the Global Burden of Disease Study 2013. <i>Bipolar Disorders</i> , 2016 , 18, 440-50	3.8	292
430	A systematic review and meta-analysis of racial and ethnic disparities in hepatitis C antibody prevalence in United States correctional populations. <i>Annals of Epidemiology</i> , 2016 , 26, 570-578.e2	6.4	7
429	Community pharmacist knowledge, attitudes and confidence regarding naloxone for overdose reversal. <i>Addiction</i> , 2016 , 111, 2177-2186	4.6	49
428	A Cross-National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between DSM-IV and DSM-5: Findings from the World Mental Health Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 1728-36	3.7	26
427	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV,the</i> , 2016 , 3, e361-e387	7.8	382
426	Age-related differences in patterns of criminal activity among a large sample of polydrug injectors in Australia. <i>Journal of Substance Use</i> , 2016 , 21, 48-56	0.8	11
425	The Australian longitudinal study on male health-methods. BMC Public Health, 2016, 16, 1030	4.1	32
424	Health service utilisation by people living with chronic non-cancer pain: findings from the Pain and Opioids IN Treatment (POINT) study. <i>Australian Health Review</i> , 2016 , 40, 490-499	1.8	3
423	Opioid agonist treatment for pharmaceutical opioid dependent people. <i>The Cochrane Library</i> , 2016 , CD	0ჭ.111	7 112
422	An ecological study of the extent and factors associated with the use of prescription and over-the-counter codeine in Australia. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 469-94	2.8	29
421	Prevalence and Correlates of Suicidal Thoughts and Suicide Attempts in People Prescribed Pharmaceutical Opioids for Chronic Pain. <i>Clinical Journal of Pain</i> , 2016 , 32, 292-301	3.5	28
420	Global Burden Of Disease Studies: Implications For Mental And Substance Use Disorders. <i>Health Affairs</i> , 2016 , 35, 1114-20	7	50
419	Pain, alcohol use disorders and risky patterns of drinking among people with chronic non-cancer pain receiving long-term opioid therapy. <i>Drug and Alcohol Dependence</i> , 2016 , 162, 79-87	4.9	29
418	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013: Findings From the Global Burden of Disease 2013 Study. <i>JAMA Pediatrics</i> , 2016 , 170, 267-87	8.3	347
417	Treating codeine dependence with buprenorphine: Dose requirements and induction outcomes from a retrospective case series in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2016 , 35, 70-7	5 ^{3.2}	5
416	The extramedical use and diversion of opioid substitution medications and other medications in prison settings in Australia following the introduction of buprenorphine-naloxone film. <i>Drug and Alcohol Review</i> , 2016 , 35, 76-82	3.2	14
415	Prevention, early intervention, harm reduction, and treatment of substance use in young people. Lancet Psychiatry,the, 2016 , 3, 280-96	23.3	181
414	The increasing global health priority of substance use in young people. <i>Lancet Psychiatry,the</i> , 2016 , 3, 251-64	23.3	234

413	Why young people's substance use matters for global health. Lancet Psychiatry, the, 2016, 3, 265-79	23.3	154
412	Sexual identity and prevalence of alcohol and other drug use among Australians in the general population. <i>International Journal of Drug Policy</i> , 2016 , 28, 76-82	5.5	75
411	The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. <i>Injury Prevention</i> , 2016 , 22, 3-18	3.2	611
410	Global Priorities for Addressing the Burden of Mental, Neurological, and Substance Use Disorders 2016 , 1-27		15
409	Global Burden of Mental, Neurological, and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010 2016 , 29-40		10
408	Excess Mortality from Mental, Neurological, and Substance Use Disorders in the Global Burden of Disease Study 2010 2016 , 41-65		17
407	Illicit Drug Dependence 2016 , 109-125		8
406	Geographic Variation in Health Service Use and Perceived Access Barriers for Australian Adults with Chronic Non-Cancer Pain Receiving Opioid Therapy. <i>Pain Medicine</i> , 2016 , 17, 2003-2016	2.8	6
405	Estimating the number of regular and dependent methamphetamine users in Australia, 2002-2014. <i>Medical Journal of Australia</i> , 2016 , 205, 426	4	1
404	Estimating the number of regular and dependent methamphetamine users in Australia, 2002-2014. <i>Medical Journal of Australia</i> , 2016 , 204, 153	4	69
403	Initiation of strong prescription opioids in Australia: cohort characteristics and factors associated with the type of opioid initiated. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 1123-33	3.8	11
402	Sleep Quality Among People Living With Chronic Noncancer Pain: Findings From the Pain and Opioids IN Treatment (POINT) Cohort. <i>Clinical Journal of Pain</i> , 2016 , 32, 380-7	3.5	8
401	Defining problematic pharmaceutical opioid use among people prescribed opioids for chronic noncancer pain: do different measures identify the same patients?. <i>Pain</i> , 2016 , 157, 1489-1498	8	25
400	The influence of personality disorder on the future mental health and social adjustment of young adults: a population-based, longitudinal cohort study. <i>Lancet Psychiatry,the</i> , 2016 , 3, 636-45	23.3	52
399	The extent and correlates of community-based pharmaceutical opioid utilisation in Australia. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 521-38	2.6	50
398	A synthesis of oral morphine equivalents (OME) for opioid utilisation studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 733-7	2.6	192
397	A cross-sectional study of correlates of imprisonment in opioid-dependent men and women in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2016 , 35, 686-692	3.2	7
396	Is sexual content in new media linked to sexual risk behaviour in young people? A systematic review and meta-analysis. <i>Sexual Health</i> , 2016 , 13, 501-515	2	26

395	Adolescent Predictors of a Typology of DSM-5 Alcohol Use Disorder Symptoms in Young Adults Derived by Latent Class Analysis Using Data From an Australian Cohort Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2016 , 77, 757-65	1.9	8
394	Preventing depression and anxiety in young people: a review of the joint efficacy of universal, selective and indicated prevention. <i>Psychological Medicine</i> , 2016 , 46, 11-26	6.9	156
393	The association between childhood maltreatment, psychopathology, and adult sexual victimization in men and women: results from three independent samples. <i>Psychological Medicine</i> , 2016 , 46, 563-73	6.9	29
392	Excess mortality from mental, neurological and substance use disorders in the Global Burden of Disease Study 2010 ©ORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 91-92	5.1	Ο
391	Development of a brief tool for monitoring aberrant behaviours among patients receiving long-term opioid therapy: The Opioid-Related Behaviours In Treatment (ORBIT) scale. <i>Drug and Alcohol Dependence</i> , 2016 , 159, 42-52	4.9	22
390	Global burden of diseases, injuries, and risk factors for young people's health during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2016 , 387, 2383-401	40	483
389	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658	40	1216
388	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544	40	3525
387	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1545-1602	40	3801
386	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724	40	2431
385	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1725-1774	40	413
384	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850	40	302
383	Estimating the burden of disease attributable to injecting drug use as a risk factor for HIV, hepatitis C, and hepatitis B: findings from the Global Burden of Disease Study 2013. <i>Lancet Infectious Diseases, The</i> , 2016 , 16, 1385-1398	25.5	159
382	Same-day use of opioids and other central nervous system depressants amongst people who tamper with pharmaceutical opioids: A retrospective 7-day diary study. <i>Drug and Alcohol Dependence</i> , 2016 , 166, 125-33	4.9	7
381	The variance shared across forms of childhood trauma is strongly associated with liability for psychiatric and substance use disorders. <i>Brain and Behavior</i> , 2016 , 6, e00432	3.4	16
380	Response to Bird et al.: The importance of post-release engagement in treatment in estimating impacts on post-release deaths. <i>Addiction</i> , 2016 , 111, 560-1	4.6	
379	Commentary on Cousins et al. (2016): Accumulating evidence on risk of mortality on and off opioid substitution treatment. <i>Addiction</i> , 2016 , 111, 83-4	4.6	1
378	Diversion and injection of buprenorphine-naloxone film two years post-introduction in Australia. <i>Drug and Alcohol Review</i> , 2016 , 35, 83-91	3.2	8

377	Effectiveness of needle/syringe programmes and opiate substitution therapy in preventing HCV transmission among people who inject drugs. <i>Cochrane Database of Systematic Reviews</i> , 2016 , 2016,		26
376	A Typology of Predictive Risk Factors for Non-Adherent Medication-Related Behaviors among Chronic Non-Cancer Pain Patients Prescribed Opioids: A Cohort Study. <i>Pain Physician</i> , 2016 , 19, E421-34	1.8	1
375	The prevalence and correlates of chronic pain and suicidality in a nationally representative sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 803-11	2.6	46
374	Methods and predictors of tampering with a tamper-resistant controlled-release oxycodone formulation. <i>International Journal of Drug Policy</i> , 2015 , 26, 1265-72	5.5	13
373	Variation in mortality risk of people released from prison. <i>Lancet Psychiatry,the</i> , 2015 , 2, 681	23.3	1
372	The introduction of a potentially abuse deterrent oxycodone formulation: Early findings from the Australian National Opioid Medications Abuse Deterrence (NOMAD) study. <i>Drug and Alcohol Dependence</i> , 2015 , 151, 56-67	4.9	27
371	The impact of blood-borne viruses on cause-specific mortality among opioid dependent people: An Australian population-based cohort study. <i>Drug and Alcohol Dependence</i> , 2015 , 152, 264-71	4.9	13
370	Factors associated with the development of depression in chronic non-cancer pain patients following the onset of opioid treatment for pain. <i>Journal of Affective Disorders</i> , 2015 , 184, 72-80	6.6	24
369	Excess mortality from mental, neurological and substance use disorders in the Global Burden of Disease Study 2010. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 121-40	5.1	56
368	How can data harmonisation benefit mental health research? An example of The Cannabis Cohorts Research Consortium. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 317-23	2.6	18
367	Substance use in adulthood following adolescent self-harm: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 61-8	6.5	36
366	Changes in non-opioid substitution treatment episodes for pharmaceutical opioids and heroin from 2002 to 2011. <i>Drug and Alcohol Dependence</i> , 2015 , 149, 212-9	4.9	35
365	Comorbid attention deficit hyperactivity disorder and substance use disorder complexity and chronicity in treatment-seeking adults. <i>Drug and Alcohol Review</i> , 2015 , 34, 683-93	3.2	32
364	The Pain and Opioids IN Treatment study: characteristics of a cohort using opioids to manage chronic non-cancer pain. <i>Pain</i> , 2015 , 156, 231-242	8	85
363	Adolescent substance use and educational attainment: An integrative data analysis comparing cannabis and alcohol from three Australasian cohorts. <i>Drug and Alcohol Dependence</i> , 2015 , 156, 90-96	4.9	59
362	Mortality risk of opioid substitution therapy with methadone versus buprenorphine: a retrospective cohort study. <i>Lancet Psychiatry,the</i> , 2015 , 2, 901-8	23.3	84
361	Defining populations and injecting parameters among people who inject drugs: Implications for the assessment of hepatitis C treatment programs. <i>International Journal of Drug Policy</i> , 2015 , 26, 950-7	5.5	35
360	Evaluating the potential impact of a reformulated version of oxycodone upon tampering, non-adherence and diversion of opioids: the National Opioid Medications Abuse Deterrence (NOMAD) study protocol. <i>Addiction</i> , 2015 , 110, 226-37	4.6	18

(2015-2015)

359	A longitudinal comparison of retention in buprenorphine and methadone treatment for opioid dependence in New South Wales, Australia. <i>Addiction</i> , 2015 , 110, 646-55	4.6	44
358	Substance use and risk of death in young offenders: a prospective data linkage study. <i>Drug and Alcohol Review</i> , 2015 , 34, 46-50	3.2	19
357	Excess mortality among opioid-using patients treated with oral naltrexone in Australia. <i>Drug and Alcohol Review</i> , 2015 , 34, 90-6	3.2	15
356	Comparing treatment-seeking codeine users and strong opioid users: Findings from a novel case series. <i>Drug and Alcohol Review</i> , 2015 , 34, 304-11	3.2	19
355	Associations between psychotic symptoms and substance use in young offenders. <i>Drug and Alcohol Review</i> , 2015 , 34, 673-82	3.2	18
354	Estimating service demand for respite care among informal carers of people with psychological disabilities in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2015 , 39, 284-92	2.3	9
353	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91	40	1203
352	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323	40	1776
351	Cis-Expression Quantitative Trait Loci Mapping Reveals Replicable Associations with Heroin Addiction in OPRM1. <i>Biological Psychiatry</i> , 2015 , 78, 474-84	7.9	46
350	Burden attributable to child maltreatment in Australia. Child Abuse and Neglect, 2015, 48, 208-20	4.3	81
349	The characteristics of a cohort who tamper with prescribed and diverted opioid medications. <i>Journal of Substance Abuse Treatment</i> , 2015 , 58, 51-61	4.2	17
348	Reducing extramedical use and harms of pharmaceutical opioids: the potential role of abuse-deterrent formulations. <i>Lancet Psychiatry,the</i> , 2015 , 2, 957-9	23.3	3
347	Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71	40	4599
346	Psychiatric Epidemiology 2015 , 407-434		1
345	The global burden of mental, neurological and substance use disorders: an analysis from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2015 , 10, e0116820	3.7	649
344	Patterns of, and Factors Associated With, Illicit Pharmaceutical Opioid Analgesic Use in a Prospective Cohort of People Who Inject Drugs in Melbourne, Australia. <i>Substance Use and Misuse</i> , 2015 , 50, 1650-9	2.2	4
343	Does the social context of early alcohol use affect risky drinking in adolescents? Prospective cohort study. <i>BMC Public Health</i> , 2015 , 15, 1137	4.1	13
342	Examining the quality of name code record linkage: what is the impact on death and cancer risk estimates? A validation study. <i>Australian and New Zealand Journal of Public Health</i> , 2015 , 39, 141-7	2.3	7

341	The introduction of buprenorphine-naloxone film in opioid substitution therapy in Australia: Uptake and issues arising from changing buprenorphine formulations. <i>Drug and Alcohol Review</i> , 2015 , 34, 603-10	3.2	7
340	Injecting buprenorphine-naloxone film: Findings from an explorative qualitative study. <i>Drug and Alcohol Review</i> , 2015 , 34, 623-9	3.2	5
339	The use of paracetamol (acetaminophen) among a community sample of people with chronic non-cancer pain prescribed opioids. <i>International Journal of Clinical Practice</i> , 2015 , 69, 1366-76	2.9	5
338	Potential bias due to outcome-related loss to follow-up in cohort studies on incidence of drug injection: systematic review and meta-analysis. <i>Addiction</i> , 2015 , 110, 1247-57	4.6	7
337	A cost-effectiveness analysis of opioid substitution therapy upon prison release in reducing mortality among people with a history of opioid dependence. <i>Addiction</i> , 2015 , 110, 1975-84	4.6	22
336	Jurisdictional differences in opioid use, other licit and illicit drug use, and harms associated with substance use among people who tamper with pharmaceutical opioids. <i>Drug and Alcohol Review</i> , 2015 , 34, 611-22	3.2	10
335	A typology of people who tamper with pharmaceutical opioids: responses to introduction of a tamper-resistant formulation of controlled-release oxycodone. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1321-33	2.6	4
334	Global Epidemiology of HIV Among Women and Girls Who Use or Inject Drugs: Current Knowledge and Limitations of Existing Data. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 69 Suppl 2, S100-9	3.1	35
333	Trends and characteristics of accidental and intentional codeine overdose deaths in Australia. <i>Medical Journal of Australia</i> , 2015 , 203, 299	4	54
332	The Impact of Illicit Drugs on Public Health 2015 , 300-319		
331	A heavy burden on young minds: the global burden of mental and substance use disorders in children and youth. <i>Psychological Medicine</i> , 2015 , 45, 1551-63	6.9	270
330	Associations of borderline personality with pain, problems with medications and suicidality in a community sample of chronic non-cancer pain patients prescribed opioids for pain. <i>General Hospital Psychiatry</i> , 2015 , 37, 434-40	5.6	15
329	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800	40	3802
328	Pharmaceutical Opioid Use and Dependence among People Living with Chronic Pain: Associations Observed within the Pain and Opioids in Treatment (POINT) Cohort. <i>Pain Medicine</i> , 2015 , 16, 1745-58	2.8	58
327	Benzodiazepine use among chronic pain patients prescribed opioids: associations with pain,		
	physical and mental health, and health service utilization. <i>Pain Medicine</i> , 2015 , 16, 356-66	2.8	77
326	physical and mental health, and health service utilization. <i>Pain Medicine</i> , 2015 , 16, 356-66 The POPPY Research Programme protocol: investigating opioid utilisation, costs and patterns of extramedical use in Australia. <i>BMJ Open</i> , 2015 , 5, e007030	2.8	8
326 325	The POPPY Research Programme protocol: investigating opioid utilisation, costs and patterns of	3	

(2014-2015)

323	How do drug market changes affect characteristics of injecting initiation and subsequent patterns of drug use? Findings from a cohort of regular heroin and methamphetamine injectors in Melbourne, Australia. <i>International Journal of Drug Policy</i> , 2015 , 26, 43-50	5.5	19
322	Experience of adjunctive cannabis use for chronic non-cancer pain: findings from the Pain and Opioids IN Treatment (POINT) study. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 144-50	4.9	80
321	Opioid substitution therapy is associated with increased detection of hepatitis C virus infection: a 15-year observational cohort study. <i>Drug and Alcohol Dependence</i> , 2015 , 148, 213-6	4.9	9
320	Symptom screening scales for detecting major depressive disorder in children and adolescents: a systematic review and meta-analysis of reliability, validity and diagnostic utility. <i>Journal of Affective Disorders</i> , 2015 , 174, 447-63	6.6	135
319	Sexual identity, same-sex partners and risk behaviour among a community-based sample of young people in Australia. <i>International Journal of Drug Policy</i> , 2015 , 26, 153-61	5.5	5
318	Mortality among older adults with opioid use disorders in the Veteran's Health Administration, 2000-2011. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 32-7	4.9	40
317	Monoacylglycerol lipase (MGLL) polymorphism rs604300 interacts with childhood adversity to predict cannabis dependence symptoms and amygdala habituation: Evidence from an endocannabinoid system-level analysis. <i>Journal of Abnormal Psychology</i> , 2015 , 124, 860-77	7	26
316	The diversion and injection of a buprenorphine-naloxone soluble film formulation. <i>Drug and Alcohol Dependence</i> , 2014 , 136, 21-7	4.9	39
315	The global epidemiology and burden of opioid dependence: results from the global burden of disease 2010 study. <i>Addiction</i> , 2014 , 109, 1320-33	4.6	251
314	Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the IASP study. <i>Addiction</i> , 2014 , 109, 262-72	4.6	103
313	What has been achieved in HIV prevention, treatment and care for people who inject drugs, 2010-2012? A review of the six highest burden countries. <i>International Journal of Drug Policy</i> , 2014 , 25, 53-60	5.5	124
312	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. <i>American Journal on Addictions</i> , 2014 , 23, 145-55	3.7	13
311	A systematic review and meta-analysis of naltrexone implants for the treatment of opioid dependence. <i>Drug and Alcohol Review</i> , 2014 , 33, 115-28	3.2	34
310	Effects of HIV antiretroviral therapy on sexual and injecting risk-taking behavior: a systematic review and meta-analysis. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1483-94	11.6	28
309	Risk behaviours among substance use disorder treatment seekers with and without adult ADHD symptoms. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 70-7	4.9	27
308	Young adult sequelae of adolescent cannabis use: an integrative analysis. <i>Lancet Psychiatry,the</i> , 2014 , 1, 286-93	23.3	272
307	Cocaine use and risk of stroke: a systematic review. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 1-13	4.9	67
306	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 1005-70	40	653

305	Cohort protocol paper: the Pain and Opioids In Treatment (POINT) study. <i>BMC Pharmacology & Toxicology</i> , 2014 , 15, 17	2.6	34
304	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 158-166	4.9	123
303	Global, regional, and national levels and causes of maternal mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 980-1004	40	950
302	Complex health needs in the youth justice system: a survey of community-based and custodial offenders. <i>Journal of Adolescent Health</i> , 2014 , 54, 521-6	5.8	31
301	Predictive validity of the AUDIT for hazardous alcohol consumption in recently released prisoners. Drug and Alcohol Dependence, 2014 , 134, 322-329	4.9	14
300	A latent class analysis of self-reported clinical indicators of psychosocial stability and adherence among opioid substitution therapy patients: do stable patients receive more unsupervised doses?. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 46-55	4.9	11
299	Effect of intubation for gamma-hydroxybutyric acid overdose on emergency department length of stay and hospital admission. <i>Academic Emergency Medicine</i> , 2014 , 21, 1226-31	3.4	17
298	Opioid agonist treatment for pharmaceutical opioid dependent people 2014 ,		3
297	The burden attributable to mental and substance use disorders as risk factors for suicide: findings from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2014 , 9, e91936	3.7	226
296	Offending, custody and opioid substitution therapy treatment utilisation among opioid-dependent people in contact with the criminal justice system: comparison of Indigenous and non-Indigenous Australians. <i>BMC Public Health</i> , 2014 , 14, 920	4.1	7
295	Opioid substitution therapy as a strategy to reduce deaths in prison: retrospective cohort study. <i>BMJ Open</i> , 2014 , 4, e004666	3	40
294	Reply: To PMID 23504650. <i>Hepatology</i> , 2014 , 59, 733-4	11.2	1
293	Afghanistan has a sizeable problem with opioid use. <i>The Lancet Global Health</i> , 2014 , 2, e557-8	13.6	1
292	Imprisonment of opioid-dependent people in New South Wales, Australia, 2000 2 012: a retrospective linkage study. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 165-70	2.3	9
291	PTSD risk associated with a functional DRD2 polymorphism in heroin-dependent cases and controls is limited to amphetamine-dependent individuals. <i>Addiction Biology</i> , 2014 , 19, 700-7	4.6	9
290	The Global Burden of Disease projects: what have we learned about illicit drug use and dependence and their contribution to the global burden of disease?. <i>Drug and Alcohol Review</i> , 2014 , 33, 4-12	3.2	63
289	Response to Hser et al. (2014): The necessity for more and better data on the global epidemiology of opioid dependence. <i>Addiction</i> , 2014 , 109, 1335-7	4.6	2
288	Poor health and social outcomes for ex-prisoners with a history of mental disorder: a longitudinal study. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 424-9	2.3	39

(2013-2014)

287	Diversion of prescribed opioids by people living with chronic pain: results from an Australian community sample. <i>Drug and Alcohol Review</i> , 2014 , 33, 27-32	3.2	11
286	The impact of opioid substitution therapy on mortality post-release from prison: retrospective data linkage study. <i>Addiction</i> , 2014 , 109, 1306-17	4.6	117
285	A comparative study of opioid substitution therapy utilisation among opioid-dependent men and women. <i>Drug and Alcohol Review</i> , 2014 , 33, 499-505	3.2	3
284	Hepatitis C testing and status among opioid substitution treatment clients in New South Wales. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 160-4	2.3	8
283	Factors associated with the timing and onset of cannabis use and cannabis use disorder: results from the 2007 Australian National Survey of Mental Health and Well-Being. <i>Drug and Alcohol Review</i> , 2014 , 33, 555-64	3.2	38
282	The global burden of mental and substance use disorders: changes in estimating burden between GBD1990 and GBD2010. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 239-49	5.1	15
281	Pattern and characteristics of ecstasy and related drug (ERD) presentations at two hospital emergency departments, Melbourne, Australia, 2008-2010. <i>Emergency Medicine Journal</i> , 2014 , 31, 317-	2 2 .5	18
280	Commentary: improving the mental health and substance use estimates in the Global Burden of Disease study: strengthening the evidence base for public policy. <i>International Journal of Epidemiology</i> , 2014 , 43, 296-301	7.8	8
279	Examining non-AIDS mortality among people who inject drugs. Aids, 2014, 28 Suppl 4, S435-44	3.5	23
278	Causes of death in a cohort treated for opioid dependence between 1985 and 2005. <i>Addiction</i> , 2014 , 109, 90-9	4.6	74
277	Self-harm in young offenders. Suicide and Life-Threatening Behavior, 2014, 44, 641-52	3.9	17
276	Association of OPRD1 polymorphisms with heroin dependence in a large case-control series. <i>Addiction Biology</i> , 2014 , 19, 111-21	4.6	59
275	The prognosis of common mental disorders in adolescents: a 14-year prospective cohort study. Lancet, The, 2014 , 383, 1404-11	40	277
274	The global epidemiology and burden of psychostimulant dependence: findings from the Global Burden of Disease Study 2010. <i>Drug and Alcohol Dependence</i> , 2014 , 137, 36-47	4.9	114
273	The adverse health effects of chronic cannabis use. <i>Drug Testing and Analysis</i> , 2014 , 6, 39-45	3.5	126
272	Mental and substance use disorders in Sub-Saharan Africa: predictions of epidemiological changes and mental health workforce requirements for the next 40 years. <i>PLoS ONE</i> , 2014 , 9, e110208	3.7	73
271	Establishing the Melbourne Injecting Drug User Cohort Study (MIX): rationale, methods, and baseline and twelve-month follow-up results. <i>Harm Reduction Journal</i> , 2013 , 10, 11	4.6	66
270	Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 382, 1575-86	40	3619

269	Global burden of disease attributable to illicit drug use and dependence: findings from the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 382, 1564-74	40	551
268	Study protocol: the Childhood to Adolescence Transition Study (CATS). <i>BMC Pediatrics</i> , 2013 , 13, 160	2.6	46
267	Engagement with the criminal justice system among opioid-dependent people: a retrospective cohort study. <i>Addiction</i> , 2013 , 108, 2152-65	4.6	18
266	Correlates of pain in an in-treatment sample of opioid-dependent people. <i>Drug and Alcohol Review</i> , 2013 , 32, 489-94	3.2	6
265	A randomised controlled trial of sublingual buprenorphine-naloxone film versus tablets in the management of opioid dependence. <i>Drug and Alcohol Dependence</i> , 2013 , 131, 119-26	4.9	34
264	The relationship between age and risky injecting behaviours among a sample of Australian people who inject drugs. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 541-6	4.9	37
263	A systematic review of evidence on the association between cocaine use and seizures. <i>Drug and Alcohol Dependence</i> , 2013 , 133, 795-804	4.9	18
262	The contributions of viral hepatitis and alcohol to liver-related deaths in opioid-dependent people. <i>Drug and Alcohol Dependence</i> , 2013 , 131, 252-7	4.9	20
261	Examining the association of NRXN3 SNPs with borderline personality disorder phenotypes in heroin dependent cases and socio-economically disadvantaged controls. <i>Drug and Alcohol Dependence</i> , 2013 , 128, 187-93	4.9	11
260	The persistence of the association between adolescent cannabis use and common mental disorders into young adulthood. <i>Addiction</i> , 2013 , 108, 124-33	4.6	158
259	ANKK1, TTC12, and NCAM1 polymorphisms and heroin dependence: importance of considering drug exposure. <i>JAMA Psychiatry</i> , 2013 , 70, 325-33	14.5	45
258	Cannabis Use and the Development and Maintenance of Psychosis 2013 , 517-524		O
257	Mitigating the risk of HIV infection with opioid substitution treatment. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 148-9	8.2	31
256	Mortality among people who inject drugs: a systematic review and meta-analysis. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 102-23	8.2	287
255	How did we arrive at burden of disease estimates for mental and illicit drug use disorders in the Global Burden of Disease Study 2010?. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 376-83	4.9	20
254	Estimating the proportion of prescription opioids that is consumed by people who inject drugs in Australia. <i>Drug and Alcohol Review</i> , 2013 , 32, 468-74	3.2	12
253	Trends in fentanyl prescriptions and fentanyl-related mortality in Australia. <i>Drug and Alcohol Review</i> , 2013 , 32, 269-75	3.2	49
252	Incidence and prevalence of hepatitis C in prisons and other closed settings: results of a systematic review and meta-analysis. <i>Hepatology</i> , 2013 , 58, 1215-24	11.2	209

(2012-2013)

251	The persistence of adolescent binge drinking into adulthood: findings from a 15-year prospective cohort study. <i>BMJ Open</i> , 2013 , 3, e003015	3	48
250	The sources of pharmaceuticals for problematic users of benzodiazepines and prescription opioids. <i>Medical Journal of Australia</i> , 2013 , 199, 696-9	4	19
249	Recent increase in detection of alprazolam in Victorian heroin-related deaths. <i>Medical Journal of Australia</i> , 2013 , 198, 206-9	4	24
248	Real-time monitoring of Schedule 8 medicines in Australia: evaluation is essential. <i>Medical Journal of Australia</i> , 2013 , 198, 80-1	4	29
247	The global epidemiology and contribution of cannabis use and dependence to the global burden of disease: results from the GBD 2010 study. <i>PLoS ONE</i> , 2013 , 8, e76635	3.7	183
246	Global epidemiology of mental disorders: what are we missing?. PLoS ONE, 2013, 8, e65514	3.7	112
245	HIV due to female sex work: regional and global estimates. <i>PLoS ONE</i> , 2013 , 8, e63476	3.7	104
244	Pills and pints: risky drinking and alcohol-related harms among regular ecstasy users in Australia. <i>Drug and Alcohol Review</i> , 2012 , 31, 273-80	3.2	13
243	Extent of illicit drug use and dependence, and their contribution to the global burden of disease. <i>Lancet, The</i> , 2012 , 379, 55-70	40	857
242	Health of the world's adolescents: a synthesis of internationally comparable data. <i>Lancet, The</i> , 2012 , 379, 1665-75	40	311
241	Commentary on Kelty & Hulse (2012): is the comparison of mortality between patients prescribed implanted or oral naltrexone an unbiased and unconfounded comparison?. <i>Addiction</i> , 2012 , 107, 1825-6	4.6	2
240	Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2129-43	40	842
239	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	40	5768
238	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2095-128	40	8873
237	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	40	4971
236	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2224-60	40	7625
235	Injecting drug use and related health behaviours in a small case series of East African migrants in Melbourne. <i>Australian and New Zealand Journal of Public Health</i> , 2012 , 36, 586-7	2.3	3
234	Transitions from injection-drug-use-concentrated to self-sustaining heterosexual HIV epidemics: patterns in the international data. <i>PLoS ONE</i> , 2012 , 7, e31227	3.7	26

233	Predicting the impact of the 2011 conflict in Libya on population mental health: PTSD and depression prevalence and mental health service requirements. <i>PLoS ONE</i> , 2012 , 7, e40593	3.7	38
232	Commentary on Mehta et al. (2012): Natural history of injecting drug use. <i>Addiction</i> , 2012 , 107, 359-60	4.6	1
231	Opiate substitution treatment and HIV transmission in people who inject drugs: systematic review and meta-analysis. <i>BMJ, The</i> , 2012 , 345, e5945	5.9	299
230	Cannabis and progression to other substance use in young adults: findings from a 13-year prospective population-based study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, e26	5.1	59
229	The importance of blood-borne viruses in elevated cancer risk among opioid-dependent people: a population-based cohort study. <i>BMJ Open</i> , 2012 , 2,	3	19
228	Cannabinoid receptor genotype moderation of the effects of childhood physical abuse on anhedonia and depression. <i>Archives of General Psychiatry</i> , 2012 , 69, 732-40		71
227	Sex differences amongst dependent heroin users: histories, clinical characteristics and predictors of other substance dependence. <i>Addictive Behaviors</i> , 2011 , 36, 27-36	4.2	77
226	Mortality among cocaine users: a systematic review of cohort studies. <i>Drug and Alcohol Dependence</i> , 2011 , 113, 88-95	4.9	152
225	What data are available on the extent of illicit drug use and dependence globally? Results of four systematic reviews. <i>Drug and Alcohol Dependence</i> , 2011 , 117, 85-101	4.9	101
224	Post-marketing surveillance of buprenorphine-naloxone in Australia: diversion, injection and adherence with supervised dosing. <i>Drug and Alcohol Dependence</i> , 2011 , 118, 265-73	4.9	53
223	The association between trauma and delusional-like experiences. <i>Psychiatry Research</i> , 2011 , 189, 259-64	19.9	26
222	Global epidemiology of hepatitis B and hepatitis C in people who inject drugs: results of systematic reviews. <i>Lancet, The</i> , 2011 , 378, 571-83	40	958
221	What are the major drivers of prevalent disability burden in young Australians?. <i>Medical Journal of Australia</i> , 2011 , 194, 232-5	4	44
220	P2-416 Estimating the prevalence of hepatitis B infection among people who inject drugs: results from a global systematic review. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A336-A337	5.1	
219	Prescribers' perceptions of the diversion and injection of medication by opioid substitution treatment patients. <i>Drug and Alcohol Review</i> , 2011 , 30, 613-20	3.2	16
218	Definitions related to the use of pharmaceutical opioids: extramedical use, diversion, non-adherence and aberrant medication-related behaviours. <i>Drug and Alcohol Review</i> , 2011 , 30, 236-45	3.2	89
217	The availability, diversion and injection of pharmaceutical opioids in South Asia. <i>Drug and Alcohol Review</i> , 2011 , 30, 246-54	3.2	41
216	Mortality among regular or dependent users of heroin and other opioids: a systematic review and meta-analysis of cohort studies. <i>Addiction</i> , 2011 , 106, 32-51	4.6	544

215	Opioid dependence latent structure: two classes with differing severity?. Addiction, 2011 , 106, 590-8	4.6	19
214	The increasing mortality burden of liver disease among opioid-dependent people: cohort study. <i>Addiction</i> , 2011 , 106, 2186-92	4.6	48
213	Ecstasy Use, Outcome Expectancies, and Sexual Risk Taking. <i>Australian Psychologist</i> , 2011 , 46, 219-228	1.7	4
212	Increasing cancer mortality among opioid-dependent persons in Australia: a new public health challenge for a disadvantaged population. <i>Australian and New Zealand Journal of Public Health</i> , 2011 , 35, 220-5	2.3	39
211	The association between delusional-like experiences, and tobacco, alcohol or cannabis use: a nationwide population-based survey. <i>BMC Psychiatry</i> , 2011 , 11, 202	4.2	29
210	The prevalence and correlates of buprenorphine inhalation amongst opioid substitution treatment (OST) clients in Australia. <i>International Journal of Drug Policy</i> , 2011 , 22, 167-71	5.5	21
209	Cross-national comparisons of sex differences in opportunities to use alcohol or drugs, and the transitions to use. <i>Substance Use and Misuse</i> , 2011 , 46, 1169-78	2.2	24
208	Cannabis and the increased incidence and persistence of psychosis. <i>BMJ, The</i> , 2011 , 342, d719	5.9	13
207	Mental disorders as risk factors for substance use, abuse and dependence: results from the 10-year follow-up of the National Comorbidity Survey. <i>Addiction</i> , 2010 , 105, 1117-28	4.6	369
206	The epidemiology of cannabis use and cannabis-related harm in Australia 1993-2007. <i>Addiction</i> , 2010 , 105, 1071-9	4.6	39
205	What are the policy implications of the evidence on cannabis use and psychosis?. <i>Addiction</i> , 2010 , 105, 1332-3	4.6	4
204	Does cannabis use increase the risk of death? Systematic review of epidemiological evidence on adverse effects of cannabis use. <i>Drug and Alcohol Review</i> , 2010 , 29, 318-30	3.2	105
203	Contextualising psychological distress among regular ecstasy users: the importance of sociodemographic factors and patterns of drug use. <i>Drug and Alcohol Review</i> , 2010 , 29, 243-9	3.2	20
202	Early cannabis use and estimated risk of later onset of depression spells: Epidemiologic evidence from the population-based World Health Organization World Mental Health Survey Initiative. American Journal of Epidemiology, 2010 , 172, 149-59	3.8	58
201	Comparing probability and non-probability sampling methods in Ecstasy research: implications for the internet as a research tool. <i>Substance Use and Misuse</i> , 2010 , 45, 437-50	2.2	20
200	Association between cannabis use and psychosis-related outcomes using sibling pair analysis in a cohort of young adults. <i>Archives of General Psychiatry</i> , 2010 , 67, 440-7		187
199	Predictors of social anxiety in an opioid dependent sample and a control sample. <i>Journal of Anxiety Disorders</i> , 2010 , 24, 49-54	10.9	12
198	Is ecstasy a drug of dependence?. <i>Drug and Alcohol Dependence</i> , 2010 , 107, 1-10	4.9	100

197	Evaluating the drug use "gateway" theory using cross-national data: consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2010 , 108, 84-97	4.9	199
196	Sexual and injecting risk behaviours among regular ecstasy users. <i>Addictive Behaviors</i> , 2010 , 35, 157-60	4.2	9
195	Systematic review of prospective studies investigating "remission" from amphetamine, cannabis, cocaine or opioid dependence. <i>Addictive Behaviors</i> , 2010 , 35, 741-9	4.2	90
194	Transition to and from injecting drug use among regular ecstasy users. <i>Addictive Behaviors</i> , 2010 , 35, 909-12	4.2	14
193	Adverse health effects of non-medical cannabis use [Authors' reply. Lancet, The, 2010, 375, 197	40	
192	HIV prevention, treatment, and care services for people who inject drugs: a systematic review of global, regional, and national coverage. <i>Lancet, The</i> , 2010 , 375, 1014-28	40	536
191	Prevention of HIV infection for people who inject drugs: why individual, structural, and combination approaches are needed. <i>Lancet, The</i> , 2010 , 376, 285-301	40	329
190	Outcomes of occasional cannabis use in adolescence: 10-year follow-up study in Victoria, Australia. <i>British Journal of Psychiatry</i> , 2010 , 196, 290-5	5.4	86
189	Investigating the co-occurrence of self-mutilation and suicide attempts among opioid-dependent individuals. <i>Suicide and Life-Threatening Behavior</i> , 2010 , 40, 50-62	3.9	25
188	Meth/amphetamine use and associated HIV: Implications for global policy and public health. <i>International Journal of Drug Policy</i> , 2010 , 21, 347-58	5.5	129
187	Improving the data to strengthen the global response to HIV among people who inject drugs. <i>International Journal of Drug Policy</i> , 2010 , 21, 100-2	5.5	11
186	Cannabis: A Clue or a Distraction in the Search for Causes of Psychosis? 2010 , 367-376		
185	Mental disorders as risk factors for later substance dependence: estimates of optimal prevention and treatment benefits. <i>Psychological Medicine</i> , 2009 , 39, 1365-77	6.9	85
184	Can the severity of dependence scale be usefully applied to 'ecstasy'?. <i>Neuropsychobiology</i> , 2009 , 60, 137-47	4	50
183	The epidemiology of ecstasy use and harms in Australia. <i>Neuropsychobiology</i> , 2009 , 60, 176-87	4	16
182	The Australian Illicit Drug Reporting System: Monitoring Trends in Illicit Drug Availability, Use and Drug-Related Harm in Australia 1996\(\bar{\mathbb{Q}}\)006. <i>Contemporary Drug Problems</i> , 2009 , 36, 643-661	1.3	6
181	Estimating the level of HIV prevention coverage, knowledge and protective behavior among injecting drug users: what does the 2008 UNGASS reporting round tell us?. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 52 Suppl 2, S132-42	3.1	18
180	Should burden of disease estimates include cannabis use as a risk factor for psychosis?. <i>PLoS Medicine</i> , 2009 , 6, e1000133	11.6	36

(2009-2009)

179	GHB in Sydney, Australia, 2000-2006: a case study of the EDRS as a strategic early warning system. <i>International Journal of Drug Policy</i> , 2009 , 20, 413-7	5.5	11
178	Child maltreatment as a risk factor for opioid dependence: Comparison of family characteristics and type and severity of child maltreatment with a matched control group. <i>Child Abuse and Neglect</i> , 2009 , 33, 343-52	4.3	85
177	A systematic review of research examining benzodiazepine-related mortality. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 93-103	2.6	69
176	The global diversion of pharmaceutical drugs series. <i>Addiction</i> , 2009 , 104, 333-4	4.6	1
175	Are adolescents who moderate their cannabis use at lower risk of later regular and dependent cannabis use?. <i>Addiction</i> , 2009 , 104, 806-14	4.6	16
174	Socio-demographic risk factors for alcohol and drug dependence: the 10-year follow-up of the national comorbidity survey. <i>Addiction</i> , 2009 , 104, 1346-55	4.6	99
173	Opioid agonist pharmacotherapy in New South Wales from 1985 to 2006: patient characteristics and patterns and predictors of treatment retention. <i>Addiction</i> , 2009 , 104, 1363-72	4.6	74
172	Estimating the burden of disease attributable to illicit drug use and mental disorders: what is 'Global Burden of Disease 2005' and why does it matter?. <i>Addiction</i> , 2009 , 104, 1466-71	4.6	17
171	The use of drug detection dogs in Sydney, Australia. Drug and Alcohol Review, 2009, 28, 658-62	3.2	18
170	Crime, drugs and distress: patterns of drug use and harm among criminally involved injecting drug users in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 223-7	2.3	30
169	Sociodemographic predictors of transitions across stages of alcohol use, disorders, and remission in the National Comorbidity Survey Replication. <i>Comprehensive Psychiatry</i> , 2009 , 50, 299-306	7.3	69
168	Factors associated with driving under the influence of alcohol and drugs among an Australian sample of regular ecstasy users. <i>Drug and Alcohol Dependence</i> , 2009 , 100, 24-31	4.9	23
167	Geographical clustering of cannabis use: results from the New Zealand Mental Health Survey 2003-2004. <i>Drug and Alcohol Dependence</i> , 2009 , 99, 309-16	4.9	13
166	Further evidence of differences in substance use and dependence between Australia and the United States. <i>Drug and Alcohol Dependence</i> , 2009 , 100, 258-64	4.9	19
165	Mortality among clients of a state-wide opioid pharmacotherapy program over 20 years: risk factors and lives saved. <i>Drug and Alcohol Dependence</i> , 2009 , 105, 9-15	4.9	265
164	Mortality among amphetamine users: a systematic review of cohort studies. <i>Drug and Alcohol Dependence</i> , 2009 , 105, 1-8	4.9	87
163	Impulsivity and borderline personality as risk factors for suicide attempts among opioid-dependent individuals. <i>Psychiatry Research</i> , 2009 , 169, 16-21	9.9	29
162	Reprint of "Understanding comorbidity between substance use, anxiety and affective disorders: broadening the research base". <i>Addictive Behaviors</i> , 2009 , 34, 795-9	4.2	12

161	Are non-fatal opioid overdoses misclassified suicide attempts? Comparing the associated correlates. <i>Addictive Behaviors</i> , 2009 , 34, 723-9	4.2	53
160	Understanding comorbidity between substance use, anxiety and affective disorders: broadening the research base. <i>Addictive Behaviors</i> , 2009 , 34, 526-30	4.2	42
159	Adverse health effects of non-medical cannabis use. <i>Lancet, The</i> , 2009 , 374, 1383-91	40	769
158	Does the 'gateway' matter? Associations between the order of drug use initiation and the development of drug dependence in the National Comorbidity Study Replication. <i>Psychological Medicine</i> , 2009 , 39, 157-67	6.9	87
157	Injection of medications used in opioid substitution treatment in Australia after the introduction of a mixed partial agonist-antagonist formulation. <i>Medical Journal of Australia</i> , 2009 , 191, 161-5	4	33
156	Naloxone for administration by peers in cases of heroin overdose. <i>Medical Journal of Australia</i> , 2009 , 191, 469	4	18
155	Opioid dependence and management 2009 , 1-14		
154	Estimating the costs of drug-related hospital separations in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2008 , 32, 156-61	2.3	6
153	A review of the use of US-derived aetiological fractions in an Australian setting for antenatal problems related to cocaine use. <i>Australian and New Zealand Journal of Public Health</i> , 2008 , 32, 393-4	2.3	1
152	Exposure to opioid maintenance treatment reduces long-term mortality. <i>Addiction</i> , 2008 , 103, 462-8	4.6	136
151	Adolescent cannabis users at 24 years: trajectories to regular weekly use and dependence in young adulthood. <i>Addiction</i> , 2008 , 103, 1361-70	4.6	136
150	Estimating the size and dynamics of an injecting drug user population and implications for health service coverage: comparison of indirect prevalence estimation methods. <i>Addiction</i> , 2008 , 103, 1604-13	4.6	26
149	The epidemiology of GHB and ketamine use in an Australian household survey. <i>International Journal of Drug Policy</i> , 2008 , 19, 311-6	5.5	85
148	Australian heroin seizures and the causes of the 2001 heroin shortage. <i>International Journal of Drug Policy</i> , 2008 , 19, 293-4; discussion 295-6	5.5	O
147	CANNABIS ABUSE AND DEPENDENCE 2008 , 117-148		3
146	Improving targets for the prevention of drug use disorders: sociodemographic predictors of transitions across drug use stages in the national comorbidity survey replication. <i>Preventive Medicine</i> , 2008 , 47, 629-34	4.3	22
145	Are diagnostic orphans at risk of developing cannabis abuse or dependence? Four-year follow-up of young adult cannabis users not meeting diagnostic criteria. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 86-9	9 6 .9	21
144	Characteristics of drug-related hospital separations in Australia. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 149-55	4.9	24

(2007-2008)

143	Assessment of cocaine and other drug dependence in the general population: "gated" versus "ungated" approaches. <i>Drug and Alcohol Dependence</i> , 2008 , 93, 227-32	4.9	32
142	Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review. <i>Lancet, The</i> , 2008 , 372, 1733-45	40	971
141	Drug dependence and associated risks among female street-based sex workers in the greater Sydney area, Australia. <i>Substance Use and Misuse</i> , 2008 , 43, 1202-17	2.2	18
140	The adverse effects of cannabinoids: implications for use of medical marijuana. <i>Cmaj</i> , 2008 , 178, 1685-6	3.5	24
139	Cannabis use and the risk of developing a psychotic disorder. World Psychiatry, 2008, 7, 68-71	14.4	81
138	Response to Brewer. <i>Drug and Alcohol Review</i> , 2008 , 27, 448-449	3.2	
137	Toward a global view of alcohol, tobacco, cannabis, and cocaine use: findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2008 , 5, e141	11.6	516
136	The importance of timing of transitions for risk of regular smoking and nicotine dependence. <i>Annals of Behavioral Medicine</i> , 2008 , 36, 87-92	4.5	52
135	Drug use and risk among regular injecting drug users in Australia: does age make a difference?. <i>Drug and Alcohol Review</i> , 2008 , 27, 357-60	3.2	16
134	The effects of the market withdrawal of temazepam gel capsules on benzodiazepine injecting in Sydney, Australia. <i>Drug and Alcohol Review</i> , 2008 , 27, 145-51	3.2	14
133	Crystal methamphetamine smoking among regular ecstasy users in Australia: increases in use and associations with harm. <i>Drug and Alcohol Review</i> , 2008 , 27, 292-300	3.2	18
132	The epidemiology of methamphetamine use and harm in Australia. <i>Drug and Alcohol Review</i> , 2008 , 27, 243-52	3.2	90
131	Injecting risk behaviour and related harm among men who use performance- and image-enhancing drugs. <i>Drug and Alcohol Review</i> , 2008 , 27, 679-86	3.2	55
130	Opioid overdose deaths can occur in patients with naltrexone implants. <i>Medical Journal of Australia</i> , 2007 , 186, 152-153	4	38
129	Opioid overdose deaths can occur in patients with naltrexone implants. <i>Medical Journal of Australia</i> , 2007 , 186, 152-3	4	16
128	Hospital separations for cannabis- and methamphetamine-related psychotic episodes in Australia. <i>Medical Journal of Australia</i> , 2007 , 186, 342-5	4	38
127	Assessing cannabis dependence in community surveys: methodological issues. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16, 43-51	4.3	29
126	Case ascertainment of alcohol dependence in general population surveys: 'gated' versus 'ungated' approaches. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16, 111-23	4.3	32

125	Projecting the impact of changes in cannabis use upon schizophrenia in England and Wales: the role of assumptions and balance in framing an evidence-based cannabis policy. <i>Addiction</i> , 2007 , 102, 515-6; discussion 516-8	4.6	4
124	The predictors and consequences of adolescent amphetamine use: findings from the Victoria Adolescent Health Cohort Study. <i>Addiction</i> , 2007 , 102, 1076-84	4.6	50
123	Who are the new amphetamine users? A 10-year prospective study of young Australians. <i>Addiction</i> , 2007 , 102, 1269-79	4.6	28
122	Suicidal behaviour and associated risk factors among opioid-dependent individuals: a case-control study. <i>Addiction</i> , 2007 , 102, 1933-41	4.6	76
121	Affective disorders, anxiety disorders and psychological distress in non-drinkers. <i>Journal of Affective Disorders</i> , 2007 , 99, 165-72	6.6	20
120	Mortality related to pharmacotherapies for opioid dependence: a comparative analysis of coronial records. <i>Drug and Alcohol Review</i> , 2007 , 26, 405-10	3.2	48
119	Cannabis-Induced Psychosis among Aboriginal People in the Northwest Territories. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 475-476	4.8	
118	Prevalence and correlates of cannabis use in developed and developing countries. <i>Current Opinion in Psychiatry</i> , 2007 , 20, 393-7	4.9	118
117	The temporal dynamics of relationships between cannabis, psychosis and depression among young adults with psychotic disorders: findings from a 10-month prospective study. <i>Psychological Medicine</i> , 2007 , 37, 927-34	6.9	73
116	Epidemiological patterns of extra-medical drug use in the United States: evidence from the National Comorbidity Survey Replication, 2001-2003. <i>Drug and Alcohol Dependence</i> , 2007 , 90, 210-23	4.9	77
115	A descriptive epidemiology of substance use and substance use disorders in Nigeria during the early 21st century. <i>Drug and Alcohol Dependence</i> , 2007 , 91, 1-9	4.9	79
114	Predictors of frequent use of amphetamine type stimulants among HIV-negative gay men in Sydney, Australia. <i>Drug and Alcohol Dependence</i> , 2007 , 91, 260-8	4.9	48
113	UK classification of cannabis: is a change needed and why?. <i>Lancet, The</i> , 2007 , 370, 1541	40	2
112	Methods estimating the prevalence of problem drug use. <i>International Journal of Drug Policy</i> , 2006 , 17, 154-158	5.5	5
111	Driving, drug use behaviour and risk perceptions of nightclub attendees in Victoria, Australia. <i>International Journal of Drug Policy</i> , 2006 , 17, 41-46	5.5	40
110	A survey of regular ecstasy usersiknowledge and practices around determining pill content and purity: Implications for policy and practice. <i>International Journal of Drug Policy</i> , 2006 , 17, 464-472	5.5	32
109	Using intervention time series analyses to assess the effects of imperfectly identifiable natural events: a general method and example. <i>BMC Medical Research Methodology</i> , 2006 , 6, 16	4.7	47
108	Posttraumatic stress disorder among female street-based sex workers in the greater Sydney area, Australia. <i>BMC Psychiatry</i> , 2006 , 6, 24	4.2	59

(2006-2006)

107	Identification and quantification of change in Australian illicit drug markets. <i>BMC Public Health</i> , 2006 , 6, 200	4.1	4
106	Reasons for cannabis use in psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 570-4	2.6	96
105	Using cohort studies to estimate mortality among injecting drug users that is not attributable to AIDS. <i>Sexually Transmitted Infections</i> , 2006 , 82 Suppl 3, iii56-63	2.8	68
104	Alcohol use and risk taking among regular ecstasy users. Substance Use and Misuse, 2006, 41, 1095-109	2.2	34
103	Impact of drug market changes on substance-using pregnant women in three key Sydney drug markets. <i>Women and Health</i> , 2006 , 44, 93-105	1.7	2
102	Examining links between cocaine use and street-based sex work in New South Wales, Australia. Journal of Sex Research, 2006 , 43, 107-14	4	7
101	Risk and benefit perceptions of party drug use. Addictive Behaviors, 2006, 31, 137-42	4.2	36
100	Substance use, dependence and treatment seeking in the United States and Australia: a cross-national comparison. <i>Drug and Alcohol Dependence</i> , 2006 , 81, 149-55	4.9	73
99	Prevalence of injecting drug use and associated risk behavior among regular ecstasy users in Australia. <i>Drug and Alcohol Dependence</i> , 2006 , 83, 210-7	4.9	19
98	What are the policy implications of the evidence on cannabis and psychosis?. <i>Canadian Journal of Psychiatry</i> , 2006 , 51, 566-74	4.8	32
97	Is cannabis use a contributory cause of psychosis?. Canadian Journal of Psychiatry, 2006, 51, 556-65	4.8	83
96	The "lessons" of the Australian "heroin shortage". <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2006 , 1, 11	3.4	39
95	Canadian heroin supply and the Australian 'heroin shortage'. Addiction, 2006, 101, 1667-8	4.6	1
94	Documenting the heroin shortage in New South Wales. <i>Drug and Alcohol Review</i> , 2006 , 25, 297-305	3.2	20
93	Changes in the initiation of heroin use after a reduction in heroin supply. <i>Drug and Alcohol Review</i> , 2006 , 25, 307-13	3.2	29
92	Trends in morphine prescriptions, illicit morphine use and associated harms among regular injecting drug users in Australia. <i>Drug and Alcohol Review</i> , 2006 , 25, 403-12	3.2	60
91	Reflections on the development and implementation of an early warning system for ecstasy and related drug markets in Australia. <i>Drug and Alcohol Review</i> , 2006 , 25, 445-9	3.2	10
90	Drug-related aggression among injecting drug users. NSW Public Health Bulletin, 2006, 17, 12-6		1

89	Mortality amongst Illicit Drug Users: Epidemiology, Causes and Intervention 2006,		27
88	Underlying causes of cocaine, amphetamine and opioid related deaths in Australia. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2005 , 12, 187-95		25
87	The impact of illicit drug market changes on health agency operations in Sydney, Australia. <i>Journal of Substance Abuse Treatment</i> , 2005 , 28, 35-40	4.2	12
86	The impact of a reduction in drug supply on demand for and compliance with treatment for drug dependence. <i>Drug and Alcohol Dependence</i> , 2005 , 79, 129-35	4.9	27
85	Age differentials in the impacts of reduced heroin: effects of a "heroin shortage" in NSW, Australia. <i>Drug and Alcohol Dependence</i> , 2005 , 79, 397-404	4.9	13
84	The impact of changes to heroin supply on blood-borne virus notifications and injecting related harms in New South Wales, Australia. <i>BMC Public Health</i> , 2005 , 5, 84	4.1	7
83	Drug use and risk behaviour among regular ecstasy users: Does sexuality make a difference?. <i>Culture, Health and Sexuality</i> , 2005 , 7, 599-614	2.5	26
82	How common is comorbidity and why does it occur?. Australian Psychologist, 2005, 40, 81-87	1.7	7
81	Gender differences among regular injecting drug users in Sydney, Australia, 1996-2003. <i>Drug and Alcohol Review</i> , 2005 , 24, 353-8	3.2	18
80	The definition of opioid-related deaths in Australia: implications for surveillance and policy. <i>Drug and Alcohol Review</i> , 2005 , 24, 401-9	3.2	16
79	The management of alcohol, tobacco and illicit drug use problems by general practitioners in Australia. <i>Drug and Alcohol Review</i> , 2005 , 24, 499-506	3.2	11
78	Evaluating explanations of the Australian 'heroin shortage'. Addiction, 2005, 100, 459-69	4.6	75
77	Effects of a sustained heroin shortage in three Australian States. <i>Addiction</i> , 2005 , 100, 908-20	4.6	92
76	MAPPING THE CONSEQUENCES OF AN UNANTICIPATED DRUG SUPPLY CHANGE OF UNCERTAIN ORIGINS: RESPONSE TO THE COMMENTARIES. <i>Addiction</i> , 2005 , 100, 930-932	4.6	3
75	Patterns of illicit drug use in NSW, Australia following a reduction in heroin supply. <i>International Journal of Drug Policy</i> , 2005 , 16, 300-307	5.5	11
74	Recent trends in heroin supply to markets in Australia, the United States and Western Europe. <i>International Journal of Drug Policy</i> , 2005 , 16, 293-299	5.5	13
73	Was an increase in cocaine use among injecting drug users in New South Wales, Australia, accompanied by an increase in violent crime?. <i>BMC Public Health</i> , 2005 , 5, 40	4.1	15
72	Drug use and risk behaviours among injecting drug users: a comparison between sex workers and non-sex workers in Sydney, Australia. <i>Harm Reduction Journal</i> , 2005 , 2, 7	4.6	7

(2003-2005)

71	The effect of a reduction in heroin supply on fatal and non-fatal drug overdoses in New South Wales, Australia. <i>Medical Journal of Australia</i> , 2005 , 182, 20-3	4	39
70	Recent trends in the use of "club drugs": an Australian review. Substance Use and Misuse, 2005, 40, 1241	-5.6	81
69	The effects of restricting publicly subsidised temazepam capsules on benzodiazepine use among injecting drug users in Australia. <i>Medical Journal of Australia</i> , 2004 , 181, 300-4	4	30
68	The association between cannabis use and depression: a review of the evidence 2004 , 54-74		
67	Is there a specific dannabis psychosisd 2004 , 89-100		12
66	The Effect of a Reduction in Heroin Supply in Australia upon Drug Distribution and Acquisitive Crime. <i>British Journal of Criminology</i> , 2004 , 45, 2-24	2.1	43
65	Effects of reduction in heroin supply on injecting drug use: analysis of data from needle and syringe programmes. <i>BMJ, The</i> , 2004 , 329, 428-9	5.9	32
64	Reliability of heroin users reports of drug use behaviour using a 24 month timeline follow-back technique to assess the impact of the australian heroin shortage. <i>Addiction Research and Theory</i> , 2004 , 12, 433-443	2.6	21
63	Distribution of major health risks: findings from the Global Burden of Disease study. <i>PLoS Medicine</i> , 2004 , 1, e27	11.6	163
62	Patterns of ecstasy use in Australia: findings from a national household survey. <i>Addiction</i> , 2004 , 99, 187	-9 56	75
61	Changes in patterns of drug use among injecting drug users following changes in the availability of heroin in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2004 , 23, 287-94	3.2	28
60	Cannabis use and psychotic disorders: an update. <i>Drug and Alcohol Review</i> , 2004 , 23, 433-43	3.2	75
59	The external validity of results derived from ecstasy users recruited using purposive sampling strategies. <i>Drug and Alcohol Dependence</i> , 2004 , 73, 33-40	4.9	91
58	The link between cannabis use and psychosis: furthering the debate. <i>Psychological Medicine</i> , 2003 , 33, 3-6	6.9	23
57	Patterns of co-morbidity between alcohol use and other substance use in the Australian population. <i>Drug and Alcohol Review</i> , 2003 , 22, 7-13	3.2	54
56	Crystal methluse among polydrug users in Sydney's dance party subculture: characteristics, use patterns and associated harms. <i>International Journal of Drug Policy</i> , 2003 , 14, 17-24	5.5	60
55	The prevalence and correlates of gamma-hydroxybutyrate (GHB) overdose among Australian users. <i>Addiction</i> , 2003 , 98, 199-204	4.6	60
54	Methadone-related and heroin-related deaths among opiate users: methadone helps save lives. <i>Addiction</i> , 2003 , 98, 387-8	4.6	14

53	A longitudinal study of the effects of adolescent cannabis use on high school completion. <i>Addiction</i> , 2003 , 98, 685-92	4.6	125
52	Exploring the association between cannabis use and depression. <i>Addiction</i> , 2003 , 98, 1493-504	4.6	384
51	The ratio of non-fatal to fatal heroin overdose. <i>Addiction</i> , 2003 , 98, 1169-71	4.6	81
50	Changes in patterns of drug injection concurrent with a sustained reduction in the availability of heroin in Australia. <i>Drug and Alcohol Dependence</i> , 2003 , 70, 275-86	4.9	97
49	Testing hypotheses about the relationship between cannabis use and psychosis. <i>Drug and Alcohol Dependence</i> , 2003 , 71, 37-48	4.9	210
48	Medical marijuana initiatives : are they justified? How successful are they likely to be?. <i>CNS Drugs</i> , 2003 , 17, 689-97	6.7	23
47	Cannabis and psychosis. Current Psychiatry Reports, 2002, 4, 191-6	9.1	52
46	Cannabis dependence in young adults: an Australian population study. <i>Addiction</i> , 2002 , 97, 187-94	4.6	123
45	CDT, GGT, and AST As Markers of Alcohol Use: The WHO/ISBRA Collaborative Project. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 332-339	3.7	205
44	Substance use disorders in an Australian community survey. <i>Drug and Alcohol Review</i> , 2002 , 21, 275-80	3.2	5
43	The emergence of potent forms of methamphetamine in Sydney, Australia: a case study of the IDRS as a strategic early warning system. <i>Drug and Alcohol Review</i> , 2002 , 21, 341-8	3.2	68
42	Cannabis use and mental health in young people: cohort study. <i>BMJ, The</i> , 2002 , 325, 1195-8	5.9	616
41	Selected major risk factors and global and regional burden of disease. <i>Lancet, The</i> , 2002 , 360, 1347-60	40	2492
40	GHB use among Australians: characteristics, use patterns and associated harm. <i>Drug and Alcohol Dependence</i> , 2002 , 67, 89-94	4.9	114
39	'Diagnostic orphans' among young adult cannabis users: persons who report dependence symptoms but do not meet diagnostic criteria. <i>Drug and Alcohol Dependence</i> , 2002 , 67, 205-12	4.9	43
38	CDT, GGT, and AST As Markers of Alcohol Use: The WHO/ISBRA Collaborative Project. <i>Alcoholism:</i> Clinical and Experimental Research, 2002 , 26, 332-339	3.7	
37	The relationship between cannabis use, depression and anxiety among Australian adults: findings from the National Survey of Mental Health and Well-Being. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 219-27	4.5	101
36	Alcohol, cannabis and tobacco use among Australians: a comparison of their associations with other drug use and use disorders, affective and anxiety disorders, and psychosis. <i>Addiction</i> , 2001 , 96, 1603-14	4.6	230

35	Ambulance calls to suspected overdoses: New South Wales patterns July 1997 to June 1999. <i>Australian and New Zealand Journal of Public Health</i> , 2001 , 25, 447-450	2.3	18
34	The validity of an Australian modification of the AUDIT questionnaire. <i>Drug and Alcohol Review</i> , 2001 , 20, 143-154	3.2	23
33	The relationship between cannabis use and other substance use in the general population. <i>Drug and Alcohol Dependence</i> , 2001 , 64, 319-27	4.9	119
32	Allowing the medical use of cannabis. <i>Medical Journal of Australia</i> , 2001 , 175, 39-40	4	11
31	The association between psychosis and problematical drug use among Australian adults: findings from the National Survey of Mental Health and Well-Being. <i>Psychological Medicine</i> , 2001 , 31, 659-68	6.9	152
30	Cannabis use and psychosis: a review of clinical and epidemiological evidence. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 26-34	2.6	127
29	Cohort trends in youth suicide in Australia 1964-1997. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 408-412	2.6	3
28	Cohort trends in the age of initiation of drug use in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 421-6	2.3	91
27	How many dependent heroin users are there in Australia?. <i>Medical Journal of Australia</i> , 2000 , 173, 528-	-314	96
26	Cohort trends in youth suicide in Australia 1964-1997. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 408-12	2.6	18
25	Interventions for people with alcohol use disorders and an intellectual disability: A review of the literature. <i>Journal of Intellectual and Developmental Disability</i> , 2000 , 25, 135-146	1.9	44
24	Alcohol- and drug-use disorders in Australia: implications of the National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 206-13	2.6	179
23	Trends in opiate-related deaths in the United Kingdom and Australia, 1985-1995. <i>Drug and Alcohol Dependence</i> , 2000 , 57, 247-54	4.9	50
22	Opioid overdose mortality in Australia, 1964-1997: birth-cohort trends. <i>Medical Journal of Australia</i> , 1999 , 171, 34-7	4	63
21	The 12-month prevalence of substance use and ICD-10 substance use disorders in Australian adults: findings from the National Survey of Mental Health and Well-Being. <i>Addiction</i> , 1999 , 94, 1541-1550	4.6	112
20	The Decline in Alcohol Disorders with Age: Causes and Implications. <i>Australasian Journal on Ageing</i> , 1998 , 17, 158-159	1.5	1
19	Drug-Use Disorders243-262		1
18	What are the policy implications of the evidence on cannabis and psychosis?55-65		1

17	The association between cannabis use and depression: a review of the evidence114-128		1
16	Mortality and suicide80-95		
15	Why illicit drug-related deaths matter1-9		
14	The global epidemiology of illicit drug use10-19		
13	Mortality and drug overdose42-66		
12	Illicit drug use and disease67-79		
11	Mortality and trauma96-110		
10	Reducing drug-related mortality111-134		
9	Mortality amongst illicit drug users20-41		0
8	Substance Use and Mental Health in Longitudinal Perspective43-51		20
7	Reasons for Cannabis use in Psychosis		2
6	Alcohol- and Drug-Use Disorders in Australia: Implications of the National Survey of Mental Health and Wellbeing		7
5	Trans-ancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders		7
4	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium		2
3	Schizophrenia secondary to cannabis use169-178		
2	Quantitative Data Analysis163-183		1
1	Trends in methamphetamine use, markets and harms in Australia, 2003\(\mathbb{Q}\)019. <i>Drug and Alcohol Review</i> ,	3.2	1