
Carrie E Bearden

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6471138/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. Brain Imaging and Behavior, 2014, 8, 153-182.	1.1	696
2	Psychiatric Disorders From Childhood to Adulthood in 22q11.2 Deletion Syndrome: Results From the International Consortium on Brain and Behavior in 22q11.2 Deletion Syndrome. American Journal of Psychiatry, 2014, 171, 627-639.	4.0	645
3	Beyond hypofrontality: A quantitative meta-analysis of functional neuroimaging studies of working memory in schizophrenia. Human Brain Mapping, 2005, 25, 60-69.	1.9	547
4	Progressive Reduction in Cortical Thickness as Psychosis Develops: A Multisite Longitudinal Neuroimaging Study of Youth at Elevated Clinical Risk. Biological Psychiatry, 2015, 77, 147-157.	0.7	516
5	Preliminary Findings for Two New Measures of Social and Role Functioning in the Prodromal Phase of Schizophrenia. Schizophrenia Bulletin, 2007, 33, 688-702.	2.3	484
6	The neuropsychology and neuroanatomy of bipolar affective disorder: a critical review. Bipolar Disorders, 2001, 3, 106-150.	1.1	479
7	An Individualized Risk Calculator for Research in Prodromal Psychosis. American Journal of Psychiatry, 2016, 173, 980-988.	4.0	458
8	Neuropsychology of the Prodrome to Psychosis in the NAPLS Consortium <subtitle>Relationship to Family History and Conversion to Psychosis</subtitle> <alt-title>Neuropsychology of Prodrome to Psychosis</alt-title> . Archives of General Psychiatry, 2010, 67, 578.	13.8	390
9	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. Translational Psychiatry, 2020, 10, 100.	2.4	365
10	Social Cognition in Schizophrenia, Part 1: Performance Across Phase of Illness. Schizophrenia Bulletin, 2012, 38, 854-864.	2.3	354
11	Diffusion Tensor Imaging of the Superior Longitudinal Fasciculus and Working Memory in Recent-Onset Schizophrenia. Biological Psychiatry, 2008, 63, 512-518.	0.7	308
12	Psychosis risk screening with the Prodromal Questionnaire — Brief Version (PQ-B). Schizophrenia Research, 2011, 129, 42-46.	1.1	306
13	Association of Thalamic Dysconnectivity and Conversion to Psychosis in Youth and Young Adults at Elevated Clinical Risk. JAMA Psychiatry, 2015, 72, 882.	6.0	284
14	Greater Cortical Gray Matter Density in Lithium-Treated Patients with Bipolar Disorder. Biological Psychiatry, 2007, 62, 7-16.	0.7	271
15	Prediction of psychosis across protocols and risk cohorts using automated language analysis. World Psychiatry, 2018, 17, 67-75.	4.8	264
16	The prodromal questionnaire (PQ): Preliminary validation of a self-report screening measure for prodromal and psychotic syndromes. Schizophrenia Research, 2005, 79, 117-125.	1.1	259
17	The feasibility of neuropsychological endophenotypes in the search for genes associated with bipolar affective disorder. Bipolar Disorders, 2004, 6, 171-182.	1.1	244
18	Early and Late Neurodevelopmental Influences in the Prodrome to Schizophrenia: Contributions of Genes, Environment, and Their Interactions. Schizophrenia Bulletin, 2003, 29, 653-669.	2.3	238

#	Article	IF	CITATIONS
19	Neurocognitive performance and functional disability in the psychosis prodrome. Schizophrenia Research, 2006, 84, 100-111.	1.1	232
20	The International Society for Bipolar Disorders–Battery for Assessment of Neurocognition (ISBDâ€BANC). Bipolar Disorders, 2010, 12, 351-363.	1.1	218
21	Childhood Cognitive Functioning in Schizophrenia Patients and Their Unaffected Siblings: A Prospective Cohort Study. Schizophrenia Bulletin, 2000, 26, 379-393.	2.3	211
22	The Neurocognitive Signature of Psychotic Bipolar Disorder. Biological Psychiatry, 2007, 62, 910-916.	0.7	210
23	White Matter Integrity and Prediction of Social and Role Functioning in Subjects at Ultra-High Risk for Psychosis. Biological Psychiatry, 2009, 66, 562-569.	0.7	209
24	Association of Neurocognition With Transition to Psychosis. JAMA Psychiatry, 2016, 73, 1239.	6.0	205
25	The Neurocognitive Phenotype of the 22Q11.2 Deletion Syndrome: Selective Deficit in Visual-Spatial Memory. Journal of Clinical and Experimental Neuropsychology, 2001, 23, 447-464.	0.8	201
26	Cognitive Decline Preceding the Onset of Psychosis in Patients With 22q11.2 Deletion Syndrome. JAMA Psychiatry, 2015, 72, 377.	6.0	196
27	Towards a Psychosis Risk Blood Diagnostic for Persons Experiencing High-Risk Symptoms: Preliminary Results From the NAPLS Project. Schizophrenia Bulletin, 2015, 41, 419-428.	2.3	195
28	Endophenotypes for psychiatric disorders: ready for primetime?. Trends in Genetics, 2006, 22, 306-313.	2.9	193
29	North American Prodrome Longitudinal Study (NAPLS 2). Journal of Nervous and Mental Disease, 2015, 203, 328-335.	0.5	189
30	A Prospective Study of Childhood Neurocognitive Functioning in Schizophrenic Patients and Their Siblings. American Journal of Psychiatry, 2003, 160, 2060-2062.	4.0	186
31	ENIGMA and the individual: Predicting factors that affect the brain in 35 countries worldwide. NeuroImage, 2017, 145, 389-408.	2.1	173
32	The 22q11.2 Deletion Syndrome as a Window into Complex Neuropsychiatric Disorders Over the Lifespan. Biological Psychiatry, 2014, 75, 351-360.	0.7	167
33	Cerebello-thalamo-cortical hyperconnectivity as a state-independent functional neural signature for psychosis prediction and characterization. Nature Communications, 2018, 9, 3836.	5.8	156
34	Differential working memory impairment in bipolar disorder and schizophrenia: effects of lifetime history of psychosis. Bipolar Disorders, 2006, 8, 117-123.	1.1	154
35	Three-Dimensional Mapping of Hippocampal Anatomy in Unmedicated and Lithium-Treated Patients with Bipolar Disorder. Neuropsychopharmacology, 2008, 33, 1229-1238.	2.8	148
36	Neurofibromin regulates corticostriatal inhibitory networks during working memory performance. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 13141-13146.	3.3	144

#	Article	IF	CITATIONS
37	Patterns of memory impairment in bipolar disorder and unipolar major depression. Psychiatry Research, 2006, 142, 139-150.	1.7	140
38	Multisite reliability of MR-based functional connectivity. NeuroImage, 2017, 146, 959-970.	2.1	140
39	The Course of Neurocognition and Social Functioning in Individuals at Ultra High Risk for Psychosis. Schizophrenia Bulletin, 2007, 33, 772-781.	2.3	139
40	Recovery From an At-Risk State: Clinical and Functional Outcomes of Putatively Prodromal Youth Who Do Not Develop Psychosis. Schizophrenia Bulletin, 2012, 38, 1225-1233.	2.3	138
41	Elucidating a Magnetic Resonance Imaging-Based Neuroanatomic Biomarker for Psychosis: Classification Analysis Using Probabilistic Brain Atlas and Machine Learning Algorithms. Biological Psychiatry, 2009, 66, 1055-1060.	0.7	134
42	Autism traits in the RASopathies. Journal of Medical Genetics, 2014, 51, 10-20.	1.5	134
43	Visuospatial and Numerical Cognitive Deficits in Children with Chromosome 22Q11.2 Deletion Syndrome. Cortex, 2005, 41, 145-155.	1.1	131
44	A Prospective Cohort Study of Childhood Behavioral Deviance and Language Abnormalities as Predictors of Adult Schizophrenia. Schizophrenia Bulletin, 2000, 26, 395-410.	2.3	130
45	Positive family environment predicts improvement in symptoms and social functioning among adolescents at imminent risk for onset of psychosis. Schizophrenia Research, 2006, 81, 269-275.	1.1	128
46	Conceptualizing impulsivity and risk taking in bipolar disorder: importance of history of alcohol abuse. Bipolar Disorders, 2009, 11, 33-40.	1.1	125
47	Effects of a Functional COMT Polymorphism on Prefrontal Cognitive Function in Patients With 22q11.2 Deletion Syndrome. American Journal of Psychiatry, 2004, 161, 1700-1702.	4.0	122
48	Large-scale mapping of cortical alterations in 22q11.2 deletion syndrome: Convergence with idiopathic psychosis and effects of deletion size. Molecular Psychiatry, 2020, 25, 1822-1834.	4.1	122
49	The Psychosis Prodrome in Adolescent Patients Viewed Through the Lens of DSM-IV. Journal of Child and Adolescent Psychopharmacology, 2005, 15, 434-451.	0.7	115
50	Use of Machine Learning to Determine Deviance in Neuroanatomical Maturity Associated With Future Psychosis in Youths at Clinically High Risk. JAMA Psychiatry, 2018, 75, 960.	6.0	114
51	Neuronal defects in a human cellular model of 22q11.2 deletion syndrome. Nature Medicine, 2020, 26, 1888-1898.	15.2	113
52	Early interventions in risk groups for schizophrenia: what are we waiting for?. NPJ Schizophrenia, 2016, 2, 16003.	2.0	111
53	Language network dysfunction as a predictor of outcome in youth at clinical high risk for psychosis. Schizophrenia Research, 2010, 116, 173-183.	1.1	98
54	Comorbid diagnoses for youth at clinical high risk of psychosis. Schizophrenia Research, 2017, 190, 90-95.	1.1	95

#	Article	IF	CITATIONS
55	Obsessive compulsive symptoms in the psychosis prodrome: Correlates of clinical and functional outcome. Schizophrenia Research, 2009, 108, 170-175.	1.1	93
56	Thought Disorder and Communication Deviance as Predictors of Outcome in Youth at Clinical High Risk for Psychosis. Journal of the American Academy of Child and Adolescent Psychiatry, 2011, 50, 669-680.	0.3	92
57	A framework for the investigation of rare genetic disorders in neuropsychiatry. Nature Medicine, 2019, 25, 1477-1487.	15.2	90
58	Polygenic Risk Score Contribution to Psychosis Prediction in a Target Population of Persons at Clinical High Risk. American Journal of Psychiatry, 2020, 177, 155-163.	4.0	90
59	Using common genetic variation to examine phenotypic expression and risk prediction in 22q11.2 deletion syndrome. Nature Medicine, 2020, 26, 1912-1918.	15.2	90
60	Re-evaluating dorsolateral prefrontal cortex activation during working memory in schizophrenia. Schizophrenia Research, 2009, 108, 143-150.	1.1	89
61	Mapping Cortical Thickness in Children with 22q11.2 Deletions. Cerebral Cortex, 2007, 17, 1889-1898.	1.6	88
62	The prodromal questionnaire (PQ): preliminary validation of a self-report screening measure for prodromal and psychotic syndromes. Schizophrenia Research, 2005, 79, 117-25.	1.1	88
63	The impact of neurocognitive impairment on occupational recovery of clinically stable patients with bipolar disorder: a prospective study. Bipolar Disorders, 2011, 13, 323-333.	1.1	87
64	Multisystem Component Phenotypes of Bipolar Disorder for Genetic Investigations of Extended Pedigrees. JAMA Psychiatry, 2014, 71, 375.	6.0	87
65	Genetic contributors to risk of schizophrenia in the presence of a 22q11.2 deletion. Molecular Psychiatry, 2021, 26, 4496-4510.	4.1	87
66	Markers of Basal Ganglia Dysfunction and Conversion to Psychosis: Neurocognitive Deficits and Dyskinesias in the Prodromal Period. Biological Psychiatry, 2010, 68, 93-99.	0.7	86
67	Language as a biomarker for psychosis: A natural language processing approach. Schizophrenia Research, 2020, 226, 158-166.	1.1	86
68	Gender differences in symptoms, functioning and social support in patients at ultra-high risk for developing a psychotic disorder. Schizophrenia Research, 2008, 104, 237-245.	1.1	83
69	Structural abnormalities in cortical volume, thickness, and surface area in 22q11.2 microdeletion syndrome: Relationship with psychotic symptoms. NeuroImage: Clinical, 2013, 3, 405-415.	1.4	82
70	Genetic contributions to circadian activity rhythm and sleep pattern phenotypes in pedigrees segregating for severe bipolar disorder. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E754-61.	3.3	77
71	Rare Genome-Wide Copy Number Variation and Expression of Schizophrenia in 22q11.2 Deletion Syndrome. American Journal of Psychiatry, 2017, 174, 1054-1063.	4.0	77
72	Paternal age as a risk factor for schizophrenia: How important is it?. Schizophrenia Research, 2009, 114, 1-5.	1.1	76

#	Article	IF	CITATIONS
73	Reliability of neuroanatomical measurements in a multisite longitudinal study of youth at risk for psychosis. Human Brain Mapping, 2014, 35, 2424-2434.	1.9	76
74	Alterations in Midline Cortical Thickness and Gyrification Patterns Mapped in Children with 22q11.2 Deletions. Cerebral Cortex, 2009, 19, 115-126.	1.6	75
75	A prospective cohort study of neurodevelopmental processes in the genesis and epigenesis of schizophrenia. Development and Psychopathology, 1999, 11, 467-485.	1.4	74
76	Clinical and functional characteristics of youth at clinical high-risk for psychosis who do not transition to psychosis. Psychological Medicine, 2019, 49, 1670-1677.	2.7	74
77	A multilevel analysis of cognitive dysfunction and psychopathology associated with chromosome 22q11.2 deletion syndrome in children. Development and Psychopathology, 2005, 17, 753-84.	1.4	73
78	Fronto-limbic circuitry in euthymic bipolar disorder: Evidence for prefrontal hyperactivation. Psychiatry Research - Neuroimaging, 2008, 164, 106-113.	0.9	72
79	Specificity of Incident Diagnostic Outcomes in Patients at Clinical High Risk for Psychosis. Schizophrenia Bulletin, 2015, 41, 1066-1075.	2.3	71
80	Sources of declarative memory impairment in bipolar disorder: Mnemonic processes and clinical features. Journal of Psychiatric Research, 2006, 40, 47-58.	1.5	70
81	Family problem solving interactions and 6-month symptomatic and functional outcomes in youth at ultra-high risk for psychosis and with recent onset psychotic symptoms: A longitudinal study. Schizophrenia Research, 2009, 107, 198-205.	1.1	70
82	Predicting the longitudinal effects of the family environment on prodromal symptoms and functioning in patients at-risk for psychosis. Schizophrenia Research, 2010, 118, 69-75.	1.1	70
83	Altered age-related trajectories of amygdala-prefrontal circuitry in adolescents at clinical high risk for psychosis: A preliminary study. Schizophrenia Research, 2012, 134, 1-9.	1.1	70
84	Social cognition in 22q11.2 microdeletion syndrome: Relevance to psychosis?. Schizophrenia Research, 2012, 142, 99-107.	1.1	68
85	Default mode network connectivity and reciprocal social behavior in 22q11.2 deletion syndrome. Social Cognitive and Affective Neuroscience, 2014, 9, 1261-1267.	1.5	68
86	Emerging Global Initiatives in Neurogenetics: The Enhancing Neuroimaging Genetics through Meta-analysis (ENIGMA) Consortium. Neuron, 2017, 94, 232-236.	3.8	67
87	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. Biological Psychiatry, 2019, 86, 545-556.	0.7	67
88	What we learn about bipolar disorder from largeâ€scale neuroimaging: Findings and future directions from the <scp>ENIGMA</scp> Bipolar Disorder Working Group. Human Brain Mapping, 2022, 43, 56-82.	1.9	67
89	Stress exposure and sensitivity in the clinical high-risk syndrome: Initial findings from the North American Prodrome Longitudinal Study (NAPLS). Schizophrenia Research, 2014, 160, 104-109.	1.1	66
90	Mapping 22q11.2 Gene Dosage Effects on Brain Morphometry. Journal of Neuroscience, 2017, 37, 6183-6199.	1.7	65

#	Article	IF	CITATIONS
91	A neurogenetic model for the study of schizophrenia spectrum disorders: the International 22q11.2 Deletion Syndrome Brain Behavior Consortium. Molecular Psychiatry, 2017, 22, 1664-1672.	4.1	65
92	Reliability of an fMRI paradigm for emotional processing in a multisite longitudinal study. Human Brain Mapping, 2015, 36, 2558-2579.	1.9	63
93	Increased hippocampal, thalamus and amygdala volume in longâ€term lithiumâ€treated bipolar I disorder patients compared with unmedicated patients and healthy subjects. Bipolar Disorders, 2017, 19, 41-49.	1.1	63
94	Trait impulsivity as an endophenotype for bipolar I disorder. Bipolar Disorders, 2012, 14, 565-570.	1.1	62
95	Copy-Number Variation of the Clucose Transporter Gene SLC2A3 and Congenital Heart Defects in the 22q11.2 Deletion Syndrome. American Journal of Human Genetics, 2015, 96, 753-764.	2.6	62
96	A Genetics-First Approach to Dissecting the Heterogeneity of Autism: Phenotypic Comparison of Autism Risk Copy Number Variants. American Journal of Psychiatry, 2021, 178, 77-86.	4.0	62
97	Alterations in White Matter Microstructure in Neurofibromatosis-1. PLoS ONE, 2012, 7, e47854.	1.1	61
98	A relationship between neurocognitive impairment and functional impairment in bipolar disorder: A pilot study. Psychiatry Research, 2008, 157, 289-293.	1.7	60
99	Early traumatic experiences, perceived discrimination and conversion to psychosis in those at clinical high risk for psychosis. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 497-503.	1.6	60
100	Reduced educational attainment in bipolar disorder. Journal of Affective Disorders, 2006, 92, 309-312.	2.0	59
101	Association Between P300 Responses to Auditory Oddball Stimuli and Clinical Outcomes in the Psychosis Risk Syndrome. JAMA Psychiatry, 2019, 76, 1187.	6.0	59
102	Exploring Predictors of Outcome in the Psychosis Prodrome: Implications for Early Identification and Intervention. Neuropsychology Review, 2009, 19, 280-293.	2.5	58
103	Hippocampal morphology in lithium and nonâ€lithiumâ€treated bipolar I disorder patients, nonâ€bipolar coâ€twins, and control twins. Human Brain Mapping, 2012, 33, 501-510.	1.9	58
104	Declarative memory impairment in pediatric bipolar disorder. Bipolar Disorders, 2005, 7, 546-554.	1.1	57
105	Anxiety in youth at clinical high risk for psychosis. Microbial Biotechnology, 2017, 11, 480-487.	0.9	56
106	Three-Dimensional Mapping of Hippocampal Anatomy in Adolescents With Bipolar Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 515-525.	0.3	55
107	Social cognition over time in individuals at clinical high risk for psychosis: Findings from the NAPLS-2 cohort. Schizophrenia Research, 2016, 171, 176-181.	1.1	55
108	The Global Functioning: Social and Role Scales—Further Validation in a Large Sample of Adolescents and Young Adults at Clinical High Risk for Psychosis. Schizophrenia Bulletin, 2019, 45, 763-772.	2.3	55

#	Article	IF	CITATIONS
109	Toward Leveraging Human Connectomic Data in Large Consortia: Generalizability of fMRI-Based Brain Graphs Across Sites, Sessions, and Paradigms. Cerebral Cortex, 2019, 29, 1263-1279.	1.6	55
110	Mapping Subcortical Brain Alterations in 22q11.2 Deletion Syndrome: Effects of Deletion Size and Convergence With Idiopathic Neuropsychiatric Illness. American Journal of Psychiatry, 2020, 177, 589-600.	4.0	55
111	Association of clinical symptoms and neurocognitive performance in bipolar disorder: a longitudinal study. Bipolar Disorders, 2011, 13, 118-123.	1.1	54
112	Enhanced Maternal Origin of the 22q11.2 Deletion in Velocardiofacial and DiGeorge Syndromes. American Journal of Human Genetics, 2013, 92, 439-447.	2.6	53
113	Altered Hippocampal Morphology in Unmedicated Patients with Major Depressive Illness. ASN Neuro, 2009, 1, AN20090026.	1.5	52
114	Altered white matter microstructure is associated with social cognition and psychotic symptoms in 22q11.2 microdeletion syndrome. Frontiers in Behavioral Neuroscience, 2014, 8, 393.	1.0	52
115	ENIGMAâ€ÐTI: Translating reproducible white matter deficits into personalized vulnerability metrics in crossâ€diagnostic psychiatric research. Human Brain Mapping, 2022, 43, 194-206.	1.9	52
116	Lack of Diagnostic Pluripotentiality in Patients at Clinical High Risk for Psychosis: Specificity of Comorbidity Persistence and Search for Pluripotential Subgroups. Schizophrenia Bulletin, 2018, 44, 254-263.	2.3	51
117	Altered white matter microstructure in 22q11.2 deletion syndrome: a multisite diffusion tensor imaging study. Molecular Psychiatry, 2020, 25, 2818-2831.	4.1	50
118	A Review of Default Mode Network Connectivity and Its Association With Social Cognition in Adolescents With Autism Spectrum Disorder and Early-Onset Psychosis. Frontiers in Psychiatry, 2020, 11, 614.	1.3	50
119	Remember and know judgments during recognition in chronic schizophrenia. Schizophrenia Research, 2008, 100, 181-190.	1.1	49
120	Reliability of functional magnetic resonance imaging activation during working memory in a multi-site study: Analysis from the North American Prodrome Longitudinal Study. NeuroImage, 2014, 97, 41-52.	2.1	48
121	Enhancing the Informativeness and Replicability of Imaging Genomics Studies. Biological Psychiatry, 2017, 82, 157-164.	0.7	48
122	Understanding the Hidden Complexity of Latin American Population Isolates. American Journal of Human Genetics, 2018, 103, 707-726.	2.6	48
123	Cortical abnormalities in youth at clinical high-risk for psychosis: Findings from the NAPLS2 cohort. NeuroImage: Clinical, 2019, 23, 101862.	1.4	48
124	Association of baseline inflammatory markers and the development of negative symptoms in individuals at clinical high risk for psychosis. Brain, Behavior, and Immunity, 2019, 76, 268-274.	2.0	48
125	Striatal volumes and dyskinetic movements in youth at high-risk for psychosis. Schizophrenia Research, 2010, 123, 68-70.	1.1	47
126	Coping styles of individuals at clinical high risk for developing psychosis. Microbial Biotechnology, 2014. 8, 68-76.	0.9	47

#	Article	IF	CITATIONS
127	Subthreshold Psychosis in 22q11.2 Deletion Syndrome: Multisite Naturalistic Study. Schizophrenia Bulletin, 2017, 43, 1079-1089.	2.3	47
128	Theory of mind, emotion recognition and social perception in individuals at clinical high risk for psychosis: Findings from the NAPLS-2 cohort. Schizophrenia Research: Cognition, 2015, 2, 133-139.	0.7	46
129	Synaptic and Gene Regulatory Mechanisms in Schizophrenia, Autism, and 22q11.2 Copy Number Variant–Mediated Risk for Neuropsychiatric Disorders. Biological Psychiatry, 2020, 87, 150-163.	0.7	46
130	Cognitive development in VCFS. Progress in Pediatric Cardiology, 2002, 15, 109-117.	0.2	45
131	Why genetic investigation of psychiatric disorders is so difficult. Current Opinion in Genetics and Development, 2004, 14, 280-286.	1.5	45
132	Evidence for disruption in prefrontal cortical functions in juvenile bipolar disorder. Bipolar Disorders, 2007, 9, 145-159.	1.1	45
133	Depression and clinical high-risk states: Baseline presentation of depressed vs. non-depressed participants in the NAPLS-2 cohort. Schizophrenia Research, 2018, 192, 357-363.	1.1	45
134	A randomized placeboâ€controlled lovastatin trial for neurobehavioral function in neurofibromatosis I. Annals of Clinical and Translational Neurology, 2016, 3, 266-279.	1.7	44
135	Severity of thought disorder predicts psychosis in persons at clinical high-risk. Schizophrenia Research, 2015, 169, 169-177.	1.1	43
136	Rare copy number variants and congenital heart defects in the 22q11.2 deletion syndrome. Human Genetics, 2016, 135, 273-285.	1.8	43
137	Complete Sequence of the 22q11.2 Allele in 1,053 Subjects with 22q11.2 Deletion Syndrome Reveals Modifiers of Conotruncal Heart Defects. American Journal of Human Genetics, 2020, 106, 26-40.	2.6	42
138	Frontoâ€temporal dysregulation in remitted bipolar patients: an fMRI delayedâ€nonâ€matchâ€toâ€sample (DNM! study. Bipolar Disorders, 2009, 11, 351-360.	S) 1.1	40
139	Transcriptome Profiling of Peripheral Blood in 22q11.2 Deletion Syndrome Reveals Functional Pathways Related to Psychosis and Autism Spectrum Disorder. PLoS ONE, 2015, 10, e0132542.	1.1	40
140	Connectivity-enhanced diffusion analysis reveals white matter density disruptions in first episode and chronic schizophrenia. NeuroImage: Clinical, 2018, 18, 608-616.	1.4	40
141	Attention deficits in bipolar disorder: a comparison based on the Continuous Performance Test. Neuroscience Letters, 2005, 379, 122-126.	1.0	39
142	Mapping Corpus Callosum Morphology in Twin Pairs Discordant for Bipolar Disorder. Cerebral Cortex, 2011, 21, 2415-2424.	1.6	39
143	North American Prodrome Longitudinal Study (NAPLS 3): Methods and baseline description. Schizophrenia Research, 2022, 243, 262-267.	1.1	39
144	Neurocognitive and Neuroimaging Predictors of Clinical Outcome in Bipolar Disorder. Current Psychiatry Reports, 2010, 12, 499-504.	2.1	38

#	Article	IF	CITATIONS
145	Hippocampal volume in subjects at clinical high-risk for psychosis: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2016, 71, 680-690.	2.9	38
146	Systems Analysis of the 22q11.2 Microdeletion Syndrome Converges on a Mitochondrial Interactome Necessary for Synapse Function and Behavior. Journal of Neuroscience, 2019, 39, 1983-18.	1.7	38
147	Clinical Profiles and Conversion Rates Among Young Individuals With Autism Spectrum Disorder Who Present to Clinical High Risk for Psychosis Services. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 582-588.	0.3	38
148	Reverse Pathway Genetic Approach Identifies Epistasis in Autism Spectrum Disorders. PLoS Genetics, 2017, 13, e1006516.	1.5	38
149	Psychoeducational multiâ€family group treatment with adolescents at high risk for developing psychosis. Microbial Biotechnology, 2007, 1, 325-332.	0.9	37
150	Frontoâ€ŧemporal dysregulation in asymptomatic bipolar I patients: A paired associate functional MRI study. Human Brain Mapping, 2010, 31, 1041-1051.	1.9	37
151	Abnormal movements are associated with poor psychosocial functioning in adolescents at high risk for psychosis. Schizophrenia Research, 2011, 130, 164-169.	1.1	37
152	Genetic influence on the working memory circuitry: Behavior, structure, function and extensions to illness. Behavioural Brain Research, 2011, 225, 610-622.	1.2	37
153	Electrophysiological Endophenotypes for Schizophrenia. Harvard Review of Psychiatry, 2016, 24, 129-147.	0.9	37
154	Progressive reconfiguration of resting-state brain networks as psychosis develops: Preliminary results from the North American Prodrome Longitudinal Study (NAPLS) consortium. Schizophrenia Research, 2020, 226, 30-37.	1.1	36
155	Mutations associated with neuropsychiatric conditions delineate functional brain connectivity dimensions contributing to autism and schizophrenia. Nature Communications, 2020, 11, 5272.	5.8	35
156	Reciprocal Copy Number Variations at 22q11.2 Produce Distinct and Convergent Neurobehavioral Impairments Relevant for Schizophrenia and Autism Spectrum Disorder. Biological Psychiatry, 2020, 88, 260-272.	0.7	35
157	Effects of Comt Genotype on Behavioral Symptomatology in the 22q11.2 Deletion Syndrome. Child Neuropsychology, 2005, 11, 109-117.	0.8	34
158	Deficits in Mental State Attributions in Individuals with 22q11.2 Deletion Syndrome (<scp>V</scp> eloâ€Cardioâ€Facial Syndrome). Autism Research, 2012, 5, 407-418.	2.1	34
159	Characterizing Covariant Trajectories of Individuals at Clinical High Risk for Psychosis Across Symptomatic and Functional Domains. American Journal of Psychiatry, 2020, 177, 164-171.	4.0	34
160	Integrity of emotional and motivational states during the prodromal, first-episode, and chronic phases of schizophrenia Journal of Abnormal Psychology, 2010, 119, 71-82.	2.0	33
161	Psychotropic medication use in youth at high risk for psychosis: Comparison of baseline data from two research cohorts 1998–2005 and 2008–2011. Schizophrenia Research, 2013, 148, 99-104.	1.1	33
162	Brain structure–function associations in multi-generational families genetically enriched for bipolar disorder. Brain, 2015, 138, 2087-2102.	3.7	33

#	Article	IF	CITATIONS
163	Variance of IQ is partially dependent on deletion type among 1,427 22q11.2 deletion syndrome subjects. American Journal of Medical Genetics, Part A, 2018, 176, 2172-2181.	0.7	33
164	Ventricular enlargement and progressive reduction of cortical gray matter are linked in prodromal youth who develop psychosis. Schizophrenia Research, 2017, 189, 169-174.	1.1	32
165	Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. Biological Psychiatry, 2021, 90, 632-642.	0.7	32
166	Parent attitudes and parent adolescent interaction in families of youth at risk for psychosis and with recentâ€onset psychotic symptoms. Microbial Biotechnology, 2008, 2, 268-276.	0.9	31
167	PEMapper and PECaller provide a simplified approach to whole-genome sequencing. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E1923-E1932.	3.3	31
168	Potentially important periods of change in the development of social and role functioning in youth at clinical high risk for psychosis. Development and Psychopathology, 2018, 30, 39-47.	1.4	31
169	Mechanisms underlying the EEG biomarker in Dup15q syndrome. Molecular Autism, 2019, 10, 29.	2.6	31
170	Dissociable Disruptions in Thalamic and Hippocampal Resting-State Functional Connectivity in Youth with 22q11.2 Deletions. Journal of Neuroscience, 2019, 39, 1301-1319.	1.7	31
171	Metabolic abnormalities and low dietary Omega 3 are associated with symptom severity and worse functioning prior to the onset of psychosis: Findings from the North American Prodrome Longitudinal Studies Consortium. Schizophrenia Research, 2019, 204, 96-103.	1.1	31
172	Regional Brain Abnormalities in 22q11.2 Deletion Syndrome: Association With Cognitive Abilities and Behavioral Symptoms. Neurocase, 2004, 10, 198-206.	0.2	30
173	Dissociable mechanisms for memory impairment in bipolar disorder and schizophrenia. Psychological Medicine, 2006, 36, 1085-1095.	2.7	30
174	Neurocognitive profiles in the prodrome to psychosis in NAPLS-1. Schizophrenia Research, 2019, 204, 311-319.	1.1	30
175	Effects of copy number variations on brain structure and risk for psychiatric illness: Largeâ€scale studies from the <scp>ENIGMA</scp> working groups on <scp>CNVs</scp> . Human Brain Mapping, 2022, 43, 300-328.	1.9	30
176	Prefrontal and paralimbic metabolic dysregulation related to sustained attention in euthymic older adults with bipolar disorder. Bipolar Disorders, 2010, 12, 866-874.	1.1	29
177	The Learning Disabilities Network (LeaDNet): Using neurofibromatosis type 1 (NF1) as a paradigm for translational research. American Journal of Medical Genetics, Part A, 2012, 158A, 2225-2232.	0.7	29
178	Processing Speed and Neurodevelopment in Adolescent-Onset Psychosis: Cognitive Slowing Predicts Social Function. Journal of Abnormal Child Psychology, 2012, 40, 645-654.	3.5	29
179	Resting state functional <scp>MRI</scp> reveals abnormal network connectivity in neurofibromatosis 1. Human Brain Mapping, 2015, 36, 4566-4581.	1.9	29
180	Insights into psychosis risk from leukocyte microRNA expression. Translational Psychiatry, 2016, 6, e981-e981.	2.4	29

#	Article	IF	CITATIONS
181	The prediction-error hypothesis of schizophrenia: new data point to circuit-specific changes in dopamine activity. Neuropsychopharmacology, 2022, 47, 628-640.	2.8	29
182	Genes To Mental Health (G2MH): A Framework to Map the Combined Effects of Rare and Common Variants on Dimensions of Cognition and Psychopathology. American Journal of Psychiatry, 2022, 179, 189-203.	4.0	29
183	Identification and Treatment of a Pineal Region Tumor in an Adolescent With Prodromal Psychotic Symptoms. American Journal of Psychiatry, 2010, 167, 1033-1037.	4.0	28
184	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. Schizophrenia Research, 2021, 227, 10-17.	1.1	28
185	Ecological assessment of executive dysfunction in the psychosis prodrome: A pilot study. Schizophrenia Research, 2007, 93, 350-354.	1.1	27
186	Converging levels of analysis on a genomic hotspot for psychosis: Insights from 22q11.2 Deletion Syndrome. Neuropharmacology, 2013, 68, 157-173.	2.0	27
187	Prodromal Symptom Severity Predicts Accelerated Gray Matter Reduction and Third Ventricle Expansion among Clinically High-Risk Youth Developing Psychotic Disorders. Molecular Neuropsychiatry, 2015, 1, 13-22.	3.0	27
188	Intracranial and subcortical volumes in adolescents with <scp>earlyâ€onset</scp> psychosis: A multisite <scp>megaâ€analysis</scp> from the <scp>ENIGMA</scp> consortium. Human Brain Mapping, 2022, 43, 373-384.	1.9	27
189	Cross disorder comparisons of brain structure in schizophrenia, bipolar disorder, major depressive disorder, and 22q11.2 deletion syndrome: A review of <scp>ENIGMA</scp> findings. Psychiatry and Clinical Neurosciences, 2022, 76, 140-161.	1.0	27
190	Negative symptoms and impaired social functioning predict later psychosis in <scp>L</scp> atino youth at clinical high risk in the <scp>N</scp> orth <scp>A</scp> merican prodromal longitudinal studies consortium. Microbial Biotechnology, 2015, 9, 467-475.	0.9	26
191	Atypical functional connectivity in resting-state networks of individuals with 22q11.2 deletion syndrome: associations with neurocognitive and psychiatric functioning. Journal of Neurodevelopmental Disorders, 2016, 8, 2.	1.5	26
192	Structural Brain Alterations in Youth With Psychosis and Bipolar Spectrum Symptoms. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 1079-1091.	0.3	26
193	Core Schemas in Youth at Clinical High Risk for Psychosis. Behavioural and Cognitive Psychotherapy, 2016, 44, 203-213.	0.9	25
194	Stress perception following childhood adversity: Unique associations with adversity type and sex. Development and Psychopathology, 2020, 32, 343-356.	1.4	25
195	Contribution of common and rare variants to bipolar disorder susceptibility in extended pedigrees from population isolates. Translational Psychiatry, 2020, 10, 74.	2.4	25
196	Sleep problems and attenuated psychotic symptoms in youth at clinical high-risk for psychosis. Psychiatry Research, 2019, 282, 112492.	1.7	24
197	Distinct and shared contributions of diagnosis and symptom domains to cognitive performance in severe mental illness in the Paisa population: a case-control study. Lancet Psychiatry,the, 2020, 7, 411-419.	3.7	24
198	Cortical mapping of genotype–phenotype relationships in schizophrenia. Human Brain Mapping, 2007, 28, 519-532.	1.9	23

#	Article	IF	CITATIONS
199	Genome-Wide Association Study to Find Modifiers for Tetralogy of Fallot in the 22q11.2 Deletion Syndrome Identifies Variants in the <i>GPR98</i> Locus on 5q14.3. Circulation: Cardiovascular Genetics, 2017, 10, .	5.1	22
200	Spatial working memory in neurofibromatosis 1: Altered neural activity and functional connectivity. NeuroImage: Clinical, 2017, 15, 801-811.	1.4	22
201	Deletion size analysis of 1680 22q11.2DS subjects identifies a new recombination hotspot on chromosome 22q11.2. Human Molecular Genetics, 2018, 27, 1150-1163.	1.4	22
202	Latent class cluster analysis of symptom ratings identifies distinct subgroups within the clinical high risk for psychosis syndrome. Schizophrenia Research, 2018, 197, 522-530.	1.1	22
203	Predictive validity of conversion from the clinical high risk syndrome to frank psychosis. Schizophrenia Research, 2020, 216, 184-191.	1.1	22
204	Applying a Transdiagnostic Cognitive-Behavioral Treatment to Adolescents at High Risk for Serious Mental Illness: Rationale and Preliminary Findings. Cognitive and Behavioral Practice, 2020, 27, 202-214.	0.9	22
205	Reciprocal social behavior in youths with psychotic illness and those at clinical high risk. Development and Psychopathology, 2013, 25, 1187-1197.	1.4	21
206	Contributions of Feature Binding During Encoding and Functional Connectivity of the Medial Temporal Lobe Structures to Episodic Memory Deficits Across the Prodromal and First-Episode Phases of Schizophrenia. Clinical Psychological Science, 2015, 3, 159-174.	2.4	21
207	Impact of childhood adversity on corticolimbic volumes in youth at clinical high-risk for psychosis. Schizophrenia Research, 2019, 213, 48-55.	1.1	21
208	Psychosis Risk and Development: What Do We Know From Population-Based Studies?. Biological Psychiatry, 2020, 88, 315-325.	0.7	21
209	Stressor-Cortisol Concordance Among Individuals at Clinical High-Risk for Psychosis: Novel Findings from the NAPLS Cohort. Psychoneuroendocrinology, 2020, 115, 104649.	1.3	21
210	Mismatch Negativity in Response to Auditory Deviance and Risk for Future Psychosis in Youth at Clinical High Risk for Psychosis. JAMA Psychiatry, 2022, 79, 780.	6.0	21
211	Time Reproduction Performance Is Associated With Age and Working Memory in Highâ€Functioning Youth With Autism Spectrum Disorder. Autism Research, 2015, 8, 29-37.	2.1	20
212	Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. Schizophrenia Research, 2016, 172, 106-113.	1.1	20
213	Attention deficit hyperactivity disorder symptoms as antecedents of later psychotic outcomes in 22q11.2 deletion syndrome. Schizophrenia Research, 2019, 204, 320-325.	1.1	19
214	Williams syndrome cognitive profile also characterizes Velocardiofacial/DiGeorge syndrome. American Journal of Medical Genetics Part A, 2002, 114, 689-692.	2.4	18
215	Evaluating the impact of cannabis use on thalamic connectivity in youth at clinical high risk of psychosis. BMC Psychiatry, 2015, 15, 276.	1.1	18
216	Intrinsic Connectivity Network-Based Classification and Detection of Psychotic Symptoms in Youth With 22q11.2 Deletions. Cerebral Cortex, 2017, 27, 3294-3306.	1.6	18

#	Article	IF	CITATIONS
217	Effects of eight neuropsychiatric copy number variants on human brain structure. Translational Psychiatry, 2021, 11, 399.	2.4	18
218	Mitochondrial Proteostasis Requires Genes Encoded in a Neurodevelopmental Syndrome Locus. Journal of Neuroscience, 2021, 41, 6596-6616.	1.7	18
219	Altered relationships between age and functional brain activation in adolescents at clinical high risk for psychosis. Psychiatry Research - Neuroimaging, 2014, 221, 21-29.	0.9	17
220	Demographic correlates of attenuated positive psychotic symptoms. Schizophrenia Research, 2015, 166, 31-36.	1.1	17
221	Functional Capacity Assessed by the Map Task in Individuals at Clinical High-Risk for Psychosis. Schizophrenia Bulletin, 2016, 42, 1234-1242.	2.3	17
222	Treatment Precedes Positive Symptoms in North American Adolescent and Young Adult Clinical High Risk Cohort. Journal of Clinical Child and Adolescent Psychology, 2018, 47, 69-78.	2.2	17
223	Incorporating cortisol into the NAPLS2 individualized risk calculator for prediction of psychosis. Schizophrenia Research, 2021, 227, 95-100.	1.1	17
224	Three-dimensional mapping of hippocampal and amygdalar structure in euthymic adults with bipolar disorder not treated with lithium. Psychiatry Research - Neuroimaging, 2013, 211, 195-201.	0.9	16
225	Neural Substrates of Inhibitory Control Deficits in 22q11.2 Deletion Syndromeâ€. Cerebral Cortex, 2015, 25, 1069-1079.	1.6	16
226	Networks of blood proteins in the neuroimmunology of schizophrenia. Translational Psychiatry, 2018, 8, 112.	2.4	16
227	Duration of the psychosis prodrome. Schizophrenia Research, 2020, 216, 443-449.	1.1	16
228	The relations of age and pubertal development with cortisol and daily stress in youth at clinical risk for psychosis. Schizophrenia Research, 2016, 172, 29-34.	1.1	15
229	Categorical Versus Dimensional Approaches to Autism-Associated Intermediate Phenotypes in 22q11.2 Microdeletion Syndrome. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 53-65.	1.1	15
230	Exploration of clinical high-risk dropouts. Schizophrenia Research, 2018, 195, 579-580.	1.1	15
231	Adding a neuroanatomical biomarker to an individualized risk calculator for psychosis: A proof-of-concept study. Schizophrenia Research, 2019, 208, 41-43.	1.1	15
232	White matter changes in psychosis risk relate to development and are not impacted by the transition to psychosis. Molecular Psychiatry, 2021, 26, 6833-6844.	4.1	15
233	Sleep Disturbance in Individuals at Clinical High Risk for Psychosis. Schizophrenia Bulletin, 2022, 48, 111-121.	2.3	15
234	Deficits in auditory predictive coding in individuals with the psychosis risk syndrome: Prediction of conversion to psychosis Journal of Abnormal Psychology, 2020, 129, 599-611.	2.0	15

#	Article	IF	CITATIONS
235	Cognitive genomics: Searching for the genetic roots of neuropsychological functioning Neuropsychology, 2017, 31, 1003-1019.	1.0	15
236	Symptomatic and functional correlates of regional brain physiology during working memory processing in patients with recent onset schizophrenia. Psychiatry Research - Neuroimaging, 2009, 173, 177-182.	0.9	14
237	The Violent Content in Attenuated Psychotic Symptoms. Psychiatry Research, 2016, 242, 61-66.	1.7	14
238	The many roads to psychosis: recent advances in understanding risk and mechanisms. F1000Research, 2018, 7, 1883.	0.8	14
239	Altered Brain Activation During Memory Retrieval Precedes and Predicts Conversion to Psychosis in Individuals at Clinical High Risk. Schizophrenia Bulletin, 2019, 45, 924-933.	2.3	14
240	Intelligence, educational attainment, and brain structure in those at familial highâ€risk for schizophrenia or bipolar disorder. Human Brain Mapping, 2022, 43, 414-430.	1.9	14
241	Structural and functional brain alterations revealed by neuroimaging in CNV carriers. Current Opinion in Genetics and Development, 2021, 68, 88-98.	1.5	14
242	Genetic Architecture of Declarative Memory. Neuroscientist, 2012, 18, 516-532.	2.6	13
243	Evaluating the relationship between cannabis use and IQ in youth and young adults at clinical high risk of psychosis. Psychiatry Research, 2015, 230, 878-884.	1.7	13
244	Age-related trajectories of social cognition in youth at clinical high risk for psychosis: An exploratory study. Schizophrenia Research, 2018, 201, 130-136.	1.1	13
245	The Early Psychosis Screener for Internet (EPSI)-SR: Predicting 12â€ ⁻ month psychotic conversion using machine learning. Schizophrenia Research, 2019, 208, 390-396.	1.1	13
246	Relationships between intrinsic functional connectivity, cognitive control, and reading achievement across development. NeuroImage, 2020, 221, 117202.	2.1	13
247	Social cognition in 22q11.2 deletion syndrome and idiopathic developmental neuropsychiatric disorders. Journal of Neurodevelopmental Disorders, 2021, 13, 15.	1.5	13
248	Methodological Issues in Molecular Genetic Studies of Mental Disorders. Annual Review of Clinical Psychology, 2009, 5, 49-69.	6.3	12
249	Traumatic brain injury in individuals at clinical high risk for psychosis. Schizophrenia Research, 2016, 174, 77-81.	1.1	12
250	The Role of microRNA Expression in Cortical Development During Conversion to Psychosis. Neuropsychopharmacology, 2017, 42, 2188-2195.	2.8	12
251	Extensions of Multiple-Group Item Response Theory Alignment: Application to Psychiatric Phenotypes in an International Genomics Consortium. Educational and Psychological Measurement, 2020, 80, 870-909.	1.2	12
252	Social decline in the psychosis prodrome: Predictor potential and heterogeneity of outcome. Schizophrenia Research, 2021, 227, 44-51.	1.1	12

#	Article	IF	CITATIONS
253	A normative chart for cognitive development in a genetically selected population. Neuropsychopharmacology, 2022, 47, 1379-1386.	2.8	12
254	Neural phenotypes of common and rare genetic variants. Biological Psychology, 2008, 79, 43-57.	1.1	11
255	Obstetric complications and risk for conversion to psychosis among individuals at high clinical risk. Microbial Biotechnology, 2009, 3, 226-230.	0.9	11
256	The Early Psychosis Screener (EPS): Quantitative validation against the SIPS using machine learning. Schizophrenia Research, 2018, 197, 516-521.	1.1	11
257	Tobacco use and psychosis risk in persons at clinical high risk. Microbial Biotechnology, 2019, 13, 1173-1181.	0.9	11
258	Genetic and clinical analyses of psychosis spectrum symptoms in a large multiethnic youth cohort reveal significant link with ADHD. Translational Psychiatry, 2021, 11, 80.	2.4	11
259	Cortical Volume Alterations in Conduct Disordered Adolescents with and without Bipolar Disorder. Journal of Clinical Medicine, 2014, 3, 416-431.	1.0	10
260	Perceptions of family criticism and warmth and their link to symptom expression in racially/ethnically diverse adolescents and young adults at clinical high risk for psychosis. Microbial Biotechnology, 2015, 9, 476-486.	0.9	10
261	The role of a family history of psychosis for youth at clinical high risk of psychosis. Microbial Biotechnology, 2019, 13, 251-256.	0.9	10
262	Associations between childhood adversity, cognitive schemas and attenuated psychotic symptoms. Microbial Biotechnology, 2021, 15, 818-827.	0.9	10
263	Stability of mismatch negativity eventâ€related potentials in a multisite study. International Journal of Methods in Psychiatric Research, 2020, 29, e1819.	1.1	10
264	Prioritizing Genetic Contributors to Cortical Alterations in 22q11.2 Deletion Syndrome Using Imaging Transcriptomics. Cerebral Cortex, 2021, 31, 3285-3298.	1.6	10
265	Abnormally Large Baseline P300 Amplitude Is Associated With Conversion to Psychosis in Clinical High Risk Individuals With a History of Autism: A Pilot Study. Frontiers in Psychiatry, 2021, 12, 591127.	1.3	10
266	Personality Pathology and Time to Remission in Depressed Outpatients Treated with Interpersonal Psychotherapy. Journal of Personality Disorders, 1996, 10, 164-173.	0.8	9
267	Clinical and Genetic High-Risk Paradigms: Converging Paths to Psychosis Meet in the Temporal Lobes. Biological Psychiatry, 2011, 69, 910-911.	0.7	9
268	State-Dependent Functional Dysconnectivity in Youth With Psychosis Spectrum Symptoms. Schizophrenia Bulletin, 2020, 46, 408-421.	2.3	9
269	Selection for psychosocial treatment for youth at clinical high risk for psychosis based on the North American Prodrome Longitudinal Study individualized risk calculator. Microbial Biotechnology, 2021, 15, 96-103.	0.9	9
270	The Association Between Neighborhood Poverty and Hippocampal Volume Among Individuals at Clinical High-Risk for Psychosis: The Moderating Role of Social Engagement. Schizophrenia Bulletin, 2022, 48, 1032-1042.	2.3	9

#	Article	IF	CITATIONS
271	Relation between cannabis use and subcortical volumes in people at clinical high risk of psychosis. Psychiatry Research - Neuroimaging, 2016, 254, 3-9.	0.9	8
272	Neuroanatomical underpinnings of autism symptomatology in carriers and non-carriers of the 22q11.2 microdeletion. Molecular Autism, 2020, 11, 46.	2.6	8
273	Discriminatory experiences predict neuroanatomical changes and anxiety among healthy individuals and those at clinical high risk for psychosis. NeuroImage: Clinical, 2021, 31, 102757.	1.4	8
274	Neurocognitive subprocesses of working memory performance. Cognitive, Affective and Behavioral Neuroscience, 2021, 21, 1130-1152.	1.0	8
275	The associations between area-level residential instability and gray matter volumes from the North American Prodrome Longitudinal Study (NAPLS) consortium. Schizophrenia Research, 2022, 241, 1-9.	1.1	8
276	App-enhanced transdiagnostic CBT for adolescents with mood or psychotic spectrum disorders. Journal of Affective Disorders, 2022, 311, 319-326.	2.0	8
277	Copy number variation at the 22q11.2 locus influences prevalence, severity, and psychiatric impact of sleep disturbance. Journal of Neurodevelopmental Disorders, 2022, 14, .	1.5	8
278	Youth-caregiver Agreement on Clinical High-risk Symptoms of Psychosis. Journal of Abnormal Child Psychology, 2014, 42, 649-658.	3.5	7
279	Changes in symptom content from a clinical highâ€risk state to conversion to psychosis. Microbial Biotechnology, 2019, 13, 257-263.	0.9	7
280	Cross-paradigm connectivity: reliability, stability, and utility. Brain Imaging and Behavior, 2021, 15, 614-629.	1.1	7
281	Depression: An actionable outcome for those at clinical high-risk. Schizophrenia Research, 2021, 227, 38-43.	1.1	7
282	Individualized Prediction of Prodromal Symptom Remission for Youth at Clinical High Risk for Psychosis. Schizophrenia Bulletin, 2022, 48, 395-404.	2.3	7
283	Association between residential instability at individual and area levels and future psychosis in adolescents at clinical high risk from the North American Prodrome Longitudinal Study (NAPLS) consortium. Schizophrenia Research, 2021, 238, 137-144.	1.1	7
284	Perceptual abnormalities in clinical high risk youth and the role of trauma, cannabis use and anxiety. Psychiatry Research, 2017, 258, 462-468.	1.7	6
285	Episodic Memory for Dynamic Social Interaction Across Phase of Illness in Schizophrenia. Schizophrenia Bulletin, 2018, 44, 620-630.	2.3	6
286	Social vs. non-social measures of learning potential for predicting community functioning across phase of illness in schizophrenia. Schizophrenia Research, 2019, 204, 104-110.	1.1	6
287	Disruptions in White Matter Maturation and Mediation of Cognitive Development in Youths on the Psychosis Spectrum. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 423-433.	1.1	6
288	Reliability of mismatch negativity event-related potentials in a multisite, traveling subjects study. Clinical Neurophysiology, 2020, 131, 2899-2909.	0.7	6

#	Article	IF	CITATIONS
289	Genetic analysis of activity, brain and behavioral associations in extended families with heavy genetic loading for bipolar disorder. Psychological Medicine, 2021, 51, 494-502.	2.7	6
290	Altered Brain Structure-Function Relationships Underlie Executive Dysfunction in 22q11.2 Deletion Syndrome. Molecular Neuropsychiatry, 2015, 1, 235-246.	3.0	5
291	Childhood trauma and cognitive functioning in individuals at clinical high risk (CHR) for psychosis. Development and Psychopathology, 2021, 33, 53-64.	1.4	5
292	Characterizing sustained social anxiety in individuals at clinical high risk for psychosis: trajectory, risk factors, and functional outcomes. Psychological Medicine, 2023, 53, 3644-3651.	2.7	5
293	The Voices Go, But the Song Remains the Same: How Can We Rescue Cognition in Early-Onset Schizophrenia?. Journal of the American Academy of Child and Adolescent Psychiatry, 2012, 51, 464-466.	0.3	4
294	Characterization of Expression Quantitative Trait Loci in Pedigrees from Colombia and Costa Rica Ascertained for Bipolar Disorder. PLoS Genetics, 2016, 12, e1006046.	1.5	4
295	Disrupted Working Memory Circuitry in Adolescent Psychosis. Frontiers in Human Neuroscience, 2017, 11, 394.	1.0	4
296	SU127. Negative Symptoms in Youth at Clinical High Risk of Psychosis. Schizophrenia Bulletin, 2017, 43, S207-S208.	2.3	4
297	Accelerating the Bending Arc Toward Equality: A Commentary on Gender Trends in Authorship in Psychiatry Journals. Biological Psychiatry, 2019, 86, 575-576.	0.7	4
298	Evidence of Slow Neural Processing, Developmental Differences and Sensitivity to Cannabis Effects in a Sample at Clinical High Risk for Psychosis From the NAPLS Consortium Assessed With the Human Startle Paradigm. Frontiers in Psychiatry, 2020, 11, 833.	1.3	4
299	Genome-wide mapping of brain phenotypes in extended pedigrees with strong genetic loading for bipolar disorder. Molecular Psychiatry, 2021, 26, 5229-5238.	4.1	4
300	Concordance and factor structure of subthreshold positive symptoms in youth at clinical high risk for psychosis. Schizophrenia Research, 2021, 227, 72-77.	1.1	4
301	Visual cortical plasticity and the risk for psychosis: An interim analysis of the North American Prodrome Longitudinal Study. Schizophrenia Research, 2021, 230, 26-37.	1.1	4
302	Confident memory errors and disrupted reality testing in early psychosis. Schizophrenia Research, 2021, 238, 170-177.	1.1	4
303	Opposing white matter microstructure abnormalities in 22q11.2 deletion and duplication carriers. Translational Psychiatry, 2021, 11, 580.	2.4	4
304	Depression Predicts Global Functional Outcomes in Individuals at Clinical High Risk for Psychosis. Psychiatric Research and Clinical Practice, 2021, 3, 163-171.	1.3	4
305	Bullying in clinical high risk for psychosis participants from the NAPLS-3 cohort. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1379-1388.	1.6	4
306	Neurobehavioral Dimensions of Prader Willi Syndrome: Relationships Between Sleep and Psychosis-Risk Symptoms. Frontiers in Psychiatry, 2022, 13, 868536.	1.3	4

#	Article	IF	CITATIONS
307	Common Substrates of Dysphoria in Stimulant Drug Abuse and Primary Depression: Therapeutic Targets. International Review of Neurobiology, 2005, 65, 117-145.	0.9	3
308	Early Detection of Psychosis: Recent Updates from Clinical High-Risk Research. Current Behavioral Neuroscience Reports, 2015, 2, 90-101.	0.6	3
309	The relation of atypical antipsychotic use and stress with weight in individuals at clinical high risk for psychosis. Stress and Health, 2018, 34, 591-600.	1.4	3
310	Reduced higher dimensional temporal dynamism in neurofibromatosis type 1. NeuroImage: Clinical, 2019, 22, 101692.	1.4	3
311	Patterns of Cortical Folding Associated with Autistic Symptoms in Carriers and Noncarriers of the 22q11.2 Microdeletion. Cerebral Cortex, 2020, 30, 5281-5292.	1.6	3
312	Alternative diffusion anisotropy measures for the investigation of white matter alterations in 22q11.2 deletion syndrome. , 2018, , .		3
313	Heterotopia in Individuals with 22q11.2 Deletion Syndrome. American Journal of Neuroradiology, 2021, 42, 2070-2076.	1.2	3
314	Transcriptomic profiling of whole blood in 22q11.2 reciprocal copy number variants reveals that cell proportion highly impacts gene expression. Brain, Behavior, & Immunity - Health, 2021, 18, 100386.	1.3	3
315	Family history of psychosis in youth at clinical high risk: A replication study. Psychiatry Research, 2022, 311, 114480.	1.7	3
316	Reply: Lithium and Increased Cortical Gray Matter—More Tissue or More Water?. Biological Psychiatry, 2008, 63, e19.	0.7	2
317	Constance E. Lieber, Theodore R. Stanley, and the Enduring Impact of Philanthropy on Psychiatry Research. Biological Psychiatry, 2016, 80, 84-86.	0.7	2
318	Molecular Architecture andÂNeurobiology of Bipolar Disorder. , 2016, , 467-486.		2
319	Risky Decision Making in Neurofibromatosis Type 1: An Exploratory Study. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 170-179.	1.1	2
320	Life Event Stress and Reduced Cortical Thickness in Youth at Clinical High Risk for Psychosis and Healthy Control Subjects. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2022, 7, 171-179.	1.1	2
321	Harnessing rare variants in neuropsychiatric and neurodevelopment disorders—a Keystone Symposia report. Annals of the New York Academy of Sciences, 2021, , .	1.8	2
322	Catatonia isn't ready for a unified theory. Behavioral and Brain Sciences, 2002, 25, 579-580.	0.4	1
323	Biotypes: The Tip of the Research Domain Criteria Iceberg. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2016, 1, 486-487.	1.1	1
324	Risk and Resilience in Extraordinary Times. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 136-138.	1.1	1

#	Article	IF	CITATIONS
325	Inter-rater reliability of subthreshold psychotic symptoms in individuals with 22q11.2 deletion syndrome. Journal of Neurodevelopmental Disorders, 2021, 13, 23.	1.5	1
326	Familyâ€focused therapy for individuals at high clinical risk for psychosis: A confirmatory efficacy trial. Microbial Biotechnology, 2021, , .	0.9	1
327	Anxiety in youth at clinical high-risk for psychosis: A two-year follow-up. Schizophrenia Research, 2021, 236, 87-88.	1.1	1
328	Neurocognitive Findings in Bipolar Disorder. Medical Psychiatry, 2007, , 251-274.	0.2	1
329	Systems Analysis of the 22q11.2 Microdeletion Syndrome Converges on a Mitochondrial Interactome Necessary for Synapse Function and Behavior. SSRN Electronic Journal, 0, , .	0.4	1
330	Impulsivity, risk taking, alcohol abuse, and bipolar disorder: response to Thomas Richardson. Bipolar Disorders, 2009, 11, 556-557.	1.1	0
331	Response to De Nadai Letter. American Journal of Psychiatry, 2011, 168, 550-551.	4.0	0
332	Response to the Letter to the Editor: "Clinical symptoms and neurocognitive performance: potential impact of substance use― Bipolar Disorders, 2011, 13, 435-436.	1.1	0
333	Corrigendum to "The Learning Disabilities Network (LeaDNet): Using Neurofibromatosis Type 1 [NF1] as a Paradigm for Translational Researchâ€∙ , 2013, 161, 236-236.		0
334	Cognitive Phenotypes and Endophenotypes: Concepts and Criteria. Innovations in Cognitive Neuroscience, 2016, , 61-80.	0.3	0
335	Neurocognitive findings in bipolar disorder: an update. , 0, , 169-190.		0
336	Getting Off Tract: Developmental Disruptions of White Matter in Youth With Bipolar Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 82-83.	0.3	0
337	Enhanced switching and familial susceptibility for psychosis. Brain and Behavior, 2018, 8, e00988.	1.0	0
338	T116. PREDICTION OF REMISSION IN NON-CONVERTING INDIVIDUALS AT CLINICAL HIGH RISK FOR PSYCHOSIS. Schizophrenia Bulletin, 2020, 46, S274-S275.	2.3	0
339	M155. RECIPROCAL CHANGES IN WHITE MATTER MICROSTRUCTURE IN 22Q11.2 DELETION AND DUPLICATION SYNDROME. Schizophrenia Bulletin, 2020, 46, S194-S195.	2.3	0
340	S81. METAMEMORY IMPAIRMENT ACROSS THE PSYCHOSIS TRAJECTORY: ASSOCIATIONS WITH SYMPTOM SEVERITY. Schizophrenia Bulletin, 2020, 46, S65-S65.	2.3	0
341	O5.6. ADVANCED DIFFUSION IMAGING IN PSYCHOSIS RISK: A CROSS-SECTIONAL AND LONGITUDINAL STUDY OF WHITE MATTER DEVELOPMENT. Schizophrenia Bulletin, 2020, 46, S13-S13.	2.3	0
342	Longitudinal impact of trauma in the North American Prodrome Longitudinal Studyâ€3. Microbial Biotechnology, 2022, 16, 1211-1216.	0.9	0