

Carrie E Bearden

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6471138/carrie-e-bearden-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

338
papers

16,196
citations

66
h-index

116
g-index

398
ext. papers

19,371
ext. citations

5.6
avg, IF

6.32
L-index

#	Paper	IF	Citations
338	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014 , 8, 153-82	4.1	539
337	Beyond hypofrontality: a quantitative meta-analysis of functional neuroimaging studies of working memory in schizophrenia. <i>Human Brain Mapping</i> , 2005 , 25, 60-9	5.9	493
336	Psychiatric disorders from childhood to adulthood in 22q11.2 deletion syndrome: results from the International Consortium on Brain and Behavior in 22q11.2 Deletion Syndrome. <i>American Journal of Psychiatry</i> , 2014 , 171, 627-39	11.9	472
335	The neuropsychology and neuroanatomy of bipolar affective disorder: a critical review. <i>Bipolar Disorders</i> , 2001 , 3, 106-50; discussion 151-3	3.8	409
334	Preliminary findings for two new measures of social and role functioning in the prodromal phase of schizophrenia. <i>Schizophrenia Bulletin</i> , 2007 , 33, 688-702	1.3	390
333	Progressive reduction in cortical thickness as psychosis develops: a multisite longitudinal neuroimaging study of youth at elevated clinical risk. <i>Biological Psychiatry</i> , 2015 , 77, 147-57	7.9	384
332	Neuropsychology of the prodrome to psychosis in the NAPLS consortium: relationship to family history and conversion to psychosis. <i>Archives of General Psychiatry</i> , 2010 , 67, 578-88		338
331	An Individualized Risk Calculator for Research in Prodromal Psychosis. <i>American Journal of Psychiatry</i> , 2016 , 173, 980-988	11.9	332
330	Social cognition in schizophrenia, Part 1: performance across phase of illness. <i>Schizophrenia Bulletin</i> , 2012 , 38, 854-64	1.3	283
329	Diffusion tensor imaging of the superior longitudinal fasciculus and working memory in recent-onset schizophrenia. <i>Biological Psychiatry</i> , 2008 , 63, 512-8	7.9	273
328	Greater cortical gray matter density in lithium-treated patients with bipolar disorder. <i>Biological Psychiatry</i> , 2007 , 62, 7-16	7.9	241
327	The feasibility of neuropsychological endophenotypes in the search for genes associated with bipolar affective disorder. <i>Bipolar Disorders</i> , 2004 , 6, 171-82	3.8	222
326	Early and late neurodevelopmental influences in the prodrome to schizophrenia: contributions of genes, environment, and their interactions. <i>Schizophrenia Bulletin</i> , 2003 , 29, 653-69	1.3	217
325	Neurocognitive performance and functional disability in the psychosis prodrome. <i>Schizophrenia Research</i> , 2006 , 84, 100-11	3.6	211
324	Psychosis risk screening with the Prodromal Questionnaire--brief version (PQ-B). <i>Schizophrenia Research</i> , 2011 , 129, 42-6	3.6	210
323	The prodromal questionnaire (PQ): preliminary validation of a self-report screening measure for prodromal and psychotic syndromes. <i>Schizophrenia Research</i> , 2005 , 77, 141-9	3.6	206
322	Association of Thalamic Dysconnectivity and Conversion to Psychosis in Youth and Young Adults at Elevated Clinical Risk. <i>JAMA Psychiatry</i> , 2015 , 72, 882-91	14.5	199

321	The International Society for Bipolar Disorders-Battery for Assessment of Neurocognition (ISBD-BANC). <i>Bipolar Disorders</i> , 2010 , 12, 351-63	3.8	184
320	White matter integrity and prediction of social and role functioning in subjects at ultra-high risk for psychosis. <i>Biological Psychiatry</i> , 2009 , 66, 562-9	7.9	184
319	Childhood cognitive functioning in schizophrenia patients and their unaffected siblings: a prospective cohort study. <i>Schizophrenia Bulletin</i> , 2000 , 26, 379-93	1.3	183
318	The neurocognitive phenotype of the 22q11.2 deletion syndrome: selective deficit in visual-spatial memory. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2001 , 23, 447-64	2.1	178
317	The neurocognitive signature of psychotic bipolar disorder. <i>Biological Psychiatry</i> , 2007 , 62, 910-6	7.9	177
316	Endophenotypes for psychiatric disorders: ready for primetime?. <i>Trends in Genetics</i> , 2006 , 22, 306-13	8.5	175
315	A prospective study of childhood neurocognitive functioning in schizophrenic patients and their siblings. <i>American Journal of Psychiatry</i> , 2003 , 160, 2060-2	11.9	170
314	Association of Neurocognition With Transition to Psychosis: Baseline Functioning in the Second Phase of the North American Prodrome Longitudinal Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1239-1248	14.5	158
313	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020 , 10, 100	8.6	154
312	Towards a psychosis risk blood diagnostic for persons experiencing high-risk symptoms: preliminary results from the NAPLS project. <i>Schizophrenia Bulletin</i> , 2015 , 41, 419-28	1.3	148
311	ENIGMA and the individual: Predicting factors that affect the brain in 35 countries worldwide. <i>NeuroImage</i> , 2017 , 145, 389-408	7.9	142
310	Differential working memory impairment in bipolar disorder and schizophrenia: effects of lifetime history of psychosis. <i>Bipolar Disorders</i> , 2006 , 8, 117-23	3.8	141
309	Prediction of psychosis across protocols and risk cohorts using automated language analysis. <i>World Psychiatry</i> , 2018 , 17, 67-75	14.4	140
308	Cognitive decline preceding the onset of psychosis in patients with 22q11.2 deletion syndrome. <i>JAMA Psychiatry</i> , 2015 , 72, 377-85	14.5	139
307	North American Prodrome Longitudinal Study (NAPLS 2): The Prodromal Symptoms. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 328-35	1.8	139
306	Three-dimensional mapping of hippocampal anatomy in unmedicated and lithium-treated patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2008 , 33, 1229-38	8.7	127
305	Patterns of memory impairment in bipolar disorder and unipolar major depression. <i>Psychiatry Research</i> , 2006 , 142, 139-50	9.9	125
304	The 22q11.2 deletion syndrome as a window into complex neuropsychiatric disorders over the lifespan. <i>Biological Psychiatry</i> , 2014 , 75, 351-60	7.9	121

303	The course of neurocognition and social functioning in individuals at ultra high risk for psychosis. <i>Schizophrenia Bulletin</i> , 2007 , 33, 772-81	1.3	121
302	Visuospatial and numerical cognitive deficits in children with chromosome 22q11.2 deletion syndrome. <i>Cortex</i> , 2005 , 41, 145-55	3.8	119
301	Elucidating a magnetic resonance imaging-based neuroanatomic biomarker for psychosis: classification analysis using probabilistic brain atlas and machine learning algorithms. <i>Biological Psychiatry</i> , 2009 , 66, 1055-60	7.9	118
300	Recovery from an at-risk state: clinical and functional outcomes of putatively prodromal youth who do not develop psychosis. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1225-33	1.3	117
299	Neurofibromin regulates corticostriatal inhibitory networks during working memory performance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 13141-6	11.5	117
298	A prospective cohort study of childhood behavioral deviance and language abnormalities as predictors of adult schizophrenia. <i>Schizophrenia Bulletin</i> , 2000 , 26, 395-410	1.3	115
297	Positive family environment predicts improvement in symptoms and social functioning among adolescents at imminent risk for onset of psychosis. <i>Schizophrenia Research</i> , 2006 , 81, 269-75	3.6	112
296	Effects of a functional COMT polymorphism on prefrontal cognitive function in patients with 22q11.2 deletion syndrome. <i>American Journal of Psychiatry</i> , 2004 , 161, 1700-2	11.9	110
295	Conceptualizing impulsivity and risk taking in bipolar disorder: importance of history of alcohol abuse. <i>Bipolar Disorders</i> , 2009 , 11, 33-40	3.8	108
294	The psychosis prodrome in adolescent patients viewed through the lens of DSM-IV. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005 , 15, 434-51	2.9	106
293	Autism traits in the RASopathies. <i>Journal of Medical Genetics</i> , 2014 , 51, 10-20	5.8	103
292	Language network dysfunction as a predictor of outcome in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2010 , 116, 173-83	3.6	87
291	Multisite reliability of MR-based functional connectivity. <i>NeuroImage</i> , 2017 , 146, 959-970	7.9	83
290	Cerebello-thalamo-cortical hyperconnectivity as a state-independent functional neural signature for psychosis prediction and characterization. <i>Nature Communications</i> , 2018 , 9, 3836	17.4	83
289	Re-evaluating dorsolateral prefrontal cortex activation during working memory in schizophrenia. <i>Schizophrenia Research</i> , 2009 , 108, 143-50	3.6	82
288	Mapping cortical thickness in children with 22q11.2 deletions. <i>Cerebral Cortex</i> , 2007 , 17, 1889-98	5.1	81
287	Early interventions in risk groups for schizophrenia: what are we waiting for?. <i>NPJ Schizophrenia</i> , 2016 , 2, 16003	5.5	80
286	O5.6. ADVANCED DIFFUSION IMAGING IN PSYCHOSIS RISK: A CROSS-SECTIONAL AND LONGITUDINAL STUDY OF WHITE MATTER DEVELOPMENT. <i>Schizophrenia Bulletin</i> , 2020 , 46, S13-S13	1.3	78

285	T116. PREDICTION OF REMISSION IN NON-CONVERTING INDIVIDUALS AT CLINICAL HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S274-S275	1.3	78
284	M155. RECIPROCAL CHANGES IN WHITE MATTER MICROSTRUCTURE IN 22Q11.2 DELETION AND DUPLICATION SYNDROME. <i>Schizophrenia Bulletin</i> , 2020 , 46, S194-S195	1.3	78
283	S81. METAMEMORY IMPAIRMENT ACROSS THE PSYCHOSIS TRAJECTORY: ASSOCIATIONS WITH SYMPTOM SEVERITY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S65-S65	1.3	78
282	The impact of neurocognitive impairment on occupational recovery of clinically stable patients with bipolar disorder: a prospective study. <i>Bipolar Disorders</i> , 2011 , 13, 323-33	3.8	77
281	Obsessive compulsive symptoms in the psychosis prodrome: correlates of clinical and functional outcome. <i>Schizophrenia Research</i> , 2009 , 108, 170-5	3.6	75
280	Thought disorder and communication deviance as predictors of outcome in youth at clinical high risk for psychosis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011 , 50, 669-80	7.2	72
279	The prodromal questionnaire (PQ): preliminary validation of a self-report screening measure for prodromal and psychotic syndromes. <i>Schizophrenia Research</i> , 2005 , 79, 117-25	3.6	72
278	Structural abnormalities in cortical volume, thickness, and surface area in 22q11.2 microdeletion syndrome: Relationship with psychotic symptoms. <i>NeuroImage: Clinical</i> , 2013 , 3, 405-15	5.3	71
277	Gender differences in symptoms, functioning and social support in patients at ultra-high risk for developing a psychotic disorder. <i>Schizophrenia Research</i> , 2008 , 104, 237-45	3.6	71
276	Alterations in midline cortical thickness and gyrification patterns mapped in children with 22q11.2 deletions. <i>Cerebral Cortex</i> , 2009 , 19, 115-26	5.1	69
275	A prospective cohort study of neurodevelopmental processes in the genesis and epigenesis of schizophrenia. <i>Development and Psychopathology</i> , 1999 , 11, 467-85	4.3	67
274	Multisystem component phenotypes of bipolar disorder for genetic investigations of extended pedigrees. <i>JAMA Psychiatry</i> , 2014 , 71, 375-87	14.5	66
273	Markers of basal ganglia dysfunction and conversion to psychosis: neurocognitive deficits and dyskinesias in the prodromal period. <i>Biological Psychiatry</i> , 2010 , 68, 93-9	7.9	66
272	Comorbid diagnoses for youth at clinical high risk of psychosis. <i>Schizophrenia Research</i> , 2017 , 190, 90-95	3.6	65
271	A multilevel analysis of cognitive dysfunction and psychopathology associated with chromosome 22q11.2 deletion syndrome in children. <i>Development and Psychopathology</i> , 2005 , 17, 753-84	4.3	64
270	Large-scale mapping of cortical alterations in 22q11.2 deletion syndrome: Convergence with idiopathic psychosis and effects of deletion size. <i>Molecular Psychiatry</i> , 2020 , 25, 1822-1834	15.1	64
269	Fronto-limbic circuitry in euthymic bipolar disorder: evidence for prefrontal hyperactivation. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 164, 106-13	2.9	63
268	Sources of declarative memory impairment in bipolar disorder: mnemonic processes and clinical features. <i>Journal of Psychiatric Research</i> , 2006 , 40, 47-58	5.2	62

267	Paternal age as a risk factor for schizophrenia: how important is it?. <i>Schizophrenia Research</i> , 2009 , 114, 1-5	3.6	61
266	Use of Machine Learning to Determine Deviance in Neuroanatomical Maturity Associated With Future Psychosis in Youths at Clinically High Risk. <i>JAMA Psychiatry</i> , 2018 , 75, 960-968	14.5	61
265	Predicting the longitudinal effects of the family environment on prodromal symptoms and functioning in patients at-risk for psychosis. <i>Schizophrenia Research</i> , 2010 , 118, 69-75	3.6	60
264	Specificity of Incident Diagnostic Outcomes in Patients at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1066-75	1.3	59
263	Altered age-related trajectories of amygdala-prefrontal circuitry in adolescents at clinical high risk for psychosis: a preliminary study. <i>Schizophrenia Research</i> , 2012 , 134, 1-9	3.6	59
262	Genetic contributions to circadian activity rhythm and sleep pattern phenotypes in pedigrees segregating for severe bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E754-61	11.5	58
261	Rare Genome-Wide Copy Number Variation and Expression of Schizophrenia in 22q11.2 Deletion Syndrome. <i>American Journal of Psychiatry</i> , 2017 , 174, 1054-1063	11.9	58
260	Social cognition in 22q11.2 microdeletion syndrome: relevance to psychosis?. <i>Schizophrenia Research</i> , 2012 , 142, 99-107	3.6	57
259	Default mode network connectivity and reciprocal social behavior in 22q11.2 deletion syndrome. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 1261-7	4	55
258	Copy-Number Variation of the Glucose Transporter Gene SLC2A3 and Congenital Heart Defects in the 22q11.2 Deletion Syndrome. <i>American Journal of Human Genetics</i> , 2015 , 96, 753-64	11	54
257	Hippocampal morphology in lithium and non-lithium-treated bipolar I disorder patients, non-bipolar co-twins, and control twins. <i>Human Brain Mapping</i> , 2012 , 33, 501-10	5.9	54
256	Reliability of neuroanatomical measurements in a multisite longitudinal study of youth at risk for psychosis. <i>Human Brain Mapping</i> , 2014 , 35, 2424-34	5.9	54
255	Family problem solving interactions and 6-month symptomatic and functional outcomes in youth at ultra-high risk for psychosis and with recent onset psychotic symptoms: a longitudinal study. <i>Schizophrenia Research</i> , 2009 , 107, 198-205	3.6	54
254	Increased hippocampal, thalamus and amygdala volume in long-term lithium-treated bipolar I disorder patients compared with unmedicated patients and healthy subjects. <i>Bipolar Disorders</i> , 2017 , 19, 41-49	3.8	52
253	Exploring predictors of outcome in the psychosis prodrome: implications for early identification and intervention. <i>Neuropsychology Review</i> , 2009 , 19, 280-93	7.7	52
252	Declarative memory impairment in pediatric bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7, 546-54	3.8	52
251	Trait impulsivity as an endophenotype for bipolar I disorder. <i>Bipolar Disorders</i> , 2012 , 14, 565-70	3.8	51
250	Three-dimensional mapping of hippocampal anatomy in adolescents with bipolar disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 515-525	7.2	51

249	Emerging Global Initiatives in Neurogenetics: The Enhancing Neuroimaging Genetics through Meta-analysis (ENIGMA) Consortium. <i>Neuron</i> , 2017 , 94, 232-236	13.9	50
248	Stress exposure and sensitivity in the clinical high-risk syndrome: initial findings from the North American Prodrome Longitudinal Study (NAPLS). <i>Schizophrenia Research</i> , 2014 , 160, 104-9	3.6	50
247	Reliability of an fMRI paradigm for emotional processing in a multisite longitudinal study. <i>Human Brain Mapping</i> , 2015 , 36, 2558-79	5.9	49
246	A relationship between neurocognitive impairment and functional impairment in bipolar disorder: a pilot study. <i>Psychiatry Research</i> , 2008 , 157, 289-93	9.9	49
245	A neurogenetic model for the study of schizophrenia spectrum disorders: the International 22q11.2 Deletion Syndrome Brain Behavior Consortium. <i>Molecular Psychiatry</i> , 2017 , 22, 1664-1672	15.1	48
244	Altered white matter microstructure is associated with social cognition and psychotic symptoms in 22q11.2 microdeletion syndrome. <i>Frontiers in Behavioral Neuroscience</i> , 2014 , 8, 393	3.5	48
243	Reduced educational attainment in bipolar disorder. <i>Journal of Affective Disorders</i> , 2006 , 92, 309-12	6.6	48
242	Alterations in white matter microstructure in neurofibromatosis-1. <i>PLoS ONE</i> , 2012 , 7, e47854	3.7	48
241	Remember and know judgments during recognition in chronic schizophrenia. <i>Schizophrenia Research</i> , 2008 , 100, 181-90	3.6	47
240	A framework for the investigation of rare genetic disorders in neuropsychiatry. <i>Nature Medicine</i> , 2019 , 25, 1477-1487	50.5	46
239	Polygenic Risk Score Contribution to Psychosis Prediction in a Target Population of Persons at Clinical High Risk. <i>American Journal of Psychiatry</i> , 2020 , 177, 155-163	11.9	45
238	Cognitive development in VCFS. <i>Progress in Pediatric Cardiology</i> , 2002 , 15, 109-117	0.4	44
237	Clinical and functional characteristics of youth at clinical high-risk for psychosis who do not transition to psychosis. <i>Psychological Medicine</i> , 2019 , 49, 1670-1677	6.9	44
236	Anxiety in youth at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2017 , 11, 480-487	3.3	43
235	Early traumatic experiences, perceived discrimination and conversion to psychosis in those at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 497-503	4.5	43
234	Association of clinical symptoms and neurocognitive performance in bipolar disorder: a longitudinal study. <i>Bipolar Disorders</i> , 2011 , 13, 118-23	3.8	43
233	Striatal volumes and dyskinetic movements in youth at high-risk for psychosis. <i>Schizophrenia Research</i> , 2010 , 123, 68-70	3.6	43
232	Evidence for disruption in prefrontal cortical functions in juvenile bipolar disorder. <i>Bipolar Disorders</i> , 2007 , 9 Suppl 1, 145-59	3.8	43

231	Mapping 22q11.2 Gene Dosage Effects on Brain Morphometry. <i>Journal of Neuroscience</i> , 2017 , 37, 6183-6199	61.99	41
230	Social cognition over time in individuals at clinical high risk for psychosis: Findings from the NAPLS-2 cohort. <i>Schizophrenia Research</i> , 2016 , 171, 176-81	3.6	41
229	Reliability of functional magnetic resonance imaging activation during working memory in a multi-site study: analysis from the North American Prodrome Longitudinal Study. <i>NeuroImage</i> , 2014 , 97, 41-52	7.9	41
228	Altered hippocampal morphology in unmedicated patients with major depressive illness. <i>ASN Neuro</i> , 2009 , 1,	5.3	41
227	Enhanced maternal origin of the 22q11.2 deletion in velocardiofacial and DiGeorge syndromes. <i>American Journal of Human Genetics</i> , 2013 , 92, 439-47	11	39
226	Genetic contributors to risk of schizophrenia in the presence of a 22q11.2 deletion. <i>Molecular Psychiatry</i> , 2021 , 26, 4496-4510	15.1	39
225	Lack of Diagnostic Pluripotentiality in Patients at Clinical High Risk for Psychosis: Specificity of Comorbidity Persistence and Search for Pluripotential Subgroups. <i>Schizophrenia Bulletin</i> , 2018 , 44, 254-263	13	38
224	Why genetic investigation of psychiatric disorders is so difficult. <i>Current Opinion in Genetics and Development</i> , 2004 , 14, 280-6	4.9	37
223	Theory of Mind, Emotion Recognition and Social Perception in Individuals at Clinical High Risk for Psychosis: findings from the NAPLS-2 cohort. <i>Schizophrenia Research: Cognition</i> , 2015 , 2, 133-139	2.8	36
222	Severity of thought disorder predicts psychosis in persons at clinical high-risk. <i>Schizophrenia Research</i> , 2015 , 169, 169-177	3.6	36
221	Coping styles of individuals at clinical high risk for developing psychosis. <i>Microbial Biotechnology</i> , 2014 , 8, 68-76	3.3	36
220	Altered white matter microstructure in 22q11.2 deletion syndrome: a multisite diffusion tensor imaging study. <i>Molecular Psychiatry</i> , 2020 , 25, 2818-2831	15.1	36
219	Using common genetic variation to examine phenotypic expression and risk prediction in 22q11.2 deletion syndrome. <i>Nature Medicine</i> , 2020 , 26, 1912-1918	50.5	35
218	Enhancing the Informativeness and Replicability of Imaging Genomics Studies. <i>Biological Psychiatry</i> , 2017 , 82, 157-164	7.9	35
217	Neurocognitive and neuroimaging predictors of clinical outcome in bipolar disorder. <i>Current Psychiatry Reports</i> , 2010 , 12, 499-504	9.1	35
216	Abnormal movements are associated with poor psychosocial functioning in adolescents at high risk for psychosis. <i>Schizophrenia Research</i> , 2011 , 130, 164-9	3.6	34
215	Mapping corpus callosum morphology in twin pairs discordant for bipolar disorder. <i>Cerebral Cortex</i> , 2011 , 21, 2415-24	5.1	34
214	Fronto-temporal dysregulation in asymptomatic bipolar I patients: a paired associate functional MRI study. <i>Human Brain Mapping</i> , 2010 , 31, 1041-51	5.9	34

213	Attention deficits in bipolar disorder: a comparison based on the Continuous Performance Test. <i>Neuroscience Letters</i> , 2005 , 379, 122-6	3.3	34
212	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019 , 86, 545-556	7.9	33
211	Genetic influence on the working memory circuitry: behavior, structure, function and extensions to illness. <i>Behavioural Brain Research</i> , 2011 , 225, 610-22	3.4	33
210	Effects of COMT genotype on behavioral symptomatology in the 22q11.2 Deletion Syndrome. <i>Child Neuropsychology</i> , 2005 , 11, 109-17	2.7	33
209	Subthreshold Psychosis in 22q11.2 Deletion Syndrome: Multisite Naturalistic Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1079-1089	1.3	32
208	Depression and clinical high-risk states: Baseline presentation of depressed vs. non-depressed participants in the NAPLS-2 cohort. <i>Schizophrenia Research</i> , 2018 , 192, 357-363	3.6	32
207	Deficits in mental state attributions in individuals with 22q11.2 deletion syndrome (velo-cardio-facial syndrome). <i>Autism Research</i> , 2012 , 5, 407-18	5.1	32
206	Association of baseline inflammatory markers and the development of negative symptoms in individuals at clinical high risk for psychosis. <i>Brain, Behavior, and Immunity</i> , 2019 , 76, 268-274	16.6	32
205	A randomized placebo-controlled lovastatin trial for neurobehavioral function in neurofibromatosis I. <i>Annals of Clinical and Translational Neurology</i> , 2016 , 3, 266-79	5.3	31
204	Rare copy number variants and congenital heart defects in the 22q11.2 deletion syndrome. <i>Human Genetics</i> , 2016 , 135, 273-85	6.3	31
203	Psychoeducational multi-family group treatment with adolescents at high risk for developing psychosis. <i>Microbial Biotechnology</i> , 2007 , 1, 325-32	3.3	31
202	Connectivity-enhanced diffusion analysis reveals white matter density disruptions in first episode and chronic schizophrenia. <i>NeuroImage: Clinical</i> , 2018 , 18, 608-616	5.3	31
201	Association Between P300 Responses to Auditory Oddball Stimuli and Clinical Outcomes in the Psychosis Risk Syndrome. <i>JAMA Psychiatry</i> , 2019 , 76, 1187-1197	14.5	30
200	Psychotropic medication use in youth at high risk for psychosis: comparison of baseline data from two research cohorts 1998-2005 and 2008-2011. <i>Schizophrenia Research</i> , 2013 , 148, 99-104	3.6	30
199	Fronto-temporal dysregulation in remitted bipolar patients: an fMRI delayed-non-match-to-sample (DNMS) study. <i>Bipolar Disorders</i> , 2009 , 11, 351-60	3.8	30
198	Integrity of emotional and motivational states during the prodromal, first-episode, and chronic phases of schizophrenia. <i>Journal of Abnormal Psychology</i> , 2010 , 119, 71-82	7	30
197	Regional brain abnormalities in 22q11.2 deletion syndrome: association with cognitive abilities and behavioral symptoms. <i>Neurocase</i> , 2004 , 10, 198-206	0.8	30
196	Hippocampal volume in subjects at clinical high-risk for psychosis: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 71, 680-690	9	29

195	Reverse Pathway Genetic Approach Identifies Epistasis in Autism Spectrum Disorders. <i>PLoS Genetics</i> , 2017 , 13, e1006516	6	29
194	The Global Functioning: Social and Role Scales-Further Validation in a Large Sample of Adolescents and Young Adults at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 763-772	1.3	28
193	Dissociable mechanisms for memory impairment in bipolar disorder and schizophrenia. <i>Psychological Medicine</i> , 2006 , 36, 1085-95	6.9	27
192	Neuronal defects in a human cellular model of 22q11.2 deletion syndrome. <i>Nature Medicine</i> , 2020 , 26, 1888-1898	50.5	27
191	Electrophysiological Endophenotypes for Schizophrenia. <i>Harvard Review of Psychiatry</i> , 2016 , 24, 129-47	4.1	27
190	Cortical abnormalities in youth at clinical high-risk for psychosis: Findings from the NAPLS2 cohort. <i>NeuroImage: Clinical</i> , 2019 , 23, 101862	5.3	26
189	Transcriptome Profiling of Peripheral Blood in 22q11.2 Deletion Syndrome Reveals Functional Pathways Related to Psychosis and Autism Spectrum Disorder. <i>PLoS ONE</i> , 2015 , 10, e0132542	3.7	26
188	Parent attitudes and parent adolescent interaction in families of youth at risk for psychosis and with recent-onset psychotic symptoms. <i>Microbial Biotechnology</i> , 2008 , 2, 268-76	3.3	26
187	Brain structure-function associations in multi-generational families genetically enriched for bipolar disorder. <i>Brain</i> , 2015 , 138, 2087-102	11.2	25
186	Identification and treatment of a pineal region tumor in an adolescent with prodromal psychotic symptoms. <i>American Journal of Psychiatry</i> , 2010 , 167, 1033-7	11.9	25
185	Toward Leveraging Human Connectomic Data in Large Consortia: Generalizability of fMRI-Based Brain Graphs Across Sites, Sessions, and Paradigms. <i>Cerebral Cortex</i> , 2019 , 29, 1263-1279	5.1	25
184	Mapping Subcortical Brain Alterations in 22q11.2 Deletion Syndrome: Effects of Deletion Size and Convergence With Idiopathic Neuropsychiatric Illness. <i>American Journal of Psychiatry</i> , 2020 , 177, 589-600	11.9	24
183	Converging levels of analysis on a genomic hotspot for psychosis: insights from 22q11.2 deletion syndrome. <i>Neuropharmacology</i> , 2013 , 68, 157-73	5.5	24
182	Complete Sequence of the 22q11.2 Allele in 1,053 Subjects with 22q11.2 Deletion Syndrome Reveals Modifiers of Conotruncal Heart Defects. <i>American Journal of Human Genetics</i> , 2020 , 106, 26-40	11	24
181	PEMapper and PECaller provide a simplified approach to whole-genome sequencing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E1923-E1932	11.5	23
180	Processing speed and neurodevelopment in adolescent-onset psychosis: cognitive slowing predicts social function. <i>Journal of Abnormal Child Psychology</i> , 2012 , 40, 645-54	4	23
179	Prefrontal and paralimbic metabolic dysregulation related to sustained attention in euthymic older adults with bipolar disorder. <i>Bipolar Disorders</i> , 2010 , 12, 866-74	3.8	23
178	Synaptic and Gene Regulatory Mechanisms in Schizophrenia, Autism, and 22q11.2 Copy Number Variant-Mediated Risk for Neuropsychiatric Disorders. <i>Biological Psychiatry</i> , 2020 , 87, 150-163	7.9	23

177	Understanding the Hidden Complexity of Latin American Population Isolates. <i>American Journal of Human Genetics</i> , 2018 , 103, 707-726	11	23
176	Ventricular enlargement and progressive reduction of cortical gray matter are linked in prodromal youth who develop psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 169-174	3.6	22
175	Negative symptoms and impaired social functioning predict later psychosis in Latino youth at clinical high risk in the North American prodromal longitudinal studies consortium. <i>Microbial Biotechnology</i> , 2015 , 9, 467-75	3.3	22
174	Prodromal Symptom Severity Predicts Accelerated Gray Matter Reduction and Third Ventricle Expansion Among Clinically High Risk Youth Developing Psychotic Disorders. <i>Molecular Neuropsychiatry</i> , 2015 , 1, 13-22	4.9	22
173	The Learning Disabilities Network (LeadNet): using neurofibromatosis type 1 (NF1) as a paradigm for translational research. <i>American Journal of Medical Genetics, Part A</i> , 2012 , 158A, 2225-32	2.5	22
172	Potentially important periods of change in the development of social and role functioning in youth at clinical high risk for psychosis. <i>Development and Psychopathology</i> , 2018 , 30, 39-47	4.3	21
171	Resting state functional MRI reveals abnormal network connectivity in neurofibromatosis 1. <i>Human Brain Mapping</i> , 2015 , 36, 4566-81	5.9	21
170	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
169	Metabolic abnormalities and low dietary Omega 3 are associated with symptom severity and worse functioning prior to the onset of psychosis: Findings from the North American Prodrome Longitudinal Studies Consortium. <i>Schizophrenia Research</i> , 2019 , 204, 96-103	3.6	21
168	A Genetics-First Approach to Dissecting the Heterogeneity of Autism: Phenotypic Comparison of Autism Risk Copy Number Variants. <i>American Journal of Psychiatry</i> , 2021 , 178, 77-86	11.9	21
167	Cortical mapping of genotype-phenotype relationships in schizophrenia. <i>Human Brain Mapping</i> , 2007 , 28, 519-32	5.9	20
166	Systems Analysis of the 22q11.2 Microdeletion Syndrome Converges on a Mitochondrial Interactome Necessary for Synapse Function and Behavior. <i>Journal of Neuroscience</i> , 2019 , 39, 3561-3581	6.6	19
165	Clinical Profiles and Conversion Rates Among Young Individuals With Autism Spectrum Disorder Who Present to Clinical High Risk for Psychosis Services. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019 , 58, 582-588	7.2	19
164	Time reproduction performance is associated with age and working memory in high-functioning youth with autism spectrum disorder. <i>Autism Research</i> , 2015 , 8, 29-37	5.1	19
163	Contributions of Feature Binding During Encoding and Functional Connectivity of the Medial Temporal Lobe Structures to Episodic Memory Deficits Across the Prodromal and First-Episode Phases of Schizophrenia. <i>Clinical Psychological Science</i> , 2015 , 3, 159-174	6	19
162	Atypical functional connectivity in resting-state networks of individuals with 22q11.2 deletion syndrome: associations with neurocognitive and psychiatric functioning. <i>Journal of Neurodevelopmental Disorders</i> , 2016 , 8, 2	4.6	19
161	Ecological assessment of executive dysfunction in the psychosis prodrome: a pilot study. <i>Schizophrenia Research</i> , 2007 , 93, 350-4	3.6	19
160	Dissociable Disruptions in Thalamic and Hippocampal Resting-State Functional Connectivity in Youth with 22q11.2 Deletions. <i>Journal of Neuroscience</i> , 2019 , 39, 1301-1319	6.6	19

159	Characterizing Covariant Trajectories of Individuals at Clinical High Risk for Psychosis Across Symptomatic and Functional Domains. <i>American Journal of Psychiatry</i> , 2020 , 177, 164-171	11.9	19
158	Deletion size analysis of 1680 22q11.2DS subjects identifies a new recombination hotspot on chromosome 22q11.2. <i>Human Molecular Genetics</i> , 2018 , 27, 1150-1163	5.6	18
157	Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. <i>Schizophrenia Research</i> , 2016 , 172, 106-113	3.6	18
156	Reciprocal social behavior in youths with psychotic illness and those at clinical high risk. <i>Development and Psychopathology</i> , 2013 , 25, 1187-97	4.3	18
155	Core Schemas in Youth at Clinical High Risk for Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2016 , 44, 203-13	2.1	18
154	Variance of IQ is partially dependent on deletion type among 1,427 22q11.2 deletion syndrome subjects. <i>American Journal of Medical Genetics, Part A</i> , 2018 , 176, 2172-2181	2.5	18
153	Neurocognitive profiles in the prodrome to psychosis in NAPLS-1. <i>Schizophrenia Research</i> , 2019 , 204, 311-319	3.6	17
152	Insights into psychosis risk from leukocyte microRNA expression. <i>Translational Psychiatry</i> , 2016 , 6, e981	8.6	17
151	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021 , 227, 10-17	3.6	17
150	Intrinsic Connectivity Network-Based Classification and Detection of Psychotic Symptoms in Youth With 22q11.2 Deletions. <i>Cerebral Cortex</i> , 2017 , 27, 3294-3306	5.1	16
149	Language as a biomarker for psychosis: A natural language processing approach. <i>Schizophrenia Research</i> , 2020 , 226, 158-166	3.6	16
148	Mechanisms underlying the EEG biomarker in Dup15q syndrome. <i>Molecular Autism</i> , 2019 , 10, 29	6.5	16
147	Altered relationships between age and functional brain activation in adolescents at clinical high risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 221, 21-9	2.9	16
146	Structural Brain Alterations in Youth With Psychosis and Bipolar Spectrum Symptoms. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019 , 58, 1079-1091	7.2	16
145	Williams syndrome cognitive profile also characterizes Velocardiofacial/DiGeorge syndrome. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 689-92		15
144	Functional Capacity Assessed by the Map Task in Individuals at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1234-42	1.3	15
143	Genome-Wide Association Study to Find Modifiers for Tetralogy of Fallot in the 22q11.2 Deletion Syndrome Identifies Variants in the Locus on 5q14.3. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10,		14
142	Latent class cluster analysis of symptom ratings identifies distinct subgroups within the clinical high risk for psychosis syndrome. <i>Schizophrenia Research</i> , 2018 , 197, 522-530	3.6	14

141	Treatment Precedes Positive Symptoms in North American Adolescent and Young Adult Clinical High Risk Cohort. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2018 , 47, 69-78	5.4	14
140	Sleep problems and attenuated psychotic symptoms in youth at clinical high-risk for psychosis. <i>Psychiatry Research</i> , 2019 , 282, 112492	9.9	14
139	A Review of Default Mode Network Connectivity and Its Association With Social Cognition in Adolescents With Autism Spectrum Disorder and Early-Onset Psychosis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 614	5	14
138	Progressive reconfiguration of resting-state brain networks as psychosis develops: Preliminary results from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2020 , 226, 30-37	3.6	14
137	North American Prodrome Longitudinal Study (NAPLS 3): Methods and baseline description. <i>Schizophrenia Research</i> , 2020 ,	3.6	14
136	Networks of blood proteins in the neuroimmunology of schizophrenia. <i>Translational Psychiatry</i> , 2018 , 8, 112	8.6	13
135	Three-dimensional mapping of hippocampal and amygdalar structure in euthymic adults with bipolar disorder not treated with lithium. <i>Psychiatry Research - Neuroimaging</i> , 2013 , 211, 195-201	2.9	13
134	Mutations associated with neuropsychiatric conditions delineate functional brain connectivity dimensions contributing to autism and schizophrenia. <i>Nature Communications</i> , 2020 , 11, 5272	17.4	13
133	Neural substrates of inhibitory control deficits in 22q11.2 deletion syndrome. <i>Cerebral Cortex</i> , 2015 , 25, 1069-79	5.1	12
132	Spatial working memory in neurofibromatosis 1: Altered neural activity and functional connectivity. <i>NeuroImage: Clinical</i> , 2017 , 15, 801-811	5.3	12
131	Symptomatic and functional correlates of regional brain physiology during working memory processing in patients with recent onset schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 173, 177-82	2.9	12
130	Genetic architecture of declarative memory: implications for complex illnesses. <i>Neuroscientist</i> , 2012 , 18, 516-32	7.6	12
129	Psychosis Risk and Development: What Do We Know From Population-Based Studies?. <i>Biological Psychiatry</i> , 2020 , 88, 315-325	7.9	12
128	Predictive validity of conversion from the clinical high risk syndrome to frank psychosis. <i>Schizophrenia Research</i> , 2020 , 216, 184-191	3.6	12
127	Altered Brain Activation During Memory Retrieval Precedes and Predicts Conversion to Psychosis in Individuals at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2019 , 45, 924-933	1.3	12
126	Demographic correlates of attenuated positive psychotic symptoms. <i>Schizophrenia Research</i> , 2015 , 166, 31-6	3.6	11
125	Stressor-Cortisol Concordance Among Individuals at Clinical High-Risk for Psychosis: Novel Findings from the NAPLS Cohort. <i>Psychoneuroendocrinology</i> , 2020 , 115, 104649	5	11
124	Reciprocal Copy Number Variations at 22q11.2 Produce Distinct and Convergent Neurobehavioral Impairments Relevant for Schizophrenia and Autism Spectrum Disorder. <i>Biological Psychiatry</i> , 2020 , 88, 260-272	7.9	11

123	Age-related trajectories of social cognition in youth at clinical high risk for psychosis: An exploratory study. <i>Schizophrenia Research</i> , 2018 , 201, 130-136	3.6	11
122	Attention deficit hyperactivity disorder symptoms as antecedents of later psychotic outcomes in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2019 , 204, 320-325	3.6	11
121	Categorical versus dimensional approaches to autism-associated intermediate phenotypes in 22q11.2 microdeletion syndrome. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017 , 2, 53-65	3.4	11
120	Methodological issues in molecular genetic studies of mental disorders. <i>Annual Review of Clinical Psychology</i> , 2009 , 5, 49-69	20.5	11
119	Intracranial and subcortical volumes in adolescents with early-onset psychosis: A multisite mega-analysis from the ENIGMA consortium. <i>Human Brain Mapping</i> , 2020 ,	5.9	11
118	Impact of childhood adversity on corticolimbic volumes in youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2019 , 213, 48-55	3.6	10
117	Exploration of clinical high-risk dropouts. <i>Schizophrenia Research</i> , 2018 , 195, 579-580	3.6	10
116	The Violent Content in Attenuated Psychotic Symptoms. <i>Psychiatry Research</i> , 2016 , 242, 61-66	9.9	10
115	Evaluating the impact of cannabis use on thalamic connectivity in youth at clinical high risk of psychosis. <i>BMC Psychiatry</i> , 2015 , 15, 276	4.2	10
114	Evaluating the relationship between cannabis use and IQ in youth and young adults at clinical high risk of psychosis. <i>Psychiatry Research</i> , 2015 , 230, 878-84	9.9	10
113	Neural phenotypes of common and rare genetic variants. <i>Biological Psychology</i> , 2008 , 79, 43-57	3.2	10
112	The many roads to psychosis: recent advances in understanding risk and mechanisms. <i>F1000Research</i> , 2018 , 7,	3.6	10
111	Perceptions of family criticism and warmth and their link to symptom expression in racially/ethnically diverse adolescents and young adults at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2015 , 9, 476-86	3.3	9
110	Obstetric complications and risk for conversion to psychosis among individuals at high clinical risk. <i>Microbial Biotechnology</i> , 2009 , 3, 226-30	3.3	9
109	Personality Pathology and Time to Remission in Depressed Outpatients Treated with Interpersonal Psychotherapy. <i>Journal of Personality Disorders</i> , 1996 , 10, 164-173	2.6	9
108	The Early Psychosis Screener for Internet (EPSI)-SR: Predicting 12 month psychotic conversion using machine learning. <i>Schizophrenia Research</i> , 2019 , 208, 390-396	3.6	9
107	Stress perception following childhood adversity: Unique associations with adversity type and sex. <i>Development and Psychopathology</i> , 2020 , 32, 343-356	4.3	9
106	The Role of microRNA Expression in Cortical Development During Conversion to Psychosis. <i>Neuropsychopharmacology</i> , 2017 , 42, 2188-2195	8.7	8

105	Contribution of common and rare variants to bipolar disorder susceptibility in extended pedigrees from population isolates. <i>Translational Psychiatry</i> , 2020 , 10, 74	8.6	8
104	Applying a Transdiagnostic Cognitive-Behavioral Treatment to Adolescents at High Risk for Serious Mental Illness: Rationale and Preliminary Findings. <i>Cognitive and Behavioral Practice</i> , 2020 , 27, 202-214	2.3	8
103	Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , 2021 , 90, 632-642	7.9	8
102	The relations of age and pubertal development with cortisol and daily stress in youth at clinical risk for psychosis. <i>Schizophrenia Research</i> , 2016 , 172, 29-34	3.6	8
101	Traumatic brain injury in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2016 , 174, 77-81	3.6	8
100	Adding a neuroanatomical biomarker to an individualized risk calculator for psychosis: A proof-of-concept study. <i>Schizophrenia Research</i> , 2019 , 208, 41-43	3.6	8
99	The Early Psychosis Screener (EPS): Quantitative validation against the SIPS using machine learning. <i>Schizophrenia Research</i> , 2018 , 197, 516-521	3.6	7
98	Clinical and genetic high-risk paradigms: converging paths to psychosis meet in the temporal lobes. <i>Biological Psychiatry</i> , 2011 , 69, 910-1	7.9	7
97	Distinct and shared contributions of diagnosis and symptom domains to cognitive performance in severe mental illness in the Paise population: a case-control study. <i>Lancet Psychiatry</i> , 2020 , 7, 411-419	3.3	7
96	The role of a family history of psychosis for youth at clinical high risk of psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 251-256	3.3	7
95	Nested Inversion Polymorphisms Predispose Chromosome 22q11.2 to Meiotic Rearrangements. <i>American Journal of Human Genetics</i> , 2017 , 101, 616-622	11	6
94	Youth-caregiver agreement on clinical high-risk symptoms of psychosis. <i>Journal of Abnormal Child Psychology</i> , 2014 , 42, 649-58	4	6
93	Cognitive genomics: Searching for the genetic roots of neuropsychological functioning. <i>Neuropsychology</i> , 2017 , 31, 1003-1019	3.8	6
92	White matter changes in psychosis risk relate to development and are not impacted by the transition to psychosis. <i>Molecular Psychiatry</i> , 2021 ,	15.1	6
91	Tobacco use and psychosis risk in persons at clinical high risk. <i>Microbial Biotechnology</i> , 2019 , 13, 1173-1183	3.1	6
90	Social decline in the psychosis prodrome: Predictor potential and heterogeneity of outcome. <i>Schizophrenia Research</i> , 2021 , 227, 44-51	3.6	6
89	Incorporating cortisol into the NAPLS2 individualized risk calculator for prediction of psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 95-100	3.6	6
88	Effects of copy number variations on brain structure and risk for psychiatric illness: Large-scale studies from the ENIGMA working groups on CNVs. <i>Human Brain Mapping</i> , 2021 ,	5.9	6

87	State-Dependent Functional Dysconnectivity in Youth With Psychosis Spectrum Symptoms. <i>Schizophrenia Bulletin</i> , 2020 , 46, 408-421	1.3	5
86	Stability of mismatch negativity event-related potentials in a multisite study. <i>International Journal of Methods in Psychiatric Research</i> , 2020 , 29, e1819	4.3	5
85	Relation between cannabis use and subcortical volumes in people at clinical high risk of psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 3-9	2.9	5
84	Duration of the psychosis prodrome. <i>Schizophrenia Research</i> , 2020 , 216, 443-449	3.6	5
83	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
82	Selection for psychosocial treatment for youth at clinical high risk for psychosis based on the North American Prodrome Longitudinal Study individualized risk calculator. <i>Microbial Biotechnology</i> , 2021 , 15, 96-103	3.3	5
81	Extensions of Multiple-Group Item Response Theory Alignment: Application to Psychiatric Phenotypes in an International Genomics Consortium. <i>Educational and Psychological Measurement</i> , 2020 , 80, 870-909	3.1	4
80	SU127. Negative Symptoms in Youth at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, S207-S208	1.3	4
79	Altered Brain Structure-Function Relationships Underlie Executive Dysfunction in 22q11.2 Deletion Syndrome. <i>Molecular Neuropsychiatry</i> , 2015 , 1, 235-46	4.9	4
78	Cortical Volume Alterations in Conduct Disordered Adolescents with and without Bipolar Disorder. <i>Journal of Clinical Medicine</i> , 2014 , 3, 416-31	5.1	4
77	Systems Analysis of the 22q11.2 Microdeletion Syndrome Converges on a Mitochondrial Interactome Necessary for Synapse Function and Behavior		4
76	Associations between childhood adversity, cognitive schemas and attenuated psychotic symptoms. <i>Microbial Biotechnology</i> , 2021 , 15, 818-827	3.3	4
75	Relationships between intrinsic functional connectivity, cognitive control, and reading achievement across development. <i>NeuroImage</i> , 2020 , 221, 117202	7.9	4
74	A normative chart for cognitive development in a genetically selected population. <i>Neuropsychopharmacology</i> , 2021 ,	8.7	4
73	Characterization of Expression Quantitative Trait Loci in Pedigrees from Colombia and Costa Rica Ascertained for Bipolar Disorder. <i>PLoS Genetics</i> , 2016 , 12, e1006046	6	4
72	Changes in symptom content from a clinical high-risk state to conversion to psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 257-263	3.3	4
71	Depression: An actionable outcome for those at clinical high-risk. <i>Schizophrenia Research</i> , 2021 , 227, 38-43	3.6	4
70	Prioritizing Genetic Contributors to Cortical Alterations in 22q11.2 Deletion Syndrome Using Imaging Transcriptomics. <i>Cerebral Cortex</i> , 2021 , 31, 3285-3298	5.1	4

69	Perceptual abnormalities in clinical high risk youth and the role of trauma, cannabis use and anxiety. <i>Psychiatry Research</i> , 2017 , 258, 462-468	9.9	3
68	Reliability of mismatch negativity event-related potentials in a multisite, traveling subjects study. <i>Clinical Neurophysiology</i> , 2020 , 131, 2899-2909	4.3	3
67	Patterns of Cortical Folding Associated with Autistic Symptoms in Carriers and Noncarriers of the 22q11.2 Microdeletion. <i>Cerebral Cortex</i> , 2020 , 30, 5281-5292	5.1	3
66	Episodic Memory for Dynamic Social Interaction Across Phase of Illness in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 620-630	1.3	3
65	Social vs. non-social measures of learning potential for predicting community functioning across phase of illness in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 204, 104-110	3.6	3
64	Common substrates of dysphoria in stimulant drug abuse and primary depression: therapeutic targets. <i>International Review of Neurobiology</i> , 2005 , 65, 117-45	4.4	3
63	Deficits in auditory predictive coding in individuals with the psychosis risk syndrome: Prediction of conversion to psychosis. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 599-611	7	3
62	Effects of eight neuropsychiatric copy number variants on human brain structure. <i>Translational Psychiatry</i> , 2021 , 11, 399	8.6	3
61	Disruptions in White Matter Maturation and Mediation of Cognitive Development in Youths on the Psychosis Spectrum. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 423-433	3.4	3
60	Childhood trauma and cognitive functioning in individuals at clinical high risk (CHR) for psychosis. <i>Development and Psychopathology</i> , 2021 , 33, 53-64	4.3	3
59	Sleep Disturbance in Individuals at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	3
58	The prediction-error hypothesis of schizophrenia: new data point to circuit-specific changes in dopamine activity. <i>Neuropsychopharmacology</i> , 2021 ,	8.7	3
57	Genetic and clinical analyses of psychosis spectrum symptoms in a large multiethnic youth cohort reveal significant link with ADHD. <i>Translational Psychiatry</i> , 2021 , 11, 80	8.6	3
56	Risky Decision Making in Neurofibromatosis Type 1: An Exploratory Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017 , 2, 170-179	3.4	2
55	Early Detection of Psychosis: Recent Updates from Clinical High-Risk Research. <i>Current Behavioral Neuroscience Reports</i> , 2015 , 2, 90-101	1.7	2
54	Neuroanatomical underpinnings of autism symptomatology in carriers and non-carriers of the 22q11.2 microdeletion. <i>Molecular Autism</i> , 2020 , 11, 46	6.5	2
53	Constance E. Lieber, Theodore R. Stanley, and the Enduring Impact of Philanthropy on Psychiatry Research. <i>Biological Psychiatry</i> , 2016 , 80, 84-86	7.9	2
52	Molecular Architecture and Neurobiology of Bipolar Disorder 2016 , 467-486		2

51	Accelerating the Bending Arc Toward Equality: A Commentary on Gender Trends in Authorship in Psychiatry Journals. <i>Biological Psychiatry</i> , 2019 , 86, 575-576	7.9	2
50	Reply: Lithium and Increased Cortical Gray Matter More Tissue or More Water?. <i>Biological Psychiatry</i> , 2008 , 63, e19	7.9	2
49	Alternative diffusion anisotropy measures for the investigation of white matter alterations in 22q11.2 deletion syndrome 2018 ,		2
48	Contribution of common and rare variants to bipolar disorder susceptibility in extended pedigrees from population isolates		2
47	Cross-paradigm connectivity: reliability, stability, and utility. <i>Brain Imaging and Behavior</i> , 2021 , 15, 614-629	4.1	2
46	Concordance and factor structure of subthreshold positive symptoms in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 72-77	3.6	2
45	Abnormally Large Baseline P300 Amplitude Is Associated With Conversion to Psychosis in Clinical High Risk Individuals With a History of Autism: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021 , 12, 591127	5	2
44	Genome-wide mapping of brain phenotypes in extended pedigrees with strong genetic loading for bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 5229-5238	15.1	1
43	Disrupted Working Memory Circuitry in Adolescent Psychosis. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 394	3.3	1
42	The Neurodevelopmental Model of Schizophrenia: Updated 2015 , 542-569		1
41	Catatonia isn't ready for a unified theory. <i>Behavioral and Brain Sciences</i> , 2002 , 25, 579-580	0.9	1
40	Depression Predicts Global Functional Outcomes in Individuals at Clinical High Risk for Psychosis. <i>Psychiatric Research and Clinical Practice</i> , 2021 , 3, 163-171	2.7	1
39	Neurocognitive Findings in Bipolar Disorder. <i>Medical Psychiatry</i> , 2007 , 251-274		1
38	Heterotopia in Individuals with 22q11.2 Deletion Syndrome. <i>American Journal of Neuroradiology</i> , 2021 , 42, 2070-2076	4.4	1
37	Confident memory errors and disrupted reality testing in early psychosis. <i>Schizophrenia Research</i> , 2021 , 238, 170-177	3.6	1
36	Reciprocal Disruptions in Thalamic and Hippocampal Resting-State Functional Connectivity in Youth with 22q11.2 Deletions		1
35	Association between residential instability at individual and area levels and future psychosis in adolescents at clinical high risk from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2021 , 238, 137-144	3.6	1
34	Reliability of Mismatch Negativity Event-Related Potentials in a Multisite, Traveling Subjects Study		1

33	Neuropsychiatric mutations delineate functional brain connectivity dimensions contributing to autism and schizophrenia		1
32	Evidence of Slow Neural Processing, Developmental Differences and Sensitivity to Cannabis Effects in a Sample at Clinical High Risk for Psychosis From the NAPLS Consortium Assessed With the Human Startle Paradigm. <i>Frontiers in Psychiatry</i> , 2020, 11, 833	5	1
31	Social cognition in 22q11.2 deletion syndrome and idiopathic developmental neuropsychiatric disorders. <i>Journal of Neurodevelopmental Disorders</i> , 2021, 13, 15	4.6	1
30	Life Event Stress and Reduced Cortical Thickness in Youth at Clinical High Risk for Psychosis and Healthy Control Subjects. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 7, 171-174	3.4	1
29	Biotypes: The Tip of the Research Domain Criteria Iceberg. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016, 1, 486-487	3.4	1
28	Reduced higher dimensional temporal dynamism in neurofibromatosis type 1. <i>NeuroImage: Clinical</i> , 2019, 22, 101692	5.3	1
27	Genetic analysis of activity, brain and behavioral associations in extended families with heavy genetic loading for bipolar disorder. <i>Psychological Medicine</i> , 2021, 51, 494-502	6.9	1
26	Discriminatory experiences predict neuroanatomical changes and anxiety among healthy individuals and those at clinical high risk for psychosis. <i>NeuroImage: Clinical</i> , 2021, 31, 102757	5.3	1
25	Risk and Resilience in Extraordinary Times. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 136-138	3.4	1
24	The relation of atypical antipsychotic use and stress with weight in individuals at clinical high risk for psychosis. <i>Stress and Health</i> , 2018, 34, 591-600	3.7	1
23	Individualized Prediction of Prodromal Symptom Remission for Youth at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021,	1.3	1
22	Genes To Mental Health (G2MH): A Framework to Map the Combined Effects of Rare and Common Variants on Dimensions of Cognition and Psychopathology.. <i>American Journal of Psychiatry</i> , 2022, 179, 189-203	11.9	1
21	Bullying in clinical high risk for psychosis participants from the NAPLS-3 cohort.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 1	4.5	0
20	The associations between area-level residential instability and gray matter volumes from the North American Prodrome Longitudinal Study (NAPLS) consortium.. <i>Schizophrenia Research</i> , 2022, 241, 1-9	3.6	0
19	Characterizing sustained social anxiety in individuals at clinical high risk for psychosis: trajectory, risk factors, and functional outcomes.. <i>Psychological Medicine</i> , 2022, 1-8	6.9	0
18	Opposing white matter microstructure abnormalities in 22q11.2 deletion and duplication carriers. <i>Translational Psychiatry</i> , 2021, 11, 580	8.6	0
17	Visual cortical plasticity and the risk for psychosis: An interim analysis of the North American Prodrome Longitudinal Study. <i>Schizophrenia Research</i> , 2021, 230, 26-37	3.6	0
16	Neurocognitive subprocesses of working memory performance. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2021, 21, 1130-1152	3.5	0

15	Structural and functional brain alterations revealed by neuroimaging in CNV carriers. <i>Current Opinion in Genetics and Development</i> , 2021 , 68, 88-98	4.9	○
14	Mitochondrial Proteostasis Requires Genes Encoded in a Neurodevelopmental Syndrome Locus. <i>Journal of Neuroscience</i> , 2021 , 41, 6596-6616	6.6	○
13	Anxiety in youth at clinical high-risk for psychosis: A two-year follow-up. <i>Schizophrenia Research</i> , 2021 , 236, 87-88	3.6	○
12	Family history of psychosis in youth at clinical high risk: A replication study.. <i>Psychiatry Research</i> , 2022 , 311, 114480	9.9	○
11	Neurobehavioral Dimensions of Prader Willi Syndrome: Relationships Between Sleep and Psychosis-Risk Symptoms.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 868536	5	○
10	App-enhanced transdiagnostic CBT for adolescents with mood or psychotic spectrum disorders. <i>Journal of Affective Disorders</i> , 2022 , 311, 319-326	6.6	○
9	Enhanced switching and familial susceptibility for psychosis. <i>Brain and Behavior</i> , 2018 , 8, e00988	3.4	
8	Neurocognitive findings in bipolar disorder: an update 169-190		
7	Neurodevelopmental Theories of Schizophrenia: Twenty-First Century Perspectives 2016 , 1-46		
6	Response to De Nadai Letter. <i>American Journal of Psychiatry</i> , 2011 , 168, 550-551	11.9	
5	Response to the Letter to the Editor: Clinical symptoms and neurocognitive performance: potential impact of substance use <i>Bipolar Disorders</i> , 2011 , 13, 435-436	3.8	
4	Impulsivity, risk taking, alcohol abuse, and bipolar disorder: response to Thomas Richardson. <i>Bipolar Disorders</i> , 2009 , 11, 556-557	3.8	
3	Transcriptomic profiling of whole blood in 22q11.2 reciprocal copy number variants reveals that cell proportion highly impacts gene expression. <i>Brain, Behavior, & Immunity - Health</i> , 2021 , 18, 100386	5.1	
2	Inter-rater reliability of subthreshold psychotic symptoms in individuals with 22q11.2 deletion syndrome. <i>Journal of Neurodevelopmental Disorders</i> , 2021 , 13, 23	4.6	
1	Cognitive Phenotypes and Endophenotypes: Concepts and Criteria. <i>Innovations in Cognitive Neuroscience</i> , 2016 , 61-80		