
Doralina L Anghelescu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6473157/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prevalence of neuropathic pain in adolescents with sickle cell disease: A singleâ€center experience. Pediatric Blood and Cancer, 2022, 69, e29583.	0.8	4
2	Lowâ€dose ketamine infusions reduce opioid use in pediatric and young adult oncology patients. Pediatric Blood and Cancer, 2022, 69, e29693.	0.8	6
3	Successful Multimodal Treatment for Complex Regional Pain Syndrome in an Adolescent with Acute Lymphoblastic Leukemia: A Case Report. Journal of Adolescent and Young Adult Oncology, 2022, 11, 611-616.	0.7	1
4	Methadone for Cancer Pain in Pediatric End-of-Life Care. American Journal of Hospice and Palliative Medicine, 2021, 38, 914-919.	0.8	4
5	Psychosocial Factors and Psychological Interventions: Implications for Chronic Post-Surgical Pain in Pediatric Patients with Osteosarcoma. Journal of Clinical Psychology in Medical Settings, 2021, 28, 468-476.	0.8	6
6	Longitudinal Trajectories of Neurocognitive Functioning in Childhood Acute Lymphoblastic Leukemia. Journal of Pediatric Psychology, 2021, 46, 168-178.	1.1	10
7	Validating an opioid prescribing algorithm in post-operative pediatric surgical oncology patients. Journal of Pediatric Surgery, 2021, 56, 110-114.	0.8	4
8	Retrospective analysis of predisposing factors for difficult lumbar punctures requiring image guidance in pediatric oncology patients. Pediatric Hematology and Oncology, 2021, 38, 420-433.	0.3	3
9	Gabapentin for acute pain in sickle cell disease: A randomized doubleâ€blinded placeboâ€controlled phase II clinical trial. EJHaem, 2021, 2, 327-334.	0.4	3
10	Lidocaine Infusions for Pain Management in Pediatrics. Paediatric Drugs, 2021, 23, 349-359.	1.3	14
11	Lidocaine infusions and reduced opioid consumption—Retrospective experience in pediatric hematology and oncology patients with refractory pain. Pediatric Blood and Cancer, 2021, 68, e29215.	0.8	8
12	A polygenic score for acute vaso-occlusive pain in pediatric sickle cell disease. Blood Advances, 2021, 5, 2839-2851.	2.5	14
13	Pain and functional outcomes in adult survivors of childhood cancer: A report from the St. Jude Lifetime Cohort study. Cancer, 2021, 127, 1679-1689.	2.0	13
14	Vitamin D Levels: Associations with Acute Pain Events and Self-Reported Pain in Children with Sickle Cell Disease. Blood, 2021, 138, 3089-3089.	0.6	0
15	Desmoplastic Small Round Cell Tumor: Long-Term Complications After Cytoreduction and Hyperthermic Intraperitoneal Chemotherapy. Annals of Surgical Oncology, 2020, 27, 171-178.	0.7	22
16	Propofol Total Intravenous Anesthesia as an Intervention for Severe Radiation-Induced Phantosmia in an Adolescent with Ependymoma. Journal of Adolescent and Young Adult Oncology, 2020, 9, 299-302.	0.7	2
17	A Quality Improvement Intervention to Decrease Postoperative Opioid Prescriptions in Pediatric Oncology Patients. Journal of Pediatric Hematology/Oncology, 2020, 42, e207-e212.	0.3	5
18	Change in Pain Status and Subsequent Opioid and Marijuana Use Among Long-Term Adult Survivors of Childhood Cancer. JNCI Cancer Spectrum, 2020, 4, pkaa070.	1.4	1

Doralina L Anghelescu

#	Article	IF	CITATIONS
19	Evaluation of Chest Radiographs of Children with Newly Diagnosed AcuteÂLymphoblastic Leukemia. Journal of Pediatrics, 2020, 223, 120-127.e3.	0.9	1
20	Anesthesia Exposure during Therapy Predicts Neurocognitive Outcomes in Survivors of Childhood Medulloblastoma. Journal of Pediatrics, 2020, 223, 141-147.e4.	0.9	20
21	Prospective randomized trial of interventions for vincristineâ€related neuropathic pain. Pediatric Blood and Cancer, 2020, 67, e28539.	0.8	12
22	Opioid Therapy for Pediatric Cancer Pain. , 2020, , 251-281.		1
23	Role of Amputation in Improving Mobility, Pain Outcomes, and Emotional and Psychological Well-Being in Children With Metastatic Osteosarcoma. American Journal of Hospice and Palliative Medicine, 2019, 36, 105-110.	0.8	11
24	Bisphosphonate Use in Pediatric Oncology for Pain Management. American Journal of Hospice and Palliative Medicine, 2019, 36, 138-142.	0.8	5
25	Association Between Anesthesia Exposure and Neurocognitive and Neuroimaging Outcomes in Long-term Survivors of Childhood Acute Lymphoblastic Leukemia. JAMA Oncology, 2019, 5, 1456.	3.4	77
26	Reducing pain in children with cancer: Methodology for the development of a clinical practice guideline. Pediatric Blood and Cancer, 2019, 66, e27698.	0.8	14
27	Neuropathic Pain in Pediatric Oncology: A Clinical Decision Algorithm. Paediatric Drugs, 2019, 21, 59-70.	1.3	27
28	Ketamine and lidocaine infusions decrease opioid consumption during vaso-occlusive crisis in adolescents with sickle cell disease. Current Opinion in Supportive and Palliative Care, 2019, 13, 402-407.	0.5	16
29	Provision of Adequate Pain Management to a Young Adult Oncology Patient Presenting with Aberrant Opioid-Associated Behavior: A Case Study. Journal of Adolescent and Young Adult Oncology, 2019, 8, 221-224.	0.7	8
30	Anesthesia and Pain Management for Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy for Desmoplastic Small Round Cell Tumors in Children, Adolescents, and Young Adults. Annals of Surgical Oncology, 2019, 26, 131-138.	0.7	10
31	Adult Cancer Pain, Version 3.2019, NCCN Clinical Practice Guidelines in Oncology. Journal of the National Comprehensive Cancer Network: JNCCN, 2019, 17, 977-1007.	2.3	298
32	Family and Peer-Group Substance Abuse as a Risk-Factor for Opioid Misuse Behaviors for a Young Adult with Cancer-Related Pain—A Case Study. Journal of Adolescent and Young Adult Oncology, 2018, 7, 137-140.	0.7	4
33	Parent perspectives and preferences for strategies regarding nonsedated MRI scans in a pediatric oncology population. Supportive Care in Cancer, 2018, 26, 1815-1824.	1.0	15
34	State of the Art Management of Acute Vaso-occlusive Pain in Sickle Cell Disease. Paediatric Drugs, 2018, 20, 29-42.	1.3	16
35	Methadone for Pain Management in Children with Cancer. Paediatric Drugs, 2018, 20, 409-416.	1.3	21
36	Pain Outcomes After Celiac Plexus Block in Children and Young Adults with Cancer. Journal of Adolescent and Young Adult Oncology, 2018, 7, 666-672.	0.7	16

#	Article	IF	CITATIONS
37	Traumatic and Bloody Lumbar Puncture at Diagnosis in Children with Acute Lymphoblastic Leukemia: A St. Jude Total XV and Total XVI Cohort Study. Blood, 2018, 132, 1380-1380.	0.6	0
38	The role of the pediatric anesthesiologist in relieving suffering at the end of life: when is palliative sedation appropriate in pediatrics?. Paediatric Anaesthesia, 2017, 27, 443-444.	0.6	11
39	A Review of Adult and Pediatric Neuropathic Pain Assessment Tools. Clinical Journal of Pain, 2017, 33, 844-852.	0.8	24
40	Palliative Sedation With Propofol for an Adolescent With a DNR Order. Pediatrics, 2017, 140, .	1.0	20
41	Emergence Delirium in Pediatric Anesthesia. Paediatric Drugs, 2017, 19, 11-20.	1.3	118
42	Prospective study of neuropathic pain after definitive surgery for extremity osteosarcoma in a pediatric population. Pediatric Blood and Cancer, 2017, 64, e26162.	0.8	19
43	Mirror Therapy for Phantom Limb Pain at a Pediatric Oncology Institution. Rehabilitation Oncology, 2016, 34, 104-110.	0.2	22
44	Addressing challenges of clinical trials in acute pain: The Pain Management of Vaso-occlusive Crisis in Children and Young Adults with Sickle Cell Disease Study. Clinical Trials, 2016, 13, 409-416.	0.7	14
45	Pediatric Oncology: Managing Pain at the End of Life. Paediatric Drugs, 2016, 18, 161-180.	1.3	22
46	The prescription opioid epidemic in developed versus underdeveloped countries: Is there a happy medium?. Journal of Opioid Management, 2016, 12, 93-95.	0.2	1
47	Methadone prolongs cardiac conduction in young patients with cancer-related pain. Journal of Opioid Management, 2016, 12, 131-138.	0.2	32
48	Risk factors for opioid misuse in adolescents and young adults with focus on oncology setting. Journal of Opioid Management, 2016, 12, 205-216.	0.2	19
49	Mirror Therapy for Phantom Limb Pain at a Pediatric Oncology Institution. Rehabilitation Oncology, 2016, 34, 104-110.	0.2	10
50	Comparison of pain outcomes between two antiâ€GD2 antibodies in patients with neuroblastoma. Pediatric Blood and Cancer, 2015, 62, 224-228.	0.8	48
51	Patientâ€controlled analgesia at the end of life at a pediatric oncology institution. Pediatric Blood and Cancer, 2015, 62, 1237-1244.	0.8	23
52	The Safety and Effectiveness of Patient-controlled Analgesia in Outpatient Children and Young Adults With Cancer. Journal of Pediatric Hematology/Oncology, 2015, 37, 378-382.	0.3	12
53	Research Priorities in Pediatric Palliative Care. Journal of Pediatrics, 2015, 167, 467-470.e3.	0.9	94
54	Patterns of End-of-Life Care in Children With Advanced Solid Tumor Malignancies Enrolled on a Palliative Care Service. Journal of Pain and Symptom Management, 2015, 50, 305-312.	0.6	78

Doralina L Anghelescu

#	Article	IF	CITATIONS
55	Opioid Misuse Behaviors in Adolescents and Young Adults in a Hematology/Oncology Setting. Journal of Pediatric Psychology, 2014, 39, 1149-1160.	1.1	41
56	Neuropathic Pain Referrals to a Multidisciplinary Pediatric Cancer Pain Service. Pain Management Nursing, 2014, 15, 126-131.	0.4	21
57	Prospective Randomized Crossover Evaluation of Three Anesthetic Regimens for Painful Procedures in Children with Cancer. Journal of Pediatrics, 2013, 162, 137-141.	0.9	18
58	Opioid Misuse and Abuse: Risk Assessment and Management in Patients with Cancer Pain. Journal of the National Comprehensive Cancer Network: JNCCN, 2013, 11, 1023-1031.	2.3	71
59	Adult Cancer Pain. Journal of the National Comprehensive Cancer Network: JNCCN, 2013, 11, 992-1022.	2.3	144
60	Nerve Sheath Catheter Analgesia for Forequarter Amputation in Paediatric Oncology Patients. Anaesthesia and Intensive Care, 2013, 41, 671-677.	0.2	6
61	Pediatric Palliative Sedation Therapy with Propofol: Recommendations Based on Experience in Children with Terminal Cancer. Journal of Palliative Medicine, 2012, 15, 1082-1090.	0.6	58
62	Parent-controlled PCA for Pain Management in Pediatric Oncology. Journal of Pediatric Hematology/Oncology, 2012, 34, 416-420.	0.3	21
63	Risk of catheterâ€associated infection in young hematology/oncology patients receiving longâ€ŧerm peripheral nerve blocks. Paediatric Anaesthesia, 2012, 22, 1110-1116.	0.6	10
64	A randomized controlled trial comparing the AccuVein AV300 device to standard insertion technique for intravenous cannulation of anesthetized children. Paediatric Anaesthesia, 2012, 22, 884-889.	0.6	58
65	Treatment of Pain in Children after Limb-Sparing Surgery: An Institution's 26-Year Experience. Pain Management Nursing, 2011, 12, 82-94.	0.4	17
66	Unilateral hypoglossal nerve injury caused by a laryngeal mask airway in an infant. Paediatric Anaesthesia, 2011, 21, 708-709.	0.6	7
67	An Update: Institutional Quality Improvement Initiative for Pain Management for Pediatric Cancer Inpatients, 2007–2010. Journal of Pain and Symptom Management, 2011, 41, e4-e6.	0.6	4
68	Neuropathic pain during treatment for childhood acute lymphoblastic leukemia. Pediatric Blood and Cancer, 2011, 57, 1147-1153.	0.8	71
69	An Update. Anesthesia and Analgesia, 2011, 113, 1525-1526.	1.1	7
70	Methadone use in children and young adults at a cancer center: A retrospective study. Journal of Opioid Management, 2011, 7, 353-361.	0.2	51
71	Prevention of emergence agitation in seven children receiving low-dose ketamine and propofol total intravenous anesthesia. AANA Journal, 2011, 79, 238-42.	0.4	7
72	Adult Cancer Pain. Journal of the National Comprehensive Cancer Network: JNCCN, 2010, 8, 1046-1086.	2.3	201

#	Article	IF	CITATIONS
73	Use of epidural and peripheral nerve blocks at the end of life in children and young adults with cancer: the collaboration between a pain service and a palliative care service. Paediatric Anaesthesia, 2010, 20, 1070-1077.	0.6	58
74	A phase 1/pilot study of radiofrequency ablation for the treatment of recurrent pediatric solid tumors. Cancer, 2009, 115, 1328-1337.	2.0	49
75	Safe Anesthesia for Radiotherapy in Pediatric Oncology: St. Jude Children's Research Hospital Experience, 2004–2006. International Journal of Radiation Oncology Biology Physics, 2008, 71, 491-497.	0.4	76
76	Intervention steps for treating laryngospasm in pediatric patients. Paediatric Anaesthesia, 2008, 18, 297-302.	0.6	45
77	The Safety of Concurrent Administration of Opioids via Epidural and Intravenous Routes for Postoperative Pain in Pediatric Oncology Patients. Journal of Pain and Symptom Management, 2008, 35, 412-419.	0.6	9
78	An Institutional Quality Improvement Initiative for Pain Management for Pediatric Cancer Inpatients. Journal of Pain and Symptom Management, 2008, 35, 656-669.	0.6	30
79	Pain Still Lords Over Children. Journal of Pediatrics, 2008, 152, 6-8.	0.9	7
80	Comparison of Propofol With Pentobarbital/Midazolam/Fentanyl Sedation for Magnetic Resonance Imaging of the Brain in Children. Pediatrics, 2007, 120, e629-e636.	1.0	75
81	Clinical and diagnostic imaging findings predict anesthetic complications in children presenting with malignant mediastinal masses. Paediatric Anaesthesia, 2007, 17, 070615191839005-???.	0.6	92
82	A pediatric patient with a mediastinal mass and pulmonary embolus. Paediatric Anaesthesia, 2006, 16, 487-491.	0.6	5
83	Palliative Care and Pediatrics. Anesthesiology Clinics, 2006, 24, 145-161.	1.4	19
84	Management of Cancer Pain in Neonates, Children, and Adolescents. , 2006, , 509-521.		0
85	The Safety of Patient-Controlled Analgesia by Proxy in Pediatric Oncology Patients. Anesthesia and Analgesia, 2005, 101, 1623-1627.	1.1	59
86	Ketamine Use for Reduction of Opioid Tolerance in a 5-Year-Old Girl with End-Stage Abdominal Neuroblastoma. Journal of Pain and Symptom Management, 2005, 30, 1-3.	0.6	20
87	End-of-life care for children and adolescents. Seminars in Oncology Nursing, 2005, 21, 53-62.	0.7	32
88	Working Toward Better Cancer Pain Management for Children. Cancer Practice, 2002, 10, s52-s57.	0.8	13
89	Vincristine-induced vocal cord paralysis in an infant. Paediatric Anaesthesia, 2002, 12, 168-170.	0.6	32
90	Defining Levels of Sedation in Pediatric Patients. Anesthesia and Analgesia, 1998, 87, 1454.	1.1	1