

F Gisou Van Der Goot

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6473633/f-gisou-van-der-goot-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176
papers

15,850
citations

63
h-index

124
g-index

214
ext. papers

17,834
ext. citations

9.8
avg. IF

6.46
L-index

#	Paper	IF	Citations
176	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
175	Caspase-1 activation of lipid metabolic pathways in response to bacterial pore-forming toxins promotes cell survival. <i>Cell</i> , 2006 , 126, 1135-45	56.2	419
174	A molten-globule membrane-insertion intermediate of the pore-forming domain of colicin A. <i>Nature</i> , 1991 , 354, 408-10	50.4	419
173	Pore-forming toxins: ancient, but never really out of fashion. <i>Nature Reviews Microbiology</i> , 2016 , 14, 77-92	22.2	407
172	Anthrax toxin triggers endocytosis of its receptor via a lipid raft-mediated clathrin-dependent process. <i>Journal of Cell Biology</i> , 2003 , 160, 321-8	7.3	407
171	<i>Brucella abortus</i> transits through the autophagic pathway and replicates in the endoplasmic reticulum of nonprofessional phagocytes. <i>Infection and Immunity</i> , 1998 , 66, 5711-24	3.7	317
170	Targeting STING with covalent small-molecule inhibitors. <i>Nature</i> , 2018 , 559, 269-273	50.4	284
169	Mechanisms of pathogen entry through the endosomal compartments. <i>Nature Reviews Molecular Cell Biology</i> , 2006 , 7, 495-504	48.7	271
168	<i>Shigella</i> phagocytic vacuolar membrane remnants participate in the cellular response to pathogen invasion and are regulated by autophagy. <i>Cell Host and Microbe</i> , 2009 , 6, 137-49	23.4	259
167	Mitogen-activated protein kinase pathways defend against bacterial pore-forming toxins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 10995-1000	11.5	258
166	Raft membrane domains: from a liquid-ordered membrane phase to a site of pathogen attack. <i>Seminars in Immunology</i> , 2001 , 13, 89-97	10.7	212
165	Bacterial pore-forming toxins: the (w)hole story?. <i>Cellular and Molecular Life Sciences</i> , 2008 , 65, 493-507	10.3	207
164	A pore-forming toxin interacts with a GPI-anchored protein and causes vacuolation of the endoplasmic reticulum. <i>Journal of Cell Biology</i> , 1998 , 140, 525-40	7.3	193
163	Initial steps of <i>Shigella</i> infection depend on the cholesterol/sphingolipid raft-mediated CD44-IpaB interaction. <i>EMBO Journal</i> , 2002 , 21, 4449-57	13	192
162	Membrane insertion of anthrax protective antigen and cytoplasmic delivery of lethal factor occur at different stages of the endocytic pathway. <i>Journal of Cell Biology</i> , 2004 , 166, 645-51	7.3	182
161	Differential sorting and fate of endocytosed GPI-anchored proteins. <i>EMBO Journal</i> , 2002 , 21, 3989-4000	13	177
160	Dynamics of unfolded protein transport through an aerolysin pore. <i>Journal of the American Chemical Society</i> , 2011 , 133, 2923-31	16.4	173

159	Intra-endosomal membrane traffic. <i>Trends in Cell Biology</i> , 2006 , 16, 514-21	18.3	161
158	What does S-palmitoylation do to membrane proteins?. <i>FEBS Journal</i> , 2013 , 280, 2766-74	5.7	159
157	Receptor palmitoylation and ubiquitination regulate anthrax toxin endocytosis. <i>Journal of Cell Biology</i> , 2006 , 172, 309-20	7.3	156
156	Clustering induces a lateral redistribution of alpha 2 beta 1 integrin from membrane rafts to caveolae and subsequent protein kinase C-dependent internalization. <i>Molecular Biology of the Cell</i> , 2004 , 15, 625-36	3.5	156
155	Activation of the unfolded protein response is required for defenses against bacterial pore-forming toxin in vivo. <i>PLoS Pathogens</i> , 2008 , 4, e1000176	7.6	151
154	Molecular assembly of the aerolysin pore reveals a swirling membrane-insertion mechanism. <i>Nature Chemical Biology</i> , 2013 , 9, 623-9	11.7	150
153	Pathogenic pore-forming proteins: function and host response. <i>Cell Host and Microbe</i> , 2012 , 12, 266-75	23.4	146
152	Pore formation: an ancient yet complex form of attack. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008 , 1778, 1611-23	3.8	145
151	Regulation of the V-ATPase along the endocytic pathway occurs through reversible subunit association and membrane localization. <i>PLoS ONE</i> , 2008 , 3, e2758	3.7	143
150	Structure and assembly of pore-forming proteins. <i>Current Opinion in Structural Biology</i> , 2010 , 20, 241-6	8.1	135
149	Plasma membrane microdomains act as concentration platforms to facilitate intoxication by aerolysin. <i>Journal of Cell Biology</i> , 1999 , 147, 175-84	7.3	134
148	SwissPalm: Protein Palmitoylation database. <i>F1000Research</i> , 2015 , 4, 261	3.6	133
147	Hijacking multivesicular bodies enables long-term and exosome-mediated long-distance action of anthrax toxin. <i>Cell Reports</i> , 2013 , 5, 986-96	10.6	132
146	Membrane insertion: The strategies of toxins (review). <i>Molecular Membrane Biology</i> , 1997 , 14, 45-64	3.4	130
145	Anthrax toxin: the long and winding road that leads to the kill. <i>Trends in Microbiology</i> , 2005 , 13, 72-8	12.4	127
144	Bacterial invasion via lipid rafts. <i>Cellular Microbiology</i> , 2005 , 7, 613-20	3.9	126
143	The bacterial toxin toolkit. <i>Nature Reviews Molecular Cell Biology</i> , 2001 , 2, 530-7	48.7	124
142	Palmitoylation of membrane proteins (Review). <i>Molecular Membrane Biology</i> , 2009 , 26, 55-66	3.4	123

141	Palmitoylation and ubiquitination regulate exit of the Wnt signaling protein LRP6 from the endoplasmic reticulum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 5384-9	11.5	119
140	Association of <i>Helicobacter pylori</i> vacuolating toxin (VacA) with lipid rafts. <i>Journal of Biological Chemistry</i> , 2002 , 277, 34642-50	5.4	119
139	Palmitoylated calnexin is a key component of the ribosome-translocon complex. <i>EMBO Journal</i> , 2012 , 31, 1823-35	13	116
138	Adventures of a pore-forming toxin at the target cell surface. <i>Trends in Microbiology</i> , 2000 , 8, 168-72	12.4	115
137	Pore-forming toxins induce multiple cellular responses promoting survival. <i>Cellular Microbiology</i> , 2011 , 13, 1026-43	3.9	114
136	The pore-forming toxin proaerolysin is activated by furin. <i>Journal of Biological Chemistry</i> , 1998 , 273, 32656-61	5.6	111
135	Membrane injury by pore-forming proteins. <i>Current Opinion in Cell Biology</i> , 2009 , 21, 589-95	9	109
134	Cryo-EM structure of aerolysin variants reveals a novel protein fold and the pore-formation process. <i>Nature Communications</i> , 2016 , 7, 12062	17.4	108
133	Late endosomal cholesterol accumulation leads to impaired intra-endosomal trafficking. <i>PLoS ONE</i> , 2007 , 2, e851	3.7	105
132	Biochemical membrane lipidomics during <i>Drosophila</i> development. <i>Developmental Cell</i> , 2013 , 24, 98-111	10.2	103
131	Pore-forming toxins and cellular non-immune defenses (CNIDs). <i>Current Opinion in Microbiology</i> , 2007 , 10, 57-61	7.9	100
130	Requirement of N-glycan on GPI-anchored proteins for efficient binding of aerolysin but not <i>Clostridium septicum</i> alpha-toxin. <i>EMBO Journal</i> , 2002 , 21, 5047-56	13	95
129	Aerolysin--the ins and outs of a model channel-forming toxin. <i>Molecular Microbiology</i> , 1996 , 19, 205-12	4.1	95
128	Bacterial subversion of lipid rafts. <i>Current Opinion in Microbiology</i> , 2004 , 7, 4-10	7.9	93
127	Oligomerization of the channel-forming toxin aerolysin precedes insertion into lipid bilayers. <i>Biochemistry</i> , 1993 , 32, 2636-42	3.2	86
126	Characterisation of the heptameric pore-forming complex of the <i>Aeromonas</i> toxin aerolysin using MALDI-TOF mass spectrometry. <i>FEBS Letters</i> , 1996 , 384, 269-72	3.8	82
125	Spectroscopic study of the activation and oligomerization of the channel-forming toxin aerolysin: identification of the site of proteolytic activation. <i>Biochemistry</i> , 1992 , 31, 8566-70	3.2	80
124	Extending the aerolysin family: from bacteria to vertebrates. <i>PLoS ONE</i> , 2011 , 6, e20349	3.7	80

123	Endocytosis of the anthrax toxin is mediated by clathrin, actin and unconventional adaptors. <i>PLoS Pathogens</i> , 2010 , 6, e1000792	7.6	78
122	A rivet model for channel formation by aerolysin-like pore-forming toxins. <i>EMBO Journal</i> , 2006 , 25, 457-66		78
121	Cross-talk between caveolae and glycosylphosphatidylinositol-rich domains. <i>Journal of Biological Chemistry</i> , 2001 , 276, 30729-36	5.4	77
120	Hrs and SNX3 functions in sorting and membrane invagination within multivesicular bodies. <i>PLoS Biology</i> , 2008 , 6, e214	9.7	76
119	Monalysin, a novel pore-forming toxin from the Drosophila pathogen <i>Pseudomonas entomophila</i> , contributes to host intestinal damage and lethality. <i>PLoS Pathogens</i> , 2011 , 7, e1002259	7.6	75
118	Elastic membrane heterogeneity of living cells revealed by stiff nanoscale membrane domains. <i>Biophysical Journal</i> , 2008 , 94, 1521-32	2.9	72
117	Rafts can trigger contact-mediated secretion of bacterial effectors via a lipid-based mechanism. <i>Journal of Biological Chemistry</i> , 2004 , 279, 47792-8	5.4	71
116	The lectin-like domain of tumor necrosis factor-alpha increases membrane conductance in microvascular endothelial cells and peritoneal macrophages. <i>European Journal of Immunology</i> , 1999 , 29, 3105-11	6.1	66
115	Caspase-2 is an initiator caspase responsible for pore-forming toxin-mediated apoptosis. <i>EMBO Journal</i> , 2012 , 31, 2615-28	13	63
114	Receptors of anthrax toxin and cell entry. <i>Molecular Aspects of Medicine</i> , 2009 , 30, 406-12	16.7	63
113	All in the family: the toxic activity of pore-forming colicins. <i>Toxicology</i> , 1994 , 87, 85-108	4.4	63
112	The Ins and Outs of Anthrax Toxin. <i>Toxins</i> , 2016 , 8,	4.9	63
111	Aerolysin induces G-protein activation and Ca ²⁺ release from intracellular stores in human granulocytes. <i>Journal of Biological Chemistry</i> , 1998 , 273, 18122-9	5.4	61
110	Landing on lipid rafts. <i>Trends in Cell Biology</i> , 1999 , 9, 212-3	18.3	61
109	Purification and analysis of authentic CLIP-170 and recombinant fragments. <i>Journal of Biological Chemistry</i> , 1999 , 274, 25883-91	5.4	60
108	Diversity of raft-like domains in late endosomes. <i>PLoS ONE</i> , 2007 , 2, e391	3.7	59
107	The dark sides of capillary morphogenesis gene 2. <i>EMBO Journal</i> , 2012 , 31, 3-13	13	58
106	Identification and dynamics of the human ZDHHC16-ZDHHC6 palmitoylation cascade. <i>ELife</i> , 2017 , 6,	8.9	53

105	The molecular era of protein S-acylation: spotlight on structure, mechanisms, and dynamics. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2018 , 53, 420-451	8.7	52
104	Conversion of a transmembrane to a water-soluble protein complex by a single point mutation. <i>Nature Structural Biology</i> , 2002 , 9, 729-33		51
103	The role of the inflammasome in cellular responses to toxins and bacterial effectors. <i>Seminars in Immunopathology</i> , 2007 , 29, 249-60	12	50
102	Aerolysin--a paradigm for membrane insertion of beta-sheet protein toxins?. <i>Journal of Structural Biology</i> , 1998 , 121, 92-100	3.4	49
101	Dimerization stabilizes the pore-forming toxin aerolysin in solution. <i>Journal of Biological Chemistry</i> , 1993 , 268, 18272-9	5.4	49
100	Active and dynamic mitochondrial S-depalmitoylation revealed by targeted fluorescent probes. <i>Nature Communications</i> , 2018 , 9, 334	17.4	47
99	Dual chaperone role of the C-terminal propeptide in folding and oligomerization of the pore-forming toxin aerolysin. <i>PLoS Pathogens</i> , 2011 , 7, e1002135	7.6	45
98	Protonation of histidine-132 promotes oligomerization of the channel-forming toxin aerolysin. <i>Biochemistry</i> , 1995 , 34, 16450-5	3.2	45
97	The membrane insertion of colicins. <i>FEBS Letters</i> , 1992 , 307, 26-9	3.8	44
96	Anthrax toxin receptor 2a controls mitotic spindle positioning. <i>Nature Cell Biology</i> , 2013 , 15, 28-39	23.4	43
95	Anthrax toxin triggers the activation of src-like kinases to mediate its own uptake. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 1420-4	11.5	42
94	Conformational changes in aerolysin during the transition from the water-soluble protoxin to the membrane channel. <i>Biochemistry</i> , 1997 , 36, 15224-32	3.2	42
93	Sensitivity of polarized epithelial cells to the pore-forming toxin aerolysin. <i>Infection and Immunity</i> , 2003 , 71, 739-46	3.7	42
92	Hyaline fibromatosis syndrome inducing mutations in the ectodomain of anthrax toxin receptor 2 can be rescued by proteasome inhibitors. <i>EMBO Molecular Medicine</i> , 2011 , 3, 208-21	12	39
91	Not as simple as just punching a hole. <i>Toxicon</i> , 2001 , 39, 1637-45	2.8	39
90	Palmitoylation mediates membrane association of hepatitis E virus ORF3 protein and is required for infectious particle secretion. <i>PLoS Pathogens</i> , 2018 , 14, e1007471	7.6	39
89	Conformational changes due to membrane binding and channel formation by staphylococcal alpha-toxin. <i>Journal of Biological Chemistry</i> , 1997 , 272, 5709-17	5.4	38
88	CMG2/ANTXR2 regulates extracellular collagen VI which accumulates in hyaline fibromatosis syndrome. <i>Nature Communications</i> , 2017 , 8, 15861	17.4	36

87	The glycan core of GPI-anchored proteins modulates aerolysin binding but is not sufficient: the polypeptide moiety is required for the toxin-receptor interaction. <i>FEBS Letters</i> , 2002 , 512, 249-54	3.8	36
86	Role of acidic lipids in the translocation and channel activity of colicins A and N in <i>Escherichia coli</i> cells. <i>FEBS Journal</i> , 1993 , 213, 217-21		36
85	Damage of eukaryotic cells by the pore-forming toxin sticholysin II: Consequences of the potassium efflux. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017 , 1859, 982-992	3.8	35
84	Partial C-terminal unfolding is required for channel formation by staphylococcal alpha-toxin. <i>Journal of Biological Chemistry</i> , 1996 , 271, 8655-60	5.4	35
83	Functional interactions between anthrax toxin receptors and the WNT signalling protein LRP6. <i>Cellular Microbiology</i> , 2008 , 10, 2509-19	3.9	35
82	Intrinsic Disorder in Transmembrane Proteins: Roles in Signaling and Topology Prediction. <i>PLoS ONE</i> , 2016 , 11, e0158594	3.7	35
81	Movement of a loop in domain 3 of aerolysin is required for channel formation. <i>Biochemistry</i> , 1998 , 37, 741-6	3.2	34
80	The 2DX robot: a membrane protein 2D crystallization Swiss Army knife. <i>Journal of Structural Biology</i> , 2010 , 169, 370-8	3.4	33
79	Aerolysin from <i>Aeromonas hydrophila</i> and related toxins. <i>Current Topics in Microbiology and Immunology</i> , 2001 , 257, 35-52	3.3	33
78	Increased stability upon heptamerization of the pore-forming toxin aerolysin. <i>Journal of Biological Chemistry</i> , 1999 , 274, 36722-8	5.4	33
77	Analysis of glycosyl phosphatidylinositol-anchored proteins by two-dimensional gel electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 3351-6	3.6	32
76	Aerolysin, a Powerful Protein Sensor for Fundamental Studies and Development of Upcoming Applications. <i>ACS Sensors</i> , 2019 , 4, 530-548	9.2	30
75	The C-terminal peptide produced upon proteolytic activation of the cytolytic toxin aerolysin is not involved in channel formation. <i>Journal of Biological Chemistry</i> , 1994 , 269, 30496-501	5.4	29
74	The C-terminal peptide produced upon proteolytic activation of the cytolytic toxin aerolysin is not involved in channel formation.. <i>Journal of Biological Chemistry</i> , 1994 , 269, 30496-30501	5.4	29
73	SwissPalm 2: Protein S-Palmitoylation Database. <i>Methods in Molecular Biology</i> , 2019 , 2009, 203-214	1.4	28
72	Binding of Lassa virus perturbs extracellular matrix-induced signal transduction via dystroglycan. <i>Cellular Microbiology</i> , 2012 , 14, 1122-34	3.9	28
71	Novel ubiquitin-dependent quality control in the endoplasmic reticulum. <i>Trends in Cell Biology</i> , 2009 , 19, 357-63	18.3	28
70	Systemic hyalinosis mutations in the CMG2 ectodomain leading to loss of function through retention in the endoplasmic reticulum. <i>Human Mutation</i> , 2009 , 30, 583-9	4.7	28

69	Sliding doors: clathrin-coated pits or caveolae?. <i>Nature Cell Biology</i> , 2003 , 5, 382-4	23.4	28
68	Ubiquitin-dependent folding of the Wnt signaling coreceptor LRP6. <i>ELife</i> , 2016 , 5,	8.9	27
67	Calnexin controls the STAT3-mediated transcriptional response to EGF. <i>Molecular Cell</i> , 2013 , 51, 386-96	17.6	26
66	Maturation modulates caspase-1-independent responses of dendritic cells to Anthrax lethal toxin. <i>Cellular Microbiology</i> , 2008 , 10, 1190-207	3.9	26
65	Image-based analysis of living mammalian cells using label-free 3D refractive index maps reveals new organelle dynamics and dry mass flux. <i>PLoS Biology</i> , 2019 , 17, e3000553	9.7	26
64	Model-Driven Understanding of Palmitoylation Dynamics: Regulated Acylation of the Endoplasmic Reticulum Chaperone Calnexin. <i>PLoS Computational Biology</i> , 2016 , 12, e1004774	5	24
63	About lipids and toxins. <i>FEBS Letters</i> , 2006 , 580, 5572-9	3.8	23
62	Dimer dissociation of the pore-forming toxin aerolysin precedes receptor binding. <i>Journal of Biological Chemistry</i> , 1999 , 274, 37705-8	5.4	23
61	The cytolytic toxin aerolysin: from the soluble form to the transmembrane channel. <i>Toxicology</i> , 1994 , 87, 19-28	4.4	23
60	Structural, physicochemical and dynamic features conserved within the aerolysin pore-forming toxin family. <i>Scientific Reports</i> , 2017 , 7, 13932	4.9	21
59	Palmitoylation, pathogens and their host. <i>Biochemical Society Transactions</i> , 2013 , 41, 84-8	5.1	21
58	Water permeabilities and salt reflection coefficients of luminal, basolateral and intracellular membrane vesicles isolated from rabbit kidney proximal tubule. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1989 , 986, 332-40	3.8	21
57	Separation of early steps in endocytic membrane transport. <i>Electrophoresis</i> , 1997 , 18, 2689-93	3.6	20
56	Membrane interaction of TNF is not sufficient to trigger increase in membrane conductance in mammalian cells. <i>FEBS Letters</i> , 1999 , 460, 107-11	3.8	20
55	The disulfide bond in the <i>Aeromonas hydrophila</i> lipase/acyltransferase stabilizes the structure but is not required for secretion or activity. <i>Journal of Bacteriology</i> , 1997 , 179, 3116-21	3.5	19
54	Dynamics of GPI-anchored proteins on the surface of living cells. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2006 , 2, 1-7	6	18
53	The tip of a molecular syringe. <i>Trends in Microbiology</i> , 1999 , 7, 341-3	12.4	18
52	Pathogens, toxins, and lipid rafts. <i>Protoplasma</i> , 2000 , 212, 8-14	3.4	17

51	The molten globule intermediate for protein insertion or translocation through membranes. <i>Trends in Cell Biology</i> , 1992 , 2, 343-8	18.3	16
50	Involvement of a Golgi-resident GPI-anchored protein in maintenance of the Golgi structure. <i>Molecular Biology of the Cell</i> , 2007 , 18, 1261-71	3.5	15
49	The staphylococcal alpha-toxin pore has a flexible conformation. <i>Biochemistry</i> , 1999 , 38, 4296-302	3.2	15
48	Anthrax toxin requires ZDHHC5-mediated palmitoylation of its surface-processing host enzymes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 1279-1288	11.5	15
47	A toxic palmitoylation of Cdc42 enhances NF- κ B signaling and drives a severe autoinflammatory syndrome. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 146, 1201-1204.e8	11.5	15
46	In-depth analysis of hyaline fibromatosis syndrome frameshift mutations at the same site reveal the necessity of personalized therapy. <i>Human Mutation</i> , 2013 , 34, 1005-17	4.7	13
45	Surface dynamics of aerolysin on the plasma membrane of living cells. <i>International Journal of Medical Microbiology</i> , 2000 , 290, 363-7	3.7	11
44	Hemagglutinin of Influenza A, but not of Influenza B and C viruses is acylated by ZDHHC2, 8, 15 and 20. <i>Biochemical Journal</i> , 2020 , 477, 285-303	3.8	11
43	Oiling the key hole. <i>Molecular Microbiology</i> , 2005 , 56, 575-7	4.1	10
42	S-acylation controls SARS-CoV-2 membrane lipid organization and enhances infectivity. <i>Developmental Cell</i> , 2021 , 56, 2790-2807.e8	10.2	10
41	Palmitoylated acyl protein thioesterase APT2 deforms membranes to extract substrate acyl chains. <i>Nature Chemical Biology</i> , 2021 , 17, 438-447	11.7	9
40	Kicking Out Pathogens in Exosomes. <i>Cell</i> , 2015 , 161, 1241-2	56.2	8
39	Exotoxin secretion: getting out to find the way in. <i>Cell Host and Microbe</i> , 2008 , 3, 7-8	23.4	8
38	Revealing Assembly of a Pore-Forming Complex Using Single-Cell Kinetic Analysis and Modeling. <i>Biophysical Journal</i> , 2016 , 110, 1574-1581	2.9	7
37	Plasticity of the transmembrane beta-barrel. <i>Trends in Microbiology</i> , 2000 , 8, 89-90	12.4	7
36	Physical and chemical characterization of the oligomerization state of the <i>Aeromonas hydrophila</i> lipase/acyltransferase. <i>FEBS Letters</i> , 1993 , 333, 296-300	3.8	6
35	Converging physiological roles of the anthrax toxin receptors. <i>F1000Research</i> , 2019 , 8,	3.6	5
34	Ligand Binding to the Collagen VI Receptor Triggers a Talin-to-RhoA Switch that Regulates Receptor Endocytosis. <i>Developmental Cell</i> , 2020 , 53, 418-430.e4	10.2	5

33	Wnt-controlled sphingolipids modulate Anthrax Toxin Receptor palmitoylation to regulate oriented mitosis in zebrafish. <i>Nature Communications</i> , 2020 , 11, 3317	17.4	4
32	Aerolysin and related <i>Aeromonas</i> toxins 2006 , 608-622		4
31	Flow cytometry and sorting of amphibian bladder endocytic vesicles containing ADH-sensitive water channels. <i>Journal of Membrane Biology</i> , 1992 , 128, 133-9	2.3	4
30	The lectin-like domain of tumor necrosis factor- α increases membrane conductance in microvascular endothelial cells and peritoneal macrophages 1999 , 29, 3105		4
29	S-acylation by ZDHHC20 targets ORAI1 channels to lipid rafts for efficient Ca signaling by Jurkat T cell receptors at the immune synapse.. <i>ELife</i> , 2021 , 10,	8.9	3
28	Harnessing the Membrane Translocation Properties of AB Toxins for Therapeutic Applications. <i>Toxins</i> , 2021 , 13,	4.9	3
27	S-acylation controls SARS-Cov-2 membrane lipid organization and enhances infectivity		3
26	Dynamic Radiolabeling of S-Palmitoylated Proteins. <i>Methods in Molecular Biology</i> , 2019 , 2009, 111-127	1.4	2
25	Mammalian membrane trafficking as seen through the lens of bacterial toxins. <i>Cellular Microbiology</i> , 2020 , 22, e13167	3.9	2
24	Preliminary crystallographic analysis of two oligomerization-deficient mutants of the aerolysin toxin, H132D and H132N, in their proteolyzed forms. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1626-30		2
23	Toxoplasma: guess who's coming to dinner. <i>Cell</i> , 2006 , 125, 226-8	56.2	2
22	Author response: Ubiquitin-dependent folding of the Wnt signaling coreceptor LRP6 2016 ,		2
21	Local and substrate-specific S-palmitoylation determines subcellular localization of G β		2
20	The architecture of the endoplasmic reticulum is regulated by the reversible lipid modification of the shaping protein CLIMP-63		2
19	Local and substrate-specific S-palmitoylation determines subcellular localization of G β .. <i>Nature Communications</i> , 2022 , 13, 2072	17.4	2
18	Did cholera toxin finally get caught?. <i>Cell Host and Microbe</i> , 2013 , 13, 501-503	23.4	1
17	Differential dependence on N-glycosylation of anthrax toxin receptors CMG2 and TEM8. <i>PLoS ONE</i> , 2015 , 10, e0119864	3.7	1
16	Aerolysin and Related <i>Aeromonas</i> Toxins 2015 , 773-793		1

15	Membrane-Damaging Toxins: Pore Formation 2014 , 189-202		1
14	Staphylococcus aureus alpha toxin can bind to cholesterol-sensitive phosphatidyl choline head group arrangements. <i>Matters</i> ,	0	1
13	Toxins in the Endosomes 2006 , 145-152		1
12	A Novel Talin-to-RhoA Switch Mechanism Upon Ligand Binding of the Collagen VI Receptor CMG2. <i>SSRN Electronic Journal</i> ,	1	1
11	The Pore-Forming Toxin Aerolysin: From the Soluble to a Transmembrane Form 1994 , 181-190		1
10	Structure and Assembly of the Channel-Forming Aeromonas Toxin Aerolysin. <i>Molecular Biology Intelligence Unit</i> , 1996 , 79-95		1
9	Analysis of glycosyl phosphatidylinositol-anchored proteins by two-dimensional gel electrophoresis 2000 , 21, 3351		1
8	La vie sans cavbles. <i>Medecine/Sciences</i> , 2002 , 18, 28-29		
7	Puncturing Cell Membranes: Comparison of Colicin A and Aerolysin. <i>Jerusalem Symposia on Quantum Chemistry and Biochemistry</i> , 1992 , 393-401		
6	Image-based analysis of living mammalian cells using label-free 3D refractive index maps reveals new organelle dynamics and dry mass flux 2019 , 17, e3000553		
5	Image-based analysis of living mammalian cells using label-free 3D refractive index maps reveals new organelle dynamics and dry mass flux 2019 , 17, e3000553		
4	Image-based analysis of living mammalian cells using label-free 3D refractive index maps reveals new organelle dynamics and dry mass flux 2019 , 17, e3000553		
3	Image-based analysis of living mammalian cells using label-free 3D refractive index maps reveals new organelle dynamics and dry mass flux 2019 , 17, e3000553		
2	Image-based analysis of living mammalian cells using label-free 3D refractive index maps reveals new organelle dynamics and dry mass flux 2019 , 17, e3000553		
1	Image-based analysis of living mammalian cells using label-free 3D refractive index maps reveals new organelle dynamics and dry mass flux 2019 , 17, e3000553		