

Denise M Inman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6473698/denise-m-inman-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

2,874
citations

25
h-index

38
g-index

38
ext. papers

3,289
ext. citations

5.7
avg. IF

5.16
L-index

#	Paper	IF	Citations
36	Ocular Hypertension Results in Hypoxia within Glia and Neurons throughout the Visual Projection. <i>Antioxidants</i> , 2022 , 11, 888	7.1	0
35	Oxidative Stress and Hypoxia Modify Mitochondrial Homeostasis During Glaucoma. <i>Antioxidants and Redox Signaling</i> , 2021 , 35, 1341-1357	8.4	5
34	Transcorneal Electrical Stimulation Reduces Neurodegenerative Process in a Mouse Model of Glaucoma. <i>Annals of Biomedical Engineering</i> , 2021 , 49, 858-870	4.7	5
33	A new LC-MS/MS technique for separation of gangliosides using a phenyl-hexyl column: Systematic separation according to sialic acid class and ceramide subclass. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2021 , 44, 114-125	1.3	2
32	Crosstalk Between Dysfunctional Mitochondria and Inflammation in Glaucomatous Neurodegeneration. <i>Frontiers in Pharmacology</i> , 2021 , 12, 699623	5.6	9
31	MCT2 overexpression rescues metabolic vulnerability and protects retinal ganglion cells in two models of glaucoma. <i>Neurobiology of Disease</i> , 2020 , 141, 104944	7.5	17
30	Higher Reliance on Glycolysis Limits Glycolytic Responsiveness in Degenerating Glaucomatous Optic Nerve. <i>Molecular Neurobiology</i> , 2019 , 56, 7097-7112	6.2	19
29	Evidence of Hypoxic Glial Cells in a Model of Ocular Hypertension 2019 , 60, 1-15		17
28	Changes in ganglioside GM1 expression in glaucomic retina. <i>Journal of Neuroscience Research</i> , 2018 , 96, 1627-1630	4.4	1
27	Reduced AMPK activation and increased HCAR activation drive anti-inflammatory response and neuroprotection in glaucoma. <i>Journal of Neuroinflammation</i> , 2018 , 15, 313	10.1	47
26	Structural and Functional Rescue of Chronic Metabolically Stressed Optic Nerves through Respiration. <i>Journal of Neuroscience</i> , 2018 , 38, 5122-5139	6.6	42
25	Metabolic Vulnerability in the Neurodegenerative Disease Glaucoma. <i>Frontiers in Neuroscience</i> , 2017 , 11, 146	5.1	43
24	Early astrocyte redistribution in the optic nerve precedes axonopathy in the DBA/2J mouse model of glaucoma. <i>Experimental Eye Research</i> , 2016 , 150, 22-33	3.7	46
23	Early Cytoskeletal Protein Modifications Precede Overt Structural Degeneration in the DBA/2J Mouse Model of Glaucoma. <i>Frontiers in Neuroscience</i> , 2016 , 10, 494	5.1	21
22	Persistence of intact retinal ganglion cell terminals after axonal transport loss in the DBA/2J mouse model of glaucoma. <i>Journal of Comparative Neurology</i> , 2016 , 524, 3503-3517	3.4	11
21	Mitochondrial morphology differences and mitophagy deficit in murine glaucomatous optic nerve. <i>Investigative Ophthalmology and Visual Science</i> , 2015 , 56, 1437-46		69
20	Early pro-inflammatory cytokine elevations in the DBA/2J mouse model of glaucoma. <i>Journal of Neuroinflammation</i> , 2015 , 12, 176	10.1	49

19	Decreased Energy Capacity and Increased Autophagic Activity in Optic Nerve Axons With Defective Anterograde Transport 2015 , 56, 8215-27		29
18	Anterograde transport blockade precedes deficits in retrograde transport in the visual projection of the DBA/2J mouse model of glaucoma. <i>Frontiers in Neuroscience</i> , 2014 , 8, 290	5.1	51
17	Differential progression of structural and functional alterations in distinct retinal ganglion cell types in a mouse model of glaucoma. <i>Journal of Neuroscience</i> , 2013 , 33, 17444-57	6.6	174
16	Lipoic acid antioxidant treatment limits glaucoma-related retinal ganglion cell death and dysfunction. <i>PLoS ONE</i> , 2013 , 8, e65389	3.7	93
15	Early reduction of microglia activation by irradiation in a model of chronic glaucoma. <i>PLoS ONE</i> , 2012 , 7, e43602	3.7	103
14	Distal axonopathy with structural persistence in glaucomatous neurodegeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 5196-201	11.5	257
13	Metabolic vulnerability disposes retinal ganglion cell axons to dysfunction in a model of glaucomatous degeneration. <i>Journal of Neuroscience</i> , 2010 , 30, 5644-52	6.6	110
12	Drp1 levels constitutively regulate mitochondrial dynamics and cell survival in cortical neurons. <i>Experimental Neurology</i> , 2009 , 218, 274-85	5.7	75
11	Progressive ganglion cell degeneration precedes neuronal loss in a mouse model of glaucoma. <i>Journal of Neuroscience</i> , 2008 , 28, 2735-44	6.6	308
10	Retinal ganglion cells downregulate gene expression and lose their axons within the optic nerve head in a mouse glaucoma model. <i>Journal of Neuroscience</i> , 2008 , 28, 548-61	6.6	229
9	Reduced retina microglial activation and improved optic nerve integrity with minocycline treatment in the DBA/2J mouse model of glaucoma. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 1437-46		232
8	Reactive nonproliferative gliosis predominates in a chronic mouse model of glaucoma. <i>Glia</i> , 2007 , 55, 942-53	9	147
7	Microarray analysis of retinal gene expression in the DBA/2J model of glaucoma. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 977-85		180
6	Quantitative correlation of optic nerve pathology with ocular pressure and corneal thickness in the DBA/2 mouse model of glaucoma. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 986-96		106
5	Treatment with the neurosteroid dehydroepiandrosterone promotes recovery of motor behavior after moderate contusive spinal cord injury in the mouse. <i>Journal of Neuroscience Research</i> , 2004 , 75, 391-400	4.4	51
4	Ascending sensory, but not other long-tract axons, regenerate into the connective tissue matrix that forms at the site of a spinal cord injury in mice. <i>Journal of Comparative Neurology</i> , 2003 , 462, 431-49 ³⁻⁴		83
3	Physical size does not determine the unique histopathological response seen in the injured mouse spinal cord. <i>Journal of Neurotrauma</i> , 2003 , 20, 33-42	5.4	38
2	Genetic influences on secondary degeneration and wound healing following spinal cord injury in various strains of mice. <i>Journal of Comparative Neurology</i> , 2002 , 451, 225-35	3.4	74

- 1 Genetic approaches to neurotrauma research: opportunities and potential pitfalls of murine models. *Experimental Neurology*, **1999**, 157, 19-42 5.7 130