

Marcy Zenobi-Wong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6473962/marcy-zenobi-wong-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

5,450
citations

40
h-index

71
g-index

125
ext. papers

6,456
ext. citations

8.5
avg, IF

6.02
L-index

#	Paper	IF	Citations
118	3D extrusion bioprinting. <i>Nature Reviews Methods Primers</i> , 2021 , 1,		17
117	3D-Printed Reinforcement Scaffolds with Targeted Biodegradation Properties for the Tissue Engineering of Articular Cartilage. <i>Advanced Healthcare Materials</i> , 2021 , 10, e2101094	10.1	1
116	Optimized Photoclick (Bio)Resins for Fast Volumetric Bioprinting. <i>Advanced Materials</i> , 2021 , 33, e2102904	10.1	10
115	Factor XIII Cross-Linked Adhesive Chitosan Hydrogels. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 2198-2203	5.5	1
114	Regenerative Potential of Perichondrium: A Tissue Engineering Perspective. <i>Tissue Engineering - Part B: Reviews</i> , 2021 ,	7.9	1
113	Hydrogels Generated from Cyclic Poly(2-Oxazoline)s Display Unique Swelling and Mechanical Properties. <i>Macromolecular Rapid Communications</i> , 2021 , 42, e2000658	4.8	6
112	Additively Manufactured Semiflexible Titanium Lattices as Hydrogel Reinforcement for Biomedical Implants. <i>Advanced NanoBiomed Research</i> , 2021 , 1, 2000031	0	
111	The role of poly(2-alkyl-2-oxazoline)s in hydrogels and biofabrication. <i>Biomaterials Science</i> , 2021 , 9, 2874-2886	7.2	7
110	Bioprinting of Cartilaginous Auricular Constructs Utilizing an Enzymatically Crosslinkable Bioink. <i>Advanced Functional Materials</i> , 2021 , 31, 2008261	15.6	11
109	Engineered Sulfated Polysaccharides for Biomedical Applications. <i>Advanced Functional Materials</i> , 2021 , 31, 2010732	15.6	9
108	Combination of a Collagen Scaffold and an Adhesive Hyaluronan-Based Hydrogel for Cartilage Regeneration: A Proof of Concept in an Ovine Model. <i>Cartilage</i> , 2021 , 1947603521989417	3	6
107	Post-Assembly Photomasking of Potassium Acyltrifluoroborates (KATs) for Two-Photon 3D Patterning of PEG-Hydrogels. <i>Helvetica Chimica Acta</i> , 2020 , 103, e2000172	2	1
106	Morphogenesis Guided by 3D Patterning of Growth Factors in Biological Matrices. <i>Advanced Materials</i> , 2020 , 32, e1908299	24	31
105	Tyrosinase-crosslinked, tissue adhesive and biomimetic alginate sulfate hydrogels for cartilage repair. <i>Biomedical Materials (Bristol)</i> , 2020 , 15, 045019	3.5	13
104	Functional Nanoassemblies of Cyclic Polymers Show Amplified Responsiveness and Enhanced Protein-Binding Ability. <i>ACS Nano</i> , 2020 , 14, 10054-10067	16.7	13
103	Tissue Engineering: Morphogenesis Guided by 3D Patterning of Growth Factors in Biological Matrices (Adv. Mater. 25/2020). <i>Advanced Materials</i> , 2020 , 32, 2070193	24	
102	Nanocomposite bioink exploits dynamic covalent bonds between nanoparticles and polysaccharides for precision bioprinting. <i>Biofabrication</i> , 2020 , 12, 025025	10.5	26

101	Oxygen Tolerant and Cytocompatible Iron(0)-Mediated ATRP Enables the Controlled Growth of Polymer Brushes from Mammalian Cell Cultures. <i>Journal of the American Chemical Society</i> , 2020 , 142, 3158-3164	16.4	34
100	Is There a Scientific Rationale for the Refixation of Delaminated Chondral Flaps in Femoroacetabular Impingement? A Laboratory Study. <i>Clinical Orthopaedics and Related Research</i> , 2020 , 478, 854-867	2.2	3
99	Microencapsulation improves chondrogenesis in vitro and cartilaginous matrix stability in vivo compared to bulk encapsulation. <i>Biomaterials Science</i> , 2020 , 8, 1711-1725	7.4	10
98	Improved accuracy and precision of bioprinting through progressive cavity pump-controlled extrusion. <i>Biofabrication</i> , 2020 ,	10.5	10
97	Development and thorough characterization of the processing steps of an ink for 3D printing for bone tissue engineering. <i>Materials Science and Engineering C</i> , 2020 , 108, 110510	8.3	12
96	3D Bioprinting of Macroporous Materials Based on Entangled Hydrogel Microstrands. <i>Advanced Science</i> , 2020 , 7, 2001419	13.6	41
95	Guiding Lights: Tissue Bioprinting Using Photoactivated Materials. <i>Chemical Reviews</i> , 2020 , 120, 10950-16827	16.8	55
94	Axon Growth of CNS Neurons in Three Dimensions Is Amoeboid and Independent of Adhesions. <i>Cell Reports</i> , 2020 , 32, 107907	10.6	20
93	PEG/HA Hybrid Hydrogels for Biologically and Mechanically Tailorable Bone Marrow Organoids. <i>Advanced Functional Materials</i> , 2020 , 30, 1910282	15.6	20
92	An injectable heparin-conjugated hyaluronan scaffold for local delivery of transforming growth factor β promotes successful chondrogenesis. <i>Acta Biomaterialia</i> , 2019 , 99, 168-180	10.8	24
91	Chondrocytes From Device-Minced Articular Cartilage Show Potent Outgrowth Into Fibrin and Collagen Hydrogels. <i>Orthopaedic Journal of Sports Medicine</i> , 2019 , 7, 2325967119867618	3.5	24
90	Macroporous hydrogels derived from aqueous dynamic phase separation. <i>Biomaterials</i> , 2019 , 200, 56-65	15.6	26
89	Characterization of polydactyly chondrocytes and their use in cartilage engineering. <i>Scientific Reports</i> , 2019 , 9, 4275	4.9	18
88	Comblike Polymers with Topologically Different Side Chains for Surface Modification: Assembly Process and Interfacial Physicochemical Properties. <i>Macromolecules</i> , 2019 , 52, 1632-1641	5.5	22
87	Functional analysis of synovial fluid from osteoarthritic knee and carpometacarpal joints unravels different molecular profiles. <i>Rheumatology</i> , 2019 , 58, 897-907	3.9	4
86	Double-Network Hydrogels Including Enzymatically Crosslinked Poly-(2-alkyl-2-oxazoline)s for 3D Bioprinting of Cartilage-Engineering Constructs. <i>Biomacromolecules</i> , 2019 , 20, 4502-4511	6.9	31
85	Cartilage-targeting dexamethasone prodrugs increase the efficacy of dexamethasone. <i>Journal of Controlled Release</i> , 2019 , 295, 118-129	11.7	27
84	Cyclic Polymer Grafts That Lubricate and Protect Damaged Cartilage. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 1621-1626	16.4	58

83	Hairy and Slippery Polyoxazoline-Based Copolymers on Model and Cartilage Surfaces. <i>Biomacromolecules</i> , 2018 , 19, 680-690	6.9	22
82	Molecularly Engineered Biolubricants for Articular Cartilage. <i>Advanced Healthcare Materials</i> , 2018 , 7, e1701463	10.1	19
81	Cyclic Polymer Grafts That Lubricate and Protect Damaged Cartilage. <i>Angewandte Chemie</i> , 2018 , 130, 1637-1642	3.6	6
80	Chemical Design of Non-Ionic Polymer Brushes as Biointerfaces: Poly(2-oxazine)s Outperform Both Poly(2-oxazoline)s and PEG. <i>Angewandte Chemie</i> , 2018 , 130, 11841-11846	3.6	4
79	Chemical Design of Non-Ionic Polymer Brushes as Biointerfaces: Poly(2-oxazine)s Outperform Both Poly(2-oxazoline)s and PEG. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 11667-11672	16.4	75
78	Cartilage tissue formation through assembly of microgels containing mesenchymal stem cells. <i>Acta Biomaterialia</i> , 2018 , 77, 48-62	10.8	57
77	Sortase A as a cross-linking enzyme in tissue engineering. <i>Acta Biomaterialia</i> , 2018 , 77, 182-190	10.8	34
76	Cell-Instructive Alginate Hydrogels Targeting RhoA. <i>Bioconjugate Chemistry</i> , 2018 , 29, 3042-3053	6.3	5
75	[Regeneration - A New Therapeutic Dimension in Otorhinolaryngology]. <i>Laryngo- Rhino- Otologie</i> , 2018 , 97, S185-S213	0.8	
74	Enzymatically crosslinked poly(2-alkyl-2-oxazoline) networks for 3D cell culture. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 7568-7572	7.3	13
73	Surface Density Variation within Cyclic Polymer Brushes Reveals Topology Effects on Their Nanotribological and Biopassive Properties. <i>ACS Macro Letters</i> , 2018 , 7, 1455-1460	6.6	29
72	A comparative study of cartilage engineered constructs in immunocompromised, humanized and immunocompetent mice. <i>Journal of Immunology and Regenerative Medicine</i> , 2018 , 2, 36-46	2.8	5
71	Exploitation of Cationic Silica Nanoparticles for Bioprinting of Large-Scale Constructs with High Printing Fidelity. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 37820-37828	9.5	37
70	Growth of Epithelial Organoids in a Defined Hydrogel. <i>Advanced Materials</i> , 2018 , 30, e1801621	24	114
69	Osteoarthritis in Football. <i>Cartilage</i> , 2017 , 8, 162-172	3	25
68	Cross-Linking Chemistry of Tyramine-Modified Hyaluronan Hydrogels Alters Mesenchymal Stem Cell Early Attachment and Behavior. <i>Biomacromolecules</i> , 2017 , 18, 855-864	6.9	32
67	Nanoassemblies of Tissue-Reactive, Polyoxazoline Graft-Copolymers Restore the Lubrication Properties of Degraded Cartilage. <i>ACS Nano</i> , 2017 , 11, 2794-2804	16.7	48
66	Fabrication of cell-compatible hyaluronan hydrogels with a wide range of biophysical properties through high tyramine functionalization. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 2355-2363	7.3	12

65	Anti-oxidant and immune-modulatory properties of sulfated alginate derivatives on human chondrocytes and macrophages. <i>Biomaterials Science</i> , 2017 , 5, 1756-1765	7.4	21
64	R&Ktitelbild: Next-Generation Polymer Shells for Inorganic Nanoparticles are Highly Compact, Ultra-Dense, and Long-Lasting Cyclic Brushes (Angew. Chem. 16/2017). <i>Angewandte Chemie</i> , 2017 , 129, 4702-4702	3.6	
63	Next-Generation Polymer Shells for Inorganic Nanoparticles are Highly Compact, Ultra-Dense, and Long-Lasting Cyclic Brushes. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 4507-4511	16.4	70
62	Next-Generation Polymer Shells for Inorganic Nanoparticles are Highly Compact, Ultra-Dense, and Long-Lasting Cyclic Brushes. <i>Angewandte Chemie</i> , 2017 , 129, 4578-4582	3.6	11
61	Topology Effects on the Structural and Physicochemical Properties of Polymer Brushes. <i>Macromolecules</i> , 2017 , 50, 7760-7769	5.5	58
60	Hypoxia regulates RhoA and Wnt/ β catenin signaling in a context-dependent way to control re-differentiation of chondrocytes. <i>Scientific Reports</i> , 2017 , 7, 9032	4.9	13
59	RhoA activation and nuclearization marks loss of chondrocyte phenotype in crosstalk with Wnt pathway. <i>Experimental Cell Research</i> , 2017 , 360, 113-124	4.2	9
58	Alginate Sulfate-Nanocellulose Bioinks for Cartilage Bioprinting Applications. <i>Annals of Biomedical Engineering</i> , 2017 , 45, 210-223	4.7	231
57	Three-Dimensional Bioprinting and Its Potential in the Field of Articular Cartilage Regeneration. <i>Cartilage</i> , 2017 , 8, 327-340	3	64
56	Human chondroprogenitors in alginate-collagen hybrid scaffolds produce stable cartilage in vivo. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 3014-3026	4.4	22
55	A Bioinspired Ultraporous Nanofiber-Hydrogel Mimic of the Cartilage Extracellular Matrix. <i>Advanced Healthcare Materials</i> , 2016 , 5, 3129-3138	10.1	40
54	Hybrid Randomly Electrospun Poly(lactic-co-glycolic acid):Poly(ethylene oxide) (PLGA:PEO) Fibrous Scaffolds Enhancing Myoblast Differentiation and Alignment. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 31574-31586	9.5	29
53	Factor XIII Cross-Linked Hyaluronan Hydrogels for Cartilage Tissue Engineering. <i>ACS Biomaterials Science and Engineering</i> , 2016 , 2, 2176-2184	5.5	41
52	The bromodomain inhibitor N-methyl pyrrolidone reduced fat accumulation in an ovariectomized rat model. <i>Clinical Epigenetics</i> , 2016 , 8, 42	7.7	10
51	Sulfated hydrogel matrices direct mitogenicity and maintenance of chondrocyte phenotype through activation of FGF signaling. <i>Advanced Functional Materials</i> , 2016 , 26, 3649-3662	15.6	45
50	Effects of N-Glycosylation of the human cation channel TRPA1 on agonist-sensitivity. <i>Bioscience Reports</i> , 2016 , 36,	4.1	10
49	Guidelines for standardization of bioprinting: a systematic study of process parameters and their effect on bioprinted structures. <i>BioNanoMaterials</i> , 2016 , 17,		22
48	Novel enzymatically cross-linked hyaluronan hydrogels support the formation of 3D neuronal networks. <i>Biomaterials</i> , 2016 , 99, 47-55	15.6	78

47	Femtomolar oligonucleotide detection by a one-step gold nanoparticle-based assay. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 135, 193-200	6	9
46	Microfabrication of Photo-Cross-Linked Hyaluronan Hydrogels by Single- and Two-Photon Tyramine Oxidation. <i>Biomacromolecules</i> , 2015 , 16, 2624-30	6.9	36
45	Ultrasoft Alginate Hydrogels Support Long-Term Three-Dimensional Functional Neuronal Networks. <i>Tissue Engineering - Part A</i> , 2015 , 21, 2177-85	3.9	36
44	Cartilage issues in football-today's problems and tomorrow's solutions. <i>British Journal of Sports Medicine</i> , 2015 , 49, 590-6	10.3	26
43	Nanostructured Pluronic hydrogels as bioinks for 3D bioprinting. <i>Biofabrication</i> , 2015 , 7, 035006	10.5	217
42	Precise tailoring of tyramine-based hyaluronan hydrogel properties using DMTMM conjugation. <i>Carbohydrate Polymers</i> , 2015 , 115, 325-33	10.3	42
41	A versatile bioink for three-dimensional printing of cellular scaffolds based on thermally and photo-triggered tandem gelation. <i>Acta Biomaterialia</i> , 2015 , 11, 162-72	10.8	197
40	Bioprinting Complex Cartilaginous Structures with Clinically Compliant Biomaterials. <i>Advanced Functional Materials</i> , 2015 , 25, 7406-7417	15.6	139
39	Engineered Microtissues Formed by Schiff Base Crosslinking Restore the Chondrogenic Potential of Aged Mesenchymal Stem Cells. <i>Advanced Healthcare Materials</i> , 2015 , 4, 1348-58	10.1	19
38	Pre-Osteoarthritis: Definition and Diagnosis of an Elusive Clinical Entity. <i>Cartilage</i> , 2015 , 6, 156-65	3	40
37	Synthesis of Biocompatible PEG Hydrogels by pH-Sensitive Potassium Acyltrifluoroborate (KAT) Amide Ligations. <i>ACS Biomaterials Science and Engineering</i> , 2015 , 1, 456-462	5.5	34
36	Magnetically deliverable calcium phosphate nanoparticles for localized gene expression. <i>RSC Advances</i> , 2015 , 5, 9997-10004	3.7	7
35	The epigenetically active small chemical N-methyl pyrrolidone (NMP) prevents estrogen depletion induced osteoporosis. <i>Bone</i> , 2015 , 78, 114-21	4.7	23
34	Biomimetic Composites: Amyloid-Hydroxyapatite Bone Biomimetic Composites (Adv. Mater. 20/2014). <i>Advanced Materials</i> , 2014 , 26, 3206-3206	24	2
33	Amyloid-hydroxyapatite bone biomimetic composites. <i>Advanced Materials</i> , 2014 , 26, 3207-12	24	159
32	GFOGER-modified MMP-sensitive polyethylene glycol hydrogels induce chondrogenic differentiation of human mesenchymal stem cells. <i>Tissue Engineering - Part A</i> , 2014 , 20, 1165-74	3.9	36
31	Artificial bacterial flagella for remote-controlled targeted single-cell drug delivery. <i>Small</i> , 2014 , 10, 1953-7	15	150
30	Chondrocyte culture in three dimensional alginate sulfate hydrogels promotes proliferation while maintaining expression of chondrogenic markers. <i>Tissue Engineering - Part A</i> , 2014 , 20, 1454-64	3.9	66

29	Interference with the contractile machinery of the fibroblastic chondrocyte cytoskeleton induces re-expression of the cartilage phenotype through involvement of PI3K, PKC and MAPKs. <i>Experimental Cell Research</i> , 2014 , 320, 175-87	4.2	31
28	Disentangling the multifactorial contributions of fibronectin, collagen and cyclic strain on MMP expression and extracellular matrix remodeling by fibroblasts. <i>Matrix Biology</i> , 2014 , 40, 62-72	11.4	36
27	Engineering Cellular Assembly for Applications in Regenerative Medicine. <i>Nanomedicine and Nanotoxicology</i> , 2014 , 131-145	0.3	1
26	Probing the microenvironmental conditions for induction of superficial zone protein expression. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1924-32	6.2	15
25	Artificial bacterial flagella functionalized with temperature-sensitive liposomes for biomedical applications 2013 ,		1
24	Printing thermoresponsive reverse molds for the creation of patterned two-component hydrogels for 3D cell culture. <i>Journal of Visualized Experiments</i> , 2013 , e50632	1.6	29
23	Electrochemical plasmonic sensors. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 1773-84	4.4	61
22	The flavonoid isoquercitrin promotes neurite elongation by reducing RhoA activity. <i>PLoS ONE</i> , 2012 , 7, e49979	3.7	26
21	Ribosomal protein l13a as a reference gene for human bone marrow-derived mesenchymal stromal cells during expansion, adipo-, chondro-, and osteogenesis. <i>Tissue Engineering - Part C: Methods</i> , 2012 , 18, 761-71	2.9	36
20	Molecular and biophysical mechanisms regulating hypertrophic differentiation in chondrocytes and mesenchymal stem cells. <i>European Cells and Materials</i> , 2012 , 24, 118-35; discussion 135	4.3	137
19	Efficient electroporation of peptides into adherent cells: investigation of the role of mechano-growth factor in chondrocyte culture. <i>Biotechnology Letters</i> , 2011 , 33, 883-8	3	12
18	Electrochemically switchable platform for the micro-patterning and release of heterotypic cell sheets. <i>Biomedical Microdevices</i> , 2011 , 13, 221-30	3.7	42
17	Layer-by-layer films made from extracellular matrix macromolecules on silicone substrates. <i>Biomacromolecules</i> , 2011 , 12, 609-16	6.9	52
16	Engineering the extracellular environment: Strategies for building 2D and 3D cellular structures. <i>Advanced Materials</i> , 2010 , 22, 5443-62	24	133
15	Bovine primary chondrocyte culture in synthetic matrix metalloproteinase-sensitive poly(ethylene glycol)-based hydrogels as a scaffold for cartilage repair. <i>Tissue Engineering</i> , 2004 , 10, 515-22		176
14	Modelling cartilage mechanobiology. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2003 , 358, 1461-71	5.8	121
13	Articular cartilage functional histomorphology and mechanobiology: a research perspective. <i>Bone</i> , 2003 , 33, 1-13	4.7	264
12	Importance of the superficial tissue layer for the indentation stiffness of articular cartilage. <i>Medical Engineering and Physics</i> , 2002 , 24, 99-108	2.4	125

11	Collagen fibrillogenesis by chondrocytes in alginate. <i>Tissue Engineering</i> , 2002 , 8, 979-87		29
10	Development of mechanically stable alginate/chondrocyte constructs: effects of guluronic acid content and matrix synthesis. <i>Journal of Orthopaedic Research</i> , 2001 , 19, 493-9	3.8	67
9	Biphasic poroviscoelastic simulation of the unconfined compression of articular cartilage: I--Simultaneous prediction of reaction force and lateral displacement. <i>Journal of Biomechanical Engineering</i> , 2001 , 123, 191-7	2.1	91
8	Volumetric changes of articular cartilage during stress relaxation in unconfined compression. <i>Journal of Biomechanics</i> , 2000 , 33, 1049-54	2.9	122
7	Cyclic compression of articular cartilage explants is associated with progressive consolidation and altered expression pattern of extracellular matrix proteins. <i>Matrix Biology</i> , 1999 , 18, 391-9	11.4	131
6	Stimulation of aggrecan synthesis in cartilage explants by cyclic loading is localized to regions of high interstitial fluid flow. <i>Archives of Biochemistry and Biophysics</i> , 1999 , 366, 1-7	4.1	218
5	Chondrocyte biosynthesis correlates with local tissue strain in statically compressed adult articular cartilage. <i>Journal of Orthopaedic Research</i> , 1997 , 15, 189-96	3.8	137
4	Surface and subsurface morphology of bovine humeral articular cartilage as assessed by atomic force and transmission electron microscopy. <i>Journal of Structural Biology</i> , 1996 , 117, 45-54	3.4	93
3	Zone-specific cell biosynthetic activity in mature bovine articular cartilage: a new method using confocal microscopic stereology and quantitative autoradiography. <i>Journal of Orthopaedic Research</i> , 1996 , 14, 424-32	3.8	108
2	Improved accuracy and precision of bioprinting through progressive cavity pump-controlled extrusion		4
1	Nanocomposite bioink exploits dynamic covalent bonds between nanoparticles and polysaccharides for precision bioprinting		1