

Richard T Silver

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6474497/richard-t-silver-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

8,626
citations

33
h-index

92
g-index

156
ext. papers

9,725
ext. citations

3.6
avg, IF

5.36
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 146 | European LeukemiaNet recommendations for the management of chronic myeloid leukemia: 2013. <i>Blood</i> , 2013 , 122, 872-84 | 2.2 | 1413 |
| 145 | Chronic myeloid leukemia: an update of concepts and management recommendations of European LeukemiaNet. <i>Journal of Clinical Oncology</i> , 2009 , 27, 6041-51 | 2.2 | 1019 |
| 144 | Imatinib induces durable hematologic and cytogenetic responses in patients with accelerated phase chronic myeloid leukemia: results of a phase 2 study. <i>Blood</i> , 2002 , 99, 1928-37 | 2.2 | 850 |
| 143 | Widespread occurrence of the JAK2 V617F mutation in chronic myeloproliferative disorders. <i>Blood</i> , 2005 , 106, 2162-8 | 2.2 | 706 |
| 142 | Philadelphia-negative classical myeloproliferative neoplasms: critical concepts and management recommendations from European LeukemiaNet. <i>Journal of Clinical Oncology</i> , 2011 , 29, 761-70 | 2.2 | 589 |
| 141 | Arabinosyl Cytosine: A Useful Agent in the Treatment of Acute Leukemia in Adults. <i>Blood</i> , 1968 , 32, 507-523 | | 441 |
| 140 | International Working Group (IWG) consensus criteria for treatment response in myelofibrosis with myeloid metaplasia, for the IWG for Myelofibrosis Research and Treatment (IWG-MRT). <i>Blood</i> , 2006 , 108, 1497-503 | 2.2 | 287 |
| 139 | Philadelphia chromosome-negative classical myeloproliferative neoplasms: revised management recommendations from European LeukemiaNet. <i>Leukemia</i> , 2018 , 32, 1057-1069 | 10.7 | 263 |
| 138 | Long-term treatment with ruxolitinib for patients with myelofibrosis: 5-year update from the randomized, double-blind, placebo-controlled, phase 3 COMFORT-I trial. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 55 | 22.4 | 208 |
| 137 | Efficacy, safety, and survival with ruxolitinib in patients with myelofibrosis: results of a median 3-year follow-up of COMFORT-I. <i>Haematologica</i> , 2015 , 100, 479-88 | 6.6 | 174 |
| 136 | Highly Sensitive Fluorescence In Situ Hybridization Method to Detect Double BCR/ABL Fusion and Monitor Response to Therapy in Chronic Myeloid Leukemia. <i>Blood</i> , 1998 , 91, 3357-3365 | 2.2 | 153 |
| 135 | Janus kinase-2 inhibitor fedratinib in patients with myelofibrosis previously treated with ruxolitinib (JAKARTA-2): a single-arm, open-label, non-randomised, phase 2, multicentre study. <i>Lancet Haematology</i> , 2017 , 4, e317-e324 | 14.6 | 148 |
| 134 | The revised World Health Organization diagnostic criteria for polycythemia vera, essential thrombocythosis, and primary myelofibrosis: an alternative proposal. <i>Blood</i> , 2008 , 112, 231-9 | 2.2 | 137 |
| 133 | Hodgkin disease survivors at increased risk for problems in psychosocial adaptation. The Cancer and Leukemia Group B. <i>Cancer</i> , 1992 , 70, 2214-24 | 6.4 | 128 |
| 132 | Characteristics of the Terminal Phase of Chronic Granulocytic Leukemia. <i>Blood</i> , 1968 , 32, 445-459 | 2.2 | 122 |
| 131 | Long-term effects of the treatment of polycythemia vera with recombinant interferon-alpha. <i>Cancer</i> , 2006 , 107, 451-8 | 6.4 | 116 |
| 130 | Minimal molecular response in polycythemia vera patients treated with imatinib or interferon alpha. <i>Blood</i> , 2006 , 107, 3339-41 | 2.2 | 107 |

| | | | |
|-----|---|-----|-----|
| 129 | Recombinant interferon- β may retard progression of early primary myelofibrosis: a preliminary report. <i>Blood</i> , 2011 , 117, 6669-72 | 2.2 | 104 |
| 128 | Interferon and the treatment of polycythemia vera, essential thrombocythemia and myelofibrosis. <i>Expert Review of Hematology</i> , 2013 , 6, 49-58 | 2.8 | 81 |
| 127 | Pegylated interferon alfa-2a for polycythemia vera or essential thrombocythemia resistant or intolerant to hydroxyurea. <i>Blood</i> , 2019 , 134, 1498-1509 | 2.2 | 80 |
| 126 | Evaluation of WHO criteria for diagnosis of polycythemia vera: a prospective analysis. <i>Blood</i> , 2013 , 122, 1881-6 | 2.2 | 80 |
| 125 | A Special Fluorescent In Situ Hybridization Technique to Study Peripheral Blood and Assess the Effectiveness of Interferon Therapy in Chronic Myeloid Leukemia. <i>Blood</i> , 1998 , 92, 2315-2321 | 2.2 | 66 |
| 124 | Clinical trial of VP 16--213 (NSC 141540) I.V. twice weekly in advanced neoplastic disease: a study by the Cancer and Leukemia Group B. <i>Cancer</i> , 1980 , 45, 232-5 | 6.4 | 64 |
| 123 | Amplification refractory mutation system, a highly sensitive and simple polymerase chain reaction assay, for the detection of JAK2 V617F mutation in chronic myeloproliferative disorders. <i>Journal of Molecular Diagnostics</i> , 2007 , 9, 272-6 | 5.1 | 54 |
| 122 | Management of chronic myeloid leukemia in blast crisis. <i>Annals of Hematology</i> , 2015 , 94 Suppl 2, S159-65 | | 52 |
| 121 | Risk factors for severe neuropsychiatric toxicity in patients receiving interferon alfa-2b and low-dose cytarabine for chronic myelogenous leukemia: analysis of Cancer and Leukemia Group B 9013. <i>Journal of Clinical Oncology</i> , 2000 , 18, 1301-8 | 2.2 | 49 |
| 120 | JAK2(V617F) allele burden in polycythemia vera correlates with grade of myelofibrosis, but is not substantially affected by therapy. <i>Leukemia Research</i> , 2011 , 35, 177-82 | 2.7 | 48 |
| 119 | Interferon-alpha 2b: a new treatment for polycythemia vera. <i>Annals of Internal Medicine</i> , 1993 , 119, 109182 | | 48 |
| 118 | Management of CML-blast crisis. <i>Best Practice and Research in Clinical Haematology</i> , 2016 , 29, 295-307 | 4.2 | 47 |
| 117 | Fedratinib in patients with myelofibrosis previously treated with ruxolitinib: An updated analysis of the JAKARTA2 study using stringent criteria for ruxolitinib failure. <i>American Journal of Hematology</i> , 2020 , 95, 594-603 | 7.1 | 45 |
| 116 | Four Years of Follow-Up of 1027 Patients with Late Chronic Phase (L-CP), Accelerated Phase (AP), or Blast Crisis (BC) Chronic Myeloid Leukemia (CML) Treated with Imatinib in Three Large Phase II Trials.. <i>Blood</i> , 2004 , 104, 23-23 | 2.2 | 39 |
| 115 | Recombinant interferon- β in myelofibrosis reduces bone marrow fibrosis, improves its morphology and is associated with clinical response. <i>Modern Pathology</i> , 2015 , 28, 1315-23 | 9.8 | 37 |
| 114 | PRM-151 in Myelofibrosis: Efficacy and Safety in an Open Label Extension Study. <i>Blood</i> , 2018 , 132, 686-686 | | 33 |
| 113 | Results of the Myeloproliferative Neoplasms - Research Consortium (MPN-RC) 112 Randomized Trial of Pegylated Interferon Alfa-2a (PEG) Versus Hydroxyurea (HU) Therapy for the Treatment of High Risk Polycythemia Vera (PV) and High Risk Essential Thrombocythemia (ET). <i>Blood</i> , 2018 , 132, 577-577 | 2.2 | 32 |
| 112 | The effect of initial molecular profile on response to recombinant interferon- β treatment in early myelofibrosis. <i>Cancer</i> , 2017 , 123, 2680-2687 | 6.4 | 31 |

| | | | |
|-----|--|------|----|
| 111 | Phase 2 Trial of PRM-151, an Anti-Fibrotic Agent, in Patients with Myelofibrosis: Stage 1 Results. <i>Blood</i> , 2014 , 124, 713-713 | 2.2 | 29 |
| 110 | JAK2V617F allele burden is reduced by busulfan therapy: a new observation using an old drug. <i>Haematologica</i> , 2013 , 98, e135-7 | 6.6 | 27 |
| 109 | PRM-151 in Myelofibrosis: Durable Efficacy and Safety at 72 Weeks. <i>Blood</i> , 2015 , 126, 56-56 | 2.2 | 27 |
| 108 | Decrease in JAK2 V617F allele burden is not a prerequisite to clinical response in patients with polycythemia vera. <i>Haematologica</i> , 2012 , 97, 538-42 | 6.6 | 26 |
| 107 | Strategies that delay or prevent the timely availability of affordable generic drugs in the United States. <i>Blood</i> , 2016 , 127, 1398-402 | 2.2 | 26 |
| 106 | Use of Testosterone and Busulfan in the Treatment of Myelofibrosis with Myeloid Metaplasia. <i>Blood</i> , 1964 , 23, 341-353 | 2.2 | 25 |
| 105 | European LeukemiaNet study on the reproducibility of bone marrow features in masked polycythemia vera and differentiation from essential thrombocythemia. <i>American Journal of Hematology</i> , 2017 , 92, 1062-1067 | 7.1 | 23 |
| 104 | The blast phase of chronic myeloid leukaemia. <i>Best Practice and Research in Clinical Haematology</i> , 2009 , 22, 387-94 | 4.2 | 21 |
| 103 | Value of cytogenetic abnormalities in post-polycythemia vera and post-essential thrombocythemia myelofibrosis: a study of the MYSEC project. <i>Haematologica</i> , 2018 , 103, e392-e394 | 6.6 | 20 |
| 102 | Correlation of three methods of measuring cytogenetic response in chronic myelocytic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2002 , 137, 79-84 | | 20 |
| 101 | The Importance of Bone Marrow Biopsy in the Staging of Patients With Lymphosarcoma. <i>Blood</i> , 1973 , 41, 913-920 | 2.2 | 20 |
| 100 | Interim Analysis of the Myeloproliferative Disorders Research Consortium (MPD-RC) 112 Global Phase III Trial of Front Line Pegylated Interferon Alpha-2a Vs. Hydroxyurea in High Risk Polycythemia Vera and Essential Thrombocythemia. <i>Blood</i> , 2016 , 128, 479-479 | 2.2 | 20 |
| 99 | Interferon alfa in the treatment of Philadelphia-negative chronic myeloproliferative neoplasms. <i>Journal of Clinical Oncology</i> , 2011 , 29, e564-5 | 2.2 | 19 |
| 98 | Interferon-alpha for treating polycythemia vera yields improved myelofibrosis-free and overall survival. <i>Leukemia</i> , 2021 , 35, 2592-2601 | 10.7 | 19 |
| 97 | Ruxolitinib for myelofibrosis--an update of its clinical effects. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013 , 13, 638-45 | 2 | 18 |
| 96 | Jumping translocations of the long arms of chromosome 1 in myeloid malignancies is associated with a high risk of transformation to acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2010 , 151, 288-91 | 4.5 | 18 |
| 95 | Long-Term Outcomes Of Ruxolitinib Therapy In Patients With Myelofibrosis: 3-Year Update From COMFORT-I. <i>Blood</i> , 2013 , 122, 396-396 | 2.2 | 18 |
| 94 | Assessment of Outcomes After Stopping Tyrosine Kinase Inhibitors Among Patients With Chronic Myeloid Leukemia: A Nonrandomized Clinical Trial. <i>JAMA Oncology</i> , 2021 , 7, 42-50 | 13.4 | 16 |

| | | | |
|----|--|-----|----|
| 93 | Treatment of the chronic phase of chronic myeloid leukemia with an intermittent schedule of recombinant interferon alfa-2b and cytarabine: results from CALGB study 9013. <i>Leukemia and Lymphoma</i> , 2003 , 44, 39-48 | 1.9 | 14 |
| 92 | High dose methotrexate with citrovorum factor in adult resistant lymphoma. <i>Cancer</i> , 1977 , 40, 2823-8 | 6.4 | 14 |
| 91 | Efficacy and Safety Of Fedratinib (SAR302503/TG101348) In Patients With Intermediate- Or High-Risk Myelofibrosis (MF), Post-Polycythemia Vera (PV) MF, Or Post-Essential Thrombocythemia (ET) MF Previously Treated With Ruxolitinib: Interim Results From a Phase II Study (JAKARTA-2). <i>Blood</i> , 2013 , 122, 661-661 | 2.2 | 13 |
| 90 | Design and rationale for the life after stopping tyrosine kinase inhibitors (LAST) study, a prospective, single-group longitudinal study in patients with chronic myeloid leukemia. <i>BMC Cancer</i> , 2018 , 18, 359 | 4.8 | 11 |
| 89 | Interferon in polycythemia vera and related neoplasms. Can it become the treatment of choice without a randomized trial?. <i>Expert Review of Hematology</i> , 2015 , 8, 439-45 | 2.8 | 11 |
| 88 | Uncommon or delayed adverse events associated with imatinib treatment for chronic myeloid leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2010 , 10, 331-5 | 2 | 11 |
| 87 | Second primary malignancies in postpolycythemia vera and postessential thrombocythemia myelofibrosis: A study on 2233 patients. <i>Cancer Medicine</i> , 2019 , 8, 4089-4092 | 4.8 | 10 |
| 86 | Optimal therapy for polycythemia vera and essential thrombocythemia: Preferred use of interferon therapy based on phase 2 trials. <i>Hematology</i> , 2016 , 21, 387-91 | 2.2 | 10 |
| 85 | Single agent bevacizumab for myelofibrosis: results of the Myeloproliferative Disorders Research Consortium Trial. <i>Haematologica</i> , 2013 , 98, 1421-3 | 6.6 | 10 |
| 84 | Chronic myeloid leukemia. <i>Hematology/Oncology Clinics of North America</i> , 2003 , 17, 1159-73, vi-vii | 3.1 | 10 |
| 83 | A Phase I Study of XL019, a Selective JAK2 Inhibitor, in Patients with Polycythemia Vera. <i>Blood</i> , 2008 , 112, 2810-2810 | 2.2 | 10 |
| 82 | Allogeneic Transplantation for Patients With Advanced Myelofibrosis: Splenomegaly and High Serum LDH are Adverse Risk Factors for Successful Engraftment. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016 , 16, 297-303 | 2 | 10 |
| 81 | The hematocrit value in polycythemia vera: caveat utilitor. <i>Leukemia and Lymphoma</i> , 2015 , 56, 1540-1 | 1.9 | 9 |
| 80 | Treatment of polycythemia vera with imatinib mesylate. <i>Leukemia Research</i> , 2012 , 36, 156-62 | 2.7 | 9 |
| 79 | Combination trial of subcutaneous recombinant alpha 2 b interferon and oral cyclophosphamide in follicular low-grade non-Hodgkin lymphoma. <i>Medical and Pediatric Oncology</i> , 1994 , 22, 228-35 | | 9 |
| 78 | Ruxolitinib Discontinuation In Patients With Myelofibrosis: An Analysis From Clinical Practice. <i>Blood</i> , 2013 , 122, 2833-2833 | 2.2 | 9 |
| 77 | Distinguishing essential thrombocythemia V617F from polycythemia vera: limitations of erythrocyte values. <i>Haematologica</i> , 2019 , 104, 2200-2205 | 6.6 | 8 |
| 76 | A comparative study of dibromomannitol and busulfan in the treatment of chronic myeloid leukemia. A study of cancer and leukemia group B. <i>Cancer</i> , 1987 , 60, 1442-8 | 6.4 | 8 |

| | | | |
|----|--|------|---|
| 75 | Consistent Benefit of Ruxolitinib Over Placebo in Spleen Volume Reduction and Symptom Improvement Across Subgroups and Overall Survival Advantage: Results From COMFORT-I. <i>Blood</i> , 2011 , 118, 278-278 | 2.2 | 8 |
| 74 | Long-Term Outcome of Ruxolitinib Treatment in Patients with Myelofibrosis: Durable Reductions in Spleen Volume, Improvements in Quality of Life, and Overall Survival Advantage in COMFORT-I. <i>Blood</i> , 2012 , 120, 800-800 | 2.2 | 8 |
| 73 | Fedratinib Improves Myelofibrosis-related Symptoms and Health-related Quality of Life in Patients with Myelofibrosis Previously Treated with Ruxolitinib: Patient-reported Outcomes from the Phase II JAKARTA2 Trial. <i>HemaSphere</i> , 2021 , 5, e562 | 0.3 | 8 |
| 72 | Gender effect on phenotype and genotype in patients with post-polycythemia vera and post-essential thrombocythemia myelofibrosis: results from the MYSEC project. <i>Blood Cancer Journal</i> , 2018 , 8, 89 | 7 | 8 |
| 71 | Treatment of polycythemia vera. <i>Seminars in Thrombosis and Hemostasis</i> , 2006 , 32, 437-42 | 5.3 | 7 |
| 70 | Evaluation of bone marrow morphology is essential for assessing disease status in recombinant interferon β -treated polycythemia vera patients. <i>Haematologica</i> , 2017 , 102, e97-e99 | 6.6 | 6 |
| 69 | Incremental Utility of Right Ventricular Dysfunction in Patients With Myeloproliferative Neoplasm-Associated Pulmonary Hypertension. <i>Journal of the American Society of Echocardiography</i> , 2019 , 32, 1574-1585 | 5.8 | 6 |
| 68 | HAC-Cytoxan (cyclophosphamide) chemotherapy for ovarian carcinoma. Alternating chemotherapy with intensification. <i>Cancer</i> , 1985 , 55, 2342-7 | 6.4 | 6 |
| 67 | Unusual translocations involving chromosomes 12;22 and 9;12 in a case of chronic myelogenous leukemia. <i>Cancer Genetics and Cytogenetics</i> , 1985 , 14, 61-5 | | 6 |
| 66 | A Randomized, Phase 3, Trial of Interferon- β Versus Hydroxyurea in Polycythemia Vera and Essential Thrombocythemia.. <i>Blood</i> , 2022 , | 2.2 | 6 |
| 65 | Preliminary safety and efficacy of ruxolitinib in patients (pts) with primary and secondary myelofibrosis (MF) with platelet counts (PC) of $50 \times 10^9/L$.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 6630-6630 | 2.2 | 6 |
| 64 | Fedratinib (FEDR) in myelofibrosis (MF) patients previously treated with ruxolitinib (RUX): A reanalysis of the JAKARTA-2 study.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 7057-7057 | 2.2 | 6 |
| 63 | Appropriate management of polycythaemia vera with cytoreductive drug therapy: European LeukemiaNet 2021 recommendations.. <i>Lancet Haematology</i> , 2022 , 9, e301-e311 | 14.6 | 6 |
| 62 | Evaluation of serum erythropoietin values as defined by 2016 World Health Organization criteria for the diagnosis of polycythemia vera. <i>Leukemia and Lymphoma</i> , 2017 , 58, 2768-2769 | 1.9 | 5 |
| 61 | Phenotype variability of patients with post polycythemia vera and post essential thrombocythemia myelofibrosis is associated with the time to progression from polycythemia vera and essential thrombocythemia. <i>Leukemia Research</i> , 2018 , 69, 100-102 | 2.7 | 5 |
| 60 | Recombinant gamma-interferon has activity in chronic myeloid leukemia. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1990 , 13, 49-54 | 2.7 | 5 |
| 59 | Treatment of advanced ovarian carcinoma with hexamethylmelamine, doxorubicin, and cis-platinum (HAC): results in both untreated and previously treated patients. <i>Medical and Pediatric Oncology</i> , 1984 , 12, 17-24 | | 5 |
| 58 | Platelet Amino Acid Levels in Essential Thrombocytosis. <i>Blood</i> , 1966 , 27, 715-721 | 2.2 | 5 |

| | | | |
|----|--|-----|---|
| 57 | Imatinib Mesylate (GLEEVEC®) Is Effective in the Treatment of Polycythemia Vera: A Multi-Institutional Clinical Trial.. <i>Blood</i> , 2004 , 104, 656-656 | 2.2 | 5 |
| 56 | Recombinant Interferon Alpha (rIFN) May Retard Progression Of Early Myelofibrosis By Reducing Splenomegaly and By Decreasing Marrow Fibrosis. <i>Blood</i> , 2013 , 122, 4053-4053 | 2.2 | 5 |
| 55 | What Is the Most Cost-Effective Strategy for Treating Newly Diagnosed Chronic Phase Chronic Myeloid Leukemia (CML) after Imatinib Loses Patent Exclusivity?. <i>Blood</i> , 2014 , 124, 738-738 | 2.2 | 5 |
| 54 | Treatment of polycythemia vera with recombinant interferon alpha (rIFNalpha) or imatinib mesylate. <i>Psychophysiology</i> , 2005 , 4, 235-7 | | 5 |
| 53 | Spatial relationship of chromosomes 9 and 22 at metaphase in patients with chronic myelogenous leukemia (CML). <i>International Journal of Cancer</i> , 1988 , 41, 829-31 | 7.5 | 4 |
| 52 | Impact on MPN Symptoms and Quality of Life of Front Line Pegylated Interferon Alpha-2a Vs. Hydroxyurea in High Risk Polycythemia Vera and Essential Thrombocythemia: Interim Analysis Results of Myeloproliferative Disorders Research Consortium (MPD-RC) 112 Global Phase III Trial. <i>Blood</i> , 2016 , 128, 1271-1271 | 2.2 | 4 |
| 51 | Are all interferons the same for therapy in polycythemia vera?. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013 , 13 Suppl 2, S305-6 | 2 | 3 |
| 50 | The treatment of essential thrombocytosis revisited. <i>Blood</i> , 2011 , 118, 1179-80; author reply 1180-1 | 2.2 | 3 |
| 49 | Administration of a complex chemotherapy regimen: inpatient versus outpatient treatment. <i>Medical and Pediatric Oncology</i> , 1983 , 11, 333-5 | | 3 |
| 48 | The Effect of Initial Molecular Profile on Response to Recombinant Interferon Alpha (rIFN) Treatment in Early Myelofibrosis. <i>Blood</i> , 2016 , 128, 944-944 | 2.2 | 3 |
| 47 | Impact of bone marrow fibrosis grade in post-polycythemia vera and post-essential thrombocythemia myelofibrosis: A study of the MYSEC group. <i>American Journal of Hematology</i> , 2020 , 95, E1-E3 | 7.1 | 3 |
| 46 | Response to pegylated interferon in a COVID-19-positive elderly woman with primary myelofibrosis treated with ruxolitinib. <i>Clinical Case Reports (discontinued)</i> , 2021 , 9, 2228-2235 | 0.7 | 3 |
| 45 | Update on the treatment of polycythemia vera with recombinant interferon alfa or imatinib mesylate. <i>Current Hematologic Malignancy Reports</i> , 2007 , 2, 43-6 | 4.4 | 2 |
| 44 | The use of low-dose prednisone and melphalan in the treatment of poor-risk patients with multiple myeloma. <i>Medical and Pediatric Oncology</i> , 1975 , 1, 207-16 | | 2 |
| 43 | Combination chemotherapy for non-Hodgkin lymphomas: a ten year follow-up study. <i>Medical and Pediatric Oncology</i> , 1979 , 6, 23-38 | | 2 |
| 42 | Fedratinib Induces Spleen Responses in Patients with Myeloproliferative Neoplasm-Associated Intermediate- or High-Risk Myelofibrosis (MF) Previously Exposed to Ruxolitinib (RUX), Regardless of Reason for Discontinuing RUX. <i>Blood</i> , 2019 , 134, 4165-4165 | 2.2 | 2 |
| 41 | JAK2 V617F Mutational Load in Patients with Polycythemia Vera (PV) Measured by Peripheral Blood DNA Is Associated with Disease Severity.. <i>Blood</i> , 2007 , 110, 2530-2530 | 2.2 | 2 |
| 40 | Associations Between Improvements in Myelofibrosis (MF) Symptoms and Quality of Life Measures with Splenomegaly Reduction in COMFORT-I: A Randomized, Double-Blind, Phase III Trial of the JAK1 and JAK2 Inhibitor Ruxolitinib Versus Placebo in Patients with MF,. <i>Blood</i> , 2011 , 118, 3842-3842 | 2.2 | 2 |

| | | | |
|----|--|-----|---|
| 39 | Arterial Thrombotic Complications Are Uncommon in Patients without Cardiovascular Risk Factors and Occur at Equivalent Rates in Chronic Myeloid Leukemia (CML) Patients Treated with Imatinib and Nilotinib. <i>Blood</i> , 2014 , 124, 1811-1811 | 2.2 | 2 |
| 38 | A New International Multicenter-Based Model to Predict Survival in Myelofibrosis Secondary to Polycythemia and Thrombocytopenia: The Mysec Prognostic Model (MYSEC-PM). <i>Blood</i> , 2014 , 124, 1826-1826 | 2.2 | 2 |
| 37 | Adverse events (AEs) and the return of myelofibrosis (MF)-related symptoms after interruption or discontinuation of ruxolitinib (RUX) therapy.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 6624-6624 | 2.2 | 2 |
| 36 | Chronic Myeloid Leukemia 2016 , 1-11 | | 2 |
| 35 | Life, genes, and death in Ph- MPNs. <i>Blood</i> , 2014 , 124, 2471-2 | 2.2 | 1 |
| 34 | Prognostic significance of additional cytogenetic abnormalities in newly diagnosed patients with Philadelphia chromosome-positive chronic myelogenous leukemia treated with interferon- α . Cancer and Leukemia Group B study 2004 , 25, 143 | | 1 |
| 33 | Interferon in Polycythemia Vera (PV) Yields Improved Myelofibrosis-Free and Overall Survival. <i>Blood</i> , 2020 , 136, 31-32 | 2.2 | 1 |
| 32 | The JAK2 46/1 Haplotype Predisposes to Myeloproliferative Neoplasms Characterized by Diverse Mutations.. <i>Blood</i> , 2009 , 114, 433-433 | 2.2 | 1 |
| 31 | Prospective Evaluation of the World Health Organization Criteria for the Diagnosis of Polycythemia Vera.. <i>Blood</i> , 2011 , 118, 3837-3837 | 2.2 | 1 |
| 30 | Clinical Burden and Progression of Myelofibrosis in a Controlled Study Population of Placebo-Treated Patients (COMFORT-I). <i>Blood</i> , 2011 , 118, 5146-5146 | 2.2 | 1 |
| 29 | Post-Polycythemia and Post-Thrombocytopenia Myelofibrosis Have Distinctive Clinical Phenotypes: An International Multicenter Study on 718 Patients. <i>Blood</i> , 2014 , 124, 1824-1824 | 2.2 | 1 |
| 28 | Phase 2 trial of PRM-151, an antifibrotic agent, in patients with myelofibrosis: Stage 1 results.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 7114-7114 | 2.2 | 1 |
| 27 | Long-term outcomes of ruxolitinib (RUX) therapy in patients (pts) with myelofibrosis (MF): 5-year update from COMFORT-I.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 7012-7012 | 2.2 | 1 |
| 26 | Hematopoietic Stem and Progenitor Cell Fitness As a Novel Prognostic and Monitoring Biomarker for JAK2 V617F Myeloproliferative Neoplasms (MPNs). <i>Blood</i> , 2021 , 138, 627-627 | 2.2 | 1 |
| 25 | Patient-Reported Outcome Results from the U.S. Life after Stopping TKIs (LAST) Study in Patients with Chronic Myeloid Leukemia. <i>Blood</i> , 2019 , 134, 705-705 | 2.2 | 1 |
| 24 | Recombinant Interferon Alpha (rIFN α) May Retard Progression of Early Primary Myelofibrosis (PM) by Reducing Splenomegaly and by Changing Marrow Morphology.. <i>Blood</i> , 2008 , 112, 1758-1758 | 2.2 | 1 |
| 23 | Normal Life Expectancy for Polycythemia Vera Patients Is Possible. <i>Blood</i> , 2021 , 138, 2575-2575 | 2.2 | 0 |
| 22 | Myelofibrosis: best practices, controversies and 2019 update. <i>Expert Review of Hematology</i> , 2020 , 13, 71-84 | 2.8 | 0 |

| | | | |
|----|--|-----|---|
| 21 | Excess mortality in younger patients with myeloproliferative neoplasms.. <i>Leukemia and Lymphoma</i> , 2022 , 1-5 | 1.9 | 0 |
| 20 | Predictive value of in vitro mutation data to guide second-generation tyrosine kinase inhibitor selection: ready for prime time?. <i>Oncologist</i> , 2011 , 16, 554-8 | 5-7 | |
| 19 | The ABCCs of myelofibrosis. <i>Blood</i> , 2005 , 106, 2598-2599 | 2.2 | |
| 18 | Symptom Burden and Quality of Life in High-Risk Essential Thrombocythemia and Polycythemia Vera Patients Receiving Hydroxyurea or Pegylated Interferon Alfa-2a: Results of Myeloproliferative Neoplasms Research Consortium (MPN-RC) 111 and 112 Trials. <i>Blood</i> , 2020 , 136, 19-21 | 2.2 | |
| 17 | Pretreatment Cytogenetic Abnormalities in Polycythemia Vera (PV) Determines the Effectiveness of Imatinib : Studies from a Multi-Institutional Trial.. <i>Blood</i> , 2004 , 104, 2431-2431 | 2.2 | |
| 16 | No Significant Molecular Response in Polycythemia Vera Patients Treated with Imatinib or Interferon alpha.. <i>Blood</i> , 2005 , 106, 373-373 | 2.2 | |
| 15 | Chronic Myeloid Leukemia (CML): A Model Disease for Utilizing Evidence Based Guidelines in a Decade of Progress.. <i>Blood</i> , 2006 , 108, 3313-3313 | 2.2 | |
| 14 | Correlation of Clinical and Molecular Response to Imatinib in Polycythemia Vera (PV) Patients with Bone Marrow Morphologic and Immunophenotypic Changes.. <i>Blood</i> , 2006 , 108, 4914-4914 | 2.2 | |
| 13 | JAK2 Mutations Are Present in All Cases of Polycythemia Vera.. <i>Blood</i> , 2007 , 110, 4669-4669 | 2.2 | |
| 12 | Health-Related Quality of Life (HRQoL) with Fedratinib, a Selective, Oral Inhibitor of Janus Kinase 2 (JAK2), in the Phase II JAKARTA2 Study in Patients with Intermediate- or High-Risk Myelofibrosis Previously Treated with Ruxolitinib. <i>Blood</i> , 2019 , 134, 2207-2207 | 2.2 | |
| 11 | Evaluation of Bone Marrow Morphology in Addition to JAK2 Allele Burden Is Essential for Assessing Disease Status in Recombinant Interferon Alpha-Treated Polycythemia Vera Patients. <i>Blood</i> , 2016 , 128, 5471-5471 | 2.2 | |
| 10 | Development of V617F JAK2 Associated Myeloproliferative Neoplasms Is a Non-Random Event That Is Strongly Dependent on JAK2 Haplotype. <i>Blood</i> , 2008 , 112, 173-173 | 2.2 | |
| 9 | Tumor Necrosis Factor-Alpha (TNF) Expression Is Elevated in Myelo-Proliferative Neoplasms (MPN) and Modulated by Inhibition of JAK2 V617F.. <i>Blood</i> , 2009 , 114, 2917-2917 | 2.2 | |
| 8 | A Novel in Vitro Model of Focal Fibrosis in Bone Marrow Stromal Co-Culture of CD34+ Cells From Patients with Idiopathic Myelofibrosis.. <i>Blood</i> , 2009 , 114, 2896-2896 | 2.2 | |
| 7 | Jumping Translocations of the Long Arms of Chromosome 1 (1qJT) in Myeloproliferative Neoplasms (MPNs) and Myelodysplastic Syndromes (MDS) Are Associated with High Risk of Transformation to Acute Myelogenous Leukemia (AML).. <i>Blood</i> , 2009 , 114, 1567-1567 | 2.2 | |
| 6 | Allogeneic Stem Cell Transplantation for Patients with Chronic Myeloid Leukemia After Prior Treatment with Nilotinib or Dasatinib. <i>Blood</i> , 2010 , 116, 2348-2348 | 2.2 | |
| 5 | In Vivo Imaging of Cerebral Circulation In Mouse Models of Polycythemia Vera. <i>Blood</i> , 2010 , 116, 4091-4091 | 2.2 | |
| 4 | Monocytes Modulate Megakaryocyte-Mediated Fibrosis of Bone Marrow Stromal Cells in Vitro. <i>Blood</i> , 2012 , 120, 1759-1759 | 2.2 | |

- 3 Busulfan Induces Hematologic and Molecular Responses in Polycythemia Vera (PV) Refractory to Multiple Drugs. *Blood*, **2012**, 120, 5068-5068 2.2
- 2 CML End Phase and Blast Crisis: Implications and Management. *Hematologic Malignancies*, **2021**, 179-196
- 1 Current treatment of myelofibrosis. *Clinical Advances in Hematology and Oncology*, **2005**, 3, 269-70 0.6