Kebede Deribe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6475743/publications.pdf

Version: 2024-02-01

24978 3997 68,230 179 57 176 citations h-index g-index papers 192 192 192 92709 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
2	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
3	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	6.3	5,298
4	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
5	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
6	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	6.3	4,934
7	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	6.3	3,565
8	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
9	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	4.9	2,625
10	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
11	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
12	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879
13	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
14	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544
15	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	6.3	1,230
16	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	4.9	1,064
17	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	6.3	890
18	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	6.3	786

#	Article	IF	CITATIONS
19	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	6.3	740
20	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	6.3	638
21	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979.	6.3	609
22	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
23	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	6.3	571
24	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	6.3	480
25	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	2.1	461
26	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	6.3	413
27	Global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. Lancet HIV,the, 2019, 6, e831-e859.	2.1	341
28	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	6.3	330
29	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	6.3	294
30	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	6.3	284
31	The global burden of tuberculosis: results from the Global Burden of Disease Study 2015. Lancet Infectious Diseases, The, 2018, 18, 261-284.	4.6	246
32	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	13.7	161
33	Predictors of adherence to antiretroviral therapy among HIV-infected persons: a prospective study in Southwest Ethiopia. BMC Public Health, 2008, 8, 265.	1.2	154
34	Disclosure experience and associated factors among HIV positive men and women clinical service users in southwest Ethiopia. BMC Public Health, 2008, 8, 81.	1.2	154
35	The burden of neglected tropical diseases in Ethiopia, and opportunities for integrated control and elimination. Parasites and Vectors, 2012, 5, 240.	1.0	152
36	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Global Burden of Diseases, Injuries, and Risk Factors 2016 Study. Lancet Infectious Diseases, The, 2018, 18, 1329-1349.	4.6	144

#	Article	IF	CITATIONS
37	Birth Preparedness and Complication Readiness among Pregnant Women in Southern Ethiopia. PLoS ONE, 2011, 6, e21432.	1.1	143
38	National mortality burden due to communicable, non-communicable, and other diseases in Ethiopia, 1990–2015: findings from the Global Burden of Disease Study 2015. Population Health Metrics, 2017, 15, 29.	1.3	122
39	Geographical variation and factors influencing modern contraceptive use among married women in Ethiopia: evidence from a national population based survey. Reproductive Health, 2013, 10, 52.	1.2	117
40	Factors associated with exclusive breastfeeding practices among mothers in Goba district, south east Ethiopia: a cross-sectional study. International Breastfeeding Journal, 2012, 7, 17.	0.9	103
41	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	1.2	103
42	Barriers and facilitators to antiretroviral medication adherence among HIV-infected paediatric patients in Ethiopia: A qualitative study. Sahara J, 2009, 6, 148-154.	0.4	98
43	The global distribution of lymphatic filariasis, 2000–18: a geospatial analysis. The Lancet Global Health, 2020, 8, e1186-e1194.	2.9	98
44	Factors associated with late presentation to HIV/AIDS care in South Wollo ZoneEthiopia: a case-control study. AIDS Research and Therapy, 2011, 8, 8.	0.7	94
45	Factors Associated with HIV/AIDS Diagnostic Disclosure to HIV Infected Children Receiving HAART: A Multi-Center Study in Addis Ababa, Ethiopia. PLoS ONE, 2011, 6, e17572.	1.1	88
46	Morbidity and mortality from road injuries: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i46-i56.	1.2	86
47	High levels of misconceptions and stigma in a community highly endemic for podoconiosis in southern Ethiopia. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 439-444.	0.7	84
48	Adherence to highly active antiretroviral therapy and its correlates among HIV infected pediatric patients in Ethiopia. BMC Pediatrics, 2008, 8, 53.	0.7	77
49	Epidemiology and Individual, Household and Geographical Risk Factors of Podoconiosis in Ethiopia: Results from the First Nationwide Mapping. American Journal of Tropical Medicine and Hygiene, 2015, 92, 148-158.	0.6	77
50	Malaria and Under-Nutrition: A Community Based Study Among Under-Five Children at Risk of Malaria, South-West Ethiopia. PLoS ONE, 2010, 5, e10775.	1.1	74
51	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.	6. 3	72
52	Determinants of delay in malaria treatment-seeking behaviour for under-five children in south-west Ethiopia: a case control study. Malaria Journal, 2010, 9, 320.	0.8	68
53	Factors associated with women's autonomy regarding maternal and child health care utilization in Bale Zone: a community based cross-sectional study. BMC Women's Health, 2014, 14, 79.	0.8	68
54	Defaulters from antiretroviral treatment in Jimma University Specialized Hospital, Southwest Ethiopia. Tropical Medicine and International Health, 2008, 13, 328-333.	1.0	67

#	Article	IF	CITATIONS
55	Cost effectiveness of community-based and in-patient therapeutic feeding programs to treat severe acute malnutrition in Ethiopia. Cost Effectiveness and Resource Allocation, 2012, 10, 4.	0.6	65
56	Association between Footwear Use and Neglected Tropical Diseases: A Systematic Review and Meta-Analysis. PLoS Neglected Tropical Diseases, 2014, 8, e3285.	1.3	65
57	Trends, causes, and risk factors of mortality among children under 5 in Ethiopia, 1990–2013: findings from the Global Burden of Disease Study 2013. Population Health Metrics, 2016, 14, 42.	1.3	65
58	Mapping and Modelling the Geographical Distribution and Environmental Limits of Podoconiosis in Ethiopia. PLoS Neglected Tropical Diseases, 2015, 9, e0003946.	1.3	62
59	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. Nature Medicine, 2021, 27, 1761-1782.	15.2	60
60	The Effect of Early Initiation of Antiretroviral Therapy in TB/HIV-Coinfected Patients. Journal of the International Association of Providers of AIDS Care, 2015, 14, 560-570.	0.6	59
61	Global epidemiology of podoconiosis: A systematic review. PLoS Neglected Tropical Diseases, 2018, 12, e0006324.	1.3	59
62	Incidence, prevalence and mortality rates of malaria in Ethiopia from 1990 to 2015: analysis of the global burden of diseases 2015. Malaria Journal, 2017, 16, 271.	0.8	58
63	Treatment delay among pulmonary tuberculosis patients in pastoralist communities in Bale Zone, Southeast Ethiopia. BMC Research Notes, 2012, 5, 320.	0.6	57
64	The impact of podoconiosis on quality of life in Northern Ethiopia. Health and Quality of Life Outcomes, 2013, 11, 122.	1.0	52
65	Mapping the global distribution of Buruli ulcer: a systematic review with evidence consensus. The Lancet Global Health, 2019, 7, e912-e922.	2.9	52
66	Change in quality of life: a follow up study among patients with HIV infection with and without TB in Ethiopia. BMC Public Health, 2013, 13, 408.	1.2	48
67	Geographic Variation and Factors Associated with Female Genital Mutilation among Reproductive Age Women in Ethiopia: A National Population Based Survey. PLoS ONE, 2016, 11, e0145329.	1.1	48
68	Factors associated with compliance with community directed treatment with ivermectin for onchocerciasis control in Southwestern Ethiopia. Parasites and Vectors, 2010, 3, 48.	1.0	47
69	Depression and disability in people with podoconiosis: a comparative cross-sectional study in rural Northern Ethiopia. International Health, 2016, 8, 124-131.	0.8	47
70	Health professionals' attitudes and misconceptions regarding podoconiosis: potential impact on integration of care in southern Ethiopia. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2010, 104, 42-47.	0.7	46
71	Risk factors of visceral leishmaniasis: a case control study in north-western Ethiopia. Parasites and Vectors, 2014, 7, 470.	1.0	46
72	Integrated mapping of lymphatic filariasis and podoconiosis: lessons learnt from Ethiopia. Parasites and Vectors, 2014, 7, 397.	1.0	46

#	Article	IF	CITATIONS
73	The feasibility of eliminating podoconiosis. Bulletin of the World Health Organization, 2015, 93, 712-718.	1.5	46
74	Ethiopia Schistosomiasis and Soil-Transmitted Helminthes Control Programme: Progress and Prospects. Ethiopian Medical Journal, 2017, 55, 75-80.	0.6	46
75	High prevalence of urinary schistosomiasis in two communities in South Darfur: implication for interventions. Parasites and Vectors, 2011, 4, 14.	1.0	45
76	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	1.2	44
77	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	1.2	44
78	Magnitude and Correlates of Intimate Partner Violence against Women and Its Outcome in Southwest Ethiopia. PLoS ONE, 2012, 7, e36189.	1.1	41
79	Extent of podoconiosis-related stigma in Wolaita Zone, Southern Ethiopia: a cross-sectional study. SpringerPlus, 2014, 3, 647.	1.2	41
80	Mapping the geographical distribution of podoconiosis in Cameroon using parasitological, serological, and clinical evidence to exclude other causes of lymphedema. PLoS Neglected Tropical Diseases, 2018, 12, e0006126.	1.3	40
81	A population based survey in Ethiopia using questionnaire as proxy to estimate obstetric fistula prevalence: results from demographic and health survey. Reproductive Health, 2013, 10, 14.	1.2	39
82	Stigma towards a Neglected Tropical Disease: Felt and enacted Stigma Scores among Podoconiosis Patients in Northern Ethiopia. BMC Public Health, 2013, 13, 1178.	1.2	38
83	Prevalence of lipodystrophy and metabolic syndrome among HIV positive individuals on Highly Active Anti-Retroviral treatment in Jimma, South West Ethiopia. Pan African Medical Journal, 2012, 13, 43.	0.3	38
84	Mental distress and podoconiosis in Northern Ethiopia: a comparative cross-sectional study. International Health, 2015, 7, 16-25.	0.8	37
85	National disability-adjusted life years (DALYs) for 257 diseases and injuries in Ethiopia, 1990–2015: findings from the global burden of disease study 2015. Population Health Metrics, 2017, 15, 28.	1.3	37
86	Gender differences regarding barriers and motivators of HIV status disclosure among HIV-positive service users. Sahara J, 2010, 7, 30-39.	0.4	36
87	Estimating the number of cases of podoconiosis in Ethiopia using geostatistical methods. Wellcome Open Research, 2017, 2, 78.	0.9	36
88	Investigation Outcomes of Tuberculosis Suspects in the Health Centers of Addis Ababa, Ethiopia. PLoS ONE, 2011, 6, e18614.	1.1	35
89	Experience of stigma and discrimination and the implications for healthcare seeking behavior among people living with HIV/AIDS in resource-limited setting. Sahara J, 2013, 10, 1-7.	0.4	34
90	The impact of dietary risk factors on the burden of non-communicable diseases in Ethiopia: findings from the Global Burden of Disease study 2013. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 122.	2.0	34

#	Article	IF	CITATIONS
91	Geographical distribution and prevalence of podoconiosis in Rwanda: a cross-sectional country-wide survey. The Lancet Global Health, 2019, 7, e671-e680.	2.9	32
92	Subnational mapping of HIV incidence and mortality among individuals aged 15–49 years in sub-Saharan Africa, 2000–18: a modelling study. Lancet HIV,the, 2021, 8, e363-e375.	2.1	32
93	Men's knowledge and spousal communication about modern family planning methods in Ethiopia. African Journal of Reproductive Health, 2011, 15, 24-32.	1.1	32
94	The Burden of HIV/AIDS in Ethiopia from 1990 to 2016: Evidence from the Global Burden of Diseases 2016 Study. Ethiopian Journal of Health Sciences, 2019, 29, 859-868.	0.2	31
95	Ten Years of Podoconiosis Research in Ethiopia. PLoS Neglected Tropical Diseases, 2013, 7, e2301.	1.3	30
96	The global atlas of podoconiosis. The Lancet Global Health, 2017, 5, e477-e479.	2.9	30
97	Predictors of Change in CD4 Lymphocyte Count and Weight among HIV Infected Patients on Anti-Retroviral Treatment in Ethiopia: A Retrospective Longitudinal Study. PLoS ONE, 2013, 8, e58595.	1.1	29
98	Spatial Distribution of Podoconiosis in Relation to Environmental Factors in Ethiopia: A Historical Review. PLoS ONE, 2013, 8, e68330.	1.1	29
99	Integrated morbidity management for lymphatic filariasis and podoconiosis, Ethiopia. Bulletin of the World Health Organization, 2017, 95, 652-656.	1.5	29
100	Shrinking the Lymphatic Filariasis Map of Ethiopia: Reassessing the Population at Risk through Nationwide Mapping. PLoS Neglected Tropical Diseases, 2015, 9, e0004172.	1.3	26
101	Burden assessment of podoconiosis in Wayu Tuka woreda, east Wollega zone, western Ethiopia: a community-based cross-sectional study. BMJ Open, 2016, 6, e012308.	0.8	25
102	Tuberculosis Burden in Ethiopia from 1990 to 2016: Evidence from the Global Burden of Diseases 2016 Study. Ethiopian Journal of Health Sciences, 2019, 28, 519-528.	0.2	25
103	Mapping inequalities in exclusive breastfeeding in low- and middle-income countries, 2000–2018. Nature Human Behaviour, 2021, 5, 1027-1045.	6.2	24
104	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	2.9	23
105	Determinants and outcomes of disclosing HIV-sero positive status to sexual partners among women in Mettu and Gore towns, Illubabor zone southwest Ethiopia. Ethiopian Journal of Health Development, 2005, 19, 126.	0.2	21
106	The effect of household heads training on long-lasting insecticide-treated bed nets utilization: a cluster randomized controlled trial in Ethiopia. Malaria Journal, 2012, 11, 99.	0.8	21
107	The effect of household heads training about the use of treated bed nets on the burden of malaria and anaemia in under-five children: a cluster randomized trial in Ethiopia. Malaria Journal, 2012, 11, 8.	0.8	21
108	Diversity and altitudinal distribution of phlebotomine sand flies (Diptera: Psychodidae) in visceral leishmaniasis endemic areas of northwest Ethiopia. Acta Tropica, 2017, 176, 1-10.	0.9	20

#	Article	IF	Citations
109	Predicted distribution and burden of podoconiosis in Cameroon. BMJ Global Health, 2018, 3, e000730.	2.0	20
110	Capacity of health facilities for diagnosis and treatment of HIV/AIDS in Ethiopia. BMC Health Services Research, 2018, 18, 535.	0.9	19
111	Mapping the global distribution of podoconiosis: Applying an evidence consensus approach. PLoS Neglected Tropical Diseases, 2019, 13, e0007925.	1.3	18
112	Modelling the spatial distribution of mycetoma in Sudan. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2021, 115, 1144-1152.	0.7	18
113	Malaria epidemiology and stratification of incidence in the malaria elimination settingÂin Harari Region, Eastern Ethiopia. Infectious Diseases of Poverty, 2020, 9, 160.	1.5	18
114	High-risk behaviours and associated factors among HIV-positive individuals in clinical care in southwest Ethiopia. Tropical Doctor, 2008, 38, 237-239.	0.2	17
115	Development of a scale to measure stigma related to podoconiosis in Southern Ethiopia. BMC Public Health, 2013, 13, 298.	1.2	16
116	Depressive Symptoms Amongst People with Podoconiosis and Lower Limb Lymphoedema of Other Cause in Cameroon: A Cross-Sectional Study. Tropical Medicine and Infectious Disease, 2019, 4, 102.	0.9	16
117	Differential susceptibility of Onchocerca volvulus microfilaria to ivermectin in two areas of contrasting history of mass drug administration in Cameroon: relevance of microscopy and molecular techniques for the monitoring of skin microfilarial repopulation within six months of direct observed treatment. BMC Infectious Diseases. 2020. 20. 726.	1.3	15
118	Podoconiosis – From known to unknown: Obstacles to tackle. Acta Tropica, 2021, 219, 105918.	0.9	14
119	A cross-sectional study to evaluate depression and quality of life among patients with lymphoedema due to podoconiosis, lymphatic filariasis and leprosy. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2020, 114, 983-994.	0.7	14
120	Review of Ethiopian Onchocerciasis Elimination Programme. Ethiopian Medical Journal, 2017, 55, 55-63.	0.6	14
121	Assessment of Routine Immunization Coverage in Nyala Locality, Reasons behind Incomplete Immunization in South Darfur State, Sudan. Asian Journal of Medical Sciences, 2014, 6, 1-8.	0.2	13
122	Measuring elimination of podoconiosis, endemicity classifications, case definition and targets: an international Delphi exercise. International Health, 2015, 7, 306-316.	0.8	13
123	The impact of acute adenolymphangitis in podoconiosis on caregivers: A case study in Wayu Tuka woreda, Oromia, Western Ethiopia. â€̃If she was healthy, I would be free.'. PLoS Neglected Tropical Diseases, 2019, 13, e0007487.	1.3	13
124	The Mbam drainage system and onchocerciasis transmission post ivermectin mass drug administration (MDA) campaign, Cameroon. PLoS Neglected Tropical Diseases, 2021, 15, e0008926.	1.3	13
125	EnDPoINT: protocol for an implementation research study to integrate a holistic package of physical health, mental health and psychosocial care for podoconiosis, lymphatic filariasis and leprosy into routine health services in Ethiopia. BMJ Open, 2020, 10, e037675.	0.8	13
126	Gender difference in HIV status disclosure among HIV positive service users. East African Journal of Public Health, 2009, 6, 248-55.	0.3	13

#	Article	IF	CITATIONS
127	Prevalence and distribution of schistosomiasis in Afder and Gode zone of Somali region, Ethiopia. Journal of Global Infectious Diseases, 2013, 5, 149.	0.2	12
128	HIV-positive status disclosure among men and women receiving antiretroviral treatment in eastern Ethiopia. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 956-960.	0.6	12
129	'hy should I worry, since I have healthy feet?' A qualitative study exploring barriers to use of footwear among rural community members in northern Ethiopia. BMJ Open, 2016, 6, e010354.	0.8	12
130	The health and economic burden of podoconiosis in Ethiopia. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2020, 114, 284-292.	0.7	12
131	African regional progress and status of the programme to eliminate lymphatic filariasis: 2000–2020. International Health, 2020, 13, S22-S27.	0.8	12
132	A Comparative Analysis of Economic Cost of Podoconiosis and Leprosy on Affected Households in the Northwest Region of Cameroon. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1075-1081.	0.6	12
133	Elimination of Guinea Worm Disease in Ethiopia; Current Status of the Disease's, Eradication Strategies and Challenges to the End Game. Ethiopian Medical Journal, 2017, 55, 15-31.	0.6	12
134	Do common mental disorders decline over time in TB/HIV co-infected and HIV patients without TB who are on antiretroviral treatment?. BMC Psychiatry, 2013, 13, 174.	1.1	11
135	Developing and validating a clinical algorithm for the diagnosis of podoconiosis. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2020, 114, 916-925.	0.7	10
136	Predicting the environmental suitability for onchocerciasis in Africa as an aid to elimination planning. PLoS Neglected Tropical Diseases, 2021, 15, e0008824.	1.3	10
137	How can we better integrate the prevention, treatment, control and elimination of neglected tropical diseases with other health interventions? A systematic review. BMJ Global Health, 2021, 6, e006968.	2.0	10
138	Burden of disease attributable to suboptimal diet, metabolic risks and low physical activity in Ethiopia and comparison with Eastern sub-Saharan African countries, 1990–2015: findings from the Global Burden of Disease Study 2015. BMC Public Health, 2018, 18, 552.	1.2	9
139	Predicting the environmental suitability and population at risk of podoconiosis in Africa. PLoS Neglected Tropical Diseases, 2020, 14, e0008616.	1.3	9
140	Validation of loop-mediated isothermal amplification for the detection of Loa loa infection in Chrysops spp in experimental and natural field conditions. Parasites and Vectors, 2021, 14, 19.	1.0	9
141	Assessment of Routine Immunization Coverage in Nyala Locality, Reasons behind Incomplete Immunization in South Darfur State, Sudan. Asian Journal of Medical Sciences, 2014, 6, 1-8.	0.2	9
142	Quality of tuberculosis care in six health facilities of Afar Region, Ethiopia. Ethiopian Medical Journal, 2010, 48, 195-202.	0.6	9
143	Knowledge and attitudes of caregivers of HIV-infected children toward antiretroviral treatment in Ethiopia. Patient Education and Counseling, 2011, 85, e89-e94.	1.0	8
144	Mapping lymphatic filariasis in Loa loa endemic health districts naÃ-ve for ivermectin mass administration and situated in the forested zone of Cameroon. BMC Infectious Diseases, 2020, 20, 284.	1.3	8

#	Article	IF	CITATIONS
145	Estimating the number of cases of podoconiosis in Ethiopia using geostatistical methods. Wellcome Open Research, 0, 2, 78.	0.9	8
146	The National Programme to Eliminate Lymphatic Filariasis from Ethiopia. Ethiopian Medical Journal, 2017, 55, 45-54.	0.6	8
147	Predictors of Mortality among Tuberculosis/HIV-Coinfected Persons in Southwest Ethiopia. Journal of the International Association of Providers of AIDS Care, 2015, 14, 269-273.	0.6	7
148	Predictors of HIV Serodiscordance among Couples in Southwestern Ethiopia. Journal of the International Association of Providers of AIDS Care, 2015, 14, 234-240.	0.6	7
149	Study of lymphoedema of non-filarial origin in the northwest region of Cameroon: spatial distribution, profiling of cases and socio-economic aspects of podoconiosis. International Health, 2018, 10, 285-293.	0.8	7
150	Podoconiosis, trachomatous trichiasis and cataract in northern Ethiopia: A comparative cross sectional study. PLoS Neglected Tropical Diseases, 2017, 11, e0005388.	1.3	7
151	Podoconiosis today: challenges and opportunities. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2018, 112, 473-475.	0.7	6
152	Podoconiosis: Endemic Non-filarial Elephantiasis. Neglected Tropical Diseases, 2016, , 231-249.	0.4	6
153	High levels of depressive symptoms among people with lower limb lymphoedema in Rwanda: a cross-sectional study. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2020, 114, 974-982.	0.7	6
154	Podoconiosis in Ethiopia: From Neglect to Priority Public Health Problem. Ethiopian Medical Journal, 2017, 55, 65-74.	0.6	6
155	Health-care needs of people affected by conflict. Lancet, The, 2010, 375, 982.	6.3	5
156	The road to maternal death in rural Southwest Ethiopia. Ethiopian Journal of Health Sciences, 2011, 20, 71-4.	0.2	5
157	Precision public health: mapping child mortality in Africa. Lancet, The, 2017, 390, 2126-2128.	6.3	5
158	Newborn-Care Practices and Health-Seeking Behavior in Rural Eastern Ethiopia: A Community-Based Study. Journal of Tropical Pediatrics, 2018, 64, 90-96.	0.7	5
159	'I should not feed such a weak woman'. Intimate partner violence among women living with podoconiosis: A qualitative study in northern Ethiopia. PLoS ONE, 2018, 13, e0207571.	1.1	5
160	Health system capacity for tuberculosis care in Ethiopia: evidence from national representative survey. International Journal for Quality in Health Care, 2020, 32, 306-312.	0.9	5
161	Clinical epidemiological characteristics of mycetoma in Eastern Sennar locality, Sennar State, Sudan. PLoS Neglected Tropical Diseases, 2021, 15, e0009847.	1.3	5
162	How 'The association of endemic elephantiasis of the lower legs in East Africa with soil derived from volcanic rocks' has underpinned progress in podoconiosis research. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2014, 108, 528-529.	0.7	4

#	Article	IF	Citations
163	Neglected tropical disease targets must include morbidity. The Lancet Global Health, 2015, 3, e596.	2.9	4
164	Willingness to pay for footwear, and associated factors related to podoconiosis in northern Ethiopia. International Health, 2016, 8, 345-353.	0.8	4
165	Mapping of Podoconiosis Cases and Risk Factors in Kenya: A Nationwide Cross-sectional Study. American Journal of Tropical Medicine and Hygiene, 2021, 105, 1420-1428.	0.6	4
166	Home and community based care program assessment for people living with HIV/AIDS in Arba Minch, Southern Ethiopia. BMC Palliative Care, 2012, 11 , 8 .	0.8	3
167	Podoconiosis: key priorities for research and implementation. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2020, 114, 889-895.	0.7	3
168	Food Insecurity among Households with and without Podoconiosis in East and West Gojjam, Ethiopia. , 2018, 13, 414-423.		3
169	Knowledge, acceptability, and use of misoprostol for preventing postpartum hemorrhage following home births in rural Ethiopia. International Journal of Gynecology and Obstetrics, 2016, 134, 79-82.	1.0	2
170	Podoconiosis research to implementation: a call for global action. The Lancet Global Health, 2018, 6, e950-e951.	2.9	2
171	Developing consensus of evidence to target case finding surveys for podoconiosis: a potentially forgotten disease in India. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2020, 114, 908-915.	0.7	2
172	Measuring the spatial heterogeneity on the reduction of vaginal fistula burden in Ethiopia between 2005 and 2016. Scientific Reports, 2020, 10, 972.	1.6	2
173	Local brain drain. Lancet, The, 2006, 368, 1153.	6.3	1
174	The Countdown to 2020: measuring progress in neglected tropical diseases. The Lancet Global Health, 2016, 4, e163.	2.9	1
175	Picturing health: podoconiosisâ€"stepping out of neglect. Lancet, The, 2019, 394, 1499-1512.	6.3	1
176	Clinical, haematological and biochemical profiling of podoconiosis lymphoedema patients prior to their involvement in a clinical trial in the Northwest Region of Cameroon. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2020, 114, 954-961.	0.7	1
177	Epidemiology of non-penetrative sex among university students in the context of HIV/AIDS prevention in Northwestern Ethiopia. East African Journal of Public Health, 2011, 8, 6-12.	0.3	1
178	Maternal death review: A path to achieve the Millennium Development Goal of improving maternal health. Ethiopian Journal of Health Development, 2009, 20, .	0.2	0
179	Clinical versus population-wide donor services*. Lancet, The, 2009, 373, 2023-2024.	6.3	0