

# Kenneth A Ellenbogen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6476146/publications.pdf>

Version: 2024-02-01

389  
papers

29,233  
citations

9428

76  
h-index

6512

162  
g-index

415  
all docs

415  
docs citations

415  
times ranked

15290  
citing authors

#	ARTICLE	IF	CITATIONS
1	Feasibility and safety of left bundle branch area pacing—cardiac resynchronization therapy in elderly patients. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2023, 66, 311-321.	0.6	8
2	Interpreting device diagnostics for lead failure. <i>Heart Rhythm</i> , 2022, 19, 154-164.	0.3	6
3	Cardiac resynchronization therapy via left bundle branch pacing vs. optimized biventricular pacing with adaptive algorithm in heart failure with left bundle branch block: a prospective, multi-centre, observational study. <i>Europace</i> , 2022, 24, 807-816.	0.7	65
4	Clinical performance of implantable cardioverter-defibrillator lead monitoring diagnostics. <i>Heart Rhythm</i> , 2022, 19, 363-371.	0.3	5
5	Outcomes Associated With Catheter Ablation of Ventricular Tachycardia in Patients With Cardiac Sarcoidosis. <i>JAMA Cardiology</i> , 2022, 7, 175.	3.0	22
6	Pattern of Atrial Fibrillation and Cognitive Function in Young Patients With Atrial Fibrillation and Low CHADS 2 Score: Insights From the BRAIN-AF Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2022, , CIRCEP121010462.	2.1	3
7	Tribute to Dr. Santosh Padala, Assistant Editor of the <i>Journal of Interventional Cardiac Electrophysiology</i> . <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022, 63, 501-501.	0.6	0
8	Atrioventricular junction ablation in patients with conduction system pacing leads: A comparison of His-bundle vs left bundle branch area pacing leads. <i>Heart Rhythm</i> , 2022, 19, 1116-1123.	0.3	25
9	Multifaceted Left Bundle Branch Block. <i>JACC: Case Reports</i> , 2022, 4, 306-309.	0.3	0
10	Arrhythmic Recurrence and Outcomes in Patients Hospitalized With First Episode of Electrical Storm. <i>American Journal of Cardiology</i> , 2022, 172, 40-47.	0.7	2
11	High-resolution mapping and successful ablation of Purkinje ectopy—triggered ventricular fibrillation storm. <i>HeartRhythm Case Reports</i> , 2022, 8, 217-221.	0.2	1
12	What Cannot Be Missed: Important Publications on Electrophysiology in 2021. <i>Arrhythmia and Electrophysiology Review</i> , 2022, 11, e01.	1.3	0
13	To see more clearly: Utility of microelectrodes in improving spatiotemporal resolution for parahisian ablation. <i>Heart Rhythm</i> , 2022, 19, 560-561.	0.3	1
14	ECG Challenge: Electric Extremis in a Critically Ill Patient. <i>Circulation</i> , 2022, 145, 1431-1433.	1.6	0
15	Left bundle branch area pacing in patients with atrioventricular conduction disease: A prospective multicenter study. <i>Heart Rhythm</i> , 2022, 19, 1484-1490.	0.3	11
16	Clinical outcomes and predictors of complications in patients undergoing leadless pacemaker implantation. <i>Heart Rhythm</i> , 2022, 19, 1289-1296.	0.3	7
17	Author's Reply to "The anatomical correlations to the atrioventricular node". <i>Heart Rhythm</i> , 2022, , .	0.3	0
18	Arrhythmia Monitoring and Outcomes in Patients With Cardiac Sarcoidosis: Insights From the Cardiac Sarcoidosis Consortium. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	5

#	ARTICLE	IF	CITATIONS
19	Left Bundle Branch Pacing. <i>Cardiac Electrophysiology Clinics</i> , 2022, 14, 165-179.	0.7	3
20	Long-term durability of posterior wall isolation using the cryoballoon in patients with persistent atrial fibrillation: a multicenter analysis of repeat catheter ablations. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, 62, 161-169.	0.6	18
21	Imaging-Based Localization of His Bundle Pacing Electrodes. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 73-84.	1.3	20
22	Positive Clinical Benefit on Patient Care, Quality of Life, and Symptoms After Contact Forceâ€Guided Radiofrequency Ablation in Persistent Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e008867.	2.1	7
23	Anatomy of the cardiac conduction system. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 15-25.	0.5	70
24	Impact of QRS morphology on response to conduction system pacing after atrioventricular junction ablation. <i>ESC Heart Failure</i> , 2021, 8, 1195-1203.	1.4	15
25	Long-Term Safety and Feasibility of Left Bundle Branch Pacing in a Large Single-Center Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e009261.	2.1	189
26	Arrhythmias in Cardiac Sarcoidosis Bench to Bedside. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e009203.	2.1	14
27	A Tale of 2 Blocks. <i>Circulation</i> , 2021, 143, 1062-1065.	1.6	0
28	Spectrum of arrhythmogenic substrate post minimally invasive maze surgery in patients with recurrent. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1054-1061.	0.5	0
29	Permanent His Bundle Pacing in Patients With Congenital Complete Heart Block. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 522-529.	1.3	14
30	Impact of His bundle pacing on right ventricular performance in patients undergoing permanent pacemaker implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 986-994.	0.5	5
31	A deeper look into conduction system pacing: From the bench to the bedside. <i>Heart Rhythm</i> , 2021, 18, 822-823.	0.3	2
32	Intermediate-term performance and safety of His-bundle pacing leads: A single-center experience. <i>Heart Rhythm</i> , 2021, 18, 743-749.	0.3	77
33	Feasibility and Outcomes of Upgrading to Left Bundle Branch Pacing in Patients With Pacing-Induced Cardiomyopathy and Infranodal Atrioventricular Block. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 674452.	1.1	25
34	Safety and feasibility of left bundle branch area pacing following valvular interventions: Multicenter study. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 2515-2521.	0.8	4
35	Determinants of outcome impact of vein of Marshall ethanol infusion when added to catheter ablation of persistent atrial fibrillation: A secondary analysis of the VENUS randomized clinical trial. <i>Heart Rhythm</i> , 2021, 18, 1045-1054.	0.3	20
36	Taking the Heat Out of Cardiac Resynchronization Therapy and Conduction System Pacing. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 893-895.	1.3	2

#	ARTICLE	IF	CITATIONS
37	The Hidden Value of a CHA2DS2-VASc Score. <i>Cardiovascular Revascularization Medicine</i> , 2021, 29, 69-70.	0.3	0
38	Letter to the editor—High subthreshold pacing impedance from device-lead connection issues. <i>Heart Rhythm</i> , 2021, 18, 2225.	0.3	0
39	Cardiac Resynchronization Therapy in Patients With LVADs. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 1010-1012.	1.3	0
40	Pursue physiological pacing therapy: A better understanding of left bundle branch pacing and left ventricular septal myocardial pacing. <i>Heart Rhythm</i> , 2021, 18, 1290-1291.	0.3	17
41	Left Ventricular Pseudoaneurysm Caused by Radiofrequency Catheter Ablation. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012820.	1.3	2
42	Case Report: Interventricular Septal Hematoma Complicating Left Bundle Branch Pacing Lead Implantation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 744079.	1.1	14
43	Pacing of Specialized Conduction System. <i>Cardiac Electrophysiology Clinics</i> , 2021, 13, 755-784.	0.7	4
44	Electrocardiographic characteristics and ablation of ventricular arrhythmias originating from the basal inferoseptal area. <i>Europace</i> , 2021, 23, 1970-1979.	0.7	4
45	Procedure characteristics and outcomes of atrial fibrillation ablation procedures using cryoballoon versus radiofrequency ablation: A report from the GWTC-AFIB registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 248-259.	0.8	6
46	Response to cardiac resynchronisation therapy in men and women: a secondary analysis of the SMART-AV randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e049017.	0.8	7
47	Sex Differences in Ablation Strategy, Lesion Sets, and Complications of Catheter Ablation for Atrial Fibrillation: An Analysis From the GWTC-AFIB Registry. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e009790.	2.1	14
48	Interleukin-1 blockade in cardiac sarcoidosis: study design of the multimodality assessment of granulomas in cardiac sarcoidosis: Anakinra Randomized Trial (MAGiC-ART). <i>Journal of Translational Medicine</i> , 2021, 19, 460.	1.8	23
49	Left atrial appendage closure: Where do we stand now?. <i>Cardiovascular Revascularization Medicine</i> , 2021, 36, 25-25.	0.3	0
50	Left Bundle Branch Pacing: A Perfect Compromise?. <i>Arrhythmia and Electrophysiology Review</i> , 2021, 10, 241-243.	1.3	4
51	Persistent Proarrhythmic Neural Remodeling Despite Recovery From Premature Ventricular Contraction-Induced Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1-13.	1.2	24
52	An incessant, symptomatic, and difficult to control tachycardia: What are the treatment options?. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 263-266.	0.8	1
53	Separating the Forest From the Trees: New Tools for a Personalized Sudden Cardiac Death Risk Stratification. <i>Journal of the American Heart Association</i> , 2020, 9, e018957.	1.6	1
54	Show Me the P Wave. <i>Circulation</i> , 2020, 142, 1596-1598.	1.6	0

#	ARTICLE	IF	CITATIONS
55	Persistent Atrial Fibrillation Ablation With Contact Forceâ€“Sensing Catheter. JACC: Clinical Electrophysiology, 2020, 6, 958-969.	1.3	53
56	Morbidity and mortality in patients precluded for transvenous pacemaker implantation: Experience with a leadless pacemaker. Heart Rhythm, 2020, 17, 2056-2063.	0.3	16
57	Initial Experience, Safety, and Feasibility of Left Bundle Branch Area Pacing. JACC: Clinical Electrophysiology, 2020, 6, 1773-1782.	1.3	77
58	Is PVCâ€“Induced Cardiomyopathy Truly Reversible?. JACC: Clinical Electrophysiology, 2020, 6, 1377-1380.	1.3	7
59	Characteristics of ventricular tachyarrhythmias and their susceptibility to antitachycardia pacing termination in patients with ischemic and nonischemic cardiomyopathy: A patientâ€“level metaâ€“analysis of three large clinical trials. Journal of Cardiovascular Electrophysiology, 2020, 31, 2720-2726.	0.8	8
60	Cardiac Resynchronization Therapy in Patients With Nonischemic Cardiomyopathy Using Leftâ€“Bundleâ€“Branch Pacing. JACC: Clinical Electrophysiology, 2020, 6, 849-858.	1.3	178
61	Effect of Catheter Ablation With Vein of Marshall Ethanol Infusion vs Catheter Ablation Alone on Persistent Atrial Fibrillation. JAMA - Journal of the American Medical Association, 2020, 324, 1620.	3.8	150
62	Comparison of Frequency of Atrial Fibrillation in Blacks Versus Whites and the Utilization of Race in a Novel Risk Score. American Journal of Cardiology, 2020, 135, 68-76.	0.7	9
63	Procedural Patterns and Safety of Atrial Fibrillation Ablation. Circulation: Arrhythmia and Electrophysiology, 2020, 13, e007944.	2.1	42
64	Proarrhythmic effect of automatic threshold testing algorithm in dual chamber devices. Journal of Cardiovascular Electrophysiology, 2020, 31, 2078-2085.	0.8	0
65	A Case of Recurrent Syncope. Circulation, 2020, 141, 1727-1728.	1.6	0
66	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. Europace, 2020, 22, 1147-1148.	0.7	62
67	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. Journal of Arrhythmia, 2020, 36, 553-607.	0.5	40
68	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. Heart Rhythm, 2020, 17, e269-e316.	0.3	15
69	Practice makes Perfect: What have We Learned from Many Years of Experience with the WATCHMAN?. Cardiovascular Revascularization Medicine, 2020, 21, 473-474.	0.3	0
70	Painful Left Bundle Branch Block Syndrome Successfully Treated With Leftâ€“Bundle Branch Area Pacing. JACC: Case Reports, 2020, 2, 568-571.	0.3	6
71	Post-extrasystolic potentiation as a predictor of premature ventricular contractionâ€“cardiomyopathy in an animal model. Europace, 2020, 22, 813-820.	0.7	13
72	Cryoballoon ablation dosing: From the bench to the bedside and back. Heart Rhythm, 2020, 17, 1185-1192.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Left bundle branch pacing is the best approach to physiological pacing. <i>Heart Rhythm</i> O2, 2020, 1, 59-67.	0.6	69
74	Left Ventricular Septal Versus Left Bundle Branch Pacing. <i>Journal of the American College of Cardiology</i> , 2020, 75, 360-362.	1.2	6
75	Impedance in the Diagnosis of Lead Malfunction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008092.	2.1	29
76	Risk of atrioesophageal fistula with cryoballoon ablation of atrial fibrillation. <i>Heart Rhythm</i> O2, 2020, 1, 173-179.	0.6	15
77	Hemodynamic Optimization Following Biventricular Device Implant. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1417-1419.	2.3	0
78	Long-term outcomes of His bundle pacing in patients with heart failure with left bundle branch block. <i>Heart</i> , 2019, 105, 137-143.	1.2	199
79	Fluoroscopy reduction during device implantation by using three-dimensional navigation. A single-center experience. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2027-2033.	0.8	4
80	Management of Conduction Disturbances Associated With Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2019, 74, 1086-1106.	1.2	242
81	Consequences of chronic frequent premature atrial contractions: Association with cardiac arrhythmias and cardiac structural changes. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1952-1959.	0.8	20
82	Selective Versus Nonselective His Bundle Pacing. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 775-777.	1.3	7
83	Resolution of new left bundle branch block and ventricular tachycardia with immunosuppressive therapy in a patient with cardiac sarcoidosis. <i>HeartRhythm Case Reports</i> , 2019, 5, 388-391.	0.2	2
84	SVT discrimination algorithms significantly reduce the rate of inappropriate therapy in the setting of modern-day delayed high-rate detection programming. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2877-2884.	0.8	5
85	Resolution of right bundle branch block after a premature ventricular beat: What is the mechanism?. <i>HeartRhythm Case Reports</i> , 2019, 5, 597-599.	0.2	3
86	Inflammasome Formation in Granulomas in Cardiac Sarcoidosis. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e007582.	2.1	20
87	ELECTRa™ from myth to aletheia: risk factors for transvenous lead extraction in the ancillary analysis of the European Lead Extraction ConTRolled (ELECTRa) study. <i>Europace</i> , 2019, 21, 688-689.	0.7	0
88	Adherence to Guideline-Directed Stroke Prevention Therapy for Atrial Fibrillation Is Achievable. <i>Circulation</i> , 2019, 139, 1497-1506.	1.6	55
89	Novel Method for Assessment of His Bundle Pacing Morphology Using Near Field and Far Field Device Electrograms. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e006878.	2.1	19
90	Low Fluoroscopy Permanent His Bundle Pacing Using Electroanatomic Mapping. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e006967.	2.1	49

#	ARTICLE	IF	CITATIONS
91	His-Optimized Cardiac Resynchronization Therapy to Maximize Electrical Resynchronization. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e006934.	2.1	133
92	Blinded Randomized Trial of Anticoagulation to Prevent Ischemic Stroke and Neurocognitive Impairment in Atrial Fibrillation (BRAIN-AF): Methods and Design. <i>Canadian Journal of Cardiology</i> , 2019, 35, 1069-1077.	0.8	27
93	Arrhythmia-Induced Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2019, 73, 2328-2344.	1.2	195
94	Resolution of Bundle Branch Block. <i>Circulation</i> , 2019, 139, 1974-1976.	1.6	1
95	Primary prevention ICD generator at end of life: to replace or to not?. <i>Heart Asia</i> , 2019, 11, e011167.	1.1	0
96	Anomalous pacing in a biventricular device due to spontaneous premature beats: What is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 739-742.	0.5	2
97	Peri-left bundle branch pacing in a patient with right ventricular pacing-induced cardiomyopathy and atrioventricular infra-Hisian block. <i>Europace</i> , 2019, 21, 1038-1038.	0.7	38
98	A risk score model for predicting intraprocedural cardiac injury during implantable cardioverter defibrillator implantation: Insights from the National Cardiovascular Data Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 212-220.	0.8	3
99	His Bundle Pacing. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 256-257.	1.3	2
100	2018 ACC/AHA/HRS guideline on the evaluation and management of patients with bradycardia and cardiac conduction delay: Executive summary. <i>Heart Rhythm</i> , 2019, 16, e227-e279.	0.3	44
101	2018 ACC/AHA/HRS guideline on the evaluation and management of patients with bradycardia and cardiac conduction delay. <i>Heart Rhythm</i> , 2019, 16, e128-e226.	0.3	67
102	2018 ACC/AHA/HRS Guideline on the Evaluation and Management of Patients With Bradycardia and Cardiac Conduction Delay. <i>Journal of the American College of Cardiology</i> , 2019, 74, e51-e156.	1.2	411
103	2018 ACC/AHA/HRS Guideline on the Evaluation and Management of Patients With Bradycardia and Cardiac Conduction Delay: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. <i>Circulation</i> , 2019, 140, e382-e482.	1.6	251
104	2018 ACC/AHA/HRS Guideline on the Evaluation and Management of Patients With Bradycardia and Cardiac Conduction Delay: Executive Summary. <i>Journal of the American College of Cardiology</i> , 2019, 74, 932-987.	1.2	211
105	Development of a biomarker panel to predict cardiac resynchronization therapy response: Results from the SMART-AV trial. <i>Heart Rhythm</i> , 2019, 16, 743-753.	0.3	11
106	2018 ACC/AHA/HRS Guideline on the Evaluation and Management of Patients With Bradycardia and Cardiac Conduction Delay: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines, and the Heart Rhythm Society. <i>Circulation</i> , 2019, 140, e333-e381.	1.6	62
107	Predictors of 30-day readmissions after catheter ablation for atrial fibrillation in the USA. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 55, 243-250.	0.6	10
108	Risk score model for predicting complications in patients undergoing ventricular tachycardia ablation: insights from the National Inpatient Sample database. <i>Europace</i> , 2019, 21, 475-483.	0.7	9

#	ARTICLE	IF	CITATIONS
109	Approach to permanent His bundle pacing in challenging implants. <i>Heart Rhythm</i> , 2018, 15, 1428-1431.	0.3	44
110	Permanent His-bundle pacing: a systematic literature review and meta-analysis. <i>Europace</i> , 2018, 20, 1819-1826.	0.7	187
111	Association between ventricular fibrillation amplitude immediately prior to defibrillation and defibrillation success in out-of-hospital cardiac arrest. <i>American Heart Journal</i> , 2018, 201, 72-76.	1.2	9
112	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Europace</i> , 2018, 20, e1-e160.	0.7	767
113	Permanent His-bundle pacing: Long-term lead performance and clinical outcomes. <i>Heart Rhythm</i> , 2018, 15, 696-702.	0.3	224
114	Subcutaneous implantable cardioverter defibrillator (S-ICD) shocks in a patient with a left ventricular assist device. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 309-311.	0.5	18
115	Thirty-day readmissions after cardiac implantable electronic devices in the United States: Insights from the Nationwide Readmissions Database. <i>Heart Rhythm</i> , 2018, 15, 708-715.	0.3	11
116	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Europace</i> , 2018, 20, 157-208.	0.7	375
117	A Prospective Randomized Trial of Apixaban Dosing During Atrial Fibrillation Ablation. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 580-588.	1.3	52
118	Alternating Bundle-Branch Block. <i>Circulation</i> , 2018, 137, 1192-1194.	1.6	7
119	Intracardiac ablation for atrioventricular nodal reentry tachycardia using a 6-mm distal electrode cryoablation catheter: Prospective, multicenter, North American study (ICY-AVNRT STUDY). <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 167-176.	0.8	14
120	Permanent His-bundle pacing as an alternative to biventricular pacing for cardiac resynchronization therapy: A multicenter experience. <i>Heart Rhythm</i> , 2018, 15, 413-420.	0.3	315
121	Permanent His bundle pacing: Recommendations from a Multicenter His Bundle Pacing Collaborative Working Group for standardization of definitions, implant measurements, and follow-up. <i>Heart Rhythm</i> , 2018, 15, 460-468.	0.3	275
122	Relation of Stroke and Bleeding Risk Profiles to Efficacy and Safety of Edoxaban for Cardioversion of Atrial Fibrillation (from the Edoxaban versus warfarin in subjects Undergoing cardioversion of Atrial Fibrillation) (EDOXAN). <i>Circulation</i> , 2018, 137, 1192-1194.	0.7	10
123	Beneficial effects of upgrading to His bundle pacing in chronically paced patients with left ventricular ejection fraction <50%. <i>Heart Rhythm</i> , 2018, 15, 405-412.	0.3	88
124	Outcome of Patients With In-Hospital Ventricular Tachycardia and Ventricular Fibrillation Arrest While Using a Wearable Cardioverter Defibrillator. <i>American Journal of Cardiology</i> , 2018, 121, 205-209.	0.7	7
125	His Resynchronization Versus Biventricular Pacing in Patients With Heart Failure and Left Bundle Branch Block. <i>Journal of the American College of Cardiology</i> , 2018, 72, 3112-3122.	1.2	180
126	Effect of Interventricular Electrical Delay on Atrioventricular Optimization for Cardiac Resynchronization Therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e006055.	2.1	18

#	ARTICLE	IF	CITATIONS
127	Complex Left Atrial Appendage Morphology Is an Independent Risk Factor for Cryptogenic Ischemic Stroke. <i>Frontiers in Cardiovascular Medicine</i> , 2018, 5, 131.	1.1	6
128	Paradoxical reflex bradycardia after epinephrine infusion for arrhythmia induction in the electrophysiology laboratory. <i>HeartRhythm Case Reports</i> , 2018, 4, 455-458.	0.2	5
129	Future Developments in His Bundle Pacing. <i>Cardiac Electrophysiology Clinics</i> , 2018, 10, 543-548.	0.7	4
130	Permanent His Bundle Pacing for Cardiac Resynchronization Therapy in Patients With Heart Failure and Right Bundle Branch Block. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e006613.	2.1	126
131	Risk Factors and Temporal Trends of Complications Associated With Transvenous Implantable Cardiac Defibrillator Leads. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	59
132	His Bundle Pacing. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2331-2334.	1.2	9
133	Severe tricuspid regurgitation due to interactions with right ventricular permanent pacemaker or defibrillator leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 845-853.	0.5	14
134	The Right-Sided ECG for the Right Diagnosis. <i>Circulation</i> , 2018, 138, 107-109.	1.6	2
135	The rationale and design of the SMART CRT trial. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1212-1216.	0.5	6
136	Posterior wall isolation using the cryoballoon in conjunction with pulmonary vein ablation is superior to pulmonary vein isolation alone in patients with persistent atrial fibrillation: A multicenter experience. <i>Heart Rhythm</i> , 2018, 15, 1121-1129.	0.3	119
137	Pulmonary Vein Stenosis After Atrial Fibrillation Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e006461.	2.1	7
138	Device longevity: Making sense of the Tower of Babel. <i>Heart Rhythm</i> , 2018, 15, 1764-1765.	0.3	2
139	Meta-Analysis Comparing Catheter-Guided Ablation Versus Conventional Medical Therapy for Patients With Atrial Fibrillation and Heart Failure With Reduced Ejection Fraction. <i>American Journal of Cardiology</i> , 2018, 122, 806-813.	0.7	25
140	Mechanisms of Undersensing by a Noise Detection Algorithm That Utilizes Far-Field Electrograms With Near-Field Bandpass Filtering. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 224-232.	0.8	8
141	Wide Complex Tachycardia on Telemetry. <i>Circulation</i> , 2017, 135, 904-906.	1.6	2
142	A Novel Percutaneous Technique Using Lasso Catheters for Retrieval of an Embolized Amplatzer Atrial Septal Occluder Device. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, e25-e26.	1.1	3
143	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Heart Rhythm</i> , 2017, 14, e275-e444.	0.3	1,671
144	Risk model for predicting complications in patients undergoing atrial fibrillation ablation. <i>Heart Rhythm</i> , 2017, 14, 1336-1343.	0.3	25

#	ARTICLE	IF	CITATIONS
145	Stellate ganglion blockade and bilateral cardiac sympathetic denervation in patients with life-threatening ventricular arrhythmias. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 903-908.	0.8	33
146	Long-term outcomes of minimally invasive surgical ablation for atrial fibrillation: A single-center experience. <i>Heart Rhythm</i> , 2017, 14, 1281-1288.	0.3	17
147	The Continued Search for Physiological Pacing. <i>Journal of the American College of Cardiology</i> , 2017, 69, 3099-3114.	1.2	83
148	Permanent His bundle pacing: Electrophysiological and echocardiographic observations from long-term follow-up. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 883-891.	0.5	40
149	Oversensing and inappropriate shock in a patient with subcutaneous implantable cardioverter defibrillator: What is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 897-899.	0.5	7
150	Multicenter investigation of an implantable cardioverter-defibrillator algorithm to detect oversensing. <i>Heart Rhythm</i> , 2017, 14, 1008-1015.	0.3	20
151	Benefits of Permanent His Bundle Pacing Combined With Atrioventricular Node Ablation in Atrial Fibrillation Patients With Heart Failure With Both Preserved and Reduced Left Ventricular Ejection Fraction. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	153
152	Intermittent Failure of Ventricular Pacing: What Is the Mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 732-734.	0.5	0
153	Permanent His Bundle Pacing: The Past, Present, and Future. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 458-465.	0.8	47
154	Patients With Atrial Fibrillation Who Are Not on Anticoagulant Treatment Due to Increased Bleeding Risk Are Common and Have a High Risk of Stroke. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 1369-1376.	1.3	17
155	Subcutaneous Versus Transvenous Implantable Defibrillator Therapy. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 1475-1483.	1.3	91
156	Reply to the Editor: The merit of real-world clinical research vs the promise of pre-clinical future developments. <i>Heart Rhythm</i> , 2017, 14, e501.	0.3	0
157	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Journal of Arrhythmia</i> , 2017, 33, 369-409.	0.5	348
158	Train tracks and step ladders on implantable cardioverter defibrillator interval plot in a patient with dual tachycardia: Putting the dots together. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1298-1301.	0.5	0
159	Cardiac Pacemakers. <i>Cardiovascular Medicine</i> , 2017, , 115-130.	0.0	0
160	Hybrid Atrial Fibrillation Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	2.1	18
161	A Novel Pacing Strategy With Low and Stable Output: Pacing the Left Bundle Branch Immediately Beyond the Conduction Block. <i>Canadian Journal of Cardiology</i> , 2017, 33, 1736.e1-1736.e3.	0.8	499
162	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: executive summary. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 50, 1-55.	0.6	83

#	ARTICLE	IF	CITATIONS
163	2017 HRS expert consensus statement on cardiovascular implantable electronic device lead management and extraction. Heart Rhythm, 2017, 14, e503-e551.	0.3	792
164	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. Heart Rhythm, 2017, 14, e445-e494.	0.3	135
165	Characterization of health care utilization in patients receiving implantable cardioverter-defibrillator therapies: An analysis of the managed ventricular pacing trial. Heart Rhythm, 2017, 14, 1382-1387.	0.3	1
166	Primum Non Nocere. Circulation: Arrhythmia and Electrophysiology, 2017, 10, .	2.1	2
167	Verification of a novel atrial fibrillation cryoablation dosing algorithm guided by time-to-pulmonary vein isolation: Results from the Cryo-DOSING Study (Cryoballoon-ablation DOSING Based on the) Tj ETQq1 1 0.784634 rgBT 10slock 1	0.3	104
168	Atrioesophageal fistula formation with cryoballoon ablation is most commonly related to the left inferior pulmonary vein. Heart Rhythm, 2017, 14, 184-189.	0.3	104
169	Permanent His-bundle pacing in patients with prosthetic cardiac valves. Heart Rhythm, 2017, 14, 59-64.	0.3	53
170	Benefit of the Wearable Cardioverter-Defibrillator in Protecting Patients After Implantable-Cardioverter Defibrillator Explant. JACC: Clinical Electrophysiology, 2017, 3, 243-250.	1.3	40
171	Clinical decision tool for CRT-P vs. CRT-D implantation: Findings from PROSE-ICD. PLoS ONE, 2017, 12, e0175205.	1.1	8
172	Scar Homogenization in Atrial Fibrillation Ablation: Evolution and Practice. Journal of Atrial Fibrillation, 2017, 10, 1645.	0.5	9
173	Fix What is Broken: Scar Homogenization in Persistent Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2016, 27, 1064-1066.	0.8	0
174	Interconnections between Left Atrial Ganglionic Plexi: Insights from Minimally Invasive Maze Procedures and Their Outcomes. PACE - Pacing and Clinical Electrophysiology, 2016, 39, 427-433.	0.5	4
175	Implantable Cardioverter-Defibrillators in Nonischemic Cardiomyopathy. New England Journal of Medicine, 2016, 375, 2290-2292.	13.9	5
176	SCAI/ACC/HRS Institutional and Operator Requirements for Left Atrial Appendage Occlusion. Journal of the American College of Cardiology, 2016, 67, 2295-2305.	1.2	24
177	2015 HRS/EHRA/APHRS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. Journal of Arrhythmia, 2016, 32, 1-28.	0.5	34
178	SCAI/ACC/HRS institutional and operator requirements for left atrial appendage occlusion. Heart Rhythm, 2016, 13, e241-e250.	0.3	5
179	Foreword to His-bundle pacing supplement: Everything that is old will be new again. Journal of Electrocardiology, 2016, 49, 636.	0.4	1
180	Factors Influencing Diaphragmatic Compound Motor Action Potentials During Cryoballoon Ablation for Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2016, 27, 1384-1389.	0.8	6

#	ARTICLE	IF	CITATIONS
181	Electrophysiological observations of acute His bundle injury during permanent His bundle pacing. <i>Journal of Electrocardiology</i> , 2016, 49, 664-669.	0.4	23
182	Ventricular Arrhythmias in Apparently Normal Hearts. <i>Cardiac Electrophysiology Clinics</i> , 2016, 8, 613-621.	0.7	5
183	Indications and use of the wearable cardiac defibrillator. <i>European Heart Journal</i> , 2016, 38, ehw353.	1.0	13
184	Catheter ablation using the third-generation cryoballoon provides an enhanced ability to assess time to pulmonary vein isolation facilitating the ablation strategy: Short- and long-term results of a multicenter study. <i>Heart Rhythm</i> , 2016, 13, 2306-2313.	0.3	65
185	Late Dehiscence of Left Atrial Appendage Closure Device. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	0
186	Reducing Ventricular Pacing Frequency in Patients With Atrioventricular Block. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	24
187	Repetitive Periodic Atrial Oversensing in a Cardiac Implantable Electrical Defibrillator at 35 Minutes and 50 Minutes Past the Hour: What Is the Diagnosis?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 1018-1021.	0.5	0
188	Vascular Complications During Catheter Ablation of Cardiac Arrhythmias: A Comparison Between Vascular Ultrasound Guided Access and Conventional Vascular Access. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 1160-1166.	0.8	46
189	Longer Left Ventricular Electric Delay Reduces Mitral Regurgitation After Cardiac Resynchronization Therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	17
190	Defibrillators. <i>Circulation</i> , 2016, 134, 1390-1404.	1.6	32
191	Inside or Outside of the Heart. <i>Journal of the American College of Cardiology</i> , 2016, 68, 2056-2058.	1.2	0
192	Emergence of Multielectrode Mapping. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	15
193	Interventricular Electrical Delay Is Predictive of Response to Cardiac Resynchronization Therapy. <i>JACC: Clinical Electrophysiology</i> , 2016, 2, 438-447.	1.3	37
194	Prospective Evaluation of Implantable Cardioverter-Defibrillator Lead Function During and After Left Ventricular Assist Device Implantation. <i>JACC: Clinical Electrophysiology</i> , 2016, 2, 343-354.	1.3	11
195	New-Onset Left Bundle Branch Block Induced by Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2016, 117, 867-873.	0.7	41
196	Recruitment of bundle branches with permanent His bundle pacing in a patient with advanced conduction system disease: What is the mechanism?. <i>Heart Rhythm</i> , 2016, 13, 623-625.	0.3	30
197	2015 HRS/EHRA/APHRS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Heart Rhythm</i> , 2016, 13, e50-e86.	0.3	197
198	<sc>SCAI/ACC/HRS</sc> institutional and operator requirements for left atrial appendage occlusion. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 351-362.	0.7	11

#	ARTICLE	IF	CITATIONS
199	Performance of a specific algorithm to minimize right ventricular pacing: A multicenter study. <i>Heart Rhythm</i> , 2016, 13, 1266-1273.	0.3	12
200	Implantable Cardiac Defibrillator Lead Failure and Management. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1358-1368.	1.2	75
201	Another brick in the wall: Conquering intramural ventricular arrhythmias. <i>Heart Rhythm</i> , 2016, 13, 83-84.	0.3	0
202	2015 HRS/EHRA/APHRS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Europace</i> , 2016, 18, 159-183.	0.7	135
203	Impact of ventricular ectopic burden in a premature ventricular contraction-induced cardiomyopathy animal model. <i>Heart Rhythm</i> , 2016, 13, 755-761.	0.3	42
204	Long-term clinical outcomes of focal impulse and rotor modulation for treatment of atrial fibrillation: A multicenter experience. <i>Heart Rhythm</i> , 2016, 13, 636-641.	0.3	222
205	Histopathology of Bipolar Radiofrequency Ablation in the Human Atrium. <i>Annals of Thoracic Surgery</i> , 2016, 101, 638-643.	0.7	8
206	Recurrent ventricular fibrillation in a young female carrying a previously unidentified RyR2 gene mutation. <i>International Journal of Cardiology</i> , 2015, 201, 222-224.	0.8	3
207	Violation of Lower Rate Limit: What Is the Mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 909-911.	0.8	0
208	Atrioventricular Nodal Reentrant Tachycardia in Implantable Cardioverter Defibrillators: Diagnosis and Troubleshooting. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 1282-1288.	0.8	9
209	Pacemaker-Mediated Tachycardia: Manufacturer Specifics and Spectrum of Cases. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1489-1498.	0.5	21
210	Electrophysiologic Insights Into Site of Atrioventricular Block. <i>JACC: Clinical Electrophysiology</i> , 2015, 1, 571-581.	1.3	137
211	Delayed Response to Cardiac Resynchronization. <i>JACC: Heart Failure</i> , 2015, 3, 998-1000.	1.9	2
212	Permanent His-bundle pacing is feasible, safe, and superior to right ventricular pacing in routine clinical practice. <i>Heart Rhythm</i> , 2015, 12, 305-312.	0.3	322
213	Clinical and serum-based markers are associated with death within 1 year of de novo implant in primary prevention ICD recipients. <i>Heart Rhythm</i> , 2015, 12, 360-366.	0.3	19
214	Quantification of the cryoablation zone demarcated by pre- and postprocedural electroanatomic mapping in patients with atrial fibrillation using the 28-mm second-generation cryoballoon. <i>Heart Rhythm</i> , 2015, 12, 283-290.	0.3	130
215	Device-Detected Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2015, 65, 281-294.	1.2	52
216	Cardiac Sarcoidosis: Contemporary Review. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 104-109.	0.8	14

#	ARTICLE	IF	CITATIONS
217	Inappropriate Detection of Ventricular Fibrillation in the Presence of Tâ€Wave Oversensing Algorithm. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 407-410.	0.5	3
218	Predictors of mortality, LVAD implant, or heart transplant in primary prevention cardiac resynchronization therapy recipients: The HF-CRT score. Heart Rhythm, 2015, 12, 2387-2394.	0.3	13
219	Changes in Follow-Up Left Ventricular Ejection Fraction Associated With Outcomes in Primary Prevention Implantable Cardioverter-Defibrillator andÂCardiac Resynchronization Therapy Device Recipients. Journal of the American College of Cardiology, 2015, 66, 524-531.	1.2	82
220	Biophysics of the Second-Generation Cryoballoon. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 15-17.	2.1	8
221	Spectrum of issues detected by an ICD diagnostic alert that utilizes far-field electrograms: Clinical implications. Heart Rhythm, 2015, 12, 957-967.	0.3	16
222	Acute Hisâ€Bundle Injury Current during Permanent Hisâ€Bundle Pacing Predicts Excellent Pacing Outcomes. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 540-546.	0.5	89
223	Nonspecific intraventricular conduction delay: Definitions, prognosis, and implications for cardiac resynchronization therapy. Heart Rhythm, 2015, 12, 1071-1079.	0.3	58
224	A placebo-controlled, double-blind, randomized, multicenter study to assess the effects of dronedarone 400Âmg twice daily for 12Âweeks on atrial fibrillation burden in subjects with permanent pacemakers. Journal of Interventional Cardiac Electrophysiology, 2015, 42, 69-76.	0.6	15
225	Outcomes of patients with definite and suspected isolated cardiac sarcoidosis treated with an implantable cardiac defibrillator. Journal of Interventional Cardiac Electrophysiology, 2015, 43, 55-64.	0.6	27
226	Troubleshooting Implantable Cardioverter-Defibrillator Sensing Problems II. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 212-220.	2.1	26
227	A prospective evaluation of edoxaban compared to warfarin in subjects undergoing cardioversion of atrial fibrillation: The EdoxabaN vs. warfarin in subjectS UndeRgoing cardiovErsion of Atrial Fibrillation (ENSURE-AF) study. American Heart Journal, 2015, 169, 597-604.e5.	1.2	31
228	2015 ACC/AHA/HRS Advanced Training Statement on Clinical Cardiac Electrophysiology (A Revision of) Tj ETQq0 0 0 rgBT /Overlock 10 T 1522-1551.	2.1	5
229	Characteristics of Ventricular Tachycardia Ablation in Patients With Continuous Flow Left Ventricular Assist Devices. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 592-597.	2.1	81
230	Sustained Multiple Railroad Tracks on Implantable Cardiac Defibrillator Interval Plots. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 1284-1288.	2.1	3
231	Response to Letter â€œEvaluation of Cardiac Involvement in Caucasian Patients with Skin Sarcoidosisâ€. Journal of Cardiovascular Electrophysiology, 2015, 26, E3.	0.8	0
232	Novel measure of electrical dyssynchrony predicts response in cardiac resynchronization therapy: Results from the SMART-AV Trial. Heart Rhythm, 2015, 12, 2402-2410.	0.3	39
233	Three-Dimensional Printing for InÂVivo Visualization of His Bundle Pacing Leads. American Journal of Cardiology, 2015, 116, 485-486.	0.7	19
234	Abnormal Left Ventricular Mechanics of Ventricular Ectopic Beats. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 1194-1200.	2.1	50

#	ARTICLE	IF	CITATIONS
235	Position and sensing vector-related triple counting and inappropriate shocks in the subcutaneous implantable cardioverter-defibrillator system. <i>Heart Rhythm</i> , 2015, 12, 2458-2460.	0.3	10
236	Cardiac-resynchronization therapy in patients with systolic heart failure and QRS interval $\leq 130$ ms: insights from a meta-analysis. <i>Europace</i> , 2015, 17, 267-273.	0.7	35
237	Troubleshooting Implanted Cardioverter Defibrillator Sensing Problems I. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 1237-1261.	2.1	72
238	Magnetic Resonance Imaging for Identifying Patients With Cardiac Sarcoidosis and Preserved or Mildly Reduced Left Ventricular Function at Risk of Ventricular Arrhythmias. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 1109-1115.	2.1	117
239	Paradoxical Septic Emboli Secondary to Pacemaker Endocarditis. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 1271-1272.	2.1	8
240	Complex Railroad Track Appearance on Interval Plot for an Implantable Cardioverter Defibrillator Shock Episode: What Is the Mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 660-663.	0.8	3
241	Initial Independent Outcomes from Focal Impulse and Rotor Modulation Ablation for Atrial Fibrillation: Multicenter FIRM Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 921-929.	0.8	179
242	Unusual Interval Plot in a Patient with a Dual-Chamber Implantable Cardioverter-Defibrillator. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 1034-1035.	0.8	0
243	A Vexing Rhythm Problem?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 113-115.	0.5	0
244	Resolution of Bundle Branch Block During Cryoablation: Continue Ablating or Not?. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 1263-1265.	0.8	0
245	Outcomes in African Americans undergoing cardioverter-defibrillator implantation for primary prevention of sudden cardiac death: Findings from the Prospective Observational Study of Implantable Cardioverter-Defibrillators (PROSE-ICD). <i>Heart Rhythm</i> , 2014, 11, 1377-1383.	0.3	10
246	LAA ligation using the LARIAT suture delivery device: Tips and tricks for a successful procedure. <i>Heart Rhythm</i> , 2014, 11, 911-921.	0.3	34
247	High-Risk Lead Extraction Using a Hybrid Approach: The Blade and the Lightsaber. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 622-623.	0.8	9
248	Comparing the Imperfect With the Imperfect. <i>Circulation</i> , 2014, 129, 1997-1999.	1.6	4
249	Imaging evaluation of implantation site of permanent direct His bundle pacing lead. <i>Heart Rhythm</i> , 2014, 11, 529-530.	0.3	26
250	Insights Into Defibrillator Shocks. <i>JACC: Heart Failure</i> , 2014, 2, 620-622.	1.9	0
251	Protein Biomarkers Identify Patients Unlikely to Benefit From Primary Prevention Implantable Cardioverter Defibrillators. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 1084-1091.	2.1	47
252	Prevention of phrenic nerve injury during interventional electrophysiologic procedures. <i>Heart Rhythm</i> , 2014, 11, 1839-1844.	0.3	36

#	ARTICLE	IF	CITATIONS
253	Tissue voltage discordance during tachycardia versus sinus rhythm: Implications for catheter ablation. <i>Heart Rhythm</i> , 2013, 10, 800-804.	0.3	9
254	Comparison of different invasive hemodynamic methods for AV delay optimization in patients with cardiac resynchronization therapy: Implications for clinical trial design and clinical practice. <i>International Journal of Cardiology</i> , 2013, 168, 2228-2237.	0.8	44
255	2012 ACCF/AHA/HRS Focused Update Incorporated Into the ACCF/AHA/HRS 2008 Guidelines for Device-Based Therapy of Cardiac Rhythm Abnormalities. <i>Journal of the American College of Cardiology</i> , 2013, 61, e6-e75.	1.2	736
256	Cardiac resynchronisation therapy optimisation strategies: Systematic classification, detailed analysis, minimum standards and a roadmap for development and testing. <i>International Journal of Cardiology</i> , 2013, 170, 118-131.	0.8	34
257	The effect of left ventricular electrical delay on AV optimization for cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2013, 10, 988-993.	0.3	38
258	Diagnosis of high-voltage conductor fractures in Sprint Fidelis leads. <i>Heart Rhythm</i> , 2013, 10, 813-818.	0.3	27
259	Detection of Transvenous Pacemaker and ICD Lead Vegetations. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1406-1408.	1.2	6
260	Superior Vena Cava Defibrillator Coils Make Transvenous Lead Extraction More Challenging and Riskier. <i>Journal of the American College of Cardiology</i> , 2013, 61, 987-989.	1.2	421
261	Implantable Cardioverter-Defibrillator Leads. <i>Circulation</i> , 2013, 128, 2062-2071.	1.6	42
262	Efficacy and safety of implantable cardiac defibrillators for treatment of ventricular arrhythmias in patients with cardiac sarcoidosis. <i>Europace</i> , 2013, 15, 347-354.	0.7	151
263	2012 ACCF/AHA/HRS Focused Update Incorporated Into the ACCF/AHA/HRS 2008 Guidelines for Device-Based Therapy of Cardiac Rhythm Abnormalities. <i>Circulation</i> , 2013, 127, e283-352.	1.6	803
264	Performance of Lead Integrity Alert to Assist in the Clinical Diagnosis of Implantable Cardioverter Defibrillator Lead Failures. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 1169-1177.	2.1	54
265	Comparison of Different Pacing Strategies to Minimize Phrenic Nerve Stimulation in Cardiac Resynchronization Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 1008-1014.	0.8	11
266	Cardiac Resynchronization Therapy in Patients With Heart Failure and a QRS Complex <120 Milliseconds. <i>Circulation</i> , 2013, 127, 873-881.	1.6	132
267	Prospective Observational Study of Implantable Cardioverter-Defibrillators in Primary Prevention of Sudden Cardiac Death: Study Design and Cohort Description. <i>Journal of the American Heart Association</i> , 2013, 2, e000083.	1.6	44
268	Life Vest. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 5-6.	2.1	6
269	Atrioventricular Nodal Ablation in Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012, 5, 68-76.	2.1	84
270	Rare Forms of Preexcitation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012, 5, e82-7.	2.1	8

#	ARTICLE	IF	CITATIONS
271	Atrioventricular nodal ablation in atrial fibrillation: a meta-analysis of biventricular vs. right ventricular pacing mode. <i>European Journal of Heart Failure</i> , 2012, 14, 661-667.	2.9	59
272	Disparity in Left Ventricular Stimulation Among Different Pacing Configurations in Cardiac Resynchronization Therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012, 5, 140-146.	2.1	2
273	Detection of a Riata insulation failure by the Medtronic Lead Integrity Alert. <i>Europace</i> , 2012, 14, 1215-1216.	0.7	6
274	2012 HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Patient Selection, Procedural Techniques, Patient Management and Follow-up, Definitions, Endpoints, and Research Trial Design: A report of the Heart Rhythm Society (HRS) Task Force on Catheter and Surgical Ablation of Atrial Fibrillation. Developed in partnership with the European Heart Rhythm Association (EHRA), a registered branch of the European Society of Cardiology (ESC) and the E. <i>Europace</i> , 2012, 14, 528-606.	0.7	1,497
275	2012 ACCF/AHA/HRS focused update of the 2008 guidelines for device-based therapy of cardiac rhythm abnormalities. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012, 144, e127-e145.	0.4	44
276	Adenosine facilitates dormant conduction across cavotricuspid isthmus following catheter ablation. <i>Heart Rhythm</i> , 2012, 9, 1785-1788.	0.3	13
277	Potential mechanisms underlying the effect of gender on response to cardiac resynchronization therapy: Insights from the SMART-AV multicenter trial. <i>Heart Rhythm</i> , 2012, 9, 736-741.	0.3	42
278	Assessment of exit block following pulmonary vein isolation: Far-field capture masquerading as entrance without exit block. <i>Heart Rhythm</i> , 2012, 9, 1653-1659.	0.3	38
279	2012 HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Patient Selection, Procedural Techniques, Patient Management and Follow-up, Definitions, Endpoints, and Research Trial Design. <i>Heart Rhythm</i> , 2012, 9, 632-696.e21.	0.3	1,541
280	Resolving the conflict: Implantable cardioverter-defibrillator shocks for ventricular tachyarrhythmias increase mortality. <i>Heart Rhythm</i> , 2012, 9, 1328-1330.	0.3	8
281	Reply to the Editor "Adenosine challenge following catheter ablation of atrial flutter. <i>Heart Rhythm</i> , 2012, 9, e19-e20.	0.3	0
282	HRS/ACCF Expert Consensus Statement on Pacemaker Device and Mode Selection. <i>Heart Rhythm</i> , 2012, 9, 1344-1365.	0.3	60
283	In search of the shocking truth. <i>Heart Rhythm</i> , 2012, 9, 1236-1238.	0.3	6
284	Acute Termination of Human Atrial Fibrillation by Identification and Catheter Ablation of Localized Rotors and Sources: First Multicenter Experience of Focal Impulse and Rotor Modulation (FIRM) Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1277-1285.	0.8	136
285	Histopathologic Characterization of Chronic Radiofrequency Ablation Lesions for Pulmonary Vein Isolation. <i>Journal of the American College of Cardiology</i> , 2012, 59, 930-938.	1.2	126
286	Foreseeing Super-Response to Cardiac Resynchronization Therapy. <i>Journal of the American College of Cardiology</i> , 2012, 59, 2374-2377.	1.2	37
287	HRS/ACCF Expert Consensus Statement on Pacemaker Device and Mode Selection. <i>Journal of the American College of Cardiology</i> , 2012, 60, 682-703.	1.2	62
288	Cardiac resynchronization therapy (CRT): Clinical trials, guidelines, and target populations. <i>Heart Rhythm</i> , 2012, 9, S3-S13.	0.3	93

#	ARTICLE	IF	CITATIONS
289	2012 HRS/EHRA/ECAS expert consensus statement on catheter and surgical ablation of atrial fibrillation: recommendations for patient selection, procedural techniques, patient management and follow-up, definitions, endpoints, and research trial design. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012, 33, 171-257.	0.6	1,167
290	Ventricular Pacing at Maximal Sensor Rate. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 752-753.	0.5	0
291	Are Elderly Patients at Increased Risk of Complications Following Pacemaker Implantation? A Meta-Analysis of Randomized Trials. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 131-134.	0.5	96
292	Acute Performance of a Right Ventricular Automatic Pacing Threshold Algorithm for Implantable Defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 259-268.	0.5	2
293	Acute Clinical Evaluation of a Left Ventricular Automatic Threshold Determination Algorithm Based on Evoked Response Sensing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 348-356.	0.5	5
294	ICDs, Guidelines, and National Registries: Opportunities to Enhance Quality of Patient Care. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 253-258.	0.5	1
295	Head-to-Head Comparison of Arrhythmia Discrimination Performance of Subcutaneous and Transvenous ICD Arrhythmia Detection Algorithms: The START Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 359-366.	0.8	192
296	Minimally Invasive Surgery Using Bipolar Radiofrequency Energy Is Effective Treatment for Refractory Atrial Fibrillation. <i>Annals of Thoracic Surgery</i> , 2012, 93, 1456-1461.	0.7	28
297	The Active Fixation Coronary Sinus Lead: More Peril than Promise?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 639-640.	0.5	3
298	An ICD Lead Advisory: A Plea for More Diligence and More Data. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 648-649.	0.5	2
299	2011 ACCF/AHA/HRS Focused Update on the Management of Patients With Atrial Fibrillation (Update on) Tj ETQq1 1.0.784314 rgBT /Ov	0.3	114
300	Defining the appropriate venue for lead extraction: A place for everything â€¦. <i>Heart Rhythm</i> , 2011, 8, 1006-1007.	0.3	6
301	Venoplasty: New use for an old technique. <i>Heart Rhythm</i> , 2011, 8, 534-535.	0.3	0
302	2011 ACCF/AHA/HRS Focused Updates Incorporated Into the ACC/AHA/ESC 2006 Guidelines for the Management of Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2011, 57, e101-e198.	1.2	756
303	2011 ACCF/AHA/HRS Focused Update on the Management of Patients With Atrial Fibrillation (Updating) Tj ETQq1 1.0.784314 rgBT /Ov	1.2	262
304	Cardiac Resynchronization Therapy. <i>Journal of the American College of Cardiology</i> , 2011, 58, 491-492.	1.2	0
305	Preventing Overdiagnosis of Implantable Cardioverter-Defibrillator Lead Fractures Using Device Diagnostics. <i>Journal of the American College of Cardiology</i> , 2011, 57, 2330-2339.	1.2	51
306	2011 ACCF/AHA/HRS Focused Update on the Management of Patients With Atrial Fibrillation (Update on) Tj ETQq0 0.0 rgBT /Ov	1.2	196

#	ARTICLE	IF	CITATIONS
307	2011 ACCF/AHA/HRS Focused Update on the Management of Patients With Atrial Fibrillation (Updating) Tj ETQq1 1 0.784314 rgBT /Ov	0.3	1145
308	A randomized controlled trial evaluating the safety and efficacy of cardiac contractility modulation in advanced heart failure. American Heart Journal, 2011, 161, 329-337.e2.	1.2	170
309	Subgroup Analysis of a Randomized Controlled Trial Evaluating the Safety and Efficacy of Cardiac Contractility Modulation in Advanced Heart Failure. Journal of Cardiac Failure, 2011, 17, 710-717.	0.7	91
310	Change in Coronary Sinus Activation Following Catheter Ablation: What Is the Mechanism?. Journal of Cardiovascular Electrophysiology, 2011, 22, 720-722.	0.8	3
311	Hyperresponders to Cardiac Resynchronization Therapy: Timing Is Everythingâ€¦ But Size Still Matters!. Journal of Cardiovascular Electrophysiology, 2011, 22, 912-914.	0.8	1
312	2011 ACCF/AHA/HRS Focused Update on the Management of Patients With Atrial Fibrillation (Update on) Tj ETQq0 0 0 rgBT /Overlock 1	1.6	400
313	Left Ventricular Systolic Dysfunction Induced by Ventricular Ectopy. Circulation: Arrhythmia and Electrophysiology, 2011, 4, 543-549.	2.1	125
314	An approach to left septal slow pathway ablation. Journal of Interventional Cardiac Electrophysiology, 2011, 30, 73-79.	0.6	25
315	Response to Letter Regarding Article, "Primary Results From the SmartDelay Determined AV Optimization: A Comparison to Other AV Delay Methods Used in Cardiac Resynchronization Therapy (SMART-AV) Trial: A Randomized Trial Comparing Empirical, Echocardiography-Guided and Algorithmic Atrioventricular Delay Programming in Cardiac Resynchronization Therapy". Circulation, 2011, 124, .	1.6	1
316	2011 ACCF/AHA/HRS Focused Update on the Management of Patients With Atrial Fibrillation (Updating) Tj ETQq0 0 0 rgBT /Overlock 10	1.6	618
317	2011 ACCF/AHA/HRS Focused Updates Incorporated Into the ACC/AHA/ESC 2006 Guidelines for the Management of Patients With Atrial Fibrillation. Circulation, 2011, 123, e269-367.	1.6	747
318	The relationship between ventricular electrical delay and left ventricular remodelling with cardiac resynchronization therapy. European Heart Journal, 2011, 32, 2516-2524.	1.0	305
319	Role of cardiac resynchronization therapy and atrioventricular junction ablation in patients with permanent atrial fibrillation. European Heart Journal, 2011, 32, 2344-2346.	1.0	3
320	What is the time course of reversal of tachycardia-induced cardiomyopathy?. Europace, 2011, 13, 139-141.	0.7	6
321	Minimizing Inappropriate or "Unnecessary" Implantable Cardioverter-Defibrillator Shocks. Circulation: Arrhythmia and Electrophysiology, 2011, 4, 778-790.	2.1	54
322	Management of the Patient With Implantable Cardioverter-Defibrillator Lead Failure. Circulation, 2011, 123, 1352-1354.	1.6	17
323	An Unusual Source of Electromagnetic Interference: A Device-Device Interaction. PACE - Pacing and Clinical Electrophysiology, 2010, 33, 994-8.	0.5	2
324	Ventricular Tachycardia Ablation: What Have We Learned From SMASHâ€¦VT. Journal of Cardiovascular Electrophysiology, 2010, 21, 804-805.	0.8	1

#	ARTICLE	IF	CITATIONS
325	Efficacy and Safety of Prescription Omega-3 Fatty Acids for the Prevention of Recurrent Symptomatic Atrial Fibrillation. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 2363.	3.8	183
326	When Right May Not Be Right. <i>Circulation</i> , 2010, 122, 1999-2001.	1.6	18
327	Downloadable Software Algorithm Reduces Inappropriate Shocks Caused by Implantable Cardioverter-Defibrillator Lead Fractures. <i>Circulation</i> , 2010, 122, 1449-1455.	1.6	95
328	Primary Results From the SmartDelay Determined AV Optimization: A Comparison to Other AV Delay Methods Used in Cardiac Resynchronization Therapy (SMART-AV) Trial. <i>Circulation</i> , 2010, 122, 2660-2668.	1.6	366
329	Selection of Ventricular Pacing Sites Guided by Echocardiography: An Electrophysiologist's Perspective. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 608-610.	1.2	1
330	Management of Recurrent Atrial Arrhythmias After Minimally Invasive Surgical Pulmonary Vein Isolation and Ganglionic Plexi Ablation for Atrial Fibrillation. <i>Heart Rhythm</i> , 2010, 7, 445-451.	0.3	60
331	Atrial pacing or ventricular backup—only pacing in implantable cardioverter-defibrillator patients. <i>Heart Rhythm</i> , 2010, 7, 1552-1560.	0.3	66
332	Causes of ventricular oversensing in implantable cardioverter-defibrillators: Implications for diagnosis of lead fracture. <i>Heart Rhythm</i> , 2010, 7, 626-633.	0.3	36
333	Device Sensing. <i>Circulation</i> , 2010, 122, 1328-1340.	1.6	36
334	The Left Ventricular Evoked Response Signal in Bipolar LV Pacing Leads of Large Electrode Surface Area. <i>Journal of Cardiac Failure</i> , 2010, 16, S51.	0.7	0
335	Effect of Pocket Location on LV†'Can Evoked Response Signal for LV Capture Detection in CRT Devices. <i>Journal of Cardiac Failure</i> , 2010, 16, S55-S56.	0.7	0
336	Developing the Safety of Atrial Fibrillation Ablation Registry Initiative (SAFARI) as a collaborative pan-stakeholder critical path registry model: A Cardiac Safety Research Consortium "Incubator" Think Tank. <i>American Heart Journal</i> , 2010, 160, 619-626.e1.	1.2	16
337	Assessment of a novel device-based diagnostic algorithm to monitor patient status in moderate-to-severe heart failure: rationale and design of the CLEPSYDRA study. <i>European Journal of Heart Failure</i> , 2010, 12, 1363-1371.	2.9	9
338	An alternative technique of implanting a nontransvenous implantable cardioverter-defibrillator system in adults with no or limited venous access to the heart. <i>Heart Rhythm</i> , 2010, 7, 1572-1577.	0.3	7
339	Results of a Minimally Invasive Surgical Pulmonary Vein Isolation and Ganglionic Plexi Ablation for Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2009, 2, 370-377.	2.1	84
340	ICD Lead Design and the Management of Patients with Lead Failure. <i>Cardiac Electrophysiology Clinics</i> , 2009, 1, 173-191.	0.7	4
341	Pacing therapy for prevention of atrial fibrillation. <i>Heart Rhythm</i> , 2007, 4, S84-S87.	0.3	42
342	Challenges and Solutions for Difficult Implantations of CRT Devices: The Role of New Technology and Techniques. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, S21-S25.	0.8	16

#	ARTICLE	IF	CITATIONS
343	Are Implantable Cardioverter Defibrillator Shocks a Surrogate for Sudden Cardiac Death in Patients With Nonischemic Cardiomyopathy?. <i>Circulation</i> , 2006, 113, 776-782.	1.6	279
344	Trial to Evaluate the Management of Paroxysmal Supraventricular Tachycardia During an Electrophysiology Study With Tecadenoson. <i>Circulation</i> , 2005, 111, 3202-3208.	1.6	39
345	Why Should We Care About CARE-HF?. <i>Journal of the American College of Cardiology</i> , 2005, 46, 2199-2203.	1.2	28
346	Complications arising after implantation of DDD pacemakers: the MOST experience. <i>American Journal of Cardiology</i> , 2003, 92, 740-741.	0.7	175
347	Postoperative Atrial Fibrillation:. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 133-134.	0.8	2
348	Right Ventricular Outflow Versus Apical Pacing in Pacemaker Patients with Congestive Heart Failure and Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 1180-1186.	0.8	204
349	Ventricular Pacing or Dual-Chamber Pacing for Sinus-Node Dysfunction. <i>New England Journal of Medicine</i> , 2002, 346, 1854-1862.	13.9	888
350	Implantable Cardioverter Defibrillator T Wave Oversensing Caused by Hyperglycemia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 1701-1703.	0.5	22
351	Loss of Atrial Tracking Following Dual Chamber ICD Implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 402-404.	0.5	3
352	A Cardiac Evoked Response Algorithm Providing Threshold Tracking: A North American Multicenter Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 953-959.	0.5	49
353	The Acute Effects of Biatrial Pacing on Atrial Depolarization and Repolarization. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 1113-1120.	0.5	18
354	Catheter Reuse: Boon or Boondoggle?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998, 21, 2558-2562.	0.5	5
355	Drug Evaluation Cardiovascular & Renal: Ibutilide fumarate: a new class III agent for termination of atrial fibrillation and atrial flutter. <i>Expert Opinion on Investigational Drugs</i> , 1996, 5, 1511-1522.	1.9	7
356	Comparison of Bipolar Atrial Electrogram Amplitude in Sinus Rhythm, Atrial Fibrillation, and Atrial Flutter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 150-156.	0.5	58
357	Implantable Transvenous Cardioverter Defibrillator Leads: The Dark Side. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 1273-1278.	0.5	50
358	Acute Effects of Radiofrequency Ablation of Atrial Arrhythmias on Implanted Permanent Pacing Systems. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 1287-1295.	0.5	52
359	Reduction of Antiarrhythmic Drug Use in Patients Receiving Implantable Cardioverter Defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 61-64.	0.5	3
360	Atrial Natriuretic Peptide and Cardiac Electrophysiology: Autonomic and Direct Effects. <i>Journal of Cardiovascular Electrophysiology</i> , 1996, 7, 149-162.	0.8	34

#	ARTICLE	IF	CITATIONS
361	Late Occurrence of Incessant Atrial Tachycardia Following the Maze Procedure. PACE - Pacing and Clinical Electrophysiology, 1995, 18, 367-369.	0.5	5
362	Long-term Temporal Patterns of Ventricular Tachyarrhythmias. Circulation, 1995, 91, 2371-2377.	1.6	42
363	Safety of Pacemaker Implantation in Patients with Transvenous (Nonthoracotomy) Implantable Cardioverter Defibrillators. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 2285-2291.	0.5	20
364	Differentiation Between Monomorphic Ventricular Tachycardia and Sinus Tachycardia Based on the Right Ventricular Evoked Potential. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 1661-1666.	0.5	4
365	Failure of a Second and Third Generation Implantable Cardioverter Defibrillator to Sense Ventricular Tachycardia: Implications for Fixed-Gain Sensing Devices. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 749-755.	0.5	25
366	The Plasma Catecholamine Responses to Ventricular Pacing: Implications for Rate Responsive Pacing. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 1408-1415.	0.5	8
367	Pharmacological Characterization of Conduction Over a Mahaim Fiber: Evidence for Adenosine Sensitive Conduction. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 1396-1404.	0.5	49
368	Non-CRT Pacing in the Failing Heart: Limiting Ventricular Pacing and Searching for Alternate Pacing Sites. , 0, , 248-283.		0
369	Techniques of Pacemaker Implantation and Removal. , 0, , 196-264.		6
370	Programming CRT Devices. , 0, , 180-219.		1
371	Troubleshooting CRT Devices and Clinical Outcomes. , 0, , 220-247.		0
372	Implantation of a CRT Device. , 0, , 156-179.		0
373	Author Disclosure Table. , 0, , 349-353.		0
374	Non-CRT Pacing in the Failing Heart: Cardiac Contractility Modulation (CCM). , 0, , 284-296.		0
375	Integrated Heart Failure Management in the Patient with Heart Failure Caused by Left Ventricular Systolic Dysfunction. , 0, , 1-30.		0
376	Pathobiology of Left Ventricular Dyssynchrony and Resynchronization. , 0, , 31-56.		0
377	Clinical Trials and Response to CRT. , 0, , 130-155.		2
378	Future Directions in Pacing to Support the Failing Heart. , 0, , 319-335.		0

#	ARTICLE	IF	CITATIONS
379	Electrical Assessment of the Failing Heart. , 0 , 57-91.		0
380	Clinical Outcomes and Chronic Management of Device Patients. , 0 , 297-318.		0
381	Mechanical Assessment of the Failing Heart. , 0 , 92-129.		0
382	Follow-Up Assessments of the Pacemaker Patient. , 0 , 500-543.		5
383	The Implantable Cardioverter Defibrillator. , 0 , 380-414.		5
384	Basic Concepts of Pacing. , 0 , 47-121.		1
385	Cardiac Resynchronization Therapy. , 0 , 415-466.		3
386	Pacemaker Timing Cycles. , 0 , 265-321.		8
387	ICD Follow-Up and Troubleshooting. , 0 , 467-499.		0
388	Hemodynamics of Cardiac Pacing. , 0 , 122-162.		1
389	Evaluation and Management of Pacing System Malfunctions. , 0 , 322-379.		2