

# Maja-Lisa Lchen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6478541/maja-lisa-lochen-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132  
papers

9,934  
citations

35  
h-index

99  
g-index

146  
ext. papers

15,173  
ext. citations

5.9  
avg, IF

5.44  
L-index

#	Paper	IF	Citations
132	Preventing heart failure: a position paper of the Heart Failure Association in collaboration with the European Association of Preventive Cardiology.. <i>European Journal of Heart Failure</i> , <b>2022</b> , 24, 143-168	12.3	7
131	Atrial Fibrillation and Dementia: A Report From the AF-SCREEN International Collaboration.. <i>Circulation</i> , <b>2022</b> , 145, 392-409	16.7	4
130	A Smartphone-Based Information Communication Technology Solution for Primary Modifiable Risk Factors for Noncommunicable Diseases: Pilot and Feasibility Study in Norway.. <i>JMIR Formative Research</i> , <b>2022</b> , 6, e33636	2.5	2
129	Assessment of mental health trajectories before and after myocardial infarction, atrial fibrillation or stroke: analysis of a cohort study in Tromsø, Norway (Tromsø Study, 1994-2016).. <i>BMJ Open</i> , <b>2022</b> , 12, e052948	3	
128	Risk Factors, Subsequent Disease Onset, and Prognostic Impact of Myocardial Infarction and Atrial Fibrillation.. <i>Journal of the American Heart Association</i> , <b>2022</b> , e024299	6	2
127	Low Pain Tolerance Is Associated With Coronary Angiography, Coronary Artery Disease, and Mortality: The Tromsø Study. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e021291	6	0
126	Obesity Does Not Protect From Subarachnoid Hemorrhage: Pooled Analyses of 3 Large Prospective Nordic Cohorts. <i>Stroke</i> , <b>2021</b> , STROKEAHA121034782	6.7	1
125	Treatment target achievement after myocardial infarction and ischaemic stroke: cardiovascular risk factors, medication use, and lifestyle: the Tromsø Study 2015-16. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> ,	3.9	1
124	Cross-sectional associations between accelerometry-measured physical activity, left atrial size, and indices of left ventricular diastolic dysfunction: The Tromsø Study. <i>Preventive Medicine Reports</i> , <b>2021</b> , 21, 101290	2.6	0
123	Sex-Specific Associations between Blood Pressure and Risk of Atrial Fibrillation Subtypes in the Tromsø Study. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	2
122	Data from national health registers as endpoints for the Tromsø Study: Correctness and completeness of stroke diagnoses. <i>Scandinavian Journal of Public Health</i> , <b>2021</b> , 14034948211021191	3	1
121	Is the ongoing obesity epidemic partly explained by concurrent decline in cigarette smoking? Insights from a longitudinal population study. The Tromsø Study 1994-2016. <i>Preventive Medicine</i> , <b>2021</b> , 147, 106533	4.3	0
120	Age-specific atrial fibrillation incidence, attributable risk factors and risk of stroke and mortality: results from the MORGAM Consortium. <i>Open Heart</i> , <b>2021</b> , 8,	3	4
119	Alcohol consumption, cardiac biomarkers, and risk of atrial fibrillation and adverse outcomes. <i>European Heart Journal</i> , <b>2021</b> , 42, 1170-1177	9.5	29
118	Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> ,	3.9	2
117	Validating Acute Myocardial Infarction Diagnoses in National Health Registers for Use as Endpoint in Research: The Tromsø Study. <i>Clinical Epidemiology</i> , <b>2021</b> , 13, 675-682	5.9	1
116	2021 ESC Guidelines on cardiovascular disease prevention in clinical practice. <i>European Heart Journal</i> , <b>2021</b> , 42, 3227-3337	9.5	358

115	2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. <i>European Heart Journal</i> , <b>2021</b> , 42, 3599-3726	9.5	875
114	2021 ESC Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> ,	3.9	31
113	Long-Term Survival, Causes of Death, and Trends in 5-Year Mortality After Intracerebral Hemorrhage: The Tromsø Study. <i>Stroke</i> , <b>2021</b> , 52, 3883-3890	6.7	1
112	Myocardial infarction, prothrombotic genotypes, and venous thrombosis risk: The Tromsø Study. <i>Research and Practice in Thrombosis and Haemostasis</i> , <b>2020</b> , 4, 247-254	5.1	4
111	Hypothetical interventions and risk of myocardial infarction in a general population: application of the parametric g-formula in a longitudinal cohort study-the Tromsø Study. <i>BMJ Open</i> , <b>2020</b> , 10, e035584	3	2
110	Temporal relations between atrial fibrillation and ischaemic stroke and their prognostic impact on mortality. <i>Europace</i> , <b>2020</b> , 22, 522-529	3.9	5
109	Red Cell Distribution Width and Risk of Atrial Fibrillation and Subsequent Thromboembolism: The Tromsø Study. <i>TH Open</i> , <b>2020</b> , 4, e280-e287	2.7	1
108	Prevalence of general and abdominal obesity in 2015-2016 and 8-year longitudinal weight and waist circumference changes in adults and elderly: the Tromsø Study. <i>BMJ Open</i> , <b>2020</b> , 10, e038465	3	8
107	Electronic cigarettes and health with special focus on cardiovascular effects: position paper of the European Association of Preventive Cardiology (EAPC). <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 2047487320941993	3.9	13
106	Atrial fibrillation, venous thromboembolism, ischemic stroke, and all-cause mortality: The Tromsø study. <i>Research and Practice in Thrombosis and Haemostasis</i> , <b>2020</b> , 4, 1004-1012	5.1	1
105	Long-term blood pressure trajectories and incident atrial fibrillation in women and men: the Tromsø Study. <i>European Heart Journal</i> , <b>2020</b> , 41, 1554-1562	9.5	21
104	Left atrial diameter, left ventricle filling indices, and association with all-cause mortality: Results from the population-based Tromsø Study. <i>Echocardiography</i> , <b>2019</b> , 36, 439-450	1.5	7
103	Leisure time and occupational physical activity, resting heart rate and mortality in the Arctic region of Norway: The Finnmark Study. <i>European Journal of Preventive Cardiology</i> , <b>2019</b> , 26, 1636-1644	3.9	16
102	Secular and longitudinal trends in cardiovascular risk in a general population using a national risk model: The Tromsø Study. <i>European Journal of Preventive Cardiology</i> , <b>2019</b> , 26, 1852-1861	3.9	3
101	The impact of risk factor trends on intracerebral hemorrhage incidence over the last two decades-The Tromsø Study. <i>International Journal of Stroke</i> , <b>2019</b> , 14, 61-68	6.3	5
100	Effect of prothrombotic genotypes on the risk of venous thromboembolism in patients with and without ischemic stroke. The Tromsø Study. <i>Journal of Thrombosis and Haemostasis</i> , <b>2019</b> , 17, 749-758	15.4	3
99	Searching for Atrial Fibrillation Poststroke: A White Paper of the AF-SCREEN International Collaboration. <i>Circulation</i> , <b>2019</b> , 140, 1834-1850	16.7	93
98	Effect of Genetically Low 25-Hydroxyvitamin D on Mortality Risk: Mendelian Randomization Analysis in 3 Large European Cohorts. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	20

97	Secondary prevention care and effect: Total and low-density lipoprotein cholesterol levels and lipid-lowering drug use in women and men after incident myocardial infarction - The Tromsø Study 1994-2016. <i>European Journal of Cardiovascular Nursing</i> , <b>2018</b> , 17, 563-570	3.3	3
96	Sex Differences in the Impact of Body Mass Index on the Risk of Future Atrial Fibrillation: Insights From the Longitudinal Population-Based Tromsø Study. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7,	6	13
95	Impact of body mass index on mortality and hospitalisation of patients with atrial fibrillation. <i>European Journal of Cardiovascular Nursing</i> , <b>2018</b> , 17, 627-636	3.3	6
94	The ambiguity of physical activity, exercise and atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 624-636	3.9	24
93	Atrial Fibrillation and Cause-Specific Risks of Pulmonary Embolism and Ischemic Stroke. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7,	6	15
92	Blood pressure target achievement and antihypertensive medication use in women and men after first-ever myocardial infarction: the Tromsø Study 1994-2016. <i>Open Heart</i> , <b>2018</b> , 5, e000746	3	3
91	Genome-wide Study of Atrial Fibrillation Identifies Seven Risk Loci and Highlights Biological Pathways and Regulatory Elements Involved in Cardiac Development. <i>American Journal of Human Genetics</i> , <b>2018</b> , 102, 103-115	11	53
90	Small and large vessel disease in persons with unrecognized compared to recognized myocardial infarction: The Tromsø Study 2007-2008. <i>International Journal of Cardiology</i> , <b>2018</b> , 253, 14-19	3.2	6
89	Mild cognitive impairment impacts health outcomes of patients with atrial fibrillation undergoing a disease management intervention. <i>Open Heart</i> , <b>2018</b> , 5, e000755	3	8
88	Electrocardiographic unrecognized myocardial infarction does not improve prediction of cardiovascular events beyond traditional risk factors. The Tromsø Study. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 78-86	3.9	5
87	Coding variants in and increase risk of atrial fibrillation. <i>Communications Biology</i> , <b>2018</b> , 1, 68	6.7	21
86	Health checks for cardiometabolic diseases in primary care: One size does not fit all. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 1324-1325	3.9	
85	Gender differences in the association of syndecan-4 with myocardial infarction: The population-based Tromsø Study. <i>Atherosclerosis</i> , <b>2018</b> , 278, 166-173	3.1	14
84	The independent and joint associations of physical activity and body mass index with myocardial infarction: The Tromsø Study. <i>Preventive Medicine</i> , <b>2018</b> , 116, 94-98	4.3	7
83	Impact of Chronic Inflammation, Assessed by hs-CRP, on the Association between Red Cell Distribution Width and Arterial Cardiovascular Disease: The Tromsø Study. <i>TH Open</i> , <b>2018</b> , 2, e182-e189	2.7	7
82	Resting heart rate trajectories and myocardial infarction, atrial fibrillation, ischaemic stroke and death in the general population: The Tromsø Study. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 748-759	3.9	13
81	Myocardial infarction and future risk of cancer in the general population-the Tromsø Study. <i>European Journal of Epidemiology</i> , <b>2017</b> , 32, 193-201	12.1	28
80	Declining Incidence of Ischemic Stroke: What Is the Impact of Changing Risk Factors? The Tromsø Study 1995 to 2012. <i>Stroke</i> , <b>2017</b> , 48, 544-550	6.7	52

79	Risk of incident myocardial infarction by gender: Interactions with serum lipids, blood pressure and smoking. The Tromsø Study 1979-2012. <i>Atherosclerosis</i> , <b>2017</b> , 261, 52-59	3.1	27
78	Uric acid predicts mortality and ischaemic stroke in subjects with diastolic dysfunction: the Tromsø Study 1994-2013. <i>ESC Heart Failure</i> , <b>2017</b> , 4, 154-161	3.7	12
77	Vitamin D and mortality: Individual participant data meta-analysis of standardized 25-hydroxyvitamin D in 26916 individuals from a European consortium. <i>PLoS ONE</i> , <b>2017</b> , 12, e0170791	3.7	159
76	The electronic cigarette, do we need to worry?. <i>European Heart Journal</i> , <b>2017</b> , 38, 1870	9.5	4
75	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHS). <i>Europace</i> , <b>2017</b> , 19, 190-225	3.9	44
74	Longitudinal and secular trends in total cholesterol levels and impact of lipid-lowering drug use among Norwegian women and men born in 1905-1977 in the population-based Tromsø Study 1979-2016. <i>BMJ Open</i> , <b>2017</b> , 7, e015001	3	29
73	Data on gender contrasts in the risk of incident myocardial infarction by age. The Tromsø Study 1979-2012. <i>Data in Brief</i> , <b>2017</b> , 13, 779-784	1.2	1
72	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHS). <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 4-40	3.9	43
71	A frameshift deletion in the sarcomere gene MYL4 causes early-onset familial atrial fibrillation. <i>European Heart Journal</i> , <b>2017</b> , 38, 27-34	9.5	47
70	Association of occasional smoking with total mortality in the population-based Tromsø Study, 2001-2015. <i>BMJ Open</i> , <b>2017</b> , 7, e019107	3	12
69	N-Acetyl-D-Glucosaminidase Does Not Enhance Prediction of Cardiovascular or All-Cause Mortality by Albuminuria in a Low-Risk Population. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2016</b> , 27, 533-42	12.7	7
68	Temporal Trends in Incidence and Case Fatality of Intracerebral Hemorrhage: The Tromsø Study 1995-2012. <i>Cerebrovascular Diseases Extra</i> , <b>2016</b> , 6, 40-9	2.1	15
67	Ischemic Stroke and Risk of Venous Thromboembolism in the General Population: The Tromsø Study. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	31
66	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited	3.1	341
65	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited	3.9	445
64	experts). Developed with the special contribution of the European Association for Cardiovascular Trends in Modifiable Risk Factors Are Associated With Declining Incidence of Hospitalized and Nonhospitalized Acute Coronary Heart Disease in a Population. <i>Circulation</i> , <b>2016</b> , 133, 74-81	16.7	89
63	Physical activity, resting heart rate, and atrial fibrillation: the Tromsø Study. <i>European Heart Journal</i> , <b>2016</b> , 37, 2307-13	9.5	83
62	A new diagnosis of asthma or COPD is linked to smoking cessation - the Tromsø Study. <i>International Journal of COPD</i> , <b>2016</b> , 11, 1453-8	3	12

61	Atherosclerotic Risk Factors and Risk of Myocardial Infarction and Venous Thromboembolism; Time-Fixed versus Time-Varying Analyses. The Tromsø Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0163242	3.7	14
60	Resting heart rate predicts incident myocardial infarction, atrial fibrillation, ischaemic stroke and death in the general population: the Tromsø Study. <i>Journal of Epidemiology and Community Health</i> , <b>2016</b> , 70, 902-9	5.1	20
59	CHA2DS2-VASc score, left atrial size and atrial fibrillation as stroke risk factors in the Tromsø Study. <i>Open Heart</i> , <b>2016</b> , 3, e000439	3	14
58	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited experts) Developed with the special contribution of the European Association for Cardiovascular	9.5	3919
57	Lifelong Gender Gap in Risk of Incident Myocardial Infarction: The Tromsø Study. <i>JAMA Internal Medicine</i> , <b>2016</b> , 176, 1673-1679	11.5	68
56	Guía ESC 2016 sobre prevención de la enfermedad cardiovascular en la práctica clínica. <i>Revista Española De Cardiología</i> , <b>2016</b> , 69, 939.e1-939.e87	1.5	10
55	Association between diastolic dysfunction and future atrial fibrillation in the Tromsø Study from 1994 to 2010. <i>Heart</i> , <b>2015</b> , 101, 1302-8	5.1	43
54	Longitudinal and Secular Trends in Blood Pressure Among Women and Men in Birth Cohorts Born Between 1905 and 1977: The Tromsø Study 1979 to 2008. <i>Hypertension</i> , <b>2015</b> , 66, 496-501	8.5	35
53	Cardiovascular health and the modifiable burden of incident myocardial infarction: the Tromsø Study. <i>BMC Public Health</i> , <b>2015</b> , 15, 221	4.1	18
52	Clinically significant novel biomarkers for prediction of first ever myocardial infarction: the Tromsø Study. <i>Circulation: Cardiovascular Genetics</i> , <b>2015</b> , 8, 363-71		19
51	The validity of self-reported information about hypertensive disorders of pregnancy in a population-based survey: the Tromsø Study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2015</b> , 94, 28-34	2.8	17
50	Estimated and Measured GFR Associate Differently with Retinal Vasculopathy in the General Population. <i>Nephron</i> , <b>2015</b> , 131, 175-84	3.3	7
49	Uric acid is associated with microalbuminuria and decreased glomerular filtration rate in the general population during 7 and 13 years of follow-up: The Tromsø Study. <i>BMC Nephrology</i> , <b>2015</b> , 16, 210	2.7	9
48	The DBP Phenotype Gc-1f/Gc-1f Is Associated with Reduced Risk of Cancer. The Tromsø Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0126359	3.7	10
47	Genetic Variations in the Vitamin D Receptor Predict Type 2 Diabetes and Myocardial Infarction in a Community-Based Population: The Tromsø Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0145359	3.7	10
46	Systematic evaluation of coding variation identifies a candidate causal variant in TM6SF2 influencing total cholesterol and myocardial infarction risk. <i>Nature Genetics</i> , <b>2014</b> , 46, 345-51	36.3	213
45	Venous thromboembolism increases the risk of atrial fibrillation: the Tromsø study. <i>Journal of the American Heart Association</i> , <b>2014</b> , 3, e000483	6	32
44	Ethnic difference in the prevalence of angina pectoris in Sami and non-Sami populations: the SAMINOR study. <i>International Journal of Circumpolar Health</i> , <b>2014</b> , 73,	1.7	12

43	Long-term cardiovascular consequences of Rose angina at age 20-54 years: 29-years follow-up of the Tromsø Study. <i>Journal of Epidemiology and Community Health</i> , <b>2014</b> , 68, 754-9	5.1	2
42	Subclinical cardiovascular disease is associated with a high glomerular filtration rate in the nondiabetic general population. <i>Kidney International</i> , <b>2014</b> , 86, 146-53	9.9	35
41	Uric acid is associated with future atrial fibrillation: an 11-year follow-up of 6308 men and women--the Tromsø Study. <i>Europace</i> , <b>2014</b> , 16, 320-6	3.9	41
40	No large-effect low-frequency coding variation found for myocardial infarction. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 4721-8	5.6	14
39	The phosphodiesterase 8B gene rs4704397 is associated with thyroid function, risk of myocardial infarction, and body height: the Tromsø Study. <i>Thyroid</i> , <b>2014</b> , 24, 215-22	6.2	9
38	Red cell distribution width is associated with incident myocardial infarction in a general population: the Tromsø Study. <i>Journal of the American Heart Association</i> , <b>2014</b> , 3,	6	58
37	Carotid atherosclerosis predicts future myocardial infarction but not venous thromboembolism: the Tromsø study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2014</b> , 34, 226-30	9.4	40
36	Serum calcium and the calcium-sensing receptor polymorphism rs17251221 in relation to coronary heart disease, type 2 diabetes, cancer and mortality: the Tromsø Study. <i>European Journal of Epidemiology</i> , <b>2013</b> , 28, 569-78	12.1	40
35	Active and passive smoking and the risk of myocardial infarction in 24,968 men and women during 11 year of follow-up: the Tromsø Study. <i>European Journal of Epidemiology</i> , <b>2013</b> , 28, 659-67	12.1	51
34	Uric acid is a risk factor for ischemic stroke and all-cause mortality in the general population: a gender specific analysis from The Tromsø Study. <i>BMC Cardiovascular Disorders</i> , <b>2013</b> , 13, 115	2.3	80
33	At odds with science?. <i>Nicotine and Tobacco Research</i> , <b>2013</b> , 15, 302-3	4.9	3
32	Echocardiographic screening of the general population and long-term survival: a randomized clinical study. <i>JAMA Internal Medicine</i> , <b>2013</b> , 173, 1592-8	11.5	35
31	Palpitations are predictive of future atrial fibrillation. An 11-year follow-up of 22,815 men and women: the Tromsø Study. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 729-36	3.9	32
30	QT interval and the risk of myocardial infarction and all-cause death: a cohort study. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2012</b> , 23, 846-52	2.7	8
29	Inflammatory biomarkers as risk factors for future atrial fibrillation. An eleven-year follow-up of 6315 men and women: the Tromsø Study. <i>Gender Medicine</i> , <b>2012</b> , 9, 536-547.e2		26
28	Age and gender differences in incidence and case fatality trends for myocardial infarction: a 30-year follow-up. The Tromsø Study. <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 927-34	3.9	45
27	Polymorphisms related to the serum 25-hydroxyvitamin D level and risk of myocardial infarction, diabetes, cancer and mortality. The Tromsø Study. <i>PLoS ONE</i> , <b>2012</b> , 7, e37295	3.7	89
26	Cystatin C as risk factor for cardiovascular events and all-cause mortality in the general population. The Tromsø Study. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 2780-7	4.3	15

25	Use of snus during pregnancy is not without risk. <i>Tidsskrift for Den Norske Laegeforening</i> , <b>2012</b> , 132, 932-35	3
24	Carotid plaque area and intima-media thickness in prediction of first-ever ischemic stroke: a 10-year follow-up of 6584 men and women: the Tromsø Study. <i>Stroke</i> , <b>2011</b> , 42, 972-8	6.7 221
23	Seasonal variation in incidence of acute myocardial infarction in a sub-Arctic population: the Tromsø Study 1974-2004. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2011</b> , 18, 320-5	18
22	Several common variants modulate heart rate, PR interval and QRS duration. <i>Nature Genetics</i> , <b>2010</b> , 42, 117-22	36.3 293
21	Cardiovascular risk estimation tailored to different clinical settings - the Tromsø Study. <i>Scandinavian Cardiovascular Journal</i> , <b>2010</b> , 44, 245-50	2
20	Changes in body mass index and smoking habits have a different impact on hemoglobin concentration in men and women: a longitudinal follow-up of the Tromsø Study, 1994-2002. <i>Gender Medicine</i> , <b>2010</b> , 7, 230-9	6
19	The natural course of <i>Helicobacter pylori</i> infection on endoscopic findings in a population during 17 years of follow-up: the Sørreisa gastrointestinal disorder study. <i>European Journal of Epidemiology</i> , <b>2009</b> , 24, 649-58	12.1 19
18	A sequence variant in ZFX3 on 16q22 associates with atrial fibrillation and ischemic stroke. <i>Nature Genetics</i> , <b>2009</b> , 41, 876-8	36.3 365
17	Hepatitis C virus infection was not found in patients with sporadic porphyria cutanea tarda, membranoproliferative glomerulonephritis or membranous glomerulonephritis in Northern Norway. <i>Scandinavian Journal of Gastroenterology</i> , <b>2009</b> , 44, 894-6	2.4 0
16	Albuminuria, metabolic syndrome and the risk of mortality and cardiovascular events. <i>Atherosclerosis</i> , <b>2009</b> , 204, 503-8	3.1 48
15	Musculoskeletal symptoms among seafood production workers in North Norway. <i>Occupational Medicine</i> , <b>2008</b> , 58, 64-70	2.1 22
14	Changes in the prevalence of dyspepsia and <i>Helicobacter pylori</i> infection after 17 years: the Sørreisa gastrointestinal disorder study. <i>European Journal of Epidemiology</i> , <b>2008</b> , 23, 625-33	12.1 22
13	Carotid atherosclerosis is a stronger predictor of myocardial infarction in women than in men: a 6-year follow-up study of 6226 persons: the Tromsø Study. <i>Stroke</i> , <b>2007</b> , 38, 2873-80	6.7 292
12	Tobacco images and texts in Norwegian magazines and newspapers. <i>Scandinavian Journal of Public Health</i> , <b>2007</b> , 35, 31-8	3 5
11	Changes in haemoglobin levels according to changes in body mass index and smoking habits, a 20-year follow-up of a male cohort: the Tromsø Study 1974-1995. <i>European Journal of Epidemiology</i> , <b>2006</b> , 21, 493-9	12.1 18
10	Exposure and airway effects of seafood industry workers in northern Norway. <i>Journal of Occupational and Environmental Medicine</i> , <b>2005</b> , 47, 482-92	2 35
9	Haemoglobin and anaemia in a gender perspective: the Tromsø Study. <i>European Journal of Haematology</i> , <b>2005</b> , 74, 381-8	3.8 42
8	Increase in weight in all birth cohorts in a general population: The Tromsø Study, 1974-1994. <i>Archives of Internal Medicine</i> , <b>2001</b> , 161, 466-72	65



7	Can single-lead computerized electrocardiography predict myocardial infarction in young and middle-aged men? The Tromsø Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>1999</b> , 6, 273-8		5
6	Physical activity improves the metabolic risk profiles in men and women: the Tromsø Study. <i>Archives of Internal Medicine</i> , <b>1998</b> , 158, 1633-40		94
5	Childbearing and mortality from cancer of the corpus uteri. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>1997</b> , 76, 373-7	3.8	18
4	University Medical School in Tromsø, Norway. <i>Scandinavian Journal of Public Health</i> , <b>1991</b> , 19, 205-7		2
3	The Tromsø Study: associations between self-reported arrhythmia, psychological conditions, and lifestyle. <i>Scandinavian Journal of Primary Health Care</i> , <b>1991</b> , 9, 265-70	2.7	6
2	The Tromsø Heart Study: coronary risk factor levels in treated and untreated hypertensives. <i>Acta Medica Scandinavica</i> , <b>1988</b> , 224, 515-21		4
1	Mutations in RPL3L and MYZAP increase risk of atrial fibrillation		1