

Jane Fossey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6478863/publications.pdf>

Version: 2024-02-01

34
papers

2,063
citations

393982

19
h-index

414034

32
g-index

34
all docs

34
docs citations

34
times ranked

2012
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of enhanced psychosocial care on antipsychotic use in nursing home residents with severe dementia: cluster randomised trial. <i>BMJ: British Medical Journal</i> , 2006, 332, 756-761.	2.4	424
2	Quality of Life for People With Dementia Living in Residential and Nursing Home Care: The Impact of Performance on Activities of Daily Living, Behavioral and Psychological Symptoms, Language Skills, and Psychotropic Drugs. <i>International Psychogeriatrics</i> , 2001, 13, 93-106.	0.6	155
3	Improving quality of life for people with dementia in care homes: making psychosocial interventions work. <i>British Journal of Psychiatry</i> , 2012, 201, 344-351.	1.7	147
4	Impact of person-centred care training and person-centred activities on quality of life, agitation, and antipsychotic use in people with dementia living in nursing homes: A cluster-randomised controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002500.	3.9	147
5	A 1-Year Follow-Up Study of Behavioral and Psychological Symptoms in Dementia Among People in Care Environments. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 631-636.	1.1	135
6	The value of personalized psychosocial interventions to address behavioral and psychological symptoms in people with dementia living in care home settings: a systematic review. <i>International Psychogeriatrics</i> , 2014, 26, 1083-1098.	0.6	134
7	Dementia care mapping as a research tool for measuring quality of life in care settings: psychometric properties. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 1064-1070.	1.3	108
8	Impact of Antipsychotic Review and Nonpharmacological Intervention on Antipsychotic Use, Neuropsychiatric Symptoms, and Mortality in People With Dementia Living in Nursing Homes: A Factorial Cluster-Randomized Controlled Trial by the Well-Being and Health for People With Dementia (WHELD) Program. <i>American Journal of Psychiatry</i> , 2016, 173, 252-262.	4.0	108
9	The disconnect between evidence and practice: a systematic review of person-centred interventions and training manuals for care home staff working with people with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 797-807.	1.3	105
10	Quality of care in private sector and NHS facilities for people with dementia: cross sectional survey. <i>BMJ: British Medical Journal</i> , 2001, 323, 426-427.	2.4	87
11	Brief Psychosocial Therapy for the Treatment of Agitation in Alzheimer Disease (The CALM-AD Trial). <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 726-733.	0.6	73
12	Epidemiology of Pain in People With Dementia Living in Care Homes: Longitudinal Course, Prevalence, and Treatment Implications. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 453.e1-453.e6.	1.2	70
13	Impact of antipsychotic review and non-pharmacological intervention on health-related quality of life in people with dementia living in care homes: WHELD-a factorial cluster randomised controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1094-1103.	1.3	50
14	FITS into practice: translating research into practice in reducing the use of anti-psychotic medication for people with dementia living in care homes. <i>Aging and Mental Health</i> , 2016, 20, 709-718.	1.5	41
15	Helping staff to implement psychosocial interventions in care homes: augmenting existing practices and meeting needs for support. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 284-293.	1.3	30
16	Evaluating the effectiveness and cost-effectiveness of Dementia Care Mapping [®] to enable person-centred care for people with dementia and their carers (DCM-EPIC) in care homes: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 300.	0.7	27
17	Improving Well-being and Health for People with Dementia (WHELD): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 284.	0.7	24
18	Apathy and Its Response to Antipsychotic Review and Nonpharmacological Interventions in People With Dementia Living in Nursing Homes: WHELD, a Factorial Cluster Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 741-747.	1.2	21

#	ARTICLE	IF	CITATIONS
19	Improving the quality of life of care home residents with dementia: Cost-effectiveness of an optimized intervention for residents with clinically significant agitation in dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 282-291.	0.4	21
20	What influences the sustainability of an effective psychosocial intervention for people with dementia living in care homes? A 9 to 12-month follow-up of the perceptions of staff in care homes involved in the <sc>WHELD</sc> randomised controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 674-682.	1.3	20
21	Dementia Care Mappingâ„¢ to reduce agitation in care home residents with dementia: the EPIC cluster RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-172.	1.3	20
22	Caring For Me and You: the co-production of a computerised cognitive behavioural therapy (cCBT) package for carers of people with dementia. <i>Aging and Mental Health</i> , 2018, 22, 1287-1294.	1.5	16
23	Feasibility study of an optimised person-centred intervention to improve mental health and reduce antipsychotics amongst people with dementia in care homes: study protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 13.	0.7	15
24	Online Education and Cognitive Behavior Therapy Improve Dementia Caregivers' Mental Health: A Randomized Trial. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1403-1409.e1.	1.2	15
25	Improving mental health and reducing antipsychotic use in people with dementia in care homes: the WHELD research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-98.	0.4	15
26	The cost of care homes for people with dementia in England: a modelling approach. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1466-1475.	1.3	13
27	â€œWe should see her like part of the teamâ€ an investigation into care home staffâ€™s experiences of being part of an RCT of a complex psychosocial intervention. <i>Aging and Mental Health</i> , 2020, 24, 178-185.	1.5	12
28	A qualitative analysis of trainer/coach experiences of changing care home practice in the Well-being and Health in Dementia randomised control trial. <i>Dementia</i> , 2020, 19, 237-252.	1.0	8
29	Effectiveness of Dementia Care Mappingâ„¢ to reduce agitation in care home residents with dementia: an open-cohort cluster randomised controlled trial. <i>Aging and Mental Health</i> , 2021, 25, 1410-1423.	1.5	8
30	Exploring the role of external experts in supporting staff to implement psychosocial interventions in care home settings: results from the process evaluation of a randomized controlled trial. <i>BMC Health Services Research</i> , 2019, 19, 790.	0.9	7
31	Cost-Effectiveness of an Online Intervention for Caregivers of People Living With Dementia. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1468-1473.	1.2	4
32	Impact of Psychotic Symptoms and Concurrent Neuropsychiatric Symptoms on the Quality of Life of People With Dementia Living in Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1474-1479.e1.	1.2	3
33	[F1â€“01â€“01]: IMPACT OF WHELD INTERVENTION ON NEUROPSYCHIATRIC SYMPTOMS, ANTIPSYCHOTIC USE AND QUALITY OF LIFE IN PEOPLE WITH DEMENTIA LIVING IN NURSING HOMES: A CLUSTERâ€RANDOMIZED TRIAL. <i>Alzheimer's and Dementia</i> , 2017, 13, P171.	0.4	0
34	Survival and community care use by care home residents in England: does mental health matter?. <i>Ageing and Society</i> , 0, , 1-15.	1.2	0