

Juan P Hinestroza

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6479253/juan-p-hinestroza-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

3,166
citations

31
h-index

54
g-index

114
ext. papers

3,603
ext. citations

4.6
avg. IF

5.51
L-index

#	Paper	IF	Citations
105	The Long and Bright Path of a Lanthanide MOF: From Basics towards the Application. <i>Chemistry - A European Journal</i> , 2021 , 27, 7376-7382	4.8	2
104	Surface Modification of Polyester Fabrics by Ozone and Its Effect on Coloration Using Disperse Dyes. <i>Materials</i> , 2021 , 14,	3.5	4
103	Synthesis of a zincimidazole metalorganic framework (ZIF-8) using ZnO rods grown on cotton fabrics as precursors: arsenate absorption studies. <i>Cellulose</i> , 2020 , 27, 6399-6410	5.5	12
102	Transparent Ultraviolet (UV)-Shielding Films Made from Waste Hemp Hurd and Polyvinyl Alcohol (PVA). <i>Polymers</i> , 2020 , 12,	4.5	20
101	Cotton thread-based wearable sensor for non-invasive simultaneous diagnosis of diabetes and kidney failure. <i>Sensors and Actuators B: Chemical</i> , 2020 , 321, 128549	8.5	29
100	Revolutionary Textiles: A Philosophical Inquiry on Electronic and Reactive Textiles. <i>Design Issues</i> , 2020 , 36, 45-58	0.7	5
99	Synthesis of cellulose nanofiber hydrogels from fique tow and Ag nanoparticles. <i>Cellulose</i> , 2020 , 27, 9947-9961	3.9	13
98	Conformal Functionalization of Cotton Fibers via Isoreticular Expansion of UiO-66 Metal-Organic Frameworks. <i>Coatings</i> , 2020 , 10, 1172	2.9	3
97	Structure and Properties of Poly(ethylene terephthalate) Fiber Webs Prepared via Laser-Electrospinning and Subsequent Annealing Processes. <i>Materials</i> , 2020 , 13,	3.5	1
96	Building Circular Economy for Smart Textiles, Smart Clothing, and Future Wearables. <i>Materials Circular Economy</i> , 2020 , 2, 1	4.3	11
95	Cellulose meets reticular chemistry: interactions between cellulosic substrates and metalorganic frameworks. <i>Cellulose</i> , 2019 , 26, 123-137	5.5	34
94	Non-invasive textile based colorimetric sensor for the simultaneous detection of sweat pH and lactate. <i>Talanta</i> , 2019 , 192, 424-430	6.2	84
93	In Situ and Real-Time Studies, via Synchrotron X-ray Scattering, of the Orientational Order of Cellulose Nanocrystals during Solution Shearing. <i>Langmuir</i> , 2018 , 34, 5263-5272	4	11
92	Determination of the porosity in a bifacial fabric using micro-computed tomography and three-dimensional reconstruction. <i>Textile Reseach Journal</i> , 2018 , 88, 1263-1277	1.7	10
91	Modification of Cotton Fibers with Magnetite and Magnetic Core-Shell Mesoporous Silica Nanoparticles. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018 , 215, 1800266	1.6	10
90	Decoration of Cotton Fibers with a Water-Stable Metal-Organic Framework (UiO-66) for the Decomposition and Enhanced Adsorption of Micropollutants in Water. <i>Bioengineering</i> , 2018 , 5,	5.3	37
89	Enhanced biosorption of Cr(VI) using cotton fibers coated with chitosan - role of ester bonds. <i>Water Science and Technology</i> , 2018 , 78, 476-486	2.2	4

88	Multi-functional regenerated cellulose fibers decorated with plasmonic Au nanoparticles for colorimetry and SERS assays. <i>Cellulose</i> , 2018 , 25, 6041-6053	5.5	21
87	Synthesis, Characterization, and Catalytic Activity of Platinum Nanoparticles on Bovine-Bone Powder: A Novel Support. <i>Journal of Nanomaterials</i> , 2018 , 2018, 1-8	3.2	13
86	DFT studies on coordination models for adsorption essays of Cu(II) and Ni(II) solutions in modified silica gel with iminodiacetic groups. <i>Chemical Papers</i> , 2017 , 71, 1019-1030	1.9	7
85	Acid-Base Polymeric Foams for the Adsorption of Micro-oil Droplets from Industrial Effluents. <i>Environmental Science & Technology</i> , 2017 , 51, 8552-8560	10.3	43
84	Adsorption mechanisms of emulsified crude oil droplets onto hydrophilic open-cell polymer foams 2017 ,		4
83	Oriented Growth of MnO Nanorods Using Natural Extracts from Grape Stems and Apple Peels. <i>Nanomaterials</i> , 2017 , 7,	5.4	31
82	Cotton Fabric Functionalized with a Cyclodextrin Polymer Captures Organic Pollutants from Contaminated Air and Water. <i>Chemistry of Materials</i> , 2016 , 28, 8340-8346	9.6	90
81	Synthesis of silver nanoparticles using aqueous extracts of <i>Heterotheca inuloides</i> as reducing agent and natural fibers as templates: Agave lechuguilla and silk. <i>Materials Science and Engineering C</i> , 2016 , 69, 429-36	8.3	31
80	Soybean agglutinin-conjugated silver nanoparticles nanocarriers in the treatment of breast cancer cells. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2016 , 27, 218-34	3.5	21
79	Nanotechnology in Textiles. <i>ACS Nano</i> , 2016 , 10, 3042-68	16.7	390
78	A panchromatic modification of the light absorption spectra of metal-organic frameworks. <i>Chemical Communications</i> , 2016 , 52, 6665-8	5.8	34
77	Removal of sodium and chloride ions from aqueous solutions using fique fibers (<i>Furcraea</i> spp.). <i>Water Science and Technology</i> , 2016 , 73, 1197-201	2.2	4
76	Grafting collagen on poly (lactic acid) by a simple route to produce electrospun scaffolds, and their cell adhesion evaluation. <i>Tissue Engineering and Regenerative Medicine</i> , 2016 , 13, 375-387	4.5	15
75	Controlled synthesis of ZnO particles on the surface of natural cellulosic fibers: effect of concentration, heating and sonication. <i>Cellulose</i> , 2015 , 22, 1841-1852	5.5	21
74	Versatile Molding Process for Tough Cellulose Hydrogel Materials. <i>Scientific Reports</i> , 2015 , 5, 16266	4.9	24
73	Assembly of metal nanoparticles on regenerated fibers from wood sawdust and de-inked pulp: flexible substrates for surface enhanced Raman scattering (SERS) applications. <i>Cellulose</i> , 2015 , 22, 3645-3655	5.5	13
72	One-step growth of isorecticular luminescent metal-organic frameworks on cotton fibers. <i>RSC Advances</i> , 2015 , 5, 15198-15204	3.7	36
71	Biocomposites Made from Bovine Bone and Crystals of Silver and Platinum 2014 , 215-231		

70	CuBTC metal-organic frameworks enmeshed in polyacrylonitrile fibrous membrane remove methyl parathion from solutions. <i>Fibers and Polymers</i> , 2014 , 15, 200-207	2	36
69	Fabrication and Evaluation of Cellulose-Nanofiber-Reinforced Green Composites 2014 , 27-42		3
68	Bio-Inspired Synthesis of Metal Nanoparticles Using Cellulosic Substrates as Nature Templates 2014 , 233-248		
67	Toughening and Strengthening of Natural Fiber Green Composites 2014 , 157-183		
66	Cellulose-Nanofiber-Based Materials 2014 , 1-25		6
65	Cellulose Microfibrils Isolated from Musaceae Fibrous Residues 2014 , 43-61		
64	Composites of Nanocellulose and Lignin-like Polymers 2014 , 185-200		3
63	Hydrolytic Degradation of Nanocomposite Fibers Electrospun from Poly(Lactic Acid)/Cellulose Nanocrystals 2014 , 117-136		2
62	Wood/Biopolymer/Nanoclay Composites 2014 , 261-295		
61	Conformal Coating of Antimicrobial Silver Nanoparticles on Cationic and Anionic Cellulosic Substrates 2014 , 249-260		
60	Environment-Friendly Green Resins and Advanced Green Composites 2014 , 137-155		
59	Biodegradable Polymer Materials from Proteins Produced by the Animal Coproducts Industry: Bloodmeal 2014 , 201-214		
58	Nanocomposites Based on Matrices Extracted from Vegetable Oils and Bacterial Cellulose 2014 , 63-78		1
57	Nanowire-functionalized cotton textiles. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 2262-9	9.5	28
56	Antibacterial activity against Escherichia coli of Cu-BTC (MOF-199) metal-organic framework immobilized onto cellulosic fibers. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	103
55	2014 ,		12
54	Controlled release of nonionic compounds from poly(lactic acid)/cellulose nanocrystal nanocomposite fibers. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 79-86	2.9	76
53	Biocomposite of nanostructured MnO ₂ and fique fibers for efficient dye degradation. <i>Green Chemistry</i> , 2013 , 15, 2920	10	74

52	Formation of silk/gold nanocomposite fabric using grapefruit aqueous extract. <i>Textile Research Journal</i> , 2013 , 83, 1229-1235	1.7	8
51	Electrostatic assembly of core-corona silica nanoparticles onto cotton fibers. <i>Cellulose</i> , 2013 , 20, 1727-1735	3.5	18
50	High-Yield Synthesis of the Novel E,E-2,5-Dimethoxy-1,4-bis[2-(4-ethylcarboxylatestyryl)]benzene by the Heck Reaction. <i>Synthetic Communications</i> , 2013 , 43, 2280-2285	1.7	4
49	Curcumin-Loaded Biodegradable Electrospun Fibers: Preparation, Characterization, and Differences in Fiber Morphology. <i>International Journal of Polymer Analysis and Characterization</i> , 2013 , 18, 534-544	1.7	6
48	Effect of poly(ethylene oxide)-silane graft molecular weight on the colloidal properties of iron oxide nanoparticles for biomedical applications. <i>Journal of Colloid and Interface Science</i> , 2012 , 377, 40-50	9.3	48
47	Deposition of silver nanoparticles on cellulosic fibers via stabilization of carboxymethyl groups. <i>Cellulose</i> , 2012 , 19, 411-424	5.5	103
46	Size-controlled synthesis of Fe ₂ O ₃ and Fe ₃ O ₄ nanoparticles onto zeolite by means of a modified activated-coprecipitation method: effect of the HCl concentration during the activation. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	10
45	Boundary Lubrication of PEO-PPO-PEO Triblock Copolymer Physisorbed on Polypropylene, Polyethylene, and Cellulose Surfaces. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 2931-2940	3.8	23
44	Silver micro-, submicro- and nano-crystals using bovine bone as template. Formation of a silver/bovine bone composite. <i>Materials Letters</i> , 2012 , 85, 157-160	3.3	7
43	Direct observation of the spatial distribution of charges on a polypropylene fiber via Electrostatic Force Microscopy. <i>Journal of Microscopy</i> , 2012 , 248, 266-70	1.9	6
42	In situ synthesis of a Cu-BTC metal-organic framework (MOF 199) onto cellulosic fibrous substrates: cotton. <i>Cellulose</i> , 2012 , 19, 1771-1779	5.5	101
41	Carbon nanotube/poly(vinyl alcohol) fibers with a sheath-core structure prepared by wet spinning. <i>Fibers and Polymers</i> , 2012 , 13, 874-879	2	11
40	In situ synthesis of gold nanoparticles using fique natural fibers as template. <i>Cellulose</i> , 2012 , 19, 1933-1943	3.5	21
39	Conformal coating of yarns and wires with electrospun nanofibers. <i>Polymer Engineering and Science</i> , 2012 , 52, 1724-1732	2.3	30
38	A cell-based computational modeling approach for developing site-directed molecular probes. <i>PLoS Computational Biology</i> , 2012 , 8, e1002378	5	6
37	Modeling of Cross-Flow Across an Electrostatically Charged Monolith Filter. <i>Particulate Science and Technology</i> , 2012 , 30, 461-473	2	3
36	Adsorption and association of a symmetric PEO-PPO-PEO triblock copolymer on polypropylene, polyethylene, and cellulose surfaces. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 2349-57	9.5	48
35	Organic electronics on natural cotton fibres. <i>Organic Electronics</i> , 2011 , 12, 2033-2039	3.5	76

34	Application of electrostatic force microscopy on characterizing an electret fiber: Effect of tip to specimen distance on phase shift. <i>Fibers and Polymers</i> , 2011 , 12, 89-94	2	5
33	Manufacturing of twisted continuous PAN nanofiber yarn by electrospinning process. <i>Fibers and Polymers</i> , 2011 , 12, 610-615	2	47
32	Cells on pores: a simulation-driven analysis of transcellular small molecule transport. <i>Molecular Pharmaceutics</i> , 2010 , 7, 456-67	5.6	10
31	Electrospun Nanofibers with Associative PolymerSurfactant Systems. <i>Macromolecules</i> , 2010 , 43, 7650-7656	5.6	42
30	Surface modification of polyester fabrics using low pressure air radio frequency plasma. <i>International Journal of Fashion Design, Technology and Education</i> , 2010 , 3, 119-127	1.1	5
29	Application of electrostatic force microscopy on characterizing an electrically charged fiber. <i>Fibers and Polymers</i> , 2010 , 11, 775-781	2	8
28	Surface charge estimation on hemispherical dielectric samples from EFM force gradient measurements. <i>Journal of Electrostatics</i> , 2010 , 68, 79-84	1.7	7
27	Dispersion of cellulose crystallites by nonionic surfactants in a hydrophobic polymer matrix. <i>Polymer Engineering and Science</i> , 2009 , 49, 2054-2061	2.3	84
26	Development and characterization of thin polymer films relevant to fiber processing. <i>Thin Solid Films</i> , 2009 , 517, 4348-4354	2.2	47
25	Metal nanoparticles on natural cellulose fibers: electrostatic assembly and in situ synthesis. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 797-803	9.5	168
24	Tools to Probe Nanoscale Surface Phenomena in Cellulose Thin Films: Applications in the Area of Adsorption and Friction 2009 , 91-121		1
23	Collection Efficiency for Filters with Staggered Parallel Y and Triple Y Fibers: A Numerical Study. <i>Journal of Engineered Fibers and Fabrics</i> , 2009 , 4, 155892500900400	0.9	1
22	Associative Polymer Facilitated Electrospinning of Nanofibers. <i>Macromolecules</i> , 2008 , 41, 4275-4283	5.5	37
21	Assembly of Metal Nanoparticles on Electrospun Nylon 6 Nanofibers by Control of Interfacial Hydrogen-Bonding Interactions. <i>Chemistry of Materials</i> , 2008 , 20, 6627-6632	9.6	158
20	Boundary lubrication phenomena in coated textile surfaces 2008 , 419-447		
19	Viscoelastic (Non-Fickian) Diffusion. <i>Canadian Journal of Chemical Engineering</i> , 2008 , 83, 913-929	2.3	80
18	Fabrication and characterization of a novel polypropylene/poly(vinyl alcohol)/aluminum hybrid layered assembly for high-performance fibrous insulation. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 2525-2530	2.9	13
17	Atomic layer deposition of conformal inorganic nanoscale coatings on three-dimensional natural fiber systems: effect of surface topology on film growth characteristics. <i>Langmuir</i> , 2007 , 23, 9844-9	4	98

16	Degradation Processes in Corona-Charged Electret Filter-Media with Exposure to Ethyl Benzene. <i>Journal of Engineered Fibers and Fabrics</i> , 2007 , 2, 155892500700200	0.9	2
15	Can nanotechnology be fashionable?. <i>Materials Today</i> , 2007 , 10, 64	21.8	12
14	Controllable fabrication and properties of polypropylene nanofibers. <i>Polymer Engineering and Science</i> , 2007 , 47, 1865-1872	2.3	34
13	Direct probing of solvent-induced charge degradation in polypropylene electret fibres via electrostatic force microscopy. <i>Journal of Microscopy</i> , 2007 , 225, 72-9	1.9	19
12	Effect of surface cationization on the conformal deposition of polyelectrolytes over cotton fibers. <i>Cellulose</i> , 2007 , 14, 615-623	5.5	35
11	Piezoelectric Poly(3-hydroxybutyrate)-Poly(lactic acid) Three Dimensional Scaffolds for Bone Tissue Engineering. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 1025, 1		8
10	Direct measurement of fluid velocity in an electrospinning jet using particle image velocimetry. <i>Journal of Applied Physics</i> , 2007 , 102, 094308	2.5	36
9	Effect of xylene exposure on the performance of electret filter media. <i>Journal of Aerosol Science</i> , 2006 , 37, 903-911	4.3	20
8	Charge Characterization of an Electrically Charged Fiber via Electrostatic Force Microscopy. <i>Journal of Engineered Fibers and Fabrics</i> , 2006 , 1, 155892500600100	0.9	6
7	Electrospun Magnetic Nanofibers With Anti-Counterfeiting Applications 2005 , 467		1
6	Transport of small molecules through mechanically elongated polymeric membranes. <i>Journal of Applied Polymer Science</i> , 2005 , 96, 1200-1203	2.9	3
5	Layer-by-layer deposition of polyelectrolyte nanolayers on natural fibres: cotton. <i>Nanotechnology</i> , 2005 , 16, S422-8	3.4	82
4	Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. <i>Journal of Environmental Engineering, ASCE</i> , 2004 , 130, 1468-1474	2	4
3	Apparatus for Studying the Effect of Mechanical Deformation on the Permeation of Organics through Polymeric Films. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 2183-2187	3.9	17
2	Effect of temperature and elongation on the liquid diffusion and permeation characteristics of natural rubber, nitrile rubber, and bromobutyl rubber. <i>Journal of Applied Polymer Science</i> , 2000 , 78, 1250-1255	2.9	6
1	Thread-Based Wristwatch Sensing Device for Noninvasive and Simultaneous Detection of Glucose and Lactate. <i>Advanced Materials Technologies</i> , 2101684	6.8	0