

Luca Sebastiani

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6480312/luca-sebastiani-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

3,503
citations

31
h-index

55
g-index

141
ext. papers

3,949
ext. citations

3.4
avg, IF

5.39
L-index

#	Paper	IF	Citations
123	Catechin, epicatechin, quercetin, rutin and resveratrol in red grape: Content, in vitro antioxidant activity and interactions. <i>Journal of Food Composition and Analysis</i> , 2008 , 21, 589-598	4.1	321
122	Copper toxicity in <i>Prunus cerasifera</i> : growth and antioxidant enzymes responses of in vitro grown plants. <i>Plant Science</i> , 2005 , 168, 797-802	5.3	150
121	Heavy metal accumulation and growth responses in poplar clones Eridano (<i>Populus deltoides</i> □ <i>maximowiczii</i>) and I-214 (<i>P. Euramericana</i>) exposed to industrial waste. <i>Environmental and Experimental Botany</i> , 2004 , 52, 79-88	5.9	142
120	Regulation of photosynthesis and stomatal and mesophyll conductance under water stress and recovery in olive trees: correlation with gene expression of carbonic anhydrase and aquaporins. <i>Journal of Experimental Botany</i> , 2014 , 65, 3143-56	7	133
119	Responses of <i>Populus deltoides</i> □ <i>Populus nigra</i> (<i>Populus</i> □ <i>Euramericana</i>) clone I-214 to high zinc concentrations. <i>New Phytologist</i> , 2003 , 159, 443-452	9.8	116
118	Phenolic Compounds in Apple (<i>Malus x domestica</i> Borkh.): Compounds Characterization and Stability during Postharvest and after Processing. <i>Antioxidants</i> , 2013 , 2, 181-93	7.1	112
117	Using phytoremediation technologies to upgrade waste water treatment in Europe. <i>Environmental Science and Pollution Research</i> , 2007 , 14, 490-7	5.1	107
116	Variation in mesophyll anatomy and photosynthetic capacity during leaf development in a deciduous mesophyte fruit tree (<i>Prunus persica</i>) and an evergreen sclerophyllous Mediterranean shrub (<i>Olea europaea</i>). <i>Trees - Structure and Function</i> , 2008 , 22, 559-571	2.6	82
115	Does glutathione metabolism have a role in the defence of poplar against zinc excess?. <i>New Phytologist</i> , 2005 , 167, 73-80	9.8	81
114	Responses of the <i>Populus Euramericana</i> clone I-214 to excess zinc: Carbon assimilation, structural modifications, metal distribution and cellular localization. <i>Environmental and Experimental Botany</i> , 2009 , 67, 153-163	5.9	78
113	Molecular studies in olive (<i>Olea europaea</i> L.): overview on DNA markers applications and recent advances in genome analysis. <i>Plant Cell Reports</i> , 2011 , 30, 449-62	5.1	77
112	Protective Enzymes Against Activated Oxygen Species in Wheat (<i>Triticum aestivum</i> L.) Seedlings: Responses to Cold Acclimation. <i>Journal of Plant Physiology</i> , 1999 , 155, 762-768	3.6	77
111	Hormonal signals involved in the regulation of cambial activity, xylogenesis and vessel patterning in trees. <i>Plant Cell Reports</i> , 2013 , 32, 885-98	5.1	69
110	Could the differences in O ₃ sensitivity between two poplar clones be related to a difference in antioxidant defense and secondary metabolic response to O ₃ influx?. <i>Tree Physiology</i> , 2008 , 28, 1761-72	4.2	68
109	Computational annotation of genes differentially expressed along olive fruit development. <i>BMC Plant Biology</i> , 2009 , 9, 128	5.3	65
108	Metal accumulation in poplar plant grown with industrial wastes. <i>Chemosphere</i> , 2006 , 64, 446-54	8.4	62
107	Activities of Antioxidant Enzymes during Senescence of <i>Prunus Armeniaca</i> Leaves. <i>Biologia Plantarum</i> , 2001 , 44, 41-46	2.1	62

106	Flash thermal conditioning of olive pastes during the olive oil mechanical extraction process: impact on the structural modifications of pastes and oil quality. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4953-60	5.7	58
105	Cadmium effects on growth and antioxidant enzymes activities in <i>Miscanthus sinensis</i> . <i>Biologia Plantarum</i> , 2006 , 50, 688-692	2.1	58
104	Changes in activity of antioxidative enzymes in wheat (<i>Triticum aestivum</i>) seedlings under cold acclimation. <i>Physiologia Plantarum</i> , 1998 , 104, 747-752	4.6	54
103	Transcriptome analyses of <i>Populus x euramericana</i> clone I-214 leaves exposed to excess zinc. <i>Tree Physiology</i> , 2011 , 31, 1293-308	4.2	51
102	Differences in the kinetics and scale of signalling molecule production modulate the ozone sensitivity of hybrid poplar clones: the roles of H ₂ O ₂ , ethylene and salicylic acid. <i>New Phytologist</i> , 2005 , 168, 351-64	9.8	49
101	SSR markers reveal the uniqueness of olive cultivars from the Italian region of Liguria. <i>Scientia Horticulturae</i> , 2009 , 122, 209-215	4.1	48
100	Responses of two poplar species (<i>Populus alba</i> and <i>Populus x canadensis</i>) to high copper concentrations. <i>Environmental and Experimental Botany</i> , 2008 , 62, 290-299	5.9	47
99	Responses of <i>Populus x euramericana</i> (<i>P. deltoides</i> [P. nigra] clone Adda) to increasing copper concentrations. <i>Environmental and Experimental Botany</i> , 2007 , 61, 66-73	5.9	46
98	Gas exchange and foliage characteristics of two poplar clones grown in soil amended with industrial waste. <i>Tree Physiology</i> , 2004 , 24, 75-82	4.2	44
97	Antiradical potential of ancient Italian apple varieties of <i>Malus domestica</i> Borkh. in a peroxynitrite-induced oxidative process. <i>Journal of Food Composition and Analysis</i> , 2010 , 23, 518-524	4.1	43
96	Salt stress induces differential regulation of the phenylpropanoid pathway in <i>Olea europaea</i> cultivars Frantoio (salt-tolerant) and Leccino (salt-sensitive). <i>Journal of Plant Physiology</i> , 2016 , 204, 8-15	3.6	41
95	Early responses to cadmium of two poplar clones that differ in stress tolerance. <i>Journal of Plant Physiology</i> , 2014 , 171, 1693-705	3.6	37
94	Physiological and productive responses of <i>Olea europaea</i> L. cultivars Frantoio and Leccino to a regulated deficit irrigation regime. <i>Plant Biosystems</i> , 2009 , 143, 222-231	1.6	33
93	Responses of Two Olive Tree (<i>Olea Europaea</i> L.) Cultivars to Elevated CO ₂ Concentration in the Field. <i>Photosynthetica</i> , 2001 , 39, 403-410	2.2	31
92	Poplar and diclofenac pollution: A focus on physiology, oxidative stress and uptake in plant organs. <i>Science of the Total Environment</i> , 2018 , 636, 944-952	10.2	30
91	Tree-ring wood anatomy and stable isotopes show structural and functional adjustments in olive trees under different water availability. <i>Plant and Soil</i> , 2013 , 372, 567-579	4.2	30
90	Potential and limitations of improving olive orchard design and management through modelling. <i>Plant Biosystems</i> , 2008 , 142, 130-137	1.6	30
89	Anatomical, biochemical and morphological responses of poplar <i>Populus deltoides</i> clone Lux to Zn excess. <i>Environmental and Experimental Botany</i> , 2015 , 109, 235-243	5.9	28

88	Phytoremediation of Zn: Identify the Diverging Resistance, Uptake and Biomass Production Behaviours of Poplar Clones Under High Zinc Stress. <i>Water, Air, and Soil Pollution</i> , 2014 , 225, 1	2.6	28
87	Growing season and hydrogen peroxide effects on root induction and development in <i>Olea europaea</i> L. (cvs Brantoio and Gentile di Larino) cuttings. <i>Scientia Horticulturae</i> , 2004 , 100, 75-82	4.1	28
86	Recent developments in olive (<i>Olea europaea</i> L.) genetics and genomics: applications in taxonomy, varietal identification, traceability and breeding. <i>Plant Cell Reports</i> , 2017 , 36, 1345-1360	5.1	27
85	Anatomical differences of poplar (<i>Populus euramericana</i> clone I-214) roots exposed to zinc excess. <i>Biologia (Poland)</i> , 2012 , 67, 483-489	1.5	25
84	Development of SCAR Markers for Germplasm Characterisation in Olive Tree (<i>Olea europaea</i> L.). <i>Molecular Breeding</i> , 2006 , 17, 59-68	3.4	24
83	Physiological and morphological responses of olive plants to ozone exposure during a growing season. <i>Tree Physiology</i> , 1999 , 19, 391-397	4.2	24
82	H NMR and PCA-based analysis revealed variety dependent changes in phenolic contents of apple fruit after drying. <i>Food Chemistry</i> , 2017 , 221, 1206-1213	8.5	23
81	Salt stress modifies apoplastic barriers in olive (<i>Olea europaea</i> L.): a comparison between a salt-tolerant and a salt-sensitive cultivar. <i>Scientia Horticulturae</i> , 2015 , 192, 38-46	4.1	23
80	Compositional and tissue modifications induced by the natural fermentation process in table olives. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 6389-96	5.7	23
79	Differential ozone sensitivity interferes with cadmium stress in poplar clones. <i>Biologia Plantarum</i> , 2013 , 57, 313-324	2.1	22
78	Deficit irrigation and fertigation practices in olive growing: Convergences and divergences in two case studies. <i>Plant Biosystems</i> , 2008 , 142, 138-148	1.6	22
77	Somaclonal variation for resistance to <i>Verticillium dahliae</i> in potato (<i>Solanum tuberosum</i> L.) plants regenerated from callus. <i>Euphytica</i> , 1994 , 80, 5-11	2.1	21
76	Sink-source Transition in Peach Leaves during Shoot Development. <i>Journal of the American Society for Horticultural Science</i> , 2005 , 130, 928-935	2.3	21
75	Phenolic profile and antioxidant activity in apple juice and pomace: effects of different storage conditions. <i>Fruits</i> , 2015 , 70, 213-223	0.3	21
74	Physiological, Biochemical, and Molecular Effects of In Vitro Induced Iron Deficiency in Peach Rootstock Mr.S 2/5. <i>Journal of Plant Nutrition</i> , 2003 , 26, 2149-2163	2.3	19
73	Similar foliar lesions but opposite hormonal patterns in a tomato mutant impaired in ethylene perception and its near isogenic wild type challenged with ozone. <i>Environmental and Experimental Botany</i> , 2012 , 75, 286-297	5.9	18
72	Cytoplasmic free Ca ²⁺ dynamics in single tomato (<i>Lycopersicon esculentum</i>) protoplasts subjected to chilling temperatures. <i>Physiologia Plantarum</i> , 1999 , 105, 239-244	4.6	18
71	AQUA1 is a mercury sensitive poplar aquaporin regulated at transcriptional and post-translational levels by Zn stress. <i>Plant Physiology and Biochemistry</i> , 2019 , 135, 588-600	5.4	18

70	Proteomic analysis of <i>Populus Euramericana</i> (clone I-214) roots to identify key factors involved in zinc stress response. <i>Journal of Plant Physiology</i> , 2014 , 171, 1054-63	3.6	17
69	Leaf structural modifications in <i>Populus Euramericana</i> subjected to Zn excess. <i>Biologia Plantarum</i> , 2010 , 54, 502-508	2.1	17
68	Removal of micro-pollutants from urban wastewater by constructed wetlands with <i>Phragmites australis</i> and <i>Salix matsudana</i> . <i>Environmental Science and Pollution Research</i> , 2018 , 25, 36474-36484	5.1	17
67	Degradation of exogenous caffeine by <i>Populus alba</i> and its effects on endogenous caffeine metabolism. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 7298-307	5.1	16
66	Over-expression of AQUA1 in <i>Populus alba</i> Villafranca clone increases relative growth rate and water use efficiency, under Zn excess condition. <i>Plant Cell Reports</i> , 2016 , 35, 289-301	5.1	16
65	WATER RELATIONS, CALCIUM AND POTASSIUM CONCENTRATION IN FRUITS AND LEAVES DURING ANNUAL GROWTH IN MATURE KIWIFRUIT PLANTS. <i>Acta Horticulturae</i> , 2001 , 129-134	0.3	16
64	RNA sequencing of <i>Populus x canadensis</i> roots identifies key molecular mechanisms underlying physiological adaption to excess zinc. <i>PLoS ONE</i> , 2015 , 10, e0117571	3.7	16
63	Morpho-physiological response of <i>Populus alba</i> to erythromycin: A timeline of the health status of the plant. <i>Science of the Total Environment</i> , 2016 , 569-570, 540-547	10.2	15
62	Changes in the structure of the skin of kiwifruit in relation to water loss. <i>Journal of Horticultural Science and Biotechnology</i> , 2009 , 84, 41-46	1.9	15
61	H ₂ O ₂ Accumulation in Sunflower Leaves as a Consequence of Iron Deprivation. <i>Journal of Plant Nutrition</i> , 2003 , 26, 2187-2196	2.3	15
60	Compositional differences between veiled and filtered virgin olive oils during a simulated shelf life. <i>LWT - Food Science and Technology</i> , 2018 , 94, 87-95	5.4	15
59	Expression of specific genes involved in Cd uptake, translocation, vacuolar compartmentalisation and recycling in <i>Populus alba</i> Villafranca clone. <i>Journal of Plant Physiology</i> , 2016 , 202, 83-91	3.6	14
58	In vitro olive (<i>Olea europaea</i> L.) cvs Frantoio and Moraiolo microshoot tolerance to NaCl. <i>Plant Biosystems</i> , 2008 , 142, 563-571	1.6	14
57	Changes in assimilation capacity during leaf development in broad-leaved <i>Prunus persica</i> and sclerophyllous <i>Olea europaea</i> . <i>Journal of Horticultural Science and Biotechnology</i> , 2007 , 82, 69-78	1.9	14
56	Antioxidant properties, sensory characteristics and volatile compounds profile of apple juices from ancient Tuscany (Italy) apple varieties. <i>European Journal of Horticultural Science</i> , 2016 , 81, 255-263	1	14
55	Effects of combined ozone and cadmium stresses on leaf traits in two poplar clones. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 2064-75	5.1	12
54	COPPER EFFECTS ON PRUNUS PERSICA IN TWO DIFFERENT GRAFTING COMBINATIONS (P. PERSICA [P. AMYGDALUS AND P. CERASIFERA). <i>Journal of Plant Nutrition</i> , 2010 , 33, 1338-1352	2.3	12
53	Ancient Pomoideae (<i>Malus domestica</i> Borkh. and <i>Pyrus communis</i> L.) cultivars in Appenino Toscano (Tuscany, Italy): molecular (SSR) and morphological characterization. <i>Caryologia</i> , 2008 , 61, 320-331		12

52	Changes in Sink-source Relationships during Shoot Development in Olive. <i>Journal of the American Society for Horticultural Science</i> , 2005 , 130, 631-637	2.3	12
51	Can sugar metabolism in the cambial region explain the water deficit tolerance in poplar?. <i>Journal of Experimental Botany</i> , 2018 , 69, 4083-4097	7	12
50	Surfactant and heavy metal interaction in poplar: a focus on SDS and Zn uptake. <i>Tree Physiology</i> , 2018 , 38, 109-118	4.2	11
49	Zinc Excess Induces a Hypoxia-Like Response by Inhibiting Cysteine Oxidases in Poplar Roots. <i>Plant Physiology</i> , 2019 , 180, 1614-1628	6.6	10
48	Temperature and storage effects on antioxidant activity of juice from red and white grapes. <i>International Journal of Food Science and Technology</i> , 2012 , 47, 13-23	3.8	10
47	Apple juices from ancient Italian cultivars: a study on mature endothelial cells model. <i>Fruits</i> , 2015 , 70, 361-369	0.3	10
46	Olive Biology. <i>Compendium of Plant Genomes</i> , 2016 , 13-25	0.8	9
45	High vacuum-assisted extraction affects virgin olive oil quality: Impact on phenolic and volatile compounds. <i>Food Chemistry</i> , 2021 , 342, 128369	8.5	8
44	Effect of saline irrigation on physiological traits, fatty acid composition and desaturase genes expression in olive fruit mesocarp. <i>Plant Physiology and Biochemistry</i> , 2019 , 141, 423-430	5.4	7
43	Zn-localization and anatomical changes in leaf tissues of green beans (<i>Phaseolus vulgaris</i> L.) following foliar application of Zn-lignosulfonate and ZnEDTA. <i>Scientia Horticulturae</i> , 2018 , 231, 15-21	4.1	7
42	Sensory profiling and consumer acceptability of new dark cocoa bars containing Tuscan autochthonous food products. <i>Food Science and Nutrition</i> , 2018 , 6, 245-252	3.2	6
41	Genetic analysis of an electrophoretic variant for the chloroplast-associated form of Cu/Zn superoxide dismutase in sunflower (<i>Helianthus annuus</i> L.). <i>Journal of Experimental Botany</i> , 1997 , 48, 1143-1146 ⁶	7	6
40	THE EFFECT OF IRRIGATION MANAGEMENT ON PLANT PERFORMANCE AND OIL QUALITY OF TWO OLIVE CVS. GROWN IN A TYPICAL ENVIRONMENT OF SOUTHERN ITALY. <i>Acta Horticulturae</i> , 2008 , 297-305 ⁶	8.3	6
39	PHYSIOLOGICAL AND BIOCHEMICAL REMARKS ON ENVIRONMENTAL STRESS IN OLIVE (OLEA EUROPAEA L.). <i>Acta Horticulturae</i> , 2002 , 435-440	0.3	6
38	Metabolomics of Olive Fruit: A Focus on the Secondary Metabolites. <i>Compendium of Plant Genomes</i> , 2016 , 123-139	0.8	6
37	Daily osmotic adjustments in stem may be good predictors of water stress intensity in poplar. <i>Plant Physiology and Biochemistry</i> , 2020 , 146, 13-22	5.4	6
36	High Zn concentration does not impair biomass, cutting radial growth, and photosynthetic activity traits in <i>Populus alba</i> L.. <i>Journal of Soils and Sediments</i> , 2017 , 17, 1394-1402	3.4	5
35	Near UV-Vis and NMR Spectroscopic Methods for Rapid Screening of Antioxidant Molecules in Extra-Virgin Olive Oil. <i>Antioxidants</i> , 2020 , 9,	7.1	5

34	Comparative epigenomic and transcriptomic analysis of Populus roots under excess Zn. <i>Environmental and Experimental Botany</i> , 2016 , 132, 16-27	5.9	5
33	Heavy Metals Stress on Poplar: Molecular and Anatomical Modifications 2014 , 267-279		5
32	MOLECULAR AND METABOLIC ANALYSES IN DEVELOPING OLIVE FRUIT IN RELATION TO DIFFERENT WATER REGIMES. <i>Acta Horticulturae</i> , 2011 , 163-168	0.3	5
31	PHYSIOLOGICAL AND GENETIC RESPONSE OF OLIVE LEAVES TO WATER STRESS AND RECOVERY: IMPLICATIONS OF MESOPHYLL CONDUCTANCE AND GENETIC EXPRESSION OF AQUAPORINS AND CARBONIC ANHYDRASE. <i>Acta Horticulturae</i> , 2011 , 99-105	0.3	5
30	SEASONAL CHANGES IN LEAF NITROGEN OF OLIVE TREES GROWN UNDER DIFFERENT IRRIGATION REGIMES AND CROP LEVEL. <i>Journal of Plant Nutrition</i> , 2010 , 33, 1849-1859	2.3	5
29	Effects of tannery waste on growth dynamics and metal uptake in Salix alba L. <i>Plant Biosystems</i> , 2007 , 141, 22-30	1.6	5
28	Physiological Responses to Abiotic Stresses. <i>Compendium of Plant Genomes</i> , 2016 , 99-122	0.8	5
27	PHYSIOLOGICAL RESPONSE OF OLIVE (OLEA EUROPAEA L.) TO WATER DEFICIT: AN OVERVIEW. <i>Acta Horticulturae</i> , 2011 , 137-147	0.3	4
26	Olive Genomics 2010 , 17-24		4
25	Development of an efficient regeneration protocol for pear rootstock Pyrodwarf and assessment of SSR variability in regenerating shoots. <i>Caryologia</i> , 2009 , 62, 62-68		4
24	INFLUENCE OF THE WATER TREATMENT ON THE XYLEM ANATOMY AND FUNCTIONALITY OF CURRENT YEAR SHOOTS OF OLIVE TREES. <i>Acta Horticulturae</i> , 2011 , 203-208	0.3	4
23	Leaves position in Populus alba Villafranca clone reveals a strategy towards cadmium uptake response. <i>Plant Growth Regulation</i> , 2016 , 79, 355-366	3.2	4
22	Populus alba dioctyl phthalate uptake from contaminated water. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 25564-25572	5.1	3
21	The Role of Aquaporin Overexpression in the Modulation of Transcription of Heavy Metal Transporters under Cadmium Treatment in Poplar. <i>Plants</i> , 2020 , 10,	4.5	3
20	Effects of Extra Virgin Olive Oil and Apples Enriched-Dark Chocolate on Endothelial Progenitor Cells in Patients with Cardiovascular Risk Factors: A Randomized Cross-Over Trial. <i>Antioxidants</i> , 2019 , 8,	7.1	2
19	Does salinity modify anatomy and biochemistry of Olea europaea L. fruit during ripening?. <i>Scientia Horticulturae</i> , 2018 , 228, 33-40	4.1	2
18	Cryo-scanning electron microscopy investigation of the Octopus Vulgaris arm structures for the design of an octopus-like arm artefact. <i>Microscopy Research and Technique</i> , 2015 , 78, 1133-45	2.8	2
17	PHYSIOLOGICAL AND PRODUCTIVE PARAMETERS OF OLIVE TREES (OLEA EUROPAEA L.) UNDER DIFFERENT IRRIGATION SCHEDULING IN CENTRAL-SOUTH ITALY. <i>Acta Horticulturae</i> , 2012 , 115-121	0.3	2

16	FOLIAR RESPONSES OF OLIVE TREES (OLEA EUROPAEA L.) UNDER FIELD EXPOSURE TO ELEVATED CO2 CONCENTRATION. <i>Acta Horticulturae</i> , 2002 , 449-452	0.3	2
15	Genotypic differences in the response to elevated CO2 concentration of one-year-old olive cuttings (Olea europaea L. cv. Frantoio and Moraiolo). <i>Plant Biosystems</i> , 2002 , 136, 199-207	1.6	2
14	STRUCTURAL AND MICROANALYTICAL STUDIES ON FROZEN-HYDRATED TISSUES FROM DIFFERENT KIWIFRUIT ORGANS. <i>Acta Horticulturae</i> , 1999 , 185-202	0.3	2
13	PHYSIOLOGICAL AND BIOCHEMICAL REACTIONS OF OLIVE GENOTYPES DURING SITE-RELEVANT OZONE EXPOSURE. <i>Acta Horticulturae</i> , 2002 , 445-448	0.3	2
12	DIFFERENT IRRIGATION REGIMES INDUCE CHANGES IN VESSEL SIZE IN OLIVE TREES (OLEA EUROPAEA L.) FROM SOUTHERN ITALY. <i>Acta Horticulturae</i> , 2014 , 455-461	0.3	2
11	Cations and Phenolic Compounds Concentrations in Fruits of Fig Plants Exposed to Moderate Levels of Salinity.. <i>Antioxidants</i> , 2021 , 10,	7.1	2
10	Distinct Physiological Roles of Three Phospholipid:Diacylglycerol Acyltransferase Genes in Olive Fruit with Respect to Oil Accumulation and the Response to Abiotic Stress. <i>Frontiers in Plant Science</i> , 2021 , 12, 751959	6.2	2
9	Removal of multi-contaminants from water by association of poplar and Brassica plants in a short-term growth chamber experiment. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 16323-16333	5.1	2
8	Phenolics and Mineral Elements Composition in Underutilized Apple Varieties. <i>Horticulturae</i> , 2022 , 8, 40	2.5	2
7	Populus alba tolerates and efficiently removes caffeine and zinc excesses using an organ allocation strategy. <i>Plant Growth Regulation</i> , 2020 , 92, 597-606	3.2	1
6	Osmotic adjustments support growth of poplar cultured cells under high concentrations of carbohydrates. <i>Plant Cell Reports</i> , 2020 , 39, 971-982	5.1	1
5	Abiotic stresses in olive: physiological and molecular mechanisms. <i>Acta Horticulturae</i> , 2018 , 47-56	0.3	1
4	ESI and APCI LC-MS/MS in Model Investigations on the Absorption and Transformation of Organic Xenobiotics by Poplar Plants (Populus alba L.). <i>Comprehensive Analytical Chemistry</i> , 2018 , 79, 241-266	1.9	1
3	Inoculated Seed Endophytes Modify the Poplar Responses to Trace Elements in Polluted Soil. <i>Agronomy</i> , 2021 , 11, 1987	3.6	0
2	SAP FLOW MEASUREMENTS FOR THE EVALUATION OF POPLAR CLONE PERFORMANCE IN REMEDIATION OF SOIL POLLUTED WITH OLIVE MILL WASTEWATER. <i>Acta Horticulturae</i> , 2012 , 175-181	0.3	
1	Physiological mechanisms of adaptation of vegetative fig plants to salinity. <i>Acta Horticulturae</i> , 2021 , 55-60	0.3	