
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6480680/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Sequential treatment with rituximab followed by CHOP chemotherapy in adult B-cell post-transplant<br>lymphoproliferative disorder (PTLD): the prospective international multicentre phase 2 PTLD-1 trial.<br>Lancet Oncology, The, 2012, 13, 196-206.  | 5.1  | 349       |
| 2  | The evaluation of monoclonal gammopathy of renal significance: a consensus report of the<br>International Kidney and Monoclonal Gammopathy Research Group. Nature Reviews Nephrology, 2019,<br>15, 45-59.  | 4.1  | 330       |
| 3  | Daratumumab-Based Treatment for Immunoglobulin Light-Chain Amyloidosis. New England Journal of<br>Medicine, 2021, 385, 46-58.  | 13.9 | 268       |
| 4  | Response to Rituximab Induction Is a Predictive Marker in B-Cell Post-Transplant Lymphoproliferative<br>Disorder and Allows Successful Stratification Into Rituximab or R-CHOP Consolidation in an<br>International, Prospective, Multicenter Phase II Trial. Journal of Clinical Oncology, 2017, 35, 536-543. | 0.8  | 168       |
| 5  | Plasma Epstein-Barr Virus (EBV) DNA Is a Biomarker for EBV-Positive Hodgkin's Lymphoma. Clinical<br>Cancer Research, 2006, 12, 460-464.  | 3.2  | 129       |
| 6  | Catheter-associated bloodstream infection incidence and risk factors in adults with cancer: a prospective cohort study. Journal of Hospital Infection, 2011, 78, 26-30.  | 1.4  | 121       |
| 7  | Autologous stem cell transplant for relapsed and refractory peripheral T-cell lymphoma: variable outcome according to pathological subtype. British Journal of Haematology, 2003, 120, 978-985.  | 1.2  | 98        |
| 8  | Analytical performance of serum free light-chain assay during monitoring of patients with monoclonal light-chain diseases. Clinica Chimica Acta, 2007, 376, 30-36.   | 0.5  | 89        |
| 9  | Dual epigenetic targeting with panobinostat and azacitidine in acute myeloid leukemia and high-risk<br>myelodysplastic syndrome. Blood Cancer Journal, 2014, 4, e170-e170.   | 2.8  | 80        |
| 10 | Recommendations for standardized reporting of protein electrophoresis in Australia and New<br>Zealand. Annals of Clinical Biochemistry, 2012, 49, 242-256.   | 0.8  | 71        |
| 11 | How to diagnose amyloidosis. Internal Medicine Journal, 2014, 44, 7-17.  | 0.5  | 67        |
| 12 | Quantitative serum free light chain assay–analytical issues. Clinical Biochemist Reviews, 2009, 30,<br>131-40.   | 3.3  | 66        |
| 13 | CCL2 and CXCL2 enhance survival of primary chronic lymphocytic leukemia cellsin vitro. Leukemia and<br>Lymphoma, 2012, 53, 1988-1998.  | 0.6  | 62        |
| 14 | Pure red cell aplasia due to parvovirus following treatment with CHOP and rituximab for B-cell<br>lymphoma*. British Journal of Haematology, 2002, 119, 125-127.   | 1.2  | 58        |
| 15 | Effects of Hyperlipidemia on Plasma Sodium, Potassium, and Chloride Measurements by an Indirect<br>Ion-Selective Electrode Measuring System. Clinical Chemistry, 2006, 52, 155-156.  | 1.5  | 56        |
| 16 | A ≥1 log rise in RQ-PCR transcript levels defines molecular relapse in core binding factor acute<br>myeloid leukemia and predicts subsequent morphologic relapse. Leukemia and Lymphoma, 2008, 49,<br>517-523.   | 0.6  | 48        |
| 17 | International Prognostic Index, Type of Transplant and Response to Rituximab Are Key Parameters to<br>Tailor Treatment in Adults With CD20-Positive B Cell PTLD: Clues From the PTLD-1 Trial. American<br>Journal of Transplantation, 2015, 15, 1091-1100.   | 2.6  | 48        |
| 18 | Validation of whole blood impedance aggregometry as a new diagnostic tool for HIT. Thrombosis and<br>Haemostasis, 2012, 107, 575-583.  | 1.8  | 43        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A Randomized Phase III Trial of Melphalan and Dexamethasone (MDex) Versus Bortezomib, Melphalan<br>and Dexamethasone (BMDex) for Untreated Patients with AL Amyloidosis. Blood, 2016, 128, 646-646.  | 0.6 | 37        |
| 20 | Significance of abnormal protein bands in patients with multiple myeloma following autologous stem cell transplantation. Clinical Biochemist Reviews, 2009, 30, 113-8.   | 3.3 | 33        |
| 21 | Increased Lipid Concentration Is Associated with Increased Hemolysis. Clinical Chemistry, 2005, 51, 2425-2425.   | 1.5 | 32        |
| 22 | Outcomes and prognostic factors for patients with acute myeloid leukemia admitted to the intensive care unit. Leukemia and Lymphoma, 2014, 55, 97-104.   | 0.6 | 31        |
| 23 | Cyclophosphamide, etoposide and G-CSF to mobilize peripheral blood stem cells for autologous stem cell transplantation in patients with lymphoma. Bone Marrow Transplantation, 2002, 30, 273-278.  | 1.3 | 27        |
| 24 | Outcome of treatment of adult acute lymphoblastic leukemia with hyperfractionated<br>cyclophosphamide, doxorubicin, vincristine, dexamethasone/methotrexate, cytarabine: results from<br>an Australian population. Leukemia and Lymphoma, 2011, 52, 85-91. | 0.6 | 27        |
| 25 | Evaluation of the N Latex free light chain assay in the diagnosis and monitoring of AL amyloidosis.<br>Clinical Chemistry and Laboratory Medicine, 2013, 51, 2303-2310.  | 1.4 | 27        |
| 26 | Diagnostic and prognostic utility of the serum free light chain assay in patients with AL amyloidosis.<br>Internal Medicine Journal, 2007, 37, 456-463.  | 0.5 | 26        |
| 27 | WT1 expression as a marker of minimal residual disease predicts outcome in acute myeloid leukemia when measured post-consolidation. Leukemia Research, 2012, 36, 453-458.  | 0.4 | 26        |
| 28 | CD62L as a Therapeutic Target in Chronic Lymphocytic Leukemia. Clinical Cancer Research, 2013, 19,<br>5675-5685.   | 3.2 | 26        |
| 29 | Combination therapy with tacrolimus and anti-thymocyte globulin for the treatment of steroid-resistant acute graft-versus-host disease developing during cyclosporine prophylaxis. British Journal of Haematology, 2001, 113, 217-223.                     | 1.2 | 24        |
| 30 | Homozygous <i><scp>FCGR3A</scp>â€158<scp>V</scp></i> alleles predispose to late onset neutropenia<br>after <scp>CHOPâ€R</scp> for diffuse large <scp>B</scp> â€cell lymphoma. Internal Medicine Journal, 2012,<br>42, 1113-1119.                           | 0.5 | 23        |
| 31 | The Utility of 99m Tc-DPD Scintigraphy in the Diagnosis of Cardiac Amyloidosis: An Australian<br>Experience. Heart Lung and Circulation, 2017, 26, 1183-1190.  | 0.2 | 23        |
| 32 | The Hyper-CVAD chemotherapy regimen has an adverse long-term impact on the ability to mobilize peripheral blood stem cells, which can be readily circumvented by using the early cycles for mobilization. Hematological Oncology, 2006, 24, 159-163.       | 0.8 | 19        |
| 33 | A phase II study of thalidomide and vinblastine for palliative patients with Hodgkin's lymphoma.<br>Hematology, 2006, 11, 25-29.   | 0.7 | 19        |
| 34 | A global call to arms for clinical laboratories – Harmonised quantification and reporting of monoclonal proteins. Clinical Biochemistry, 2018, 51, 4-9.  | 0.8 | 19        |
| 35 | Epstein-Barr virus-positive diffuse large B-cell lymphoma of the elderly expresses EBNA3A with conserved CD8 T-cell epitopes. American Journal of Blood Research, 2011, 1, 146-59.   | 0.6 | 19        |
| 36 | Palifermin-induced acanthosis nigricans. Internal Medicine Journal, 2007, 37, 417-418.   | 0.5 | 18        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Rapid Molecular Profiling of Myeloproliferative Neoplasms Using Targeted Exon Resequencing of 86<br>Genes Involved in JAK-STAT Signaling and Epigenetic Regulation. Journal of Molecular Diagnostics,<br>2016, 18, 707-718.  | 1.2 | 18        |
| 38 | Current trends in the diagnosis, therapy and monitoring of the monoclonal gammopathies. Clinical Biochemist Reviews, 2009, 30, 93-103.   | 3.3 | 18        |
| 39 | Long-term outcome after intensive therapy with etoposide, melphalan, total body irradiation and autotransplant for acute myeloid leukemia. Bone Marrow Transplantation, 2004, 33, 1201-1208.   | 1.3 | 16        |
| 40 | Valproic acid combined with cytosine arabinoside in elderly patients with acute myeloid leukemia has in vitro but limited clinical activity. Leukemia and Lymphoma, 2012, 53, 1077-1083.   | 0.6 | 16        |
| 41 | Using HitAlert flow cytometry to detect heparin-induced thrombocytopenia antibodies in a tertiary care hospital. Blood Coagulation and Fibrinolysis, 2013, 24, 365-370.  | 0.5 | 16        |
| 42 | Why aren't we performing more allografts for aggressive non-Hodgkin's lymphoma?. Bone Marrow Transplantation, 2003, 31, 953-960.   | 1.3 | 15        |
| 43 | Borderline High Serum Free Light Chain κ/λ Ratios Are Seen Not Only in Dialysis Patients but Also in<br>Non–Dialysis-Dependent Renal Impairment and Inflammatory States. American Journal of Clinical<br>Pathology, 2009, 132, 309-309.  | 0.4 | 15        |
| 44 | Cardiac amyloid imaging with <sup>18</sup> F-florbetaben positron emission tomography: a pilot<br>study. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official<br>Journal of the International Society of Amyloidosis, 2017, 24, 162-162.  | 1.4 | 15        |
| 45 | Serum free light chains for monitoring multiple myeloma. British Journal of Haematology, 2005, 128, 405-406.   | 1.2 | 14        |
| 46 | Epstein?Barr virus T-cell immunity despite rituximab. British Journal of Haematology, 2007, 136, 628-632.  | 1.2 | 14        |
| 47 | Free light chain testing for the diagnosis, monitoring and prognostication of AL amyloidosis. Clinical Chemistry and Laboratory Medicine, 2016, 54, 921-7.   | 1.4 | 14        |
| 48 | Treatment of patients with multiple myeloma who are eligible for stem cell transplantation: position<br>statement of the <scp>M</scp> yeloma <scp>F</scp> oundation of <scp>A</scp> ustralia<br><scp>M</scp> edical and <scp>S</scp> cientific <scp>A</scp> dvisory <scp>G</scp> roup. Internal<br>Medicine Journal, 2015, 45, 94-105. | 0.5 | 13        |
| 49 | Cessation of immunosuppression during chemotherapy for post-transplant lymphoproliferative disorders in renal transplant patients. Nephrology Dialysis Transplantation, 2015, 30, 1774-1779.   | 0.4 | 13        |
| 50 | Renal Impairment at Diagnosis in Myeloma: Patient Characteristics, Treatment, and Impact on<br>Outcomes. Results From the Australia and New Zealand Myeloma and Related Diseases Registry.<br>Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e415-e424.  | 0.2 | 13        |
| 51 | Stem cell transplantation for mantle cell lymphoma: if, when and how?. Bone Marrow<br>Transplantation, 2005, 36, 655-661.  | 1.3 | 11        |
| 52 | Allogeneic stem cell transplantation for mantle cell lymphomadoes it deserve a better look?.<br>Leukemia and Lymphoma, 2005, 46, 217-223.  | 0.6 | 11        |
| 53 | Immunosuppression Is Associated With Clinical Features and Relapse Risk of B Cell Posttransplant<br>Lymphoproliferative Disorder: A Retrospective Analysis Based on the Prospective, International,<br>Multicenter PTLD-1 Trials. Transplantation, 2018, 102, 1914-1923.   | 0.5 | 11        |
| 54 | Treatment of patients with Waldenström macroglobulinaemia: clinical practice guidelines from the<br>Myeloma Foundation of Australia Medical and Scientific Advisory Group. Internal Medicine Journal,<br>2017, 47, 35-49.  | 0.5 | 10        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Safe mobilization of normal progenitors in advanced chronic myeloid leukemia with intensive chemotherapy and granulocyte-colony stimulating factor. Leukemia Research, 1999, 23, 177-183.   | 0.4 | 9         |
| 56 | A phase <scp>II</scp> study of riskâ€adapted intravenous melphalan in patients with <scp>AL</scp><br>amyloidosis. British Journal of Haematology, 2012, 157, 766-769.   | 1.2 | 9         |
| 57 | The Clinical Impact of Proteomics in Amyloid Typing. Mayo Clinic Proceedings, 2021, 96, 1122-1127.  | 1.4 | 9         |
| 58 | Successful Treatment of latrogenic Multicentric Castleman's Disease Arising Due to Recrudescence of HHV-8 in a Liver Transplant Patient. American Journal of Transplantation, 2014, 14, 1207-1213.  | 2.6 | 8         |
| 59 | PI3K-p110δ contributes to antibody responses by macrophages in chronic lymphocytic leukemia.<br>Leukemia, 2020, 34, 451-461.  | 3.3 | 8         |
| 60 | Interferon-α-2b and oral cytarabine ocfosfate for newly diagnosed chronic myeloid leukaemia. Annals<br>of Oncology, 2004, 15, 1810-1815.  | 0.6 | 6         |
| 61 | The reporting of serum protein electrophoresis to clinicians. Clinica Chimica Acta, 2005, 358, 204-205.   | 0.5 | 6         |
| 62 | Treatment of acute promyelocytic leukaemia in the Jehovah's Witness population. Annals of<br>Hematology, 2011, 90, 359-360.   | 0.8 | 6         |
| 63 | Intensive chemotherapy and reducedâ€intensity allogeneic hematopoietic stem cell transplantation for<br>acute myeloid leukemia in elderly patients. Asia-Pacific Journal of Clinical Oncology, 2014, 10, 246-254.   | 0.7 | 6         |
| 64 | Treatment of patients with multiple myeloma who are not eligible for stem cell transplantation:<br>position statement of the myeloma foundation of <scp>A</scp> ustralia <scp>M</scp> edical and<br><scp>S</scp> cientific <scp>A</scp> dvisory <scp>G</scp> roup. Internal Medicine Journal, 2015, 45,<br>335-343. | 0.5 | 6         |
| 65 | Sequential Treatment with Rituximab and CHOP Chemotherapy in B-Cell PTLD - Moving Forward to a<br>First Standard of Care: Results From a Prospective International Multicenter Trial Blood, 2009, 114,<br>100-100.  | 0.6 | 6         |
| 66 | Malabsorption Secondary to Gout-Induced Amyloidosis. ACG Case Reports Journal, 2017, 4, e32.  | 0.2 | 5         |
| 67 | The use of monocyte subset repartitioning by flow cytometry for diagnosis of chronic myelomonocytic leukaemia. Blood Cancer Journal, 2021, 11, 6.   | 2.8 | 5         |
| 68 | The association of mobilising regimen on immune reconstitution and survival in myeloma patients<br>treated with bortezomib, cyclophosphamide and dexamethasone induction followed by a melphalan<br>autograft. Bone Marrow Transplantation, 2021, 56, 2152-2159.  | 1.3 | 5         |
| 69 | Prognostic value of ZAP-70 expression in chronic lymphocytic leukemia as assessed by quantitative polymerase chain reaction and flow cytometry. , 2014, 86, 80-90.  |     | 4         |
| 70 | Report of the Survey Conducted by RCPAQAP on Current Practice for Paraprotein and Serum Free<br>Light Chain Measurement and Reporting: a Need for Harmonisation. Clinical Biochemist Reviews, 2019,<br>40, 31-42.   | 3.3 | 4         |
| 71 | Single institution outcomes of treatment of severe aplastic anaemia. Internal Medicine Journal, 2001, 31, 337-342.  | O.5 | 3         |
| 72 | Management and Outcomes of Diffuse Large B-cell Lymphoma Post-transplant Lymphoproliferative<br>Disorder in the Era of PET and Rituximab: A Multicenter Study From the Australasian Lymphoma<br>Alliance. HemaSphere, 2021, 5, e648.  | 1.2 | 3         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Proposed Addendum to 2012 Recommendations for Standardised Reporting of Protein Electrophoresis<br>in Australia and New Zealand. Clinical Biochemist Reviews, 2019, 40, 23-30.  | 3.3 | 3         |
| 74 | Paraprotein Sample Exchange in Australia and New Zealand - 2018. Clinical Biochemist Reviews, 2019, 40,<br>43-54.   | 3.3 | 3         |
| 75 | Measurement of Immunoglobulin Free Light Chains in Serum: Response. Clinical Chemistry, 2003, 49,<br>1958-1958.   | 1.5 | 2         |
| 76 | Analytical performance of serum free light-chains assay. Clinica Chimica Acta, 2007, 380, 250-251.  | 0.5 | 2         |
| 77 | Addition of etoposide to standard acute myeloid leukaemia induction chemotherapy does not improve<br>survival. Internal Medicine Journal, 2013, 43, 953-954.  | 0.5 | 2         |
| 78 | ldentifying an obinutuzumab resistant subpopulation of monocyte-derived-macrophages from patients with CLL. Leukemia and Lymphoma, 2020, 61, 2738-2742.   | 0.6 | 2         |
| 79 | Receiving four or fewer cycles of therapy predicts poor survival in newly diagnosed<br>transplantâ€ineligible patients with myeloma who are treated with bortezomibâ€based induction.<br>European Journal of Haematology, 2021, 107, 497-499.   | 1.1 | 2         |
| 80 | CD62L Expression Is Associated With Chronic Lymphocytic Leukemia (CLL) Cell Survival In Vitro and Represents a Novel Therapeutic Target In CLL. Blood, 2013, 122, 4136-4136.  | 0.6 | 2         |
| 81 | Prognostic utility of spontaneous erythroid colony formation and JAK2 mutational analysis for thrombotic events in essential thrombocythaemia. Internal Medicine Journal, 2011, 41, 408-415.  | 0.5 | 1         |
| 82 | Report of the Survey Conducted by RCPAQAP on Current Practices for Beta-Migrating Paraprotein Reporting. , 2021, 42, 11-16.   |     | 1         |
| 83 | Tissue Microarray in DLBCL Patients receiving R-CHOP Chemo-Immunotherapy Shows Survival Benefit for Coexpression of LMO2/BCL6. Blood, 2011, 118, 1585-1585.   | 0.6 | 1         |
| 84 | Diagnosis Of Amyloidosis Subtype By Laser-Capture Microdissection (LCM) and Tandem Mass<br>Spectrometry (MS) Proteomic Analysis. Blood, 2013, 122, 5295-5295.   | 0.6 | 1         |
| 85 | A Randomized Study of Bortezomib, Cyclophosphamide and Dexamethasone Induction (VCD) Versus<br>VCD and Daratumumab Induction Followed By Daratumumab Maintenance (VCDD) for the Initial<br>Treatment of Transplant-Ineligible Patients with Multiple Myeloma (AMaRC 03-16). Blood, 2021, 138,<br>2728-2728. | 0.6 | 1         |
| 86 | A Cost-Effectiveness Analysis of Front-Line Treatment Strategies in Early Stage Follicular Lymphoma.<br>Blood, 2020, 136, 54-55.  | 0.6 | 1         |
| 87 | Amyloidosis in Australia. Expert Opinion on Orphan Drugs, 2019, 7, 37-39.   | 0.5 | 0         |
| 88 | Pomalidomide $\hat{a} \in $ Author Reply. Leukemia and Lymphoma, 2019, 60, 1105-1105.   | 0.6 | 0         |
| 89 | Optimal Timing of Peripheral Blood Stem Cell Mobilisation in Patients with Hematological<br>Malignancies Treated with the Hyper-CVAD Chemotherapy Regimen Blood, 2004, 104, 5213-5213.  | 0.6 | 0         |
|    |   |     |           |

90 Myeloablative Allogeneic Stem Cell Transplantation for Non-Hodgkin's Lymphoma. , 2010, , 89-108.

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 91 | Immunosuppression (IST) Can Be Safely Ceased During Chemotherapy For Post-Transplant<br>Lymphoproliferative Disorders (PTLD) In Renal Transplant Patients. Blood, 2013, 122, 1780-1780.                              | 0.6 | О         |
| 92 | Serum Levels Of CD178 (Soluble FasL) Predict Treatment Response and Survival In Chronic Lymphocytic<br>Leukaemia (CLL). Blood, 2013, 122, 2866-2866.   | 0.6 | 0         |
| 93 | Diagnosis of Amyloidosis Subtype By Laser-Capture Microdissection (LCM) and Tandem Mass<br>Spectrometry (MS/MS) Proteomic Analysis. Blood, 2015, 126, 1779-1779.   | 0.6 | Ο         |
| 94 | Management and Outcomes of Testicular Lymphoma in the Rituximab Era at an Australian Tertiary<br>Centre. Blood, 2020, 136, 25-26.  | 0.6 | 0         |
| 95 | The Use of Monocyte Subset Repartitioning By Flow Cytometry for Diagnosis of Chronic<br>Myelomonocytic Leukemia. Blood, 2020, 136, 41-42.  | 0.6 | Ο         |
| 96 | Management and Outcomes of Diffuse Large B Cell Lymphoma Post-Transplant Lymphoproliferative<br>Disorder in the PET/CT Era: A Multicentre Study from the Australasian Lymphoma Alliance. Blood, 2020,<br>136, 36-38. | 0.6 | 0         |