Bekir Salih

List of Publications by Citations

Source: https://exaly.com/author-pdf/6483346/bekir-salih-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers3,173
citations32
h-index44
g-index163
ext. papers3,456
ext. citations3.8
avg, IF5.2
L-index

#	Paper	IF	Citations
156	In vitro antimicrobial activity of propolis samples from different geographical origins against certain oral pathogens. <i>Anaerobe</i> , 2007 , 13, 140-5	2.8	92
155	Polytopic cation receptor functional phthalocyanines: Synthesis, characterization, electrochemistry and metal ion binding. <i>Polyhedron</i> , 2007 , 26, 1139-1147	2.7	79
154	Synthesis and characterization of novel 4-nitro-2-(octyloxy)phenoxy substituted symmetrical and unsymmetrical Zn(II), Co(II) and Lu(III) phthalocyanines. <i>Polyhedron</i> , 2007 , 26, 5432-5440	2.7	78
153	Protective effects of Turkish propolis on alcohol-induced serum lipid changes and liver injury in male rats. <i>Food Chemistry</i> , 2002 , 78, 213-217	8.5	73
152	Biosynthesis and Characterization of Laccase Catalyzed Poly(Catechol). <i>Journal of Polymers and the Environment</i> , 2003 , 11, 123-128	4.5	64
151	Catalase adsorption onto Cibacron Blue F3GA and Fe(III)-derivatized poly(hydroxyethyl methacrylate) membranes and application to a continuous system. <i>Journal of Membrane Science</i> , 1997 , 129, 65-76	9.6	63
150	Removal of bisphenol A from aqueous medium using molecularly surface imprinted microbeads. <i>Chemosphere</i> , 2016 , 150, 275-284	8.4	58
149	Synthesis, characterization, and electrochemical, spectroelectrochemical and electrical measurements of novel ball-type four 1,1?-methylenedinaphthalen-2-ol bridged metal-free, zinc(II) and cobalt(II), and metal-free clamshell phthalocyanines. <i>Polyhedron</i> , 2007 , 26, 695-707	2.7	58
148	Antibacterial activity of Propolis versus conventional endodontic disinfectants against Enterococcus faecalis in infected dentinal tubules. <i>Journal of Endodontics</i> , 2011 , 37, 376-81	4.7	56
147	Amine-functionalized sol-gel-based lab-in-a-pipet-tip approach for the fast enrichment and specific purification of phosphopeptides in MALDI-MS applications. <i>Analytical Chemistry</i> , 2012 , 84, 2713-20	7.8	52
146	Novel ball-type homo- and hetero-dinuclear phthalocyanines with four 1,1?-methylenedinaphthalen-2-ol bridges: Synthesis and characterization, electrical and gas sensing properties and electrocatalytic performance towards oxygen reduction. <i>Sensors and Actuators B:</i>	8.5	51
145	MALDI mass spectrometry of dye-peptide and dye-protein complexes. <i>Analytical Chemistry</i> , 1998 , 70, 1536-43	7.8	51
144	Synthesis and electrochemical, electrochromic and electrical properties of novel s-triazine bridged trinuclear Zn(II), Cu(II) and Lu(III) and a tris double-decker Lu(III) phthalocyanines. <i>Synthetic Metals</i> , 2011 , 161, 1245-1254	3.6	47
143	Propolis from Turkey induces apoptosis through activating caspases in human breast carcinoma cell lines. <i>Acta Histochemica</i> , 2010 , 112, 546-56	2	47
142	New poly(N-(hydroxymethyl)methacrylamide¶-allyl-2-thiourea) hydrogels prepared by radiation-induced polymerisation: Selective adsorption, recovery and pre-concentration of Pt(II) and Pd(II). <i>Analytica Chimica Acta</i> , 2005 , 553, 73-82	6.6	46
141	Determination of inorganic and organic mercury compounds by capillary gas chromatography coupled with atomic absorption spectrometry after preconcentration on dithizone-anchored poly(ethylene glycol dimethacrylate-hydroxyethylmethacrylate) microbeads. <i>Analytica Chimica Acta</i>	6.6	45
140	, 1998 , 371, 177-185 Gold recovery onto poly(acrylamide-allylthiourea) hydrogels synthesized by treating with gamma radiation. <i>Analytica Chimica Acta</i> , 2005 , 547, 18-25	6.6	45

(2006-2010)

139	Synthesis and electrochemical, in situ spectroelectrochemical, electrical and gas sensing properties of ball-type homo- and hetero-dinuclear phthalocyanines with four [1a,8b-dihydronaphtho[b]naphthofuro[3,2-d]furan-7,10-diyl] bridges. <i>Synthetic Metals</i> , 2010 , 160, 967-9	3.6 977	43	
138	Cibacron Blue F3GA-attached polyvinylbutyral microbeads as novel magnetic sorbents for removal of Cu(II), Cd(II) and Pb(II) ions. <i>Journal of Chromatography A</i> , 1998 , 793, 47-56	4.5	43	
137	Design of an aptamer-based magnetic adsorbent and biosensor systems for selective and sensitive separation and detection of thrombin. <i>Talanta</i> , 2019 , 191, 59-66	6.2	40	
136	New sorbents for removal of heavy metal ions: diamine-glow-discharge treated polyhydroxyethylmethacrylate microspheres. <i>Journal of Chromatography A</i> , 1997 , 773, 169-178	4.5	39	
135	Congo Red and Cu(II) carrying poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate) microbeads as specific sorbents Albumin adsorption/desorption. <i>Journal of Chromatography A</i> , 1996 , 731, 57-63	4.5	39	
134	Synthesis, Characterization, and Electrochemical and Electrical Properties of Novel Pentaerythritol-Bridged Cofacial Bismetallophthalocyanines and Their Water-Soluble Derivatives. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 3519-3526	2.3	38	
133	Synthesis, characterization, and electrochemical and electrical properties of novel mononuclear and binuclear ball-type Zn(II) and Co(II) phthalocyanines substituted with 1a,8b-dihydronaphtho[b]naphthofuro-[3,2-d]furan-7,10-diyl. <i>Polyhedron</i> , 2007 , 26, 3505-3512	2.7	38	
132	Removal and pre-concentration of phenolic species onto beta-cyclodextrin modified poly(hydroxyethylmethacrylate-ethyleneglycoldimethacrylate) microbeads. <i>Chemosphere</i> , 2005 , 61, 12	63: 1 2	38	
131	Synthesis, characterization, electrochemistry and VOC sensing properties of novel ball-type dinuclear metallophthalocyanines. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 1137-1147	8.5	36	
130	Matrix-assisted laser desorption/ionization mass spectrometry of noncovalent protein-transition metal ion complexes. <i>Journal of Mass Spectrometry</i> , 1998 , 33, 994-1002	2.2	36	
129	Immobilization of laccase on the fibrous polymer-grafted film and study of textile dye degradation by MALDI T oF-MS. <i>Chemical Engineering Research and Design</i> , 2017 , 128, 107-119	5.5	35	
128	N- and -glycosylation Analysis of Human C1-inhibitor Reveals Extensive Mucin-type -Glycosylation. <i>Molecular and Cellular Proteomics</i> , 2018 , 17, 1225-1238	7.6	35	
127	Ti(IV) carrying polydopamine-coated, monodisperse-porous SiO microspheres with stable magnetic properties for highly selective enrichment of phosphopeptides. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 153, 280-290	6	32	
126	Synthesis and electrochemical, electrical and gas sensing properties of novel mononuclear metal-free, Zn(II), Ni(II), Co(II), Cu(II), Lu(III) and double-decker Lu(III) phthalocyanines substituted with 2-(2H-1,2,3-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl) phenoxy. <i>Synthetic Metals</i> , 2011 ,	3.6	32	
125	Synthesis, characterization and nonlinear absorption of novel octakis-POSS substituted metallophthalocyanines and strong optical limiting property of CuPc. <i>Dalton Transactions</i> , 2008 , 2407-	13 ^{4.3}	32	
124	Synthesis, spectroscopy and electrochemical properties of highly soluble fluoro containing phthalocyanines. <i>Polyhedron</i> , 2008 , 27, 2805-2810	2.7	32	
123	Biodegradation of Cibacron Blue 3GA by insolubilized laccase and identification of enzymatic byproduct using MALDI-ToF-MS: Toxicity assessment studies by Daphnia magna and Chlorella vulgaris. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 170, 453-460	7	32	
122	pH-Responsive polypseudorotaxane synthesized through cucurbit[6]uril catalyzed 1,3-dipolar cycloaddition. <i>Journal of Materials Chemistry</i> , 2006 , 16, 3291		31	

121	Electrochemical conversion of phenolic wastewater on carbon electrodes in the presence of NaCl. <i>Journal of Chemical Technology and Biotechnology</i> , 2002 , 77, 70-76	3.5	31
120	Immobilization of laccase on hairy polymer grafted zeolite particles: Degradation of a model dye and product analysis with MALDIToF-MS. <i>Microporous and Mesoporous Materials</i> , 2014 , 199, 57-65	5.3	29
119	Synthesis, characterization and investigation of electrical and electrochemical properties of imidazole substituted phthalocyanines. <i>Inorganica Chimica Acta</i> , 2011 , 365, 340-348	2.7	28
118	Synthesis, Characterization, Electrochemical, and Optic Limiting Properties of Novel Coll, Cull, and Double-Decker Lulli Phthalocyanines. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 2096-2103	2.3	28
117	Adsorption of heavy-metal ions on Cibacron Blue F3GA-immobilized microporous polyvinylbutyral-based affinity membranes. <i>Journal of Membrane Science</i> , 1997 , 137, 1-8	9.6	28
116	Activity studies of glucose oxidase immobilized onto poly(N-vinylimidazole) and metal ion-chelated poly(N-vinylimidazole) hydrogels. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2003 , 21, 273-282		28
115	Determination of chemical composition of Turkish propolis. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2001 , 56, 666-8	1.7	28
114	Intermediates for the synthesis of tetracyclic indole alkaloids. Synthesis of 4-aminotetrahydrocarbazole derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1997 , 34, 1239-1242	1.9	27
113	Metal-ion sensing and aggregation studies on reactive phthalocyanines bearing soft-metal receptor moieties; synthesis, spectroscopy and electrochemistry. <i>Polyhedron</i> , 2007 , 26, 5235-5242	2.7	27
112	A new metal chelate sorbent for glucose oxidase: Cu(II)- and Co(II)-chelated poly(N-vinylimidazole) gels. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 446-453	2.9	27
111	Lysozyme specific aptamer immobilized MCM-41 silicate for single-step purification and quartz crystal microbalance (QCM)-based determination of lysozyme from chicken egg white. <i>Microporous and Mesoporous Materials</i> , 2015 , 207, 95-104	5.3	26
110	Congo red- and Zn(II)-derivatized monosize poly(MMA-HEMA) microspheres as specific sorbent in metal chelate affinity of albumin. <i>Journal of Applied Polymer Science</i> , 1997 , 63, 27-33	2.9	26
109	1,4,8,11-Tetraazacyclotetradecane bound to poly(p-chloromethylstyrene@thylene glycol dimethacrylate) microbeads for selective gold uptake. <i>Analytica Chimica Acta</i> , 2002 , 464, 313-322	6.6	26
108	Enhancement of stability of glucose oxidase by immobilization onto metal ion-chelated poly(N-vinyl imidazole) hydrogels. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2005 , 16, 253-66	3.5	26
107	Immunomodulatory effects of Turkish propolis: changes in neopterin release and tryptophan degradation. <i>Immunobiology</i> , 2009 , 214, 129-34	3.4	25
106	Synthesis, Characterization, Nonlinear Absorption and Electrochromic Properties of Double-Decker Octakis(mercaptopropylisobutyl-POSS)phthalocyaninatolanthanide(III) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 4943-4950	2.3	25
105	Functional alcohol-soluble double-decker phthalocyanines: synthesis, characterization, electrochemistry and peripheral metal ion binding. <i>Journal of Porphyrins and Phthalocyanines</i> , 2006 , 10, 1022-1033	1.8	25
104	Ethanol sensing property of novel phthalocyanines substituted with 3,4-dihydroxy-3-cyclobuten-1,2-dione. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 14-22	8.5	24

103	Functional fluoro substituted tetrakis-metallophthalocyanines: Synthesis, spectroscopy, electrochemistry and spectroelectrochemistry. <i>Journal of Fluorine Chemistry</i> , 2008 , 129, 662-668	2.1	24
102	Matrix elimination method for the determination of precious metals in ores using electrothermal atomic absorption spectrometry. <i>Analytica Chimica Acta</i> , 2007 , 587, 272-80	6.6	23
101	Synthesis, characterization, electrochemistry and VOC sensing properties of novel metallophthalocyanines with four cyclohexyl-phenoxyphthalonitrile groups. <i>Sensors and Actuators B: Chemical</i> , 2013 , 188, 1033-1042	8.5	22
100	Synthesis, characterization and electrical properties of novel mono- and cofacial bisphthalocyanines bridged with four [1a,8b-dihydronaphtho[b]naphthofuro[3,2-d]furan-7,10-diyl] units. <i>Tetrahedron Letters</i> , 2007 , 48, 6326-6329	2	22
99	Trypsin Immobilized on Magnetic Beads via Click Chemistry: Fast Proteolysis of Proteins in a Microbioreactor for MALDI-ToF-MS Peptide Analysis. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 4554-4564	3.9	21
98	Synthesis, interface (Au/M2Pc2/p-Si), electrochemical and electrocatalytic properties of novel ball-type phthalocyanines. <i>Dalton Transactions</i> , 2012 , 41, 7559-72	4.3	21
97	Do matrix-assisted laser desorption/ionization mass spectra reflect solution-phase formation of cyclodextrin inclusioncomplexes?. <i>Analyst, The</i> , 2000 , 125, 849-854	5	21
96	Comparison of metal chelate affinity sorption of BSA onto Dye/Zn (II)-derived poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate) microbeads. <i>Journal of Applied Polymer Science</i> , 1997 , 65, 2085-2093	2.9	20
95	Water and alcohol-soluble octakis-metalloporphyrazines bearing sulfanyl polyetherol substituents: Synthesis, spectroscopy and electrochemistry. <i>Dyes and Pigments</i> , 2007 , 74, 483-489	4.6	20
94	Novel short peptides isolated from phage display library inhibit vascular endothelial growth factor activity. <i>Molecular Biotechnology</i> , 2007 , 35, 51-63	3	20
93	Radiation synthesis and characterization of new hydrogels based on acrylamide copolymers cross-linked with 1-allyl-2-thiourea. <i>Radiation Physics and Chemistry</i> , 2005 , 74, 76-85	2.5	20
92	Matrix-assisted laser desorption/ionization Fourier transform mass spectrometry of luteinizing hormone releasing hormone-metal ion complexes. <i>Journal of the American Society for Mass Spectrometry</i> , 1999 , 10, 19-26	3.5	20
91	Novel ball-type four dithioerythritol bridged metallophthalocyanines and their water-soluble derivatives: Synthesis and characterization, and electrochemical, electrocatalytic, electrical and gas sensing properties. <i>Dalton Transactions</i> , 2010 , 39, 9801-14	4.3	19
90	Recovery and pre-concentration of gold onto poly((N-(Hydroxymethyl)methacrylamide)ll-allyl-2-thiourea) hydrogels synthesized by gamma radiation. <i>Microchemical Journal</i> , 2006 , 84, 80-87	4.8	19
89	Synthesis, characterization and gas sensing properties of novel homo and hetero dinuclear ball-type phthalocyanines. <i>Dalton Transactions</i> , 2015 , 44, 8293-9	4.3	18
88	Evaluation on scolicidal efficacy of propolis. European Surgical Research, 2006, 38, 476-81	1.1	18
87	Synthesis of 1,4,8,11-tetraazacyclotetradecane monomer by addition of acryloyl chloride and its polymer for specific transition metal binding. <i>Journal of Applied Polymer Science</i> , 2002 , 83, 1406-1414	2.9	18
86	Electrocatalytic Activity of Novel Ball-Type Metallophthalocyanines with Trifluoro Methyl Linkages in Oxygen Reduction Reaction and Application as Zn-Air Battery Cathode Catalyst. <i>Electrochimica Acta</i> , 2017 , 233, 237-248	6.7	17

85	Highly selective enrichment of phosphopeptides by titanium (IV) attached monodisperse-porous poly(vinylphosphonic acid-co-ethylene dimethacrylate) microspheres. <i>Journal of Chromatography A</i> , 2017 , 1496, 9-19	4.5	17
84	Electrical and electrochemical properties of double-decker Lu(III) and Eu(III) phthalocyanines with four imidazoles and N-alkylated imidazoles. <i>Polyhedron</i> , 2012 , 42, 196-206	2.7	17
83	Synthesis, characterization, and electrochemical, and electrical measurements of novel 4,4?-isopropylidendioxydiphenyl bridged bis and cofacial bis-metallophthalocyanines (Zn,Co). <i>Polyhedron</i> , 2008 , 27, 1883-1890	2.7	17
82	Chemical composition effects onto antimicrobial and antioxidant activities of propolis collected from different regions of Turkey. <i>Annals of Microbiology</i> , 2006 , 56, 373-378	3.2	17
81	Congo red attached poly(EGDMA-HEMA) microspheres as specific sorbents for removal of cadmium ions. <i>Journal of Applied Polymer Science</i> , 1996 , 60, 871-877	2.9	17
80	A novel tantalum-based sol-gel packed microextraction syringe for highly specific enrichment of phosphopeptides in MALDI-MS applications. <i>Analyst, The</i> , 2013 , 138, 4403-10	5	16
79	New chelate-forming polymer microspheres carrying dyes as chelators for iron overload. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1998 , 9, 175-87	3.5	16
78	Synthesis, characterization, and electrochemical and electrical properties of a novel ball-type hexanuclear metallophthalo-cyanine, bridged by calix[4]arenes substituted with four hexyl-thiometallophthalocyanines through nitro coupling. <i>Journal of Porphyrins and</i>	1.8	16
77	Synthesis and characterization of amphiphilic triblock copolymers including Ealanine/H-methyl-Ealanine and ethylene glycol by ElickEhemistry. <i>Polymer Bulletin</i> , 2019 , 76, 2113-2128	2.4	16
76	A conformationally stressed novel ball-type perylenediimide appended zinc(II)phthalocyanine hybrid: spectroelectrochemical, electrocolorimetric and photovoltaic properties. <i>Dalton Transactions</i> , 2015 , 44, 158-66	4.3	15
75	Four New Triterpenes from Anchusa azurea var. azurea. <i>Helvetica Chimica Acta</i> , 2010 , 93, 457-465	2	15
74	Preconcentration and matrix elimination for the determination of Pb(II), Cd(II), Ni(II), and Co(II)by 8-hydroxyquinoline anchored poly(styrene-divinylbenzene) microbeads. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 2714-2722	2.9	15
73	Synthesis and characterization of novel cofacial bis-phthalocyanines containing 16-crown-5 ether groups. <i>Tetrahedron Letters</i> , 2008 , 49, 896-900	2	15
72	Novel tetrakis 4-(hydroxymethyl)-2,6-dimethoxyphenoxyl substituted metallophthalocyanines: Synthesis, electrochemical redox, electrocatalytic oxygen reducing, and volatile organic compounds sensing and adsorption properties. <i>Dyes and Pigments</i> , 2018 , 154, 172-187	4.6	14
71	Synthesis, characterization and thermal study of some tetradentate Schiff base transition metal complexes. <i>Journal of Thermal Analysis and Calorimetry</i> , 2009 , 98, 785-792	4.1	14
70	Solid phase extraction of organochlorine pesticides with modified poly (styrene-divinylbenzene) microbeads using home-made solid phase extraction syringes. <i>Reactive and Functional Polymers</i> , 2008 , 68, 580-593	4.6	14
69	Peripheral and non-peripheral-designed multifunctional phthalocyanines; synthesis, electrochemistry, spectroelectrochemistry and metal ion binding studies. <i>Polyhedron</i> , 2011 , 30, 1446-14	137	13
68	Voltammetry and Spectroelectrochemical Behavior of a Novel Octapropylporphyrazinato Lead(II) Complex. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 16558-16563	3.8	13

(2020-2001)

67	A new specific metal ion chelated-poly(N-vinylimidazole) gel sorbents for albumin adsorption-desorption. <i>Macromolecular Symposia</i> , 2001 , 169, 329-339	0.8	13
66	Small molecule analysis using laser desorption/ionization mass spectrometry on nano-coated silicon with self-assembled monolayers. <i>Analytica Chimica Acta</i> , 2012 , 729, 54-61	6.6	12
65	Electrochemical and electrical properties of novel mono and ball-type phthalocyanines. <i>Polyhedron</i> , 2013 , 49, 129-137	2.7	12
64	Human Gut Commensal Membrane Vesicles Modulate Inflammation by Generating M2-like Macrophages and Myeloid-Derived Suppressor Cells. <i>Journal of Immunology</i> , 2020 , 205, 2707-2718	5.3	12
63	Poly(amidoamine) dendrimer-coated magnetic nanoparticles for the fast purification and selective enrichment of glycopeptides and glycans. <i>Journal of Separation Science</i> , 2019 , 42, 3209	3.4	11
62	Synthesis and photophysical properties of metallophthalocyanines substituted with a benzofuran based fluoroprobe. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012 , 93, 379	9- 83	11
61	Tetrakis-phthalocyanines bearing electron-withdrawing fluoro functionality: Synthesis, spectroscopy, and electrochemistry. <i>Heteroatom Chemistry</i> , 2009 , 20, 262-271	1.2	11
60	New metal chelate sorbent for albumin adsorption: Cibacron Blue F3GA-Zn(II) attached microporous poly(HEMA) membranes. <i>Journal of Applied Polymer Science</i> , 1998 , 68, 657-664	2.9	11
59	Comparison of freshwater biofilms grown on polycarbonate substrata in Lake Velence (Hungary) and Lake Mogan (Turkey). <i>Microchemical Journal</i> , 2005 , 79, 145-148	4.8	11
58	Synthesis and characterization of the ABA-type poly(ester-ether-ester) block copolymers. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2020 , 57, 600-609	2.2	10
57	Metal ion promoted hydrogels for bovine serum albumin adsorption: Cu(II) and Co(II) chelated poly[(N-vinylimidazole)-maleic acid]. <i>Colloids and Surfaces B: Biointerfaces</i> , 2005 , 42, 89-96	6	10
56	Purification and characterization of a bacteriocin from an oenological strain of Leuconostoc mesenteroides subsp. cremoris. <i>Preparative Biochemistry and Biotechnology</i> , 2016 , 46, 354-9	2.4	9
55	Synthesis and characterization of novel ABA type poly(Ester-ether) triblock copolymers. <i>Journal of Polymer Research</i> , 2019 , 26, 1	2.7	9
54	Novel 4,4?-{(diphenylmethylene) bis(4,1-phenylene)bis(oxy)}-bridged ball-type phthalocyanines: Electrochemical, electrocatalytic oxygen reducing and heavy metals ions sensing properties. <i>Journal of Porphyrins and Phthalocyanines</i> , 2016 , 20, 1319-1333	1.8	9
53	Speciation of inorganic and organolead compounds by gas chromatography-atomic absorption spectrometry and the determination of lead species after pre-concentration onto diphenylthiocarbazone-anchored polymeric microbeads. Spectrochimica Acta, Part B: Atomic	3.1	9
52	Spectroscopy, 2000 , 55, 1117-1127 Partition coefficient-Lewis basicity correlation in four dioxycyclobutenedion-bridged novel ball-type phthalocyanines. <i>Synthetic Metals</i> , 2016 , 212, 25-30	3.6	8
51	Analysis of rectifying behavior of novel ball-type binuclear phthalocyanine based devices. <i>Inorganica Chimica Acta</i> , 2013 , 404, 40-48	2.7	8
50	Catalytic Activity of Immobilized Chymotrypsin on Hybrid Silica-Magnetic Biocompatible Particles and Its Application in Peptide Synthesis. <i>Applied Biochemistry and Biotechnology</i> , 2020 , 190, 1224-1241	3.2	8

49	Fast and efficient proteolysis by reusable pepsin-encapsulated magnetic sol-gel material for mass spectrometry-based proteomics applications. <i>Talanta</i> , 2016 , 155, 78-86	6.2	8
48	Ti (IV) attached-phosphonic acid functionalized capillary monolith as a stationary phase for in-syringe-type fast and robust enrichment of phosphopeptides. <i>Biomedical Chromatography</i> , 2019 , 33, e4488	1.7	7
47	Fast purification of glycans and glycopeptides using silk-packed micropipette tip for matrix-assisted laser desorption/ionization-mass spectrometry and high-performance liquid chromatography-fluorescence detection analysis. <i>Microchemical Journal</i> , 2018 , 139, 492-499	4.8	7
46	Synthesis and characterization, electrical and gas sensing properties of N,N?-bis(salicylidene)-1,2-phenylendiamine substituted novel mono and ball-type metallo phthalocyanines. <i>Inorganica Chimica Acta</i> , 2015 , 428, 83-92	2.7	7
45	Synthesis and characterization of 1,4,8,11-tetraazacyclotetradecane carrying poly(p-chloromethyl styrene-ethylene glycol dimethacrylate) microbeads and its metal ion-chelated forms. <i>Thermochimica Acta</i> , 2003 , 398, 249-258	2.9	7
44	Hydrophilic spacer-arm containing magnetic nanoparticles for immobilization of proteinase K: Employment for speciation of proteins for mass spectrometry-based analysis. <i>Talanta</i> , 2020 , 206, 12021	6.2	7
43	Spectroscopic, electrochemical and electrocolorimetric properties of novel 2-(2?-pyridyl)-1H-benzimidazole appended bay-substituted perylene diimide triads. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019 , 379, 54-62	4.7	6
42	Novel hydrophobic macromonomers for potential amphiphilic block copolymers. <i>Polymer Bulletin</i> , 2018 , 75, 47-60	2.4	6
41	N-glycan profiling of papillary thyroid carcinoma tissues by MALDI-TOF-MS. <i>Analytical Biochemistry</i> , 2019 , 584, 113389	3.1	6
40	Characterization of poly(N-(hydroxymethyl)methacrylamide-ATU) hydrogels synthesized by I radiation. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 1657-1664	2.9	6
39	Selective adsorption, pre-concentration and matrix elimination for the determination of Pb(II), Cd(II), Hg(II) and Cr(III) using 1,5,9,13-tetrathiacyclohexadecane-3,11-diol anchored poly (p-chloromethylstyrene-ethyleneglycoldimethacrylate) microbeads. <i>Analytica Chimica Acta</i> , 2005 ,	6.6	6
38	550, 24-32 Synthesis, characterization and OFET property of four diaminouracil bridged novel ball-type phthalocyanines. <i>Journal of Porphyrins and Phthalocyanines</i> , 2018 , 22, 149-156	1.8	5
37	Monitoring protein glycation by electrospray ionization (ESI) quadrupole time-of-flight (Q-TOF) mass spectrometer. <i>Food Chemistry</i> , 2017 , 217, 65-73	8.5	5
36	Metal chelating properties of Cibacron Blue F3GA-derived poly(EGDMA-HEMA) microbeads. <i>Journal of Applied Polymer Science</i> , 1999 , 71, 1397-1403	2.9	5
35	Cytotoxic naphthoquinones from (Nordm.) Ledeb and determining new apoptosis inducers. <i>Natural Product Research</i> , 2020 , 34, 1669-1677	2.3	5
34	Synthesis, characterization, DFT study, conductivity and effects of humidity on CO2 sensing properties of the novel tetrakis-[2-(dibenzylamino)ethoxyl] substituted metallophthalocyanines. <i>Sensors and Actuators B: Chemical</i> , 2020 , 310, 127860	8.5	4
33	Novel (-)-carvone derivatives as potential anticonvulsant and analgesic agents. <i>Natural Product Research</i> , 2021 , 35, 4978-4987	2.3	4
32	Stereoselective Total Synthesis of (⊞)-Dasycarpidol and (⊞)-Dasycarpidone. <i>Synthesis</i> , 2016 , 48, 4175-418	B 0 .9	4

(2020-2014)

31	A Trypsin Immobilized Sol-Gel for Protein Indentification in MALDI-MS Applications. <i>Analytical Letters</i> , 2014 , 47, 707-719	2.2	4	
30	Inhibition kinetics of a commercial mixed culture by ammonium sulfate. <i>Biochemical Engineering Journal</i> , 2001 , 7, 177-182	4.2	4	
29	A novel AB-type trimeric zinc(II)-phthalocyanine as an electrochromic and optical limiting material. <i>Dalton Transactions</i> , 2020 , 49, 14068-14080	4.3	4	
28	Effect of seasonal changes on nutritional status and biochemical parameters in Turkish older adults. <i>Nutrition Research and Practice</i> , 2018 , 12, 315-323	2.1	4	
27	Synthesis, characterization and VOCs adsorption kinetics of diethylstilbestrol-substituted metallophthalocyanines. <i>Journal of Porphyrins and Phthalocyanines</i> , 2019 , 23, 166-174	1.8	3	
26	Antitumor Activity of Propolis on Differantiated Cancer Cell Lines. <i>Medicine Science</i> , 2012 , 1, 292	1.6	3	
25	Site-Specific characterization of peptide-polymer conjugates in various stoichiometries by MALDI-Tandem mass spectrometry. <i>Microchemical Journal</i> , 2020 , 152, 104467	4.8	3	
24	(2S,5R)-2-Isopropyl-5-methylcyclohexanone Hydrazones. <i>MolBank</i> , 2019 , 2019, M1062	0.5	3	
23	Synthesis, characterization, and DFT study of novel metallo phtalocyanines with four carboranyl clusters as photosensitisers for the photodynamic therapy of breast cancer cells. <i>European Journal of Pharmaceutical Sciences</i> , 2019 , 129, 124-131	5.1	3	
22	Synthesis, characterization, third-order non-linear optical properties and DFT studies of novel SUBO bridged ball-type metallophthalocyanines. <i>Dalton Transactions</i> , 2020 , 49, 17263-17273	4.3	2	
21	Conformational Characterization of Polyelectrolyte Oligomers and Their Noncovalent Complexes Using Ion Mobility-Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2020 , 31, 441-449	3.5	2	
20	Use of Sulfonates as Desorption Agents for Phosphopeptide Elution from an Anion-exchange Material. <i>Analytical Letters</i> , 2018 , 51, 760-772	2.2	2	
19	Large-scale purification of a bacteriocin produced by Leuconostoc mesenteroides subsp. cremoris using diatomite calcium silicate. <i>Turkish Journal of Biology</i> , 2014 , 38, 611-618	3.1	2	
18	Specific enrichment and direct detection of phosphopeptides on insoluble transition metal oxide particles in matrix-assisted laser desorption/ionization mass spectrometry applications. <i>European Journal of Mass Spectrometry</i> , 2013 , 19, 151-62	1.1	2	
17	The effect of D-glucose on milk clotting activity of Mucor miehei in a chemostat with biomass retention. <i>Journal of Chemical Technology and Biotechnology</i> , 1999 , 74, 527-532	3.5	2	
16	Differential -glycosylation profiling of formalin-fixed paraffin-embedded (FFPE) invasive ductal carcinoma tissues using MALDI-TOF-MS. <i>Molecular Omics</i> , 2021 , 17, 394-404	4.4	2	
15	Functional Substituted Phthalocyanines Bearing Terpyridine Complexes as Macromolecular Oxidation Catalysts for Bleaching Systems. <i>ChemistrySelect</i> , 2017 , 2, 2643-2650	1.8	1	
14	Following hybridization on sensor/array platforms by using SPR, elipsometer and MALDI-MS. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2020 , 39, 1057-1072	1.4	1	

2	Synthesis, Conductivity, and Impedance Studies on Metallophthalocyanines Formed Across Adjacent Rings. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 770-779	2.3	
3	Novel ABA E ype Block Copolymers from Telechelic PEG I hitiated Hydrogen E ransfer Polymerization. <i>Soft Materials</i> ,1-8	1.7	
4	Biofortified Whey/Deglycosylated Whey and Chickpea Protein Matrices: Functional Enrichment by Black Mulberry Polyphenols. <i>Plant Foods for Human Nutrition</i> , 2021 , 1	3.9	
5	Strong ionic interactions in noncovalent complexes between poly(ethylene imine), a cationic electrolyte, and Cibacron Blue, a nucleotide mimicimplications for oligonucleotide vectors. Journal of Mass Spectrometry, 2014 , 49, 597-607	2.2	
6	Circulating extracellular vesicles of patients with steroid-sensitive nephrotic syndrome have higher RAC1 and induce recapitulation of nephrotic syndrome phenotype in podocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 321, F659-F673	4.3	O
7	Characterization of serum N-glycome alterations in seasonal allergic rhinitis using MALDI-TOF-MS: A pilot study. <i>Journal of Carbohydrate Chemistry</i> ,1-14	1.7	O
8	Preparation, characterization and electrical behaviors of greenish single-chain polymeric molecule-via intramolecular ball type cobalt phthalocyanines/ graphite oxide composites. <i>Journal of Molecular Structure</i> , 2021 , 1235, 130132	3.4	1
9	Characterization and preparation of green colored intramolecular novel ball type cobalt phthalocyanine complexes with single-chain polymer structure. <i>Journal of Molecular Structure</i> , 2021 , 1227, 129389	3.4	1
10	Synthesis, characterization, OFET, and DFT study of the novel ball-type metallophthalocyanines bridged with four diaminopyrimidine-dithiol. <i>Journal of Porphyrins and Phthalocyanines</i> , 2020 , 24, 662-6	74 ⁸	1
11	Characterization of supramolecular peptide-polymer bioconjugates using multistage tandem mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2019 , 436, 130-136	1.9	1
12	Comparative Transcriptome, Metabolome, and Ionome Analysis of Two Contrasting Common Bean Genotypes in Saline Conditions. <i>Frontiers in Plant Science</i> , 2020 , 11, 599501	6.2	1
13	Performances of protein array platforms prepared by soft lithography and self-assemblying monolayers-approach by using SPR, ellipsometry and MALDI-MS. <i>Journal of Molecular Structure</i> , 2019 , 1198, 126856	3.4	1

Synthesis, characterization and VOCs adsorption kinetics of diethylstilbestrol-substituted metallophthalocyanines **2021**, 991-999