

Young Deuk Choi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6484739/young-deuk-choi-publications-by-year.pdf>

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

300
papers

4,585
citations

34
h-index

50
g-index

306
ext. papers

5,392
ext. citations

3.3
avg, IF

5.39
L-index

#	Paper	IF	Citations
300	Evaluation of the Surgical Margin Threshold for Avoiding Recurrence after Partial Nephrectomy in Patients with Renal Cell Carcinoma.. <i>Yonsei Medical Journal</i> , 2022 , 63, 173-178	3	0
299	Outcomes of Retzius-sparing versus conventional robot-assisted radical prostatectomy: A KSER update series systematic review and meta-analysis. <i>PLoS ONE</i> , 2022 , 17, e0268182	3.7	0
298	Subcutaneous Interleukin-2 Monotherapy for Metastatic Renal Cell Carcinoma in Korean Patients. <i>The Korean Journal of Urological Oncology</i> , 2021 , 19, 252-260	0.1	
297	Ferroportin and FBXL5 as Prognostic Markers in Advanced Stage Clear Cell Renal Cell Carcinoma. <i>Cancer Research and Treatment</i> , 2021 , 53, 1174-1183	5.2	1
296	Prostate epithelial genes define therapy-relevant prostate cancer molecular subtype. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 1080-1092	6.2	1
295	Warm ischemia time length during on-clamp partial nephrectomy: dose it really matter?. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	3
294	Clinical Outcomes After Urinary Diversion for Malignant Ureteral Obstruction Secondary to Non-urolgic Cancer: An Analysis of 778 Cases. <i>Annals of Surgical Oncology</i> , 2021 , 28, 2367-2373	3.1	2
293	Olaparib efficacy in patients with metastatic castration-resistant prostate cancer (mCRPC) carrying circulating tumor (ct) DNA alterations in BRCA1, BRCA2 or ATM: Results from the PROfound study.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 27-27	2.2	7
292	Revisiting extraprostatic extension based on invasion depth and number for new algorithm for substaging of pT3a prostate cancer. <i>Scientific Reports</i> , 2021 , 11, 13952	4.9	0
291	Prognostic value of prostate volume in non-muscle invasive bladder cancer. <i>Scientific Reports</i> , 2021 , 11, 18784	4.9	0
290	Metabolic tumour volume on F-FDG PET/CT predicts extended pathological T stages in patients with renal cell carcinoma at staging. <i>Scientific Reports</i> , 2021 , 11, 23486	4.9	0
289	Effect of different general anaesthetics on ventricular repolarisation in robot-assisted laparoscopic prostatectomy. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1243-1252	1.9	1
288	Comparison of Biochemical Recurrence After Robot-assisted Laparoscopic Radical Prostatectomy with Volatile and Total Intravenous Anesthesia. <i>International Journal of Medical Sciences</i> , 2020 , 17, 449-456	3.7	5
287	Urethral realignment with maximal urethral length and bladder neck preservation in robot-assisted radical prostatectomy: Urinary continence recovery. <i>PLoS ONE</i> , 2020 , 15, e0227744	3.7	6
286	The Relationships between Survivals and Early Salvage Androgen Deprivation Therapy for Non-Organ Confined Prostate Cancer after Radical Prostatectomy. <i>Chonnam Medical Journal</i> , 2020 , 56, 115-120	1.3	
285	Retzius-sparing robot-assisted radical prostatectomy versus open retropubic radical prostatectomy: a prospective comparative study with 19-month follow-up. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 586-594	4.4	5
284	Synergistic Antitumor Effects of Combined Treatment with HSP90 Inhibitor and PI3K/mTOR Dual Inhibitor in Cisplatin-Resistant Human Bladder Cancer Cells. <i>Yonsei Medical Journal</i> , 2020 , 61, 587-596	3	3

283	Reply by Authors. <i>Journal of Urology</i> , 2020 , 203, 143-144	2.5	
282	Retzius Sparing Robot-Assisted Radical Prostatectomy Conveys Early Regain of Continence over Conventional Robot-Assisted Radical Prostatectomy: A Propensity Score Matched Analysis of 1,863 Patients. <i>Journal of Urology</i> , 2020 , 203, 137-144	2.5	34
281	True Single-Site Partial Nephrectomy Using the SP Surgical System: Feasibility, Comparison with the Xi Single-Site Platform, and Step-By-Step Procedure Guide. <i>Journal of Endourology</i> , 2020 , 34, 169-174	2.7	7
280	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020 , 10,	3.8	4
279	Muscle Characteristics Obtained Using Computed Tomography as Prognosticators in Patients with Castration-Resistant Prostate Cancer. <i>Cancers</i> , 2020 , 12,	6.6	3
278	Postoperative biochemical recurrence of pathologically localized high-grade prostate cancer in adjuvant treatment-naïve patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 221-227	4.9	
277	Lessons learned from clinical outcome and tumor features of patients underwent selective artery embolization due to postoperative bleeding following 2076 partial nephrectomies: propensity scoring matched study. <i>World Journal of Urology</i> , 2020 , 38, 1235-1242	4	2
276	Effect of prostate gland weight on the surgical and oncological outcomes of extraperitoneal robot-assisted radical prostatectomy. <i>BMC Urology</i> , 2019 , 19, 1	2.2	18
275	Clinical Significance of Multiparametric Magnetic Resonance Imaging as a Preoperative Predictor of Oncologic Outcome in Very Low-Risk Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
274	Predictive Factors and Oncologic Outcome of Downgrade to Pathologic Gleason Score 6?7 after Radical Prostatectomy in Patients with Biopsy Gleason Score 8?10. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
273	Comparison of stone-free rates following shock wave lithotripsy, percutaneous nephrolithotomy, and retrograde intrarenal surgery for treatment of renal stones: A systematic review and network meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0211316	3.7	24
272	Probe-Based Confocal Laser Endomicroscopy During Transurethral Resection of Bladder Tumors Improves the Diagnostic Accuracy and Therapeutic Efficacy. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1158-1165	3.1	7
271	The prognostic impact of downgrading and upgrading from biopsy to radical prostatectomy among men with Gleason score 7 prostate cancer. <i>Prostate</i> , 2019 , 79, 1805-1810	4.2	5
270	Neutrophil-to-Lymphocyte Ratio Predicts Pathological Renal Sinus Fat Invasion in Renal Cell Carcinomas of 7 cm with Presumed Renal Sinus Fat Invasion. <i>Yonsei Medical Journal</i> , 2019 , 60, 1021-1027	3.7	4
269	The Effect of Post-prostatectomy Urinary Incontinence on Health-related Quality of Life in Patients with Prostate Cancer. <i>Korean Journal of Adult Nursing</i> , 2019 , 31, 293	0.7	
268	Preoperative controlling nutritional status (CONUT) score as a novel immune-nutritional predictor of survival in non-metastatic clear cell renal cell carcinoma of 7 cm on preoperative imaging. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 957-965	4.9	21
267	Pure single-site robot-assisted pyeloplasty with the da Vinci SP surgical system: Initial experience. <i>Investigative and Clinical Urology</i> , 2019 , 60, 326-330	1.9	15
266	Identification of an immunotherapy-responsive molecular subtype of bladder cancer. <i>EBioMedicine</i> , 2019 , 50, 238-245	8.8	42

265	Is the extirpative surgery for primary tumor helpful for the patients with metastatic urothelial cancer at the time of diagnosis?. <i>Medicine (United States)</i> , 2019 , 98, e15930	1.8	3
264	Differences in the Efficacies of Pazopanib and Gemcitabine/Docetaxel as Second-Line Treatments for Metastatic Soft Tissue Sarcoma. <i>Oncology</i> , 2019 , 96, 59-69	3.6	9
263	Robot-Assisted Partial Nephrectomy for Totally Endophytic Renal Tumors: Step by Step Standardized Surgical Technique and Long-Term Outcomes with a Median 59-Month Follow-Up. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2019 , 29, 1-11	2.1	6
262	Prediction of organ-confined disease after robot-assisted radical prostatectomy in patients with clinically locally-advanced prostate cancer. <i>Asian Journal of Surgery</i> , 2019 , 42, 120-125	1.6	
261	Retzius-sparing robot-assisted radical prostatectomy using the Revo-i robotic surgical system: surgical technique and results of the first human trial. <i>BJU International</i> , 2018 , 122, 441-448	5.6	39
260	Monopolar vs. bipolar transurethral resection for non-muscle invasive bladder carcinoma: A post-hoc analysis from a randomized controlled trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 338.e1-338.e11	2.8	17
259	Functional and oncological outcomes of open, laparoscopic and robot-assisted partial nephrectomy: a multicentre comparative matched-pair analyses with a median of 5 yearsM follow-up. <i>BJU International</i> , 2018 , 122, 618-626	5.6	38
258	Estimated glomerular filtration rate ₄₅ time to nadir after robot-assisted partial nephrectomy: Predictors and clinical significance on renal functional recovery. <i>International Journal of Urology</i> , 2018 , 25, 660-667	2.3	1
257	The Effect on Bone Outcomes of Home-based Exercise Intervention for Prostate Cancer Survivors Receiving Androgen Deprivation Therapy: A Pilot Randomized Controlled Trial. <i>Cancer Nursing</i> , 2018 , 41, 379-388	2.6	21
256	Off-Clamp Robot-Assisted Partial Nephrectomy: How Far Shall We Proceed?. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018 , 28, 579-585	2.1	5
255	Does robot-assisted radical prostatectomy benefit patients with prostate cancer and bone oligometastases?. <i>BJU International</i> , 2018 , 121, 225-231	5.6	29
254	Association between pathologic factors and ERG expression in prostate cancer: finding pivotal networking. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 1665-1683	4.9	3
253	Predictive factors and treatment outcomes of Steinstrasse following shock wave lithotripsy for ureteral calculi: A Bayesian regression model analysis. <i>Investigative and Clinical Urology</i> , 2018 , 59, 112-118	1.9	1
252	Combined Analysis of Biparametric MRI and Prostate-Specific Antigen Density: Role in the Prebiopsy Diagnosis of Gleason Score 7 or Greater Prostate Cancer. <i>American Journal of Roentgenology</i> , 2018 , 211, W166-W172	5.4	12
251	Impact of Early Salvage Androgen Deprivation Therapy in Localized Prostate Cancer after Radical Prostatectomy: A Propensity Score Matched Analysis. <i>Yonsei Medical Journal</i> , 2018 , 59, 580-587	3	7
250	Prognostic implications of polycomb proteins ezh2, suz12, and eed1 and histone modification by H3K27me3 in sarcoma. <i>BMC Cancer</i> , 2018 , 18, 158	4.8	12
249	Predictors of adverse pathologic features after radical prostatectomy in low-risk prostate cancer. <i>BMC Cancer</i> , 2018 , 18, 545	4.8	4
248	Age-adjusted Charlson Comorbidity Index as a prognostic factor for radical prostatectomy outcomes of very high-risk prostate cancer patients. <i>PLoS ONE</i> , 2018 , 13, e0199365	3.7	9

247	An Intrarenal Adrenocortical Carcinoma Arising in an Adrenal Rest. <i>Journal of Pathology and Translational Medicine</i> , 2018 , 52, 416-419	2.9	3
246	Clinical significance of multiparametric MRI and PSA density as predictors of residual tumor (pT0) following radical prostatectomy for T1a-T1b (incidental) prostate cancer. <i>PLoS ONE</i> , 2018 , 13, e0210037 ³⁻⁷	3.7	6
245	Predictive value of preoperative monocyte-lymphocyte ratio among patients with localized clear renal cell carcinoma of \geq 7 cm on preoperative imaging. <i>Medicine (United States)</i> , 2018 , 97, e13433	1.8	2
244	Management of postoperative ileus after robot-assisted laparoscopic prostatectomy. <i>Medicine (United States)</i> , 2018 , 97, e13036	1.8	3
243	HSP27, ALDH6A1 and Prohibitin Act as a Trio-biomarker to Predict Survival in Late Metastatic Prostate Cancer. <i>Anticancer Research</i> , 2018 , 38, 6551-6560	2.3	15
242	Effect of Combined Treatment of Ketorolac and Remote Ischemic Preconditioning on Renal Ischemia-Reperfusion Injury in Patients Undergoing Partial Nephrectomy: Pilot Study. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	4
241	Retzius-sparing robot-assisted radical prostatectomy is safe for patients with prior transurethral prostate surgery. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018 , 44, 842-843	2	3
240	Predictors of biochemical recurrence after Retzius-sparing robot-assisted radical prostatectomy: Analysis of 359 cases with a median follow-up period of 26 months. <i>International Journal of Urology</i> , 2018 , 25, 1006-1014	2.3	8
239	Clinical significance and predictors of oncologic outcome after radical prostatectomy for invisible prostate cancer on multiparametric MRI. <i>BMC Cancer</i> , 2018 , 18, 1057	4.8	9
238	The Within-Group Discrimination Ability of the Cancer of the Prostate Risk Assessment Score for Men with Intermediate-Risk Prostate Cancer. <i>Journal of Korean Medical Science</i> , 2018 , 33, e36	4.7	1
237	Efficacy and Safety of Robotic Procedures Performed Using the da Vinci Robotic Surgical System at a Single Institute in Korea: Experience with 10000 Cases. <i>Yonsei Medical Journal</i> , 2018 , 59, 975-981	3	18
236	Prognostic Factors of Penile Cancer and the Efficacy of Adjuvant Treatment after Penectomy: Results from a Multi-institution Study. <i>Journal of Korean Medical Science</i> , 2018 , 33, e233	4.7	5
235	Yonsei nomogram: A predictive model of new-onset chronic kidney disease after on-clamp partial nephrectomy in patients with T1 renal tumors. <i>International Journal of Urology</i> , 2018 , 25, 690-697	2.3	5
234	Diffusion-weighted imaging predicts upgrading of Gleason score in biopsy-proven low grade prostate cancers. <i>BJU International</i> , 2017 , 119, 57-66	5.6	17
233	Da Vinci Xi and Si platforms have equivalent perioperative outcomes during robot-assisted partial nephrectomy: preliminary experience. <i>Journal of Robotic Surgery</i> , 2017 , 11, 53-61	2.9	16
232	Indications for a second prostate biopsy in patients suspected with prostate cancer after an initial negative prostate biopsy. <i>Prostate International</i> , 2017 , 5, 24-28	3.4	2
231	Abdominal seeding of renal cell carcinoma: radiologic, pathologic, and prognostic features. <i>Abdominal Radiology</i> , 2017 , 42, 1510-1516	3	6
230	Different subtypes of epithelioid sarcoma and their clinical implication: long-term multi-institutional experience with a rare sarcoma. <i>Apmis</i> , 2017 , 125, 223-229	3.4	7

229	Non-contrast magnetic resonance imaging for bladder cancer: fused high b value diffusion-weighted imaging and T2-weighted imaging helps evaluate depth of invasion. <i>European Radiology</i> , 2017 , 27, 3752-3758	8	16
228	PI-RADS Version 2: Detection of Clinically Significant Cancer in Patients With Biopsy Gleason Score 6 Prostate Cancer. <i>American Journal of Roentgenology</i> , 2017 , 209, W1-W9	5.4	50
227	Prognostic Significance of the Proportion of Ductal Component in Ductal Adenocarcinoma of the Prostate. <i>Journal of Urology</i> , 2017 , 197, 1048-1053	2.5	19
226	Impact of preoperative calculation of nephron volume loss on future of partial nephrectomy techniques; planning a strategic roadmap for improving functional preservation and securing oncological safety. <i>BJU International</i> , 2017 , 120, 682-688	5.6	4
225	Effect of ulinastatin on postoperative renal function in patients undergoing robot-assisted laparoscopic partial nephrectomy: a randomized trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 3728-3736	5.2	6
224	Robotic nurse duties in the urology operative room: 11 years of experience. <i>Asian Journal of Urology</i> , 2017 , 4, 116-123	2.7	8
223	PI-RADS version 2: Preoperative role in the detection of normal-sized pelvic lymph node metastasis in prostate cancer. <i>European Journal of Radiology</i> , 2017 , 91, 22-28	4.7	9
222	Prognostic Significance of Vas Deferens Invasion After Radical Prostatectomy in Patients with Pathological Stage T3b Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1143-1149	3.1	3
221	PI-RADS version 2: quantitative analysis aids reliable interpretation of diffusion-weighted imaging for prostate cancer. <i>European Radiology</i> , 2017 , 27, 2776-2783	8	15
220	Predictors of health-related quality of life in Korean prostate cancer patients receiving androgen deprivation therapy. <i>European Journal of Oncology Nursing</i> , 2017 , 30, 84-90	2.8	9
219	Preoperative Lymphocyte-Monocyte Ratio Ameliorates the Accuracy of Differential Diagnosis in Non-Metastatic Infiltrative Renal Masses. <i>Yonsei Medical Journal</i> , 2017 , 58, 388-394	3	5
218	Effects and Satisfaction of Medical Device Safety Information Reporting System Using Electronic Medical Record. <i>Healthcare Informatics Research</i> , 2017 , 23, 94-100	3	3
217	Impact of the ASA Physical Status Score on Adjuvant Chemotherapy Eligibility and Survival of Upper Tract Urothelial Carcinoma Patients: a Multicenter Study. <i>Journal of Korean Medical Science</i> , 2017 , 32, 335-342	4.7	8
216	Prostate-specific antigen 10-20 ng/mL: A predictor of degree of upgrading to 8 among patients with biopsy Gleason score 6. <i>Investigative and Clinical Urology</i> , 2017 , 58, 90-97	1.9	10
215	Impact of a bladder cuff excision during radical nephroureterectomy on cancer specific survival in patients with upper tract urothelial cancer in Korea: a retrospective, multi-institutional study. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 466-474	2.3	7
214	Post hoc analyses of East Asian patients from the randomized placebo-controlled PREVAIL trial of enzalutamide in patients with chemotherapy-naïve, metastatic castration-resistant prostate cancer. <i>Medicine (United States)</i> , 2017 , 96, e7223	1.8	9
213	Intraoperative and postoperative feasibility and safety of total tubeless, tubeless, small-bore tube, and standard percutaneous nephrolithotomy: a systematic review and network meta-analysis of 16 randomized controlled trials. <i>BMC Urology</i> , 2017 , 17, 48	2.2	10
212	Impact of lymphovascular invasion on lymph node metastasis for patients undergoing radical prostatectomy with negative resection margin. <i>BMC Cancer</i> , 2017 , 17, 321	4.8	11

211	Perioperative and short-term outcomes of Retzius-sparing robot-assisted laparoscopic radical prostatectomy stratified by gland size. <i>BJU International</i> , 2017 , 119, 135-141	5.6	19
210	Intermediate PSA half-life after neoadjuvant hormone therapy predicts reduced risk of castration-resistant prostate cancer development after radical prostatectomy. <i>BMC Cancer</i> , 2017 , 17, 789	4.8	0
209	The prognostic significance of postoperative neutrophil-to-lymphocyte ratio after radical prostatectomy for localized prostate cancer. <i>Oncotarget</i> , 2017 , 8, 11778-11787	3.3	19
208	Inherent characteristics of metachronous metastatic renal cell carcinoma in the era of targeted agents. <i>Oncotarget</i> , 2017 , 8, 78825-78837	3.3	4
207	Stratified analysis of 800 Asian patients after robot-assisted radical prostatectomy with a median 64 months of follow up. <i>International Journal of Urology</i> , 2016 , 23, 765-74	2.3	7
206	Robot-assisted partial nephrectomy confers excellent long-term outcomes for the treatment of complex cystic renal tumors: Median follow up of 58 months. <i>International Journal of Urology</i> , 2016 , 23, 976-982	2.3	6
205	Total intraglandular and index tumor volumes predict biochemical recurrence in prostate cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 469, 305-12	5.1	7
204	Outcomes of high-complexity renal tumours with a Preoperative Aspects and Dimensions Used for an Anatomical (PADUA) score of ≥ 10 after robot-assisted partial nephrectomy with a median 46.5-month follow-up: a tertiary centre experience. <i>BJU International</i> , 2016 , 118, 770-778	5.6	32
203	Age-adjusted Charlson comorbidity index is a significant prognostic factor for long-term survival of patients with high-risk prostate cancer after radical prostatectomy: a Bayesian model averaging approach. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 849-58	4.9	14
202	Bone health and its correlates in Korean prostate cancer patients receiving androgen deprivation therapy. <i>European Journal of Oncology Nursing</i> , 2016 , 21, 197-204	2.8	
201	Prostate Cancer: PI-RADS Version 2 Helps Preoperatively Predict Clinically Significant Cancers. <i>Radiology</i> , 2016 , 280, 108-16	20.5	110
200	Prediction of biochemical recurrence after radical prostatectomy with PI-RADS version 2 in prostate cancers: initial results. <i>European Radiology</i> , 2016 , 26, 2502-9	8	37
199	Single Positive Lymph Node Prostate Cancer Can Be Treated Surgically without Recurrence. <i>PLoS ONE</i> , 2016 , 11, e0152391	3.7	9
198	Comparison of High, Intermediate, and Low Frequency Shock Wave Lithotripsy for Urinary Tract Stone Disease: Systematic Review and Network Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0158661	3.7	22
197	Association of Anterior and Lateral Extraprostatic Extensions with Base-Positive Resection Margins in Prostate Cancer. <i>PLoS ONE</i> , 2016 , 11, e0158922	3.7	5
196	Effect of Preoperative Risk Group Stratification on Oncologic Outcomes of Patients with Adverse Pathologic Findings at Radical Prostatectomy. <i>PLoS ONE</i> , 2016 , 11, e0164497	3.7	6
195	Prognostic implications of PIK3CA amplification in curatively resected liposarcoma. <i>Oncotarget</i> , 2016 , 7, 24549-58	3.3	7
194	Prostate-specific antigen density predicts favorable pathology and biochemical recurrence in patients with intermediate-risk prostate cancer. <i>Asian Journal of Andrology</i> , 2016 , 18, 480-4	2.8	7

193	Proctorship and mentoring: Its backbone and application in robotic surgery. <i>Investigative and Clinical Urology</i> , 2016 , 57, S114-S120	1.9	10
192	Incidental detection of pancreatic hemangioma mimicking a metastatic tumor of renal cell carcinoma. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2016 , 20, 93-6		7
191	Fibroblast Growth Factor Receptor 1 Overexpression Is Associated with Poor Survival in Patients with Resected Muscle Invasive Urothelial Carcinoma. <i>Yonsei Medical Journal</i> , 2016 , 57, 831-9	3	11
190	Prognostic Model to Predict Survival Outcome for Curatively Resected Liposarcoma: A Multi-Institutional Experience. <i>Journal of Cancer</i> , 2016 , 7, 1174-80	4.5	22
189	Can lymphovascular invasion replace the prognostic value of lymph node involvement in patients with upper tract urothelial carcinoma after radical nephroureterectomy?. <i>Canadian Urological Association Journal</i> , 2016 , 10, E229-E236	1.2	1
188	The Effect of Tumor-Prostate Ratio on Biochemical Recurrence after Radical Prostatectomy. <i>World Journal of Men's Health</i> , 2016 , 34, 123-8	6.8	
187	Simultaneous Retzius-sparing robot-assisted radical prostatectomy and partial nephrectomy. <i>Investigative and Clinical Urology</i> , 2016 , 57, 146-9	1.9	9
186	Ureteral stenting can be a negative predictor for successful outcome following shock wave lithotripsy in patients with ureteral stones. <i>Investigative and Clinical Urology</i> , 2016 , 57, 408-416	1.9	9
185	The PREVAIL trial of enzalutamide in men with chemotherapy-naïve, metastatic castration-resistant prostate cancer: Post hoc analysis of Korean patients. <i>Investigative and Clinical Urology</i> , 2016 , 57, 174-83	1.9	12
184	Does Radiotherapy for the Primary Tumor Benefit Prostate Cancer Patients with Distant Metastasis at Initial Diagnosis?. <i>PLoS ONE</i> , 2016 , 11, e0147191	3.7	35
183	Metabolic Pathway Signatures Associated with Urinary Metabolite Biomarkers Differentiate Bladder Cancer Patients from Healthy Controls. <i>Yonsei Medical Journal</i> , 2016 , 57, 865-71	3	27
182	A Systematic Review and Meta-Analysis of Functional Outcomes and Complications Following the Photoselective Vaporization of the Prostate and Monopolar Transurethral Resection of the Prostate. <i>World Journal of Men's Health</i> , 2016 , 34, 110-22	6.8	10
181	Clinical significance of peripheral zone thickness in men with lower urinary tract symptoms/benign prostatic hyperplasia. <i>BJU International</i> , 2016 , 117, 316-22	5.6	15
180	MicroRNA alteration and putative target genes in high-grade prostatic intraepithelial neoplasia and prostate cancer: STAT3 and ZEB1 are upregulated during prostate carcinogenesis. <i>Prostate</i> , 2016 , 76, 937-47	4.2	16
179	Prognostic implications of PD-L1 expression in patients with soft tissue sarcoma. <i>BMC Cancer</i> , 2016 , 16, 434	4.8	93
178	Computed Tomography-Based Novel Prediction Model for the Outcome of Shockwave Lithotripsy in Proximal Ureteral Stones. <i>Journal of Endourology</i> , 2016 , 30, 810-6	2.7	12
177	Oncological outcomes after partial vs radical nephrectomy in renal cell carcinomas of ≥ 7 cm with presumed renal sinus fat invasion on preoperative imaging. <i>BJU International</i> , 2016 , 117, 87-93	5.6	11
176	Usefulness of the diameter-axial-polar nephrometry score for predicting perioperative parameters in robotic partial nephrectomy. <i>World Journal of Urology</i> , 2015 , 33, 841-5	4	5

175	The prognostic effect of prostate-specific antigen half-life at the first follow-up visit in newly diagnosed metastatic prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 383.e17-22	2.8	5
174	The impact of two different inspiratory to expiratory ratios (1:1 and 1:2) on respiratory mechanics and oxygenation during volume-controlled ventilation in robot-assisted laparoscopic radical prostatectomy: a randomized controlled trial. <i>Canadian Journal of Anaesthesia</i> , 2015 , 62, 979-87	3	17
173	A network meta-analysis of therapeutic outcomes after new image technology-assisted transurethral resection for non-muscle invasive bladder cancer: 5-aminolaevulinic acid fluorescence vs hexylaminolevulinate fluorescence vs narrow band imaging. <i>BMC Cancer</i> , 2015 , 15, 566	4.8	49
172	The beneficial effect of alpha-blockers for ureteral stent-related discomfort: systematic review and network meta-analysis for alfuzosin versus tamsulosin versus placebo. <i>BMC Urology</i> , 2015 , 15, 55	2.2	27
171	p53 expression as a prognostic factor in upper urinary tract urothelial carcinoma: a systematic review and meta-analysis. <i>Urologia Internationalis</i> , 2015 , 94, 50-7	1.9	9
170	Prediction of Micrometastasis (American Journal of Roentgenology, 2015 , 205, W328-34	5.4	19
169	Leiomyosarcoma: investigation of prognostic factors for risk-stratification model. <i>International Journal of Clinical Oncology</i> , 2015 , 20, 1226-32	4.2	7
168	Additional Targeted Biopsy in Clinically Suspected Prostate Cancer: Prospective Randomized Comparison between Contrast-Enhanced Ultrasound and Sonoelastography Guidance. <i>Ultrasound in Medicine and Biology</i> , 2015 , 41, 2836-41	3.5	9
167	Renal function is the same 6 months after robot-assisted partial nephrectomy regardless of clamp technique: analysis of outcomes for off-clamp, selective arterial clamp and main artery clamp techniques, with a minimum follow-up of 1 year. <i>BJU International</i> , 2015 , 115, 921-8	5.6	49
166	The effect of dexmedetomidine on intraocular pressure increase in patients during robot-assisted laparoscopic radical prostatectomy in the steep Trendelenburg position. <i>Journal of Endourology</i> , 2015 , 29, 310-6	2.7	24
165	Number of positive preoperative biopsy cores is a predictor of positive surgical margins (PSM) in small prostates after robot-assisted radical prostatectomy (RARP). <i>BJU International</i> , 2015 , 116, 897-904	5.6	7
164	Two-year analysis for predicting renal function and contralateral hypertrophy after robot-assisted partial nephrectomy: A three-dimensional segmentation technology study. <i>International Journal of Urology</i> , 2015 , 22, 1105-11	2.3	7
163	Preoperative Underweight Patients with Upper Tract Urothelial Carcinoma Survive Less after Radical Nephroureterectomy. <i>Journal of Korean Medical Science</i> , 2015 , 30, 1483-9	4.7	12
162	Pathologic Outcomes in Men with Low-risk Prostate Cancer Who Are Potential Candidates for Contemporary, Active Surveillance Protocols. <i>Journal of Korean Medical Science</i> , 2015 , 30, 932-6	4.7	2
161	Associations of Self-Reported Erectile Function with Non-Invasive Measurements of Endothelial Function: A Preliminary Study. <i>World Journal of Men's Health</i> , 2015 , 33, 174-81	6.8	0
160	Comparison of computed tomography findings between renal oncocytomas and chromophobe renal cell carcinomas. <i>Korean Journal of Urology</i> , 2015 , 56, 695-702		15
159	Impact of colic pain as a significant factor for predicting the stone free rate of one-session shock wave lithotripsy for treating ureter stones: a Bayesian logistic regression model analysis. <i>PLoS ONE</i> , 2015 , 10, e0123800	3.7	14
158	Accuracy of Urinary Neutrophil Gelatinase-Associated Lipocalin in Quantifying Acute Kidney Injury after Partial Nephrectomy in Patients with Normal Contralateral Kidney. <i>PLoS ONE</i> , 2015 , 10, e0133675	3.7	8

157	The Intraocular Pressure under Deep versus Moderate Neuromuscular Blockade during Low-Pressure Robot Assisted Laparoscopic Radical Prostatectomy in a Randomized Trial. <i>PLoS ONE</i> , 2015 , 10, e0135412	3.7	38
156	Simple Modification of the Bladder Outlet Obstruction Index for Better Prediction of Endoscopically-Proven Prostatic Obstruction: A Preliminary Study. <i>PLoS ONE</i> , 2015 , 10, e0141745	3.7	4
155	Optimal Skin-to-Stone Distance Is a Positive Predictor for Successful Outcomes in Upper Ureter Calculi following Extracorporeal Shock Wave Lithotripsy: A Bayesian Model Averaging Approach. <i>PLoS ONE</i> , 2015 , 10, e0144912	3.7	20
154	Repeat Targeted Prostate Biopsy under Guidance of Multiparametric MRI-Correlated Real-Time Contrast-Enhanced Ultrasound for Patients with Previous Negative Biopsy and Elevated Prostate-Specific Antigen: A Prospective Study. <i>PLoS ONE</i> , 2015 , 10, e0130671	3.7	2
153	Adjuvant radiotherapy outcome of stage I testicular seminoma: a single institution study. <i>Yonsei Medical Journal</i> , 2015 , 56, 24-30	3	2
152	Prognostic impact of time to undetectable prostate-specific antigen in patients with positive surgical margins following radical prostatectomy. <i>Annals of Surgical Oncology</i> , 2015 , 22, 693-700	3.1	12
151	Design for a Medical Devices Safety Information Reporting System for the Hospitals. <i>Journal of the Institute of Electronics and Information Engineers</i> , 2015 , 52, 140-147	0.8	
150	Effects of Previous or Synchronous Non-Muscle Invasive Bladder Cancer on Clinical Results after Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Multi-Institutional Study. <i>Urology Journal</i> , 2015 , 12, 2233-9	0.9	8
149	Impact of Charlson comorbidity index varies by age in patients with prostate cancer treated by radical prostatectomy: a competing risk regression analysis. <i>Annals of Surgical Oncology</i> , 2014 , 21, 677-83	3.1	10
148	Increase in intraocular pressure is less with propofol than with sevoflurane during laparoscopic surgery in the steep Trendelenburg position. <i>Canadian Journal of Anaesthesia</i> , 2014 , 61, 322-9	3	43
147	External validation of the RENAL nephrometry score nomogram for predicting high-grade renal cell carcinoma in solid, enhancing, and small renal masses. <i>World Journal of Urology</i> , 2014 , 32, 249-55	4	19
146	Retzius-sparing robot-assisted laparoscopic radical prostatectomy: combining the best of retropubic and perineal approaches. <i>BJU International</i> , 2014 , 114, 236-44	5.6	90
145	A competing risk analysis of cancer-specific mortality of initial treatment with radical prostatectomy versus radiation therapy in clinically localized high-risk prostate cancer. <i>Annals of Surgical Oncology</i> , 2014 , 21, 4026-33	3.1	27
144	Increase in intracranial pressure during carbon dioxide pneumoperitoneum with steep trendelenburg positioning proven by ultrasonographic measurement of optic nerve sheath diameter. <i>Journal of Endourology</i> , 2014 , 28, 801-6	2.7	65
143	Analysis of different tumor volume thresholds of insignificant prostate cancer and their implications for active surveillance patient selection and monitoring. <i>Prostate International</i> , 2014 , 2, 76-81	3.4	3
142	Feasibility of robot-assisted radical prostatectomy for very-high risk prostate cancer: surgical and oncological outcomes in men aged ≥ 70 years. <i>Prostate International</i> , 2014 , 2, 127-32	3.4	17
141	Charlson comorbidity index is an important prognostic factor for long-term survival outcomes in Korean men with prostate cancer after radical prostatectomy. <i>Yonsei Medical Journal</i> , 2014 , 55, 316-23	3	16
140	Clinical experiences of incidental prostate cancer after transurethral resection of prostate (TURP) according to initial treatment: a study of a Korean high volume center. <i>Yonsei Medical Journal</i> , 2014 , 55, 78-83	3	10

139	Role of 1,25-dihydroxy vitamin D3 and parathyroid hormone in urinary calcium excretion in calcium stone formers. <i>Yonsei Medical Journal</i> , 2014 , 55, 1326-32	3	9
138	Treatment outcome of localized prostate cancer by 70 Gy hypofractionated intensity-modulated radiotherapy with a customized rectal balloon. <i>Radiation Oncology Journal</i> , 2014 , 32, 187-97	2.5	14
137	Meta-Analysis of the Relationship between CXCR4 Expression and Metastasis in Prostate Cancer. <i>World Journal of Men's Health</i> , 2014 , 32, 167-75	6.8	20
136	Laparoendoscopic single-site (LESS) robot-assisted nephroureterectomy: comparison with conventional multiport technique in the management of upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2014 , 114, 90-7	5.6	10
135	Robotic partial nephrectomy for completely endophytic renal tumors: complications and functional and oncologic outcomes during a 4-year median period of follow-up. <i>Urology</i> , 2014 , 84, 1367-73	1.6	37
134	Assessing the anatomical characteristics of renal masses has a limited effect on the prediction of pathological outcomes in solid, enhancing, small renal masses: results using the PADUA classification system. <i>BJU International</i> , 2014 , 113, 754-61	5.6	8
133	Yonsei nomogram to predict lymph node invasion in Asian men with prostate cancer during robotic era. <i>BJU International</i> , 2014 , 113, 598-604	5.6	8
132	Robot-assisted laparoendoscopic single-site partial nephrectomy with the novel da vinci single-site platform: initial experience. <i>Korean Journal of Urology</i> , 2014 , 55, 380-4		17
131	Current status of radical prostatectomy for high-risk prostate cancer. <i>Korean Journal of Urology</i> , 2014 , 55, 629-35		9
130	Prognostic factors for urachal cancer: a bayesian model-averaging approach. <i>Korean Journal of Urology</i> , 2014 , 55, 574-80		18
129	Renal pelvic urothelial carcinoma with vena caval thrombus mimicking renal cell carcinoma. <i>Korean Journal of Urology</i> , 2014 , 55, 624-7		6
128	MP22-16 RECURRENCE RATE OF TRANSURETHRAL RESECTION OF BLADDER TUMOR USING NARROW BAND IMAGING: A RANDOMIZED CONTROL TRIAL, PILOT STUDY. <i>Journal of Urology</i> , 2014 , 191,	2.5	2
127	Tumor lesion diameter on diffusion weighted magnetic resonance imaging could help predict insignificant prostate cancer in patients eligible for active surveillance: preliminary analysis. <i>Journal of Urology</i> , 2013 , 190, 1213-7	2.5	43
126	Treatment outcomes of chemical castration on Korean sex offenders. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2013 , 20, 563-6	1.7	17
125	Impact of bent distortion on accuracy of measurement during transrectal ultrasonography for prostatic imaging: a preliminary study. <i>Urology</i> , 2013 , 81, 915-9	1.6	4
124	Gleason 5+4 has worse oncological and pathological outcomes compared with Gleason 4+5: significance of Gleason 5 pattern. <i>Annals of Surgical Oncology</i> , 2013 , 20, 3127-32	3.1	19
123	Yonsei criteria: a new protocol for active surveillance in the era of robotic and local ablative surgeries. <i>Clinical Genitourinary Cancer</i> , 2013 , 11, 501-7	3.3	8
122	Intermediate-term outcomes of robot-assisted laparoscopic nephroureterectomy in upper urinary tract urothelial carcinoma. <i>Clinical Genitourinary Cancer</i> , 2013 , 11, 515-21	3.3	23

121	Hematuria grading scale: a new tool for gross hematuria. <i>Urology</i> , 2013 , 82, 284-9	1.6	8
120	Efficacy and safety of photodynamic therapy for recurrent, high grade nonmuscle invasive bladder cancer refractory or intolerant to bacille Calmette-Guérin immunotherapy. <i>Journal of Urology</i> , 2013 , 190, 1192-9	2.5	50
119	Meta-analysis of transperitoneal versus extraperitoneal robot-assisted radical prostatectomy for prostate cancer. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2013 , 23, 919-25 ^{2.1}	2.1	21
118	Comparative study of voiding and male sexual function following open and laparoscopic total mesorectal excision in patients with rectal cancer. <i>Journal of Surgical Oncology</i> , 2013 , 108, 572-8	2.8	22
117	Low-risk prostate cancer patients without visible tumor (T1c) on multiparametric MRI could qualify for active surveillance candidate even if they did not meet inclusion criteria of active surveillance protocol. <i>Japanese Journal of Clinical Oncology</i> , 2013 , 43, 553-8	2.8	25
116	Composite three-marker assay for early detection of kidney cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 390-8	4	40
115	An evidence-based evaluation of health information on erectile dysfunction from 10 nationwide daily newspapers in Korea. <i>Korean Journal of Urology</i> , 2013 , 54, 778-82		
114	Lymphocele after extraperitoneal robot-assisted radical prostatectomy: a propensity score-matching study. <i>International Journal of Urology</i> , 2013 , 20, 1169-76	2.3	34
113	Extended vs standard lymph node dissection in robot-assisted radical prostatectomy for intermediate- or high-risk prostate cancer: a propensity-score-matching analysis. <i>BJU International</i> , 2013 , 112, 216-23	5.6	32
112	Inhibition of tumor growth and histopathological changes following treatment with a chemokine receptor CXCR4 antagonist in a prostate cancer xenograft model. <i>Oncology Letters</i> , 2013 , 6, 933-938	2.6	18
111	Transmesocolic approach for left side laparoscopic pyeloplasty: comparison with laterocolic approach in the initial learning period. <i>Yonsei Medical Journal</i> , 2013 , 54, 197-203	3	2
110	Hybrid method of transurethral resection of ejaculatory ducts using holmium:yttriumaluminium garnet laser on complete ejaculatory duct obstruction. <i>Yonsei Medical Journal</i> , 2013 , 54, 1062-5	3	4
109	Unroofed midline prostate cyst misled into a stricture with obliterative bladder neck contracture following a laser prostatectomy. <i>International Neurourology Journal</i> , 2013 , 17, 34-7	2.6	6
108	Percent tumor volume predicts biochemical recurrence after radical prostatectomy: multi-institutional data analysis. <i>International Journal of Clinical Oncology</i> , 2012 , 17, 355-60	4.2	20
107	In situ identification and localization of IGHA2 in the breast tumor microenvironment by mass spectrometry. <i>Journal of Proteome Research</i> , 2012 , 11, 4567-74	5.6	33
106	Longitudinal stone diameter on coronal reconstruction of computed tomography as a predictor of ureteral stone expulsion in medical expulsive therapy. <i>Urology</i> , 2012 , 80, 784-9	1.6	28
105	Recent changes in the clinicopathologic features of Korean men with prostate cancer: a comparison with Western populations. <i>Yonsei Medical Journal</i> , 2012 , 53, 543-9	3	23
104	Optimal baseline prostate-specific antigen level to distinguish risk of prostate cancer in healthy men between 40 and 69 years of age. <i>Journal of Korean Medical Science</i> , 2012 , 27, 40-5	4.7	6

103	Clinical Outcomes of Bosniak Category IIF Complex Renal Cysts in Korean Patients. <i>Korean Journal of Urology</i> , 2012 , 53, 386-90		27
102	Comparison of pathological outcomes of active surveillance candidates who underwent radical prostatectomy using contemporary protocols at a high-volume Korean center. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 1079-85	2.8	20
101	Robotics applied in laparoscopic kidney surgery: the Yonsei University experience of 127 cases. <i>Urology</i> , 2011 , 77, 114-8	1.6	13
100	Clinical significance of a large difference (12 points) between biopsy and post-prostatectomy pathological Gleason scores in patients with prostate cancer. <i>Journal of Korean Medical Science</i> , 2011 , 26, 507-12	4.7	4
99	Laparoendoscopic single-site nephrectomy using a modified umbilical incision and a home-made transumbilical port. <i>Yonsei Medical Journal</i> , 2011 , 52, 307-13	3	6
98	Prostate size correlates with fasting blood glucose in non-diabetic benign prostatic hyperplasia patients with normal testosterone levels. <i>Journal of Korean Medical Science</i> , 2011 , 26, 1214-8	4.7	22
97	Clinical experiences of pheochromocytoma in Korea. <i>Yonsei Medical Journal</i> , 2011 , 52, 45-50	3	8
96	Nomogram to predict insignificant prostate cancer at radical prostatectomy in Korean men: a multi-center study. <i>Yonsei Medical Journal</i> , 2011 , 52, 74-80	3	8
95	Parathyroid hormone is not involved in prostate growth in patients with benign prostatic hyperplasia. <i>Prostate</i> , 2011 , 71, 1210-5	4.2	4
94	Association between urinary hesitancy symptoms and uroflowmetry measured urinary hesitancy time in men with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2011 , 30, 578-82	2.3	2
93	Cystic angiomyolipoma mimicking cystic renal cell carcinoma. <i>Journal of Urology</i> , 2011 , 185, 1098-9	2.5	2
92	Comparison of oncological results, functional outcomes, and complications for transperitoneal versus extraperitoneal robot-assisted radical prostatectomy: a single surgeon's experience. <i>Journal of Endourology</i> , 2011 , 25, 787-92	2.7	51
91	Trends in the incidence of benign pathological lesions at partial nephrectomy for presumed renal cell carcinoma in renal masses on preoperative computed tomography imaging: a single institute experience with 290 consecutive patients. <i>International Journal of Urology</i> , 2010 , 17, 512-6	2.3	11
90	Trends of presentation and clinical outcome of treated renal angiomyolipoma. <i>Yonsei Medical Journal</i> , 2010 , 51, 728-34	3	46
89	Preoperative nomograms for predicting extracapsular extension in Korean men with localized prostate cancer: a multi-institutional clinicopathologic study. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1443-8	4.7	10
88	Pattern of failure in bladder cancer patients treated with radical cystectomy: rationale for adjuvant radiotherapy. <i>Journal of Korean Medical Science</i> , 2010 , 25, 835-40	4.7	4
87	Radical Prostatectomy: Respective Roles and Comparisons of Robotic and Open Surgeries. <i>Journal of the Korean Medical Association</i> , 2010 , 53, 119	0.5	2
86	Relationship between prostate-specific antigen and body mass index according to age: lower prostate-specific antigen in middle-aged overweight and obese Korean men. <i>Urologia Internationalis</i> , 2010 , 85, 143-6	1.9	1

85	Increased urinary nerve growth factor as a predictor of persistent detrusor overactivity after bladder outlet obstruction relief in a rat model. <i>Journal of Urology</i> , 2010 , 183, 2440-4	2.5	19
84	Panel of candidate biomarkers for renal cell carcinoma. <i>Journal of Proteome Research</i> , 2010 , 9, 3710-9	5.6	35
83	Efficacy of octreotide for management of lymphorrhea after pelvic lymph node dissection in radical prostatectomy. <i>Urology</i> , 2010 , 76, 398-401	1.6	18
82	Decursin inhibits growth of human bladder and colon cancer cells via apoptosis, G1-phase cell cycle arrest and extracellular signal-regulated kinase activation. <i>International Journal of Molecular Medicine</i> , 2010 , 25, 635-41	4.4	25
81	AMS 700CX/CXM inflatable penile prosthesis has high mechanical reliability at long-term follow-up. <i>Journal of Sexual Medicine</i> , 2010 , 7, 2602-7	1.1	32
80	Efficacy and Safety of Red Ginseng Extract Powder in Patients with Erectile Dysfunction: Multicenter, Randomized, Double-Blind, Placebo-Controlled Study. <i>Korean Journal of Urology</i> , 2009 , 50, 159		14
79	Clinical experience of single-session percutaneous aspiration and OK-432 sclerotherapy for treatment of simple renal cysts: 1-year follow-up. <i>Journal of Endourology</i> , 2009 , 23, 1001-6	2.7	16
78	Robotic radical prostatectomy for patients with locally advanced prostate cancer is feasible: results of a single-institution study. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2009 , 19, 329-32	2.1	51
77	Robotic prostatectomy in patient with an abdominoperineal resection. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2009 , 19, 383-7	2.1	2
76	The risk factor for urethral recurrence after radical cystectomy in patients with transitional cell carcinoma of the bladder. <i>Urologia Internationalis</i> , 2009 , 82, 306-11	1.9	38
75	Prognostic factors affecting oncologic outcomes in patients with locally recurrent rectal cancer: impact of patterns of pelvic recurrence on curative resection. <i>Langenbeck's Archives of Surgery</i> , 2009 , 394, 71-7	3.4	39
74	The "halo effect" in Korea: change in practice patterns since the introduction of robot-assisted laparoscopic radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2009 , 3, 57-60	2.9	4
73	Malfunction of da Vinci robotic system--disassembled surgeon's console hand piece: case report and review of the literature. <i>Urology</i> , 2009 , 73, 209.e7-8	1.6	12
72	Failure and malfunction of da Vinci Surgical systems during various robotic surgeries: experience from six departments at a single institute. <i>Urology</i> , 2009 , 74, 1234-7	1.6	47
71	Pathological effects of prostate cancer correlate with neuroendocrine differentiation and PTEN expression after bicalutamide monotherapy. <i>Journal of Urology</i> , 2009 , 182, 1378-84	2.5	16
70	Long-term outcome of simultaneous transurethral resection of bladder tumor and prostate in patients with nonmuscle invasive bladder tumor and bladder outlet obstruction. <i>Journal of Urology</i> , 2009 , 181, 1594-9; discussion 1599	2.5	16
69	Clinical characteristics of renal cell carcinoma in Korean patients with von Hippel-Lindau disease compared to sporadic bilateral or multifocal renal cell carcinoma. <i>Journal of Korean Medical Science</i> , 2009 , 24, 1145-9	4.7	7
68	Pathologic Characteristics and Prognosis of Pathologic T0 Prostate Cancer. <i>Korean Journal of Urology</i> , 2009 , 50, 229		1

67	Comparison of Extraperitoneal and Transperitoneal Robot-Assisted Radical Prostatectomy in Prostate Cancer: A Single Surgeon's Experience. <i>Korean Journal of Urology</i> , 2009 , 50, 251		6
66	Clinical significance of lymph node dissection in patients with muscle-invasive upper urinary tract transitional cell carcinoma treated with nephroureterectomy. <i>Journal of Korean Medical Science</i> , 2009 , 24, 674-8	4.7	12
65	Comparison of the Efficacy of Urine Cytology, Nuclear Matrix Protein 22 (NMP22), and Fluorescence in Situ Hybridization (FISH) for the Diagnosis of Bladder Cancer. <i>Korean Journal of Urology</i> , 2009 , 50, 6		3
64	Prostate-Specific Antigen Test Interval according to Baseline Prostate-Specific Antigen and Age. <i>Korean Journal of Urology</i> , 2009 , 50, 1059		
63	Outcome of Radical Prostatectomy in Prostate Cancer Patients with Prostate-Specific Antigen (PSA) Level Equal to or More Than 20 ng/ml and No Distant Metastasis Preoperatively. <i>Korean Journal of Urology</i> , 2009 , 50, 111		1
62	The overlooked cause of benign prostatic hyperplasia: prostatic urethral angulation. <i>Medical Hypotheses</i> , 2008 , 70, 532-5	3.8	29
61	Relationship between prostatic urethral angle and urinary flow rate: its implication in benign prostatic hyperplasia pathogenesis. <i>Urology</i> , 2008 , 71, 858-62	1.6	30
60	Expression of chicken ovalbumin upstream promoter-transcription factor I (COUP-TFI) in bladder transitional cell carcinoma. <i>Urology</i> , 2008 , 72, 921-6	1.6	3
59	Prostate-specific antigen velocity in healthy Korean men with initial PSA levels of 4.0 ng/mL or less. <i>Urology</i> , 2008 , 72, 99-103	1.6	5
58	Comparison of multiple session 99% ethanol and single session OK-432 sclerotherapy for the treatment of simple renal cysts. <i>Journal of Urology</i> , 2008 , 180, 2552-6	2.5	17
57	The prognostic significance of pathologic stage T0 on organ-confined bladder transitional cell carcinoma following radical cystectomy. <i>Urologia Internationalis</i> , 2008 , 81, 394-8	1.9	7
56	Clinical Characteristics of Renal Cell Carcinoma in Korean Patients with von Hippel-Lindau Disease. <i>Korean Journal of Urology</i> , 2008 , 49, 863		
55	Treatment of Simple Renal Cysts by Percutaneous Aspiration and OK-432 Sclerotherapy. <i>Korean Journal of Urology</i> , 2008 , 49, 917		1
54	A comprehensive prognostic stratification for patients with metastatic renal clear cell carcinoma. <i>Yonsei Medical Journal</i> , 2008 , 49, 451-8	3	8
53	Transurethral Resection of Prostate in Benign Prostatic Hyperplasia Patients with Large Prostate Volume. <i>Korean Journal of Urology</i> , 2008 , 49, 906		
52	Robot-assisted Laparoscopic Radical Prostatectomy: Clinical Experience of 200 Cases. <i>Korean Journal of Urology</i> , 2008 , 49, 215		12
51	Comparison of Open and Robotic Surgery in Radical Prostatectomy: A Single Surgeon's Experience. <i>Korean Journal of Urology</i> , 2008 , 49, 221		3
50	The Patterns and Risk Factors for Subsequent Bladder Recurrence in Patients with Transitional Cell Carcinoma of the Upper Urinary Tract: A Long-Term Follow-Up Study. <i>Korean Journal of Urology</i> , 2008 , 49, 294		1

49	Outcomes of Robotic Prostatectomy for Treating Clinically Advanced Prostate Cancer. <i>Korean Journal of Urology</i> , 2008 , 49, 325		2
48	Robotic Prostatectomy in a Patient with a Miles Operation. <i>Korean Journal of Urology</i> , 2008 , 49, 464		1
47	Prognostic impact of peripelvic fat invasion in pT3 renal pelvic transitional cell carcinoma. <i>Journal of Korean Medical Science</i> , 2008 , 23, 434-8	4.7	7
46	Lowering Prostate-specific Antigen Threshold for Prostate Biopsy in Korean Men: Impact on the Number Needing Biopsy. <i>Korean Journal of Urology</i> , 2008 , 49, 118		3
45	Role of Epidermal Growth Factor Receptor and the HER-2 Gene in Hormone Refractory Prostate Cancer. <i>Korean Journal of Urology</i> , 2008 , 49, 24		
44	Yonsei experience in robotic urologic surgery-application in various urological procedures. <i>Yonsei Medical Journal</i> , 2008 , 49, 897-900	3	27
43	Open versus robotic radical prostatectomy: a prospective analysis based on a single surgeon's experience. <i>Journal of Robotic Surgery</i> , 2008 , 2, 235-41	2.9	10
42	Diagnostic algorithm for papillary urothelial tumors in the urinary bladder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 452, 353-62	5.1	22
41	Gene amplification and mutation analysis of epidermal growth factor receptor in hormone refractory prostate cancer. <i>Prostate</i> , 2008 , 68, 803-8	4.2	17
40	Comparison of Open versus Robotic Radical Prostatectomy in Clinically Advanced Prostate Cancer. <i>Korean Journal of Urology</i> , 2008 , 49, 886		4
39	The Significance of Simultaneous Transurethral Resection of Bladder Tumor and the Prostate in Patient who have Superficial Bladder Cancer with Bladder Outlet Obstruction. <i>Korean Journal of Urology</i> , 2008 , 49, 791		1
38	Recent Concepts of Premature Ejaculation. <i>Korean Journal of Urology</i> , 2008 , 49, 765		
37	Matrix metalloproteinase expression in the recurrence of superficial low grade bladder transitional cell carcinoma. <i>Journal of Urology</i> , 2007 , 177, 1174-8	2.5	23
36	Giant multilocular prostatic cystadenoma presenting with obstructive aspermia. <i>Yonsei Medical Journal</i> , 2007 , 48, 554-6	3	9
35	Robot-assisted laparoscopic radical prostatectomy: four cases. <i>Yonsei Medical Journal</i> , 2007 , 48, 341-6	3	13
34	Percutaneous treatment of renal cysts with OK-432 sclerosis. <i>Yonsei Medical Journal</i> , 2007 , 48, 270-3	3	7
33	CT findings after nephron-sparing surgery of renal tumors. <i>American Journal of Roentgenology</i> , 2007 , 189, W264-71	5.4	12
32	Grade of hydronephrosis and tumor diameter as preoperative prognostic factors in ureteral transitional cell carcinoma. <i>Urology</i> , 2007 , 70, 662-6	1.6	64

31	Age-specific prostate-specific antigen reference ranges in Korean men. <i>Urology</i> , 2007 , 70, 1113-6	1.6	21
30	A proposal for a novel staging system in renal pelvicaliceal urothelial carcinomas. <i>Human Pathology</i> , 2007 , 38, 1639-48	3.7	5
29	Analysis of Human V-erbA Related EAR-3 Gene Expression between Transitional Cell Carcinoma and Normal Tissue in Bladder Cancer. <i>Korean Journal of Urology</i> , 2007 , 48, 915		
28	Detection rate of prostate cancer on biopsy according to serum prostate-specific antigen in Korean men: a multicenter study. <i>Urology</i> , 2006 , 67, 333-6	1.6	32
27	Long-term effects of ileal conduit urinary diversion on upper urinary tract in bladder cancer. <i>Urology</i> , 2006 , 68, 324-7	1.6	42
26	Pattern of Recurrence and the Prognostic Factors of Upper Urinary Tract Transitional Cell Carcinoma. <i>Korean Journal of Urology</i> , 2006 , 47, 124		4
25	The Clinical Significance of Hydronephrosis and the Tumor Diameter in Ureteral Transitional Cell Carcinoma. <i>Korean Journal of Urology</i> , 2006 , 47, 131		1
24	The Influence of Age and Prostate Volume on the Cancer Detection Rate in Korean Men with PSA Levels of 4.0 to 10.0ng/ml: a Multicenter, Retrospective Study. <i>Korean Journal of Urology</i> , 2006 , 47, 353		2
23	Characteristics of Multiple Primary Malignancies in Renal Cell Carcinoma. <i>Korean Journal of Urology</i> , 2006 , 47, 118		
22	Age-Specific Reference Ranges for Serum Prostate-Specific Antigen in Korean Men. <i>Korean Journal of Urology</i> , 2006 , 47, 586		6
21	Lymphovascular and marginal invasion as useful prognostic indicators and the role of c-erbB-2 in patients with male extramammary Paget disease: a study of 31 patients. <i>Journal of Urology</i> , 2005 , 174, 561-5	2.5	31
20	Extramammary Paget disease of penis and scrotum. <i>Urology</i> , 2005 , 65, 972-5	1.6	70
19	Vesicoureteral reflux in adult women with uncomplicated acute pyelonephritis. <i>Urology</i> , 2005 , 66, 55-8	1.6	15
18	Juvenile prostatic hyperplasia. <i>Urology</i> , 2005 , 66, 881	1.6	5
17	Loss of Cyclin B1 followed by downregulation of Cyclin A/Cdk2, apoptosis and antiproliferation in Hela cell line. <i>International Journal of Cancer</i> , 2005 , 116, 520-5	7.5	12
16	Establishment of a System to Evaluate the Efficacy of Functional Foods. <i>Taehan Uihak Hyophoe Chi the Journal of the Korean Medical Association</i> , 2005 , 48, 538		
15	Estrogen receptor is significantly associated with the epithelioid variants of renal angiomyolipoma: a clinicopathological and immunohistochemical study of 67 cases. <i>Pathology International</i> , 2004 , 54, 510-5 ¹⁸	1.8	34
14	Increased expression of matrix metalloproteinase 9 correlates with poor prognostic variables in renal cell carcinoma. <i>European Urology</i> , 2003 , 44, 560-6	10.2	70

13	A case of testicular tunica albuginea cyst with psammoma body. <i>International Journal of Urology</i> , 2001 , 8, 520-1	2.3	3
12	MECHANICAL RELIABILITY OF THE AMS 700CXM INFLATABLE PENILE PROSTHESIS FOR THE TREATMENT OF MALE ERECTILE DYSFUNCTION. <i>Journal of Urology</i> , 2001 , 165, 822-824	2.5	30
11	Inflammatory pseudotumor of the urinary bladder in a child. <i>Yonsei Medical Journal</i> , 2000 , 41, 401-3	3	12
10	Penile vibratory threshold changes with various doses of SS-cream in patients with primary premature ejaculation. <i>Yonsei Medical Journal</i> , 2000 , 41, 29-33	3	17
9	Clinical study of SS-cream in patients with lifelong premature ejaculation. <i>Urology</i> , 2000 , 55, 257-61	1.6	95
8	IN VITRO AND IN VIVO EXPERIMENTAL EFFECT OF KOREAN RED GINSENG ON ERECTION. <i>Journal of Urology</i> , 1999 , 162, 1508-1511	2.5	50
7	Retroperitoneal paragonimiasis: a case of ectopic paragonimiasis presenting as periureteral masses. <i>Journal of Computer Assisted Tomography</i> , 1999 , 23, 696-8	2.2	9
6	Somatosensory Evoked Potentials in Patients With Primary Premature Ejaculation. <i>Journal of Urology</i> , 1997 , 158, 451-455	2.5	98
5	The distribution of nitric oxide synthase in human corpus cavernosum on various impotent patients. <i>Yonsei Medical Journal</i> , 1997 , 38, 125-32	3	4
4	Efficacy of a topical agent SS-cream in the treatment of premature ejaculation: preliminary clinical studies. <i>Yonsei Medical Journal</i> , 1997 , 38, 91-5	3	39
3	Penile Sensitivity in Patients with Primary Premature Ejaculation. <i>Journal of Urology</i> , 1996 , 156, 979-981	2.5	143
2	The effects of SS-cream and its individual components on rabbit corpus cavernosal muscles. <i>Yonsei Medical Journal</i> , 1996 , 37, 312-8	3	6
1	Sensory evoked potential and effect of SS-cream in premature ejaculation. <i>Yonsei Medical Journal</i> , 1995 , 36, 397-401	3	34