

Young Deuk Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6484739/publications.pdf>

Version: 2024-02-01

303
papers

6,088
citations

93792

39
h-index

162838

57
g-index

306
all docs

306
docs citations

306
times ranked

7610
citing authors

#	ARTICLE	IF	CITATIONS
1	Warm ischemia time length during on-clamp partial nephrectomy: does it really matter?. <i>Minerva Urology and Nephrology</i> , 2022, 74, .	1.3	18
2	Tumor Genomic Testing for >4,000 Men with Metastatic Castration-resistant Prostate Cancer in the Phase III Trial PROfound (Olaparib). <i>Clinical Cancer Research</i> , 2022, 28, 1518-1530.	3.2	41
3	Evaluation of the Surgical Margin Threshold for Avoiding Recurrence after Partial Nephrectomy in Patients with Renal Cell Carcinoma. <i>Yonsei Medical Journal</i> , 2022, 63, 173.	0.9	4
4	Outcomes of Retzius-sparing versus conventional robot-assisted radical prostatectomy: A KSER update series systematic review and meta-analysis. <i>PLoS ONE</i> , 2022, 17, e0268182.	1.1	5
5	Clinical Outcomes After Urinary Diversion for Malignant Ureteral Obstruction Secondary to Non-urologic Cancer: An Analysis of 778 Cases. <i>Annals of Surgical Oncology</i> , 2021, 28, 2367-2373.	0.7	9
6	Olaparib efficacy in patients with metastatic castration-resistant prostate cancer (mCRPC) carrying circulating tumor (ct) DNA alterations in <i>BRCA1</i> , <i>BRCA2</i> or <i>ATM</i> : Results from the PROfound study.. <i>Journal of Clinical Oncology</i> , 2021, 39, 27-27.	0.8	17
7	Ferroportin and FBXL5 as Prognostic Markers in Advanced Stage Clear Cell Renal Cell Carcinoma. <i>Cancer Research and Treatment</i> , 2021, 53, 1174-1183.	1.3	2
8	Prostate epithelial genes define therapy-relevant prostate cancer molecular subtype. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 1080-1092.	2.0	15
9	Glycolysis on F-18 FDG PET/CT Is Superior to Amino Acid Metabolism on C-11 Methionine PET/CT in Identifying Advanced Renal Cell Carcinoma at Staging. <i>Cancers</i> , 2021, 13, 2381.	1.7	6
10	Revisiting extraprostatic extension based on invasion depth and number for new algorithm for substaging of pT3a prostate cancer. <i>Scientific Reports</i> , 2021, 11, 13952.	1.6	5
11	Prognostic value of prostate volume in non-muscle invasive bladder cancer. <i>Scientific Reports</i> , 2021, 11, 18784.	1.6	3
12	Subcutaneous Interleukin-2 Monotherapy for Metastatic Renal Cell Carcinoma in Korean Patients. <i>The Korean Journal of Urological Oncology</i> , 2021, 19, 252-260.	0.1	0
13	Metabolic tumour volume on 18F-FDG PET/CT predicts extended pathological T stages in patients with renal cell carcinoma at staging. <i>Scientific Reports</i> , 2021, 11, 23486.	1.6	2
14	Postoperative biochemical recurrence of pathologically localized high-grade prostate cancer in adjuvant treatment-naïve patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 221-227.	1.2	1
15	Lessons learned from clinical outcome and tumor features of patients underwent selective artery embolization due to postoperative bleeding following 2076 partial nephrectomies: propensity scoring matched study. <i>World Journal of Urology</i> , 2020, 38, 1235-1242.	1.2	7
16	True Single-Site Partial Nephrectomy Using the SP Surgical System: Feasibility, Comparison with the Xi Single-Site Platform, and Step-By-Step Procedure Guide. <i>Journal of Endourology</i> , 2020, 34, 169-174.	1.1	20
17	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020, 10, 750.	1.3	6
18	Muscle Characteristics Obtained Using Computed Tomography as Prognosticators in Patients with Castration-Resistant Prostate Cancer. <i>Cancers</i> , 2020, 12, 1864.	1.7	7

#	ARTICLE	IF	CITATIONS
19	Effect of different general anaesthetics on ventricular repolarisation in robot-assisted laparoscopic prostatectomy. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1243-1252.	0.7	3
20	Comparison of Biochemical Recurrence After Robot-assisted Laparoscopic Radical Prostatectomy with Volatile and Total Intravenous Anesthesia. <i>International Journal of Medical Sciences</i> , 2020, 17, 449-456.	1.1	10
21	Urethral realignment with maximal urethral length and bladder neck preservation in robot-assisted radical prostatectomy: Urinary continence recovery. <i>PLoS ONE</i> , 2020, 15, e0227744.	1.1	7
22	Retzius Sparing Robot-Assisted Radical Prostatectomy Conveys Early Regain of Continence over Conventional Robot-Assisted Radical Prostatectomy: A Propensity Score Matched Analysis of 1,863 Patients. <i>Journal of Urology</i> , 2020, 203, 137-144.	0.2	57
23	Retzius-sparing robot-assisted radical prostatectomy versus open retropubic radical prostatectomy: a prospective comparative study with 19-month follow-up. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 586-594.	3.9	8
24	Synergistic Antitumor Effects of Combined Treatment with HSP90 Inhibitor and PI3K/mTOR Dual Inhibitor in Cisplatin-Resistant Human Bladder Cancer Cells. <i>Yonsei Medical Journal</i> , 2020, 61, 587.	0.9	9
25	Association Between Prostate Cancer and 25-Hydroxyvitamin D2 Levels: National Health and Nutrition Examination Survey 2007~2008 Results. <i>The Korean Journal of Urological Oncology</i> , 2020, 18, 32-39.	0.1	0
26	Reply by Authors. <i>Journal of Urology</i> , 2020, 203, 143-144.	0.2	0
27	The Relationships between Survivals and Early Salvage Androgen Deprivation Therapy for Non-Organ Confined Prostate Cancer after Radical Prostatectomy. <i>Chonnam Medical Journal</i> , 2020, 56, 115.	0.5	0
28	The prognostic impact of downgrading and upgrading from biopsy to radical prostatectomy among men with Gleason score 7 prostate cancer. <i>Prostate</i> , 2019, 79, 1805-1810.	1.2	11
29	Effect of prostate gland weight on the surgical and oncological outcomes of extraperitoneal robot-assisted radical prostatectomy. <i>BMC Urology</i> , 2019, 19, 1.	0.6	42
30	Clinical Significance of Multiparametric Magnetic Resonance Imaging as a Preoperative Predictor of Oncologic Outcome in Very Low-Risk Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 542.	1.0	3
31	Predictive Factors and Oncologic Outcome of Downgrade to Pathologic Gleason Score 6~7 after Radical Prostatectomy in Patients with Biopsy Gleason Score 8~10. <i>Journal of Clinical Medicine</i> , 2019, 8, 438.	1.0	6
32	Comparison of stone-free rates following shock wave lithotripsy, percutaneous nephrolithotomy, and retrograde intrarenal surgery for treatment of renal stones: A systematic review and network meta-analysis. <i>PLoS ONE</i> , 2019, 14, e0211316.	1.1	73
33	Probe-Based Confocal Laser Endomicroscopy During Transurethral Resection of Bladder Tumors Improves the Diagnostic Accuracy and Therapeutic Efficacy. <i>Annals of Surgical Oncology</i> , 2019, 26, 1158-1165.	0.7	11
34	Preoperative controlling nutritional status (CONUT) score as a novel immune-nutritional predictor of survival in non-metastatic clear cell renal cell carcinoma of 7cm on preoperative imaging. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 957-965.	1.2	26
35	Pure single-site robot-assisted pyeloplasty with the da Vinci SP surgical system: Initial experience. <i>Investigative and Clinical Urology</i> , 2019, 60, 326.	1.0	27
36	Identification of an immunotherapy-responsive molecular subtype of bladder cancer. <i>EBioMedicine</i> , 2019, 50, 238-245.	2.7	88

#	ARTICLE	IF	CITATIONS
37	Is the extirpative surgery for primary tumor helpful for the patients with metastatic urothelial cancer at the time of diagnosis?. <i>Medicine (United States)</i> , 2019, 98, e15930.	0.4	3
38	Differences in the Efficacies of Pazopanib and Gemcitabine/Docetaxel as Second-Line Treatments for Metastatic Soft Tissue Sarcoma. <i>Oncology</i> , 2019, 96, 59-69.	0.9	14
39	Robot-Assisted Partial Nephrectomy for Totally Endophytic Renal Tumors: Step by Step Standardized Surgical Technique and Long-Term Outcomes with a Median 59-Month Follow-Up. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2019, 29, 1-11.	0.5	8
40	Prediction of organ-confined disease after robot-assisted radical prostatectomy in patients with clinically locally-advanced prostate cancer. <i>Asian Journal of Surgery</i> , 2019, 42, 120-125.	0.2	1
41	Neutrophil-to-Lymphocyte Ratio Predicts Pathological Renal Sinus Fat Invasion in Renal Cell Carcinomas of ≥ 7 cm with Presumed Renal Sinus Fat Invasion. <i>Yonsei Medical Journal</i> , 2019, 60, 1021.	0.9	7
42	The Effect of Post-prostatectomy Urinary Incontinence on Health-related Quality of Life in Patients with Prostate Cancer. <i>Korean Journal of Adult Nursing</i> , 2019, 31, 293.	0.2	0
43	Retzius-sparing robot-assisted radical prostatectomy using the Revo robotic surgical system: surgical technique and results of the first human trial. <i>BJU International</i> , 2018, 122, 441-448.	1.3	70
44	Monopolar vs. bipolar transurethral resection for non-muscle invasive bladder carcinoma: A post-hoc analysis from a randomized controlled trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 338.e1-338.e11.	0.8	21
45	Functional and oncological outcomes of open, laparoscopic and robot-assisted partial nephrectomy: a multicentre comparative matched-pair analyses with a median of 5 years follow-up. <i>BJU International</i> , 2018, 122, 618-626.	1.3	88
46	Estimated glomerular filtration rate's time to nadir after robot-assisted partial nephrectomy: Predictors and clinical significance on renal functional recovery. <i>International Journal of Urology</i> , 2018, 25, 660-667.	0.5	2
47	The Effect on Bone Outcomes of Home-based Exercise Intervention for Prostate Cancer Survivors Receiving Androgen Deprivation Therapy. <i>Cancer Nursing</i> , 2018, 41, 379-388.	0.7	25
48	Off-Clamp Robot-Assisted Partial Nephrectomy: How Far Shall We Proceed?. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018, 28, 579-585.	0.5	6
49	Does robot-assisted radical prostatectomy benefit patients with prostate cancer and bone oligometastases?. <i>BJU International</i> , 2018, 121, 225-231.	1.3	54
50	Clinical significance of multiparametric MRI and PSA density as predictors of residual tumor (pT0) following radical prostatectomy for T1a-T1b (incidental) prostate cancer. <i>PLoS ONE</i> , 2018, 13, e0210037.	1.1	12
51	Predictive value of preoperative monocyte-lymphocyte ratio among patients with localized clear renal cell carcinoma of ≤ 7 cm on preoperative imaging. <i>Medicine (United States)</i> , 2018, 97, e13433.	0.4	3
52	Management of postoperative ileus after robot-assisted laparoscopic prostatectomy. <i>Medicine (United States)</i> , 2018, 97, e13433.	0.4	0
53	HSP27, ALDH6A1 and Prohibitin Act as a Trio-biomarker to Predict Survival in Late Metastatic Prostate Cancer. <i>Anticancer Research</i> , 2018, 38, 6551-6560.	0.5	27
54	Effect of Combined Treatment of Ketorolac and Remote Ischemic Preconditioning on Renal Ischemia-Reperfusion Injury in Patients Undergoing Partial Nephrectomy: Pilot Study. <i>Journal of Clinical Medicine</i> , 2018, 7, 470.	1.0	7

#	ARTICLE	IF	CITATIONS
55	Retzius-sparing robot-assisted radical prostatectomy is safe for patients with prior transurethral prostate surgery. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018, 44, 842-843.	0.7	5
56	Predictors of biochemical recurrence after Retzius-sparing robot-assisted radical prostatectomy: Analysis of 359 cases with a median follow-up period of 26 months. <i>International Journal of Urology</i> , 2018, 25, 1006-1014.	0.5	13
57	Clinical significance and predictors of oncologic outcome after radical prostatectomy for invisible prostate cancer on multiparametric MRI. <i>BMC Cancer</i> , 2018, 18, 1057.	1.1	10
58	The Within-Group Discrimination Ability of the Cancer of the Prostate Risk Assessment Score for Men with Intermediate-Risk Prostate Cancer. <i>Journal of Korean Medical Science</i> , 2018, 33, e36.	1.1	1
59	Efficacy and Safety of Robotic Procedures Performed Using the da Vinci Robotic Surgical System at a Single Institute in Korea: Experience with 10000 Cases. <i>Yonsei Medical Journal</i> , 2018, 59, 975.	0.9	30
60	Prognostic Factors of Penile Cancer and the Efficacy of Adjuvant Treatment after Penectomy: Results from a Multi-institution Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e233.	1.1	7
61	Yonsei nomogram: A predictive model of new-onset chronic kidney disease after on-clamp partial nephrectomy in patients with T1 renal tumors. <i>International Journal of Urology</i> , 2018, 25, 690-697.	0.5	13
62	Association between pathologic factors and ERG expression in prostate cancer: finding pivotal networking. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1665-1683.	1.2	8
63	Predictive factors and treatment outcomes of Steinstrasse following shock wave lithotripsy for ureteral calculi: A Bayesian regression model analysis. <i>Investigative and Clinical Urology</i> , 2018, 59, 112.	1.0	2
64	Combined Analysis of Biparametric MRI and Prostate-Specific Antigen Density: Role in the Prebiopsy Diagnosis of Gleason Score 7 or Greater Prostate Cancer. <i>American Journal of Roentgenology</i> , 2018, 211, W166-W172.	1.0	20
65	Impact of Early Salvage Androgen Deprivation Therapy in Localized Prostate Cancer after Radical Prostatectomy: A Propensity Score Matched Analysis. <i>Yonsei Medical Journal</i> , 2018, 59, 580.	0.9	9
66	Prognostic implications of polycomb proteins ezh2, suz12, and eed1 and histone modification by H3K27me3 in sarcoma. <i>BMC Cancer</i> , 2018, 18, 158.	1.1	16
67	Predictors of adverse pathologic features after radical prostatectomy in low-risk prostate cancer. <i>BMC Cancer</i> , 2018, 18, 545.	1.1	11
68	Age-adjusted Charlson Comorbidity Index as a prognostic factor for radical prostatectomy outcomes of very high-risk prostate cancer patients. <i>PLoS ONE</i> , 2018, 13, e0199365.	1.1	16
69	An Intrarenal Adrenocortical Carcinoma Arising in an Adrenal Rest. <i>Journal of Pathology and Translational Medicine</i> , 2018, 52, 416-419.	0.4	4
70	Diffusion-weighted imaging predicts upgrading of Gleason score in biopsy-proven low grade prostate cancers. <i>BJU International</i> , 2017, 119, 57-66.	1.3	20
71	Da Vinci Xi and Si platforms have equivalent perioperative outcomes during robot-assisted partial nephrectomy: preliminary experience. <i>Journal of Robotic Surgery</i> , 2017, 11, 53-61.	1.0	25
72	Indications for a second prostate biopsy in patients suspected with prostate cancer after an initial negative prostate biopsy. <i>Prostate International</i> , 2017, 5, 24-28.	1.2	2

#	ARTICLE	IF	CITATIONS
73	Abdominal seeding of renal cell carcinoma: radiologic, pathologic, and prognostic features. <i>Abdominal Radiology</i> , 2017, 42, 1510-1516.	1.0	7
74	Different subtypes of epithelioid sarcoma and their clinical implication: long-term multi-institutional experience with a rare sarcoma. <i>Apmis</i> , 2017, 125, 223-229.	0.9	15
75	Non-contrast magnetic resonance imaging for bladder cancer: fused high b value diffusion-weighted imaging and T2-weighted imaging helps evaluate depth of invasion. <i>European Radiology</i> , 2017, 27, 3752-3758.	2.3	19
76	PI-RADS Version 2: Detection of Clinically Significant Cancer in Patients With Biopsy Gleason Score 6 Prostate Cancer. <i>American Journal of Roentgenology</i> , 2017, 209, W1-W9.	1.0	56
77	Prognostic Significance of the Proportion of Ductal Component in Ductal Adenocarcinoma of the Prostate. <i>Journal of Urology</i> , 2017, 197, 1048-1053.	0.2	30
78	Impact of preoperative calculation of nephron volume loss on future of partial nephrectomy techniques; planning a strategic roadmap for improving functional preservation and securing oncological safety. <i>BJU International</i> , 2017, 120, 682-688.	1.3	6
79	Effect of ulinastatin on postoperative renal function in patients undergoing robot-assisted laparoscopic partial nephrectomy: a randomized trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 3728-3736.	1.3	8
80	Robotic nurse duties in the urology operative room: 11 years of experience. <i>Asian Journal of Urology</i> , 2017, 4, 116-123.	0.5	21
81	PI-RADS version 2: Preoperative role in the detection of normal-sized pelvic lymph node metastasis in prostate cancer. <i>European Journal of Radiology</i> , 2017, 91, 22-28.	1.2	12
82	Prognostic Significance of Vas Deferens Invasion After Radical Prostatectomy in Patients with Pathological Stage T3b Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 1143-1149.	0.7	7
83	PI-RADS version 2: quantitative analysis aids reliable interpretation of diffusion-weighted imaging for prostate cancer. <i>European Radiology</i> , 2017, 27, 2776-2783.	2.3	19
84	Predictors of health-related quality of life in Korean prostate cancer patients receiving androgen deprivation therapy. <i>European Journal of Oncology Nursing</i> , 2017, 30, 84-90.	0.9	16
85	Post hoc analyses of East Asian patients from the randomized placebo-controlled PREVAIL trial of enzalutamide in patients with chemotherapy-naïve, metastatic castration-resistant prostate cancer. <i>Medicine (United States)</i> , 2017, 96, e7223.	0.4	13
86	Intraoperative and postoperative feasibility and safety of total tubeless, tubeless, small-bore tube, and standard percutaneous nephrolithotomy: a systematic review and network meta-analysis of 16 randomized controlled trials. <i>BMC Urology</i> , 2017, 17, 48.	0.6	27
87	Impact of lymphovascular invasion on lymph node metastasis for patients undergoing radical prostatectomy with negative resection margin. <i>BMC Cancer</i> , 2017, 17, 321.	1.1	18
88	Perioperative and short-term outcomes of Retzius-sparing robot-assisted laparoscopic radical prostatectomy stratified by gland size. <i>BJU International</i> , 2017, 119, 135-141.	1.3	21
89	Intermediate PSA half-life after neoadjuvant hormone therapy predicts reduced risk of castration-resistant prostate cancer development after radical prostatectomy. <i>BMC Cancer</i> , 2017, 17, 789.	1.1	1
90	Preoperative Lymphocyte-Monocyte Ratio Ameliorates the Accuracy of Differential Diagnosis in Non-Metastatic Infiltrative Renal Masses. <i>Yonsei Medical Journal</i> , 2017, 58, 388.	0.9	5

#	ARTICLE	IF	CITATIONS
91	Effects and Satisfaction of Medical Device Safety Information Reporting System Using Electronic Medical Record. <i>Healthcare Informatics Research</i> , 2017, 23, 94.	1.0	5
92	Impact of the ASA Physical Status Score on Adjuvant Chemotherapy Eligibility and Survival of Upper Tract Urothelial Carcinoma Patients: a Multicenter Study. <i>Journal of Korean Medical Science</i> , 2017, 32, 335.	1.1	10
93	Prostate-specific antigen 10–20 ng/mL: A predictor of degree of upgrading to ≥ 8 among patients with biopsy Gleason score 6. <i>Investigative and Clinical Urology</i> , 2017, 58, 90.	1.0	16
94	Impact of a bladder cuff excision during radical nephroureterectomy on cancer specific survival in patients with upper tract urothelial cancer in Korea: a retrospective, multi-institutional study. <i>Minerva Urology and Nephrology</i> , 2017, 69, 466-474.	1.3	7
95	The prognostic significance of postoperative neutrophil-to-lymphocyte ratio after radical prostatectomy for localized prostate cancer. <i>Oncotarget</i> , 2017, 8, 11778-11787.	0.8	32
96	Inherent characteristics of metachronous metastatic renal cell carcinoma in the era of targeted agents. <i>Oncotarget</i> , 2017, 8, 78825-78837.	0.8	6
97	Proctorship and mentoring: Its backbone and application in robotic surgery. <i>Investigative and Clinical Urology</i> , 2016, 57, S114.	1.0	19
98	Incidental detection of pancreatic hemangioma mimicking a metastatic tumor of renal cell carcinoma. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2016, 20, 93.	1.0	9
99	Fibroblast Growth Factor Receptor 1 Overexpression Is Associated with Poor Survival in Patients with Resected Muscle Invasive Urothelial Carcinoma. <i>Yonsei Medical Journal</i> , 2016, 57, 831.	0.9	12
100	Prognostic Model to Predict Survival Outcome for Curatively Resected Liposarcoma: A Multi-Institutional Experience. <i>Journal of Cancer</i> , 2016, 7, 1174-1180.	1.2	25
101	Can lymphovascular invasion replace the prognostic value of lymph node involvement in patients with upper tract urothelial carcinoma after radical nephroureterectomy?. <i>Canadian Urological Association Journal</i> , 2016, 10, 229.	0.3	1
102	The Effect of Tumor-Prostate Ratio on Biochemical Recurrence after Radical Prostatectomy. <i>World Journal of Men's Health</i> , 2016, 34, 123.	1.7	1
103	Simultaneous Retzius-sparing robot-assisted radical prostatectomy and partial nephrectomy. <i>Investigative and Clinical Urology</i> , 2016, 57, 146.	1.0	9
104	Ureteral stenting can be a negative predictor for successful outcome following shock wave lithotripsy in patients with ureteral stones. <i>Investigative and Clinical Urology</i> , 2016, 57, 408.	1.0	15
105	The PREVAIL trial of enzalutamide in men with chemotherapy-naïve, metastatic castration-resistant prostate cancer: <i>Post hoc</i> analysis of Korean patients. <i>Investigative and Clinical Urology</i> , 2016, 57, 174.	1.0	15
106	Does Radiotherapy for the Primary Tumor Benefit Prostate Cancer Patients with Distant Metastasis at Initial Diagnosis?. <i>PLoS ONE</i> , 2016, 11, e0147191.	1.1	50
107	Metabolic Pathway Signatures Associated with Urinary Metabolite Biomarkers Differentiate Bladder Cancer Patients from Healthy Controls. <i>Yonsei Medical Journal</i> , 2016, 57, 865.	0.9	35
108	A Systematic Review and Meta-Analysis of Functional Outcomes and Complications Following the Photoselective Vaporization of the Prostate and Monopolar Transurethral Resection of the Prostate. <i>World Journal of Men's Health</i> , 2016, 34, 110.	1.7	14

#	ARTICLE	IF	CITATIONS
109	Clinical significance of peripheral zone thickness in men with lower urinary tract symptoms/benign prostatic hyperplasia. <i>BJU International</i> , 2016, 117, 316-322.	1.3	19
110	MicroRNA alteration and putative target genes in high-grade prostatic intraepithelial neoplasia and prostate cancer: <i>STAT3</i> and <i>ZEB1</i> are upregulated during prostate carcinogenesis. <i>Prostate</i> , 2016, 76, 937-947.	1.2	18
111	Prognostic implications of PD-L1 expression in patients with soft tissue sarcoma. <i>BMC Cancer</i> , 2016, 16, 434.	1.1	124
112	Computed Tomography-Based Novel Prediction Model for the Outcome of Shockwave Lithotripsy in Proximal Ureteral Stones. <i>Journal of Endourology</i> , 2016, 30, 810-816.	1.1	23
113	Oncological outcomes after partial vs radical nephrectomy in renal cell carcinomas of ≥ 7 cm with presumed renal sinus fat invasion on preoperative imaging. <i>BJU International</i> , 2016, 117, 87-93.	1.3	17
114	Stratified analysis of 800 Asian patients after robot-assisted radical prostatectomy with a median 64 months of follow up. <i>International Journal of Urology</i> , 2016, 23, 765-774.	0.5	9
115	Robot-assisted partial nephrectomy confers excellent long-term outcomes for the treatment of complex cystic renal tumors: Median follow up of 58 months. <i>International Journal of Urology</i> , 2016, 23, 976-982.	0.5	10
116	Total intraglandular and index tumor volumes predict biochemical recurrence in prostate cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 305-312.	1.4	8
117	Outcomes of high-complexity renal tumours with a Preoperative Aspects and Dimensions Used for an Anatomical (PADUA) score of ≥ 10 after robot-assisted partial nephrectomy with a median 46.5-month follow-up: a tertiary centre experience. <i>BJU International</i> , 2016, 118, 770-778.	1.3	44
118	Age-adjusted Charlson comorbidity index is a significant prognostic factor for long-term survival of patients with high-risk prostate cancer after radical prostatectomy: a Bayesian model averaging approach. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 849-858.	1.2	19
119	Bone health and its correlates in Korean prostate cancer patients receiving androgen deprivation therapy. <i>European Journal of Oncology Nursing</i> , 2016, 21, 197-204.	0.9	0
120	Prostate Cancer: PI-RADS Version 2 Helps Preoperatively Predict Clinically Significant Cancers. <i>Radiology</i> , 2016, 280, 108-116.	3.6	128
121	Prediction of biochemical recurrence after radical prostatectomy with PI-RADS version 2 in prostate cancers: initial results. <i>European Radiology</i> , 2016, 26, 2502-2509.	2.3	47
122	Single Positive Lymph Node Prostate Cancer Can Be Treated Surgically without Recurrence. <i>PLoS ONE</i> , 2016, 11, e0152391.	1.1	13
123	Comparison of High, Intermediate, and Low Frequency Shock Wave Lithotripsy for Urinary Tract Stone Disease: Systematic Review and Network Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0158661.	1.1	32
124	Association of Anterior and Lateral Extraprostatic Extensions with Base-Positive Resection Margins in Prostate Cancer. <i>PLoS ONE</i> , 2016, 11, e0158922.	1.1	8
125	Effect of Preoperative Risk Group Stratification on Oncologic Outcomes of Patients with Adverse Pathologic Findings at Radical Prostatectomy. <i>PLoS ONE</i> , 2016, 11, e0164497.	1.1	6
126	Prognostic implications of <i>PIK3CA</i> amplification in curatively resected liposarcoma. <i>Oncotarget</i> , 2016, 7, 24549-24558.	0.8	7

#	ARTICLE	IF	CITATIONS
127	Prostate-specific antigen density predicts favorable pathology and biochemical recurrence in patients with intermediate-risk prostate cancer. <i>Asian Journal of Andrology</i> , 2016, 18, 480.	0.8	8
128	Two-year analysis for predicting renal function and contralateral hypertrophy after robot-assisted partial nephrectomy: A three-dimensional segmentation technology study. <i>International Journal of Urology</i> , 2015, 22, 1105-1111.	0.5	12
129	Preoperative Underweight Patients with Upper Tract Urothelial Carcinoma Survive Less after Radical Nephroureterectomy. <i>Journal of Korean Medical Science</i> , 2015, 30, 1483.	1.1	16
130	Pathologic Outcomes in Men with Low-risk Prostate Cancer Who Are Potential Candidates for Contemporary, Active Surveillance Protocols. <i>Journal of Korean Medical Science</i> , 2015, 30, 932.	1.1	2
131	Associations of Self-Reported Erectile Function with Non-Invasive Measurements of Endothelial Function: A Preliminary Study. <i>World Journal of Men's Health</i> , 2015, 33, 174.	1.7	3
132	Comparison of computed tomography findings between renal oncocytomas and chromophobe renal cell carcinomas. <i>Korean Journal of Urology</i> , 2015, 56, 695.	1.2	22
133	Impact of Colic Pain as a Significant Factor for Predicting the Stone Free Rate of One-Session Shock Wave Lithotripsy for Treating Ureter Stones: A Bayesian Logistic Regression Model Analysis. <i>PLoS ONE</i> , 2015, 10, e0123800.	1.1	19
134	Accuracy of Urinary Neutrophil Gelatinase-Associated Lipocalin in Quantifying Acute Kidney Injury after Partial Nephrectomy in Patients with Normal Contralateral Kidney. <i>PLoS ONE</i> , 2015, 10, e0133675.	1.1	8
135	The Intraocular Pressure under Deep versus Moderate Neuromuscular Blockade during Low-Pressure Robot Assisted Laparoscopic Radical Prostatectomy in a Randomized Trial. <i>PLoS ONE</i> , 2015, 10, e0135412.	1.1	57
136	Simple Modification of the Bladder Outlet Obstruction Index for Better Prediction of Endoscopically-Proven Prostatic Obstruction: A Preliminary Study. <i>PLoS ONE</i> , 2015, 10, e0141745.	1.1	4
137	Optimal Skin-to-Stone Distance Is a Positive Predictor for Successful Outcomes in Upper Ureter Calculi following Extracorporeal Shock Wave Lithotripsy: A Bayesian Model Averaging Approach. <i>PLoS ONE</i> , 2015, 10, e0144912.	1.1	27
138	Repeat Targeted Prostate Biopsy under Guidance of Multiparametric MRI-Correlated Real-Time Contrast-Enhanced Ultrasound for Patients with Previous Negative Biopsy and Elevated Prostate-Specific Antigen: A Prospective Study. <i>PLoS ONE</i> , 2015, 10, e0130671.	1.1	2
139	Adjuvant Radiotherapy Outcome of Stage I Testicular Seminoma: A Single Institution Study. <i>Yonsei Medical Journal</i> , 2015, 56, 24.	0.9	2
140	Prognostic Impact of Time to Undetectable Prostate-Specific Antigen in Patients with Positive Surgical Margins Following Radical Prostatectomy. <i>Annals of Surgical Oncology</i> , 2015, 22, 693-700.	0.7	13
141	Usefulness of the diameter-axial polar nephrometry score for predicting perioperative parameters in robotic partial nephrectomy. <i>World Journal of Urology</i> , 2015, 33, 841-845.	1.2	5
142	The prognostic effect of prostate-specific antigen half-life at the first follow-up visit in newly diagnosed metastatic prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 383.e17-383.e22.	0.8	6
143	The impact of two different inspiratory to expiratory ratios (1:1 and 1:2) on respiratory mechanics and oxygenation during volume-controlled ventilation in robot-assisted laparoscopic radical prostatectomy: a randomized controlled trial. <i>Canadian Journal of Anaesthesia</i> , 2015, 62, 979-987.	0.7	21
144	A network meta-analysis of therapeutic outcomes after new image technology-assisted transurethral resection for non-muscle invasive bladder cancer: 5-aminolaevulinic acid fluorescence vs hexylaminolevulinic acid fluorescence vs narrow band imaging. <i>BMC Cancer</i> , 2015, 15, 566.	1.1	59

#	ARTICLE	IF	CITATIONS
145	The beneficial effect of alpha-blockers for ureteral stent-related discomfort: systematic review and network meta-analysis for alfuzosin versus tamsulosin versus placebo. <i>BMC Urology</i> , 2015, 15, 55.	0.6	32
146	p53 Expression as a Prognostic Factor in Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Urologia Internationalis</i> , 2015, 94, 50-57.	0.6	15
147	Prediction of Micrometastasis ($\leq 1\text{ cm}$) to Pelvic Lymph Nodes in Prostate Cancer: Role of Preoperative MRI. <i>American Journal of Roentgenology</i> , 2015, 205, W328-W334.	1.0	26
148	Leiomyosarcoma: investigation of prognostic factors for risk-stratification model. <i>International Journal of Clinical Oncology</i> , 2015, 20, 1226-1232.	1.0	9
149	Additional Targeted Biopsy in Clinically Suspected Prostate Cancer: Prospective Randomized Comparison between Contrast-Enhanced Ultrasound and Sonoelastography Guidance. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 2836-2841.	0.7	13
150	Renal function is the same 6 months after robot-assisted partial nephrectomy regardless of clamp technique: analysis of outcomes for off-clamp, selective arterial clamp and main artery clamp techniques, with a minimum follow-up of 1 year. <i>BJU International</i> , 2015, 115, 921-928.	1.3	57
151	The Effect of Dexmedetomidine on Intraocular Pressure Increase in Patients During Robot-Assisted Laparoscopic Radical Prostatectomy in the Steep Trendelenburg Position. <i>Journal of Endourology</i> , 2015, 29, 310-316.	1.1	28
152	Number of positive preoperative biopsy cores is a predictor of positive surgical margins (PSM) in small prostates after robot-assisted radical prostatectomy ($RARP$). <i>BJU International</i> , 2015, 116, 897-904.	1.3	12
153	Design for a Medical Devices Safety Information Reporting System for the Hospitals. <i>Journal of the Institute of Electronics and Information Engineers</i> , 2015, 52, 140-147.	0.0	1
154	Effects of Previous or Synchronous Non-Muscle Invasive Bladder Cancer on Clinical Results after Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Multi-Institutional Study. <i>Urology Journal</i> , 2015, 12, 2233-9.	0.3	9
155	Charlson Comorbidity Index Is an Important Prognostic Factor for Long-Term Survival Outcomes in Korean Men with Prostate Cancer after Radical Prostatectomy. <i>Yonsei Medical Journal</i> , 2014, 55, 316.	0.9	22
156	Clinical Experiences of Incidental Prostate Cancer after Transurethral Resection of Prostate (TURP) According to Initial Treatment: A Study of a Korean High Volume Center. <i>Yonsei Medical Journal</i> , 2014, 55, 78.	0.9	12
157	Role of 1,25-Dihydroxy Vitamin D ₃ and Parathyroid Hormone in Urinary Calcium Excretion in Calcium Stone Formers. <i>Yonsei Medical Journal</i> , 2014, 55, 1326.	0.9	13
158	Treatment outcome of localized prostate cancer by 70 Gy hypofractionated intensity-modulated radiotherapy with a customized rectal balloon. <i>Radiation Oncology Journal</i> , 2014, 32, 187.	0.7	17
159	Meta-Analysis of the Relationship between CXCR4 Expression and Metastasis in Prostate Cancer. <i>World Journal of Men's Health</i> , 2014, 32, 167.	1.7	23
160	Laparoendoscopic single-site ($LESS$) robot-assisted nephroureterectomy: comparison with conventional multiport technique in the management of upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2014, 114, 90-97.	1.3	14
161	Robotic Partial Nephrectomy for Completely Endophytic Renal Tumors: Complications and Functional and Oncologic Outcomes During a 4-Year Median Period of Follow-up. <i>Urology</i> , 2014, 84, 1367-1373.	0.5	53
162	Assessing the anatomical characteristics of renal masses has a limited effect on the prediction of pathological outcomes in solid, enhancing, small renal masses: results using the $PADUA$ classification system. <i>BJU International</i> , 2014, 113, 754-761.	1.3	10

#	ARTICLE	IF	CITATIONS
163	Yonsei nomogram to predict lymph node invasion in Asian men with prostate cancer during robotic era. <i>BJU International</i> , 2014, 113, 598-604.	1.3	11
164	Robot-Assisted Laparoendoscopic Single-Site Partial Nephrectomy With the Novel Da Vinci Single-Site Platform: Initial Experience. <i>Korean Journal of Urology</i> , 2014, 55, 380.	1.2	17
165	Current Status of Radical Prostatectomy for High-Risk Prostate Cancer. <i>Korean Journal of Urology</i> , 2014, 55, 629.	1.2	9
166	Prognostic Factors for Urachal Cancer: A Bayesian Model-Averaging Approach. <i>Korean Journal of Urology</i> , 2014, 55, 574.	1.2	24
167	Renal Pelvic Urothelial Carcinoma With Vena Caval Thrombus Mimicking Renal Cell Carcinoma. <i>Korean Journal of Urology</i> , 2014, 55, 624.	1.2	6
168	MP22-16 RECURRENCE RATE OF TRANSURETHRAL RESECTION OF BLADDER TUMOR USING NARROW BAND IMAGING: A RANDOMIZED CONTROL TRIAL, PILOT STUDY. <i>Journal of Urology</i> , 2014, 191, .	0.2	3
169	Impact of Charlson Comorbidity Index Varies by Age in Patients with Prostate Cancer Treated by Radical Prostatectomy: A Competing Risk Regression Analysis. <i>Annals of Surgical Oncology</i> , 2014, 21, 677-683.	0.7	13
170	Increase in intraocular pressure is less with propofol than with sevoflurane during laparoscopic surgery in the steep Trendelenburg position. <i>Canadian Journal of Anaesthesia</i> , 2014, 61, 322-329.	0.7	49
171	External validation of the RENAL nephrometry score nomogram for predicting high-grade renal cell carcinoma in solid, enhancing, and small renal masses. <i>World Journal of Urology</i> , 2014, 32, 249-255.	1.2	24
172	Retziusâ€sparing robotâ€sisted laparoscopic radical prostatectomy: combining the best of retropubic and perineal approaches. <i>BJU International</i> , 2014, 114, 236-244.	1.3	121
173	A Competing Risk Analysis of Cancer-Specific Mortality of Initial Treatment with Radical Prostatectomy versus Radiation Therapy in Clinically Localized High-Risk Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 4026-4033.	0.7	30
174	Increase in Intracranial Pressure During Carbon Dioxide Pneumoperitoneum with Steep Trendelenburg Positioning Proven by Ultrasonographic Measurement of Optic Nerve Sheath Diameter. <i>Journal of Endourology</i> , 2014, 28, 801-806.	1.1	77
175	Analysis of different tumor volume thresholds of insignificant prostate cancer and their implications for active surveillance patient selection and monitoring. <i>Prostate International</i> , 2014, 2, 76-81.	1.2	4
176	Feasibility of robot-assisted radical prostatectomy for very-high risk prostate cancer: surgical and oncological outcomes in men aged â‰¥70 years. <i>Prostate International</i> , 2014, 2, 127-132.	1.2	21
177	Tumor Lesion Diameter on Diffusion Weighted Magnetic Resonance Imaging Could Help Predict Insignificant Prostate Cancer in Patients Eligible for Active Surveillance: Preliminary Analysis. <i>Journal of Urology</i> , 2013, 190, 1213-1217.	0.2	50
178	Treatment outcomes of chemical castration on Korean sex offenders. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2013, 20, 563-566.	0.5	19
179	Impact of Bent Distortion on Accuracy of Measurement During Transrectal Ultrasonography for Prostatic Imaging: A Preliminary Study. <i>Urology</i> , 2013, 81, 915-919.	0.5	4
180	Gleason 5+4 Has Worse Oncological and Pathological Outcomes Compared with Gleason 4+5: Significance of Gleason 5 Pattern. <i>Annals of Surgical Oncology</i> , 2013, 20, 3127-3132.	0.7	21

#	ARTICLE	IF	CITATIONS
181	Yonsei Criteria: A New Protocol for Active Surveillance in the Era of Robotic and Local Ablative Surgeries. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 501-507.	0.9	8
182	Intermediate-Term Outcomes of Robot-Assisted Laparoscopic Nephroureterectomy in Upper Urinary Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 515-521.	0.9	28
183	Hematuria Grading Scale: A New Tool for Gross Hematuria. <i>Urology</i> , 2013, 82, 284-289.	0.5	16
184	Efficacy and Safety of Photodynamic Therapy for Recurrent, High Grade Nonmuscle Invasive Bladder Cancer Refractory or Intolerant to Bacille Calmette-Guérin Immunotherapy. <i>Journal of Urology</i> , 2013, 190, 1192-1199.	0.2	62
185	Meta-analysis of Transperitoneal Versus Extraperitoneal Robot-Assisted Radical Prostatectomy for Prostate Cancer. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2013, 23, 919-925.	0.5	25
186	Comparative study of voiding and male sexual function following open and laparoscopic total mesorectal excision in patients with rectal cancer. <i>Journal of Surgical Oncology</i> , 2013, 108, 572-578.	0.8	25
187	Low-risk Prostate Cancer Patients Without Visible Tumor (T1c) On Multiparametric MRI Could Qualify for Active Surveillance Candidate Even If They Did Not Meet Inclusion Criteria of Active Surveillance Protocol. <i>Japanese Journal of Clinical Oncology</i> , 2013, 43, 553-558.	0.6	27
188	Composite Three-Marker Assay for Early Detection of Kidney Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 390-398.	1.1	52
189	An Evidence-Based Evaluation of Health Information on Erectile Dysfunction From 10 Nationwide Daily Newspapers in Korea. <i>Korean Journal of Urology</i> , 2013, 54, 778.	1.2	0
190	Lymphocele after extraperitoneal robot-assisted radical prostatectomy: A propensity score-matching study. <i>International Journal of Urology</i> , 2013, 20, 1169-1176.	0.5	39
191	Extended vs standard lymph node dissection in robot-assisted radical prostatectomy for intermediate- or high-risk prostate cancer: a propensity score-matching analysis. <i>BJU International</i> , 2013, 112, 216-223.	1.3	41
192	Inhibition of tumor growth and histopathological changes following treatment with a chemokine receptor CXCR4 antagonist in a prostate cancer xenograft model. <i>Oncology Letters</i> , 2013, 6, 933-938.	0.8	20
193	Transmesocolic Approach for Left Side Laparoscopic Pyeloplasty: Comparison with Laterocolic Approach in the Initial Learning Period. <i>Yonsei Medical Journal</i> , 2013, 54, 197.	0.9	2
194	Hybrid Method of Transurethral Resection of Ejaculatory Ducts Using Holmium:Yttriumaluminium Garnet Laser on Complete Ejaculatory Duct Obstruction. <i>Yonsei Medical Journal</i> , 2013, 54, 1062.	0.9	8
195	Unroofed Midline Prostate Cyst Misdled Into a Stricture With Obliterative Bladder Neck Contracture Following a Laser Prostatectomy. <i>International Neurourology Journal</i> , 2013, 17, 34.	0.5	6
196	Comparison of Pathological Outcomes of Active Surveillance Candidates Who Underwent Radical Prostatectomy Using Contemporary Protocols at a High-volume Korean Center. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 1079-1085.	0.6	21
197	Percent tumor volume predicts biochemical recurrence after radical prostatectomy: multi-institutional data analysis. <i>International Journal of Clinical Oncology</i> , 2012, 17, 355-360.	1.0	20
198	<i>In situ</i> Identification and Localization of IGHA2 in the Breast Tumor Microenvironment by Mass Spectrometry. <i>Journal of Proteome Research</i> , 2012, 11, 4567-4574.	1.8	40

#	ARTICLE	IF	CITATIONS
199	Longitudinal Stone Diameter on Coronal Reconstruction of Computed Tomography as a Predictor of Ureteral Stone Expulsion in Medical Expulsive Therapy. <i>Urology</i> , 2012, 80, 784-789.	0.5	37
200	Recent Changes in the Clinicopathologic Features of Korean Men with Prostate Cancer: A Comparison with Western Populations. <i>Yonsei Medical Journal</i> , 2012, 53, 543.	0.9	30
201	Optimal Baseline Prostate-Specific Antigen Level to Distinguish Risk of Prostate Cancer in Healthy Men Between 40 and 69 Years of Age. <i>Journal of Korean Medical Science</i> , 2012, 27, 40.	1.1	7
202	Clinical Outcomes of Bosniak Category IIF Complex Renal Cysts in Korean Patients. <i>Korean Journal of Urology</i> , 2012, 53, 386.	1.2	31
203	Cystic Angiomyolipoma Mimicking Cystic Renal Cell Carcinoma. <i>Journal of Urology</i> , 2011, 185, 1098-1099.	0.2	3
204	Robotics Applied in Laparoscopic Kidney Surgery: The Yonsei University Experience of 127 Cases. <i>Urology</i> , 2011, 77, 114-118.	0.5	14
205	Clinical Significance of a Large Difference (≥2 points) between Biopsy and Post-prostatectomy Pathological Gleason Scores in Patients with Prostate Cancer. <i>Journal of Korean Medical Science</i> , 2011, 26, 507.	1.1	4
206	Laparoendoscopic Single-Site Nephrectomy Using a Modified Umbilical Incision and a Home-Made Transumbilical Port. <i>Yonsei Medical Journal</i> , 2011, 52, 307.	0.9	7
207	Prostate Size Correlates with Fasting Blood Glucose in Non-Diabetic Benign Prostatic Hyperplasia Patients with Normal Testosterone Levels. <i>Journal of Korean Medical Science</i> , 2011, 26, 1214.	1.1	28
208	Clinical Experiences of Pheochromocytoma in Korea. <i>Yonsei Medical Journal</i> , 2011, 52, 45.	0.9	9
209	Nomogram to Predict Insignificant Prostate Cancer at Radical Prostatectomy in Korean Men: A Multi-Center Study. <i>Yonsei Medical Journal</i> , 2011, 52, 74.	0.9	8
210	Parathyroid hormone is not involved in prostate growth in patients with benign prostatic hyperplasia. <i>Prostate</i> , 2011, 71, 1210-1215.	1.2	8
211	Association between urinary hesitancy symptoms and uroflowmetry measured urinary hesitancy time in men with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2011, 30, 578-582.	0.8	3
212	Comparison of Oncological Results, Functional Outcomes, and Complications for Transperitoneal Versus Extraperitoneal Robot-Assisted Radical Prostatectomy: A Single Surgeon's Experience. <i>Journal of Endourology</i> , 2011, 25, 787-792.	1.1	69
213	Decursin inhibits growth of human bladder and colon cancer cells via apoptosis, G1-phase cell cycle arrest and extracellular signal-regulated kinase activation. <i>International Journal of Molecular Medicine</i> , 2010, 25, 635-41.	1.8	31
214	AMS 700CX/CXM Inflatable Penile Prosthesis Has High Mechanical Reliability at Long-Term Follow-Up. <i>Journal of Sexual Medicine</i> , 2010, 7, 2602-2607.	0.3	36
215	Trends in the incidence of benign pathological lesions at partial nephrectomy for presumed renal cell carcinoma in renal masses on preoperative computed tomography imaging: A single institute experience with 290 consecutive patients. <i>International Journal of Urology</i> , 2010, 17, 512-516.	0.5	17
216	Trends of Presentation and Clinical Outcome of Treated Renal Angiomyolipoma. <i>Yonsei Medical Journal</i> , 2010, 51, 728.	0.9	63

#	ARTICLE	IF	CITATIONS
217	Preoperative Nomograms for Predicting Extracapsular Extension in Korean Men with Localized Prostate Cancer: A Multi-institutional Clinicopathologic Study. <i>Journal of Korean Medical Science</i> , 2010, 25, 1443.	1.1	13
218	Pattern of Failure in Bladder Cancer Patients Treated with Radical Cystectomy: Rationale for Adjuvant Radiotherapy. <i>Journal of Korean Medical Science</i> , 2010, 25, 835.	1.1	4
219	Radical Prostatectomy: Respective Roles and Comparisons of Robotic and Open Surgeries. <i>Journal of the Korean Medical Association</i> , 2010, 53, 119.	0.1	2
220	Relationship between Prostate-Specific Antigen and Body Mass Index according to Age: Lower Prostate-Specific Antigen in Middle-Aged Overweight and Obese Korean Men. <i>Urologia Internationalis</i> , 2010, 85, 143-146.	0.6	2
221	Increased Urinary Nerve Growth Factor as a Predictor of Persistent Detrusor Overactivity After Bladder Outlet Obstruction Relief in a Rat Model. <i>Journal of Urology</i> , 2010, 183, 2440-2444.	0.2	20
222	Panel of Candidate Biomarkers for Renal Cell Carcinoma. <i>Journal of Proteome Research</i> , 2010, 9, 3710-3719.	1.8	47
223	Efficacy of Octreotide for Management of Lymphorrhoea After Pelvic Lymph Node Dissection in Radical Prostatectomy. <i>Urology</i> , 2010, 76, 398-401.	0.5	24
224	Clinical Characteristics of Renal Cell Carcinoma in Korean Patients with von Hippel-Lindau Disease Compared to Sporadic Bilateral or Multifocal Renal Cell Carcinoma. <i>Journal of Korean Medical Science</i> , 2009, 24, 1145.	1.1	10
225	Pathologic Characteristics and Prognosis of Pathologic T0 Prostate Cancer. <i>Korean Journal of Urology</i> , 2009, 50, 229.	1.2	1
226	Comparison of Extraperitoneal and Transperitoneal Robot-Assisted Radical Prostatectomy in Prostate Cancer: A Single Surgeon's Experience. <i>Korean Journal of Urology</i> , 2009, 50, 251.	1.2	6
227	Clinical Significance of Lymph Node Dissection in Patients with Muscle-Invasive Upper Urinary Tract Transitional Cell Carcinoma Treated with Nephroureterectomy. <i>Journal of Korean Medical Science</i> , 2009, 24, 674.	1.1	15
228	Efficacy and Safety of Red Ginseng Extract Powder in Patients with Erectile Dysfunction: Multicenter, Randomized, Double-Blind, Placebo-Controlled Study. <i>Korean Journal of Urology</i> , 2009, 50, 159.	1.2	17
229	Clinical Experience of Single-Session Percutaneous Aspiration and OK-432 Sclerotherapy for Treatment of Simple Renal Cysts: 1-Year Follow-Up. <i>Journal of Endourology</i> , 2009, 23, 1001-1006.	1.1	16
230	Robotic Radical Prostatectomy for Patients with Locally Advanced Prostate Cancer Is Feasible: Results of a Single-Institution Study. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2009, 19, 329-332.	0.5	56
231	Robotic Prostatectomy in Patient with an Abdominoperineal Resection. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2009, 19, 383-387.	0.5	2
232	The Risk Factor for Urethral Recurrence after Radical Cystectomy in Patients with Transitional Cell Carcinoma of the Bladder. <i>Urologia Internationalis</i> , 2009, 82, 306-311.	0.6	47
233	Prognostic factors affecting oncologic outcomes in patients with locally recurrent rectal cancer: impact of patterns of pelvic recurrence on curative resection. <i>Langenbeck's Archives of Surgery</i> , 2009, 394, 71-77.	0.8	44
234	The "halo effect" in Korea: change in practice patterns since the introduction of robot-assisted laparoscopic radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2009, 3, 57-60.	1.0	5

#	ARTICLE	IF	CITATIONS
235	Malfunction of da Vinci Robotic System—Disassembled Surgeon's Console Hand Piece: Case Report and Review of the Literature. <i>Urology</i> , 2009, 73, 209.e7-209.e8.	0.5	12
236	Failure and Malfunction of da Vinci Surgical Systems During Various Robotic Surgeries: Experience From Six Departments at a Single Institute. <i>Urology</i> , 2009, 74, 1234-1237.	0.5	57
237	Pathological Effects of Prostate Cancer Correlate With Neuroendocrine Differentiation and PTEN Expression After Bicalutamide Monotherapy. <i>Journal of Urology</i> , 2009, 182, 1378-1384.	0.2	17
238	Long-Term Outcome of Simultaneous Transurethral Resection of Bladder Tumor and Prostate in Patients With Nonmuscle Invasive Bladder Tumor and Bladder Outlet Obstruction. <i>Journal of Urology</i> , 2009, 181, 1594-1599.	0.2	22
239	Comparison of the Efficacy of Urine Cytology, Nuclear Matrix Protein 22 (NMP22), and Fluorescence in Situ Hybridization (FISH) for the Diagnosis of Bladder Cancer. <i>Korean Journal of Urology</i> , 2009, 50, 6.	0.2	3
240	Prostate-Specific Antigen Test Interval according to Baseline Prostate-Specific Antigen and Age. <i>Korean Journal of Urology</i> , 2009, 50, 1059.	1.2	0
241	Outcome of Radical Prostatectomy in Prostate Cancer Patients with Prostate-Specific Antigen (PSA) Level Equal to or More Than 20 ng/ml and No Distant Metastasis Preoperatively. <i>Korean Journal of Urology</i> , 2009, 50, 111.	1.2	1
242	Open versus robotic radical prostatectomy: a prospective analysis based on a single surgeon's experience. <i>Journal of Robotic Surgery</i> , 2008, 2, 235-241.	1.0	12
243	Diagnostic algorithm for papillary urothelial tumors in the urinary bladder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 353-362.	1.4	25
244	Gene amplification and mutation analysis of epidermal growth factor receptor in hormone refractory prostate cancer. <i>Prostate</i> , 2008, 68, 803-808.	1.2	19
245	The overlooked cause of benign prostatic hyperplasia: prostatic urethral angulation. <i>Medical Hypotheses</i> , 2008, 70, 532-535.	0.8	30
246	Relationship Between Prostatic Urethral Angle and Urinary Flow Rate: Its Implication in Benign Prostatic Hyperplasia Pathogenesis. <i>Urology</i> , 2008, 71, 858-862.	0.5	37
247	Expression of Chicken Ovalbumin Upstream Promoter-Transcription Factor I (COUP-TFI) in Bladder Transitional Cell Carcinoma. <i>Urology</i> , 2008, 72, 921-926.	0.5	4
248	Prostate-Specific Antigen Velocity in Healthy Korean Men with Initial PSA Levels of 4.0 ng/mL or Less. <i>Urology</i> , 2008, 72, 99-103.	0.5	6
249	Comparison of Multiple Session 99% Ethanol and Single Session OK-432 Sclerotherapy for the Treatment of Simple Renal Cysts. <i>Journal of Urology</i> , 2008, 180, 2552-2556.	0.2	20
250	The Prognostic Significance of Pathologic Stage T0 on Organ-Confined Bladder Transitional Cell Carcinoma following Radical Cystectomy. <i>Urologia Internationalis</i> , 2008, 81, 394-398.	0.6	8
251	Clinical Characteristics of Renal Cell Carcinoma in Korean Patients with von Hippel-Lindau Disease. <i>Korean Journal of Urology</i> , 2008, 49, 863.	0.2	0
252	Treatment of Simple Renal Cysts by Percutaneous Aspiration and OK-432 Sclerotherapy. <i>Korean Journal of Urology</i> , 2008, 49, 917.	0.2	1

#	ARTICLE	IF	CITATIONS
253	A Comprehensive Prognostic Stratification for Patients with Metastatic Renal Clear Cell Carcinoma. <i>Yonsei Medical Journal</i> , 2008, 49, 451.	0.9	9
254	Transurethral Resection of Prostate in Benign Prostatic Hyperplasia Patients with Large Prostate Volume. <i>Korean Journal of Urology</i> , 2008, 49, 906.	0.2	0
255	Robot-assisted Laparoscopic Radical Prostatectomy: Clinical Experience of 200 Cases. <i>Korean Journal of Urology</i> , 2008, 49, 215.	0.2	13
256	Comparison of Open and Robotic Surgery in Radical Prostatectomy: A Single Surgeon's Experience. <i>Korean Journal of Urology</i> , 2008, 49, 221.	0.2	3
257	The Patterns and Risk Factors for Subsequent Bladder Recurrence in Patients with Transitional Cell Carcinoma of the Upper Urinary Tract: A Long-Term Follow-Up Study. <i>Korean Journal of Urology</i> , 2008, 49, 294.	0.2	2
258	Outcomes of Robotic Prostatectomy for Treating Clinically Advanced Prostate Cancer. <i>Korean Journal of Urology</i> , 2008, 49, 325.	0.2	3
259	Robotic Prostatectomy in a Patient with a Miles' Operation. <i>Korean Journal of Urology</i> , 2008, 49, 464.	0.2	2
260	Prognostic Impact of Peripelvic Fat Invasion in pT3 Renal Pelvic Transitional Cell Carcinoma. <i>Journal of Korean Medical Science</i> , 2008, 23, 434.	1.1	11
261	Lowering Prostate-specific Antigen Threshold for Prostate Biopsy in Korean Men: Impact on the Number Needing Biopsy. <i>Korean Journal of Urology</i> , 2008, 49, 118.	0.2	4
262	Role of Epidermal Growth Factor Receptor and the HER-2 Gene in Hormone Refractory Prostate Cancer. <i>Korean Journal of Urology</i> , 2008, 49, 24.	0.2	0
263	Yonsei Experience in Robotic Urologic Surgery - Application in Various Urological Procedures. <i>Yonsei Medical Journal</i> , 2008, 49, 897.	0.9	28
264	Comparison of Open versus Robotic Radical Prostatectomy in Clinically Advanced Prostate Cancer. <i>Korean Journal of Urology</i> , 2008, 49, 886.	0.2	5
265	The Significance of Simultaneous Transurethral Resection of Bladder Tumor and the Prostate in Patient who have Superficial Bladder Cancer with Bladder Outlet Obstruction. <i>Korean Journal of Urology</i> , 2008, 49, 791.	0.2	1
266	Recent Concepts of Premature Ejaculation. <i>Korean Journal of Urology</i> , 2008, 49, 765.	0.2	0
267	CT Findings After Nephron-Sparing Surgery of Renal Tumors. <i>American Journal of Roentgenology</i> , 2007, 189, W264-W271.	1.0	13
268	Grade of Hydronephrosis and Tumor Diameter as Preoperative Prognostic Factors in Ureteral Transitional Cell Carcinoma. <i>Urology</i> , 2007, 70, 662-666.	0.5	73
269	Age-Specific Prostate-Specific Antigen Reference Ranges in Korean Men. <i>Urology</i> , 2007, 70, 1113-1116.	0.5	24
270	A proposal for a novel staging system in renal pelvicaliceal urothelial carcinomas. <i>Human Pathology</i> , 2007, 38, 1639-1648.	1.1	8

#	ARTICLE	IF	CITATIONS
271	Matrix Metalloproteinase Expression in the Recurrence of Superficial Low Grade Bladder Transitional Cell Carcinoma. <i>Journal of Urology</i> , 2007, 177, 1174-1178.	0.2	26
272	Giant Multilocular Prostatic Cystadenoma Presenting with Obstructive Aspermia. <i>Yonsei Medical Journal</i> , 2007, 48, 554.	0.9	12
273	Robot-Assisted Laparoscopic Radical Prostatectomy: Four Cases. <i>Yonsei Medical Journal</i> , 2007, 48, 341.	0.9	14
274	Percutaneous Treatment of Renal Cysts with OK-432 Sclerosis. <i>Yonsei Medical Journal</i> , 2007, 48, 270.	0.9	8
275	Analysis of Human V-erbA Related EAR-3 Gene Expression between Transitional Cell Carcinoma and Normal Tissue in Bladder Cancer. <i>Korean Journal of Urology</i> , 2007, 48, 915.	0.2	0
276	Detection rate of prostate cancer on biopsy according to serum prostate-specific antigen in Korean men: A multicenter study. <i>Urology</i> , 2006, 67, 333-336.	0.5	36
277	Long-term effects of ileal conduit urinary diversion on upper urinary tract in bladder cancer. <i>Urology</i> , 2006, 68, 324-327.	0.5	49
278	Pattern of Recurrence and the Prognostic Factors of Upper Urinary Tract Transitional Cell Carcinoma. <i>Korean Journal of Urology</i> , 2006, 47, 124.	0.2	4
279	The Clinical Significance of Hydronephrosis and the Tumor Diameter in Ureteral Transitional Cell Carcinoma. <i>Korean Journal of Urology</i> , 2006, 47, 131.	0.2	1
280	The Influence of Age and Prostate Volume on the Cancer Detection Rate in Korean Men with PSA Levels of 4.0 to 10.0ng/ml: a Multicenter, Retrospective Study. <i>Korean Journal of Urology</i> , 2006, 47, 353.	0.2	2
281	Characteristics of Multiple Primary Malignancies in Renal Cell Carcinoma. <i>Korean Journal of Urology</i> , 2006, 47, 118.	0.2	0
282	Age-Specific Reference Ranges for Serum Prostate-Specific Antigen in Korean Men. <i>Korean Journal of Urology</i> , 2006, 47, 586.	0.2	6
283	Loss of Cyclin B1 followed by downregulation of Cyclin A/Cdk2, apoptosis and antiproliferation in Hela cell line. <i>International Journal of Cancer</i> , 2005, 116, 520-525.	2.3	13
284	LYMPHOVASCULAR AND MARGINAL INVASION AS USEFUL PROGNOSTIC INDICATORS AND THE ROLE OF c-erbB-2 IN PATIENTS WITH MALE EXTRAMAMMARY PAGET'S DISEASE: A STUDY OF 31 PATIENTS. <i>Journal of Urology</i> , 2005, 174, 561-565.	0.2	37
285	Extramammary Paget's disease of penis and scrotum. <i>Urology</i> , 2005, 65, 972-975.	0.5	82
286	Vesicoureteral reflux in adult women with uncomplicated acute pyelonephritis. <i>Urology</i> , 2005, 66, 55-58.	0.5	19
287	Juvenile prostatic hyperplasia. <i>Urology</i> , 2005, 66, 881.e1-881.e4.	0.5	8
288	Establishment of a System to Evaluate the Efficacy of Functional Foods. <i>Taehan Uihak Hyophoe Chi the Journal of the Korean Medical Association</i> , 2005, 48, 538.	0.1	0

#	ARTICLE	IF	CITATIONS
289	Estrogen receptor is significantly associated with the epithelioid variants of renal angiomyolipoma: A clinicopathological and immunohistochemical study of 67 cases. <i>Pathology International</i> , 2004, 54, 510-515.	0.6	43
290	Increased Expression of Matrix Metalloproteinase 9 Correlates with Poor Prognostic Variables in Renal Cell Carcinoma. <i>European Urology</i> , 2003, 44, 560-566.	0.9	77
291	MECHANICAL RELIABILITY OF THE AMS 700CXM INFLATABLE PENILE PROSTHESIS FOR THE TREATMENT OF MALE ERECTILE DYSFUNCTION. <i>Journal of Urology</i> , 2001, 165, 822-824.	0.2	35
292	A case of testicular tunica albuginea cyst with psammoma body. <i>International Journal of Urology</i> , 2001, 8, 520-521.	0.5	3
293	Inflammatory pseudotumor of the urinary bladder in a child. <i>Yonsei Medical Journal</i> , 2000, 41, 401.	0.9	13
294	Penile vibratory threshold changes with various doses of SS-cream in patients with primary premature ejaculation. <i>Yonsei Medical Journal</i> , 2000, 41, 29.	0.9	18
295	Clinical study of SS-cream in patients with lifelong premature ejaculation. <i>Urology</i> , 2000, 55, 257-261.	0.5	110
296	IN VITRO AND IN VIVO EXPERIMENTAL EFFECT OF KOREAN RED GINSENG ON ERECTION. <i>Journal of Urology</i> , 1999, 162, 1508-1511.	0.2	57
297	Retroperitoneal Paragonimiasis: A Case of Ectopic Paragonimiasis Presenting as Periureteral Masses. <i>Journal of Computer Assisted Tomography</i> , 1999, 23, 696-698.	0.5	11
298	Somatosensory Evoked Potentials in Patients With Primary Premature Ejaculation. <i>Journal of Urology</i> , 1997, 158, 451-455.	0.2	113
299	The distribution of nitric oxide synthase in human corpus cavernosum on various impotent patients. <i>Yonsei Medical Journal</i> , 1997, 38, 125.	0.9	5
300	Efficacy of a topical agent SS-cream in the treatment of premature ejaculation: preliminary clinical studies. <i>Yonsei Medical Journal</i> , 1997, 38, 91.	0.9	44
301	Penile Sensitivity in Patients with Primary Premature Ejaculation. <i>Journal of Urology</i> , 1996, 156, 979-981.	0.2	158
302	The effects of SS-cream and its individual components on rabbit corpus cavernosal muscles. <i>Yonsei Medical Journal</i> , 1996, 37, 312.	0.9	8
303	Sensory evoked potential and effect of SS-cream in premature ejaculation. <i>Yonsei Medical Journal</i> , 1995, 36, 397.	0.9	40