

Miao Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6485738/publications.pdf>

Version: 2024-02-01

66
papers

1,894
citations

201385

27
h-index

276539

41
g-index

66
all docs

66
docs citations

66
times ranked

1219
citing authors

#	ARTICLE	IF	CITATIONS
1	A magnetic control reconfigurable coded electromagnetic absorbing metamaterial. <i>Composites Science and Technology</i> , 2022, 217, 109098.	3.8	13
2	Magneto-induced Mullins effect of anisotropic MREs under compression mode. <i>Smart Materials and Structures</i> , 2021, 30, 024003.	1.8	1
3	Improving transient magnetorheological response of magnetorheological elastomer by incorporating CIP@FeNi particles. <i>Smart Materials and Structures</i> , 2021, 30, 024002.	1.8	8
4	Design and co-optimization of a laminated isolation bearing based on magnetorheological elastomer. <i>Mechanical Systems and Signal Processing</i> , 2021, 159, 107843.	4.4	20
5	A pre-magnetized NdFeB-particle reinforced magnetorheological elastomer. <i>Smart Materials and Structures</i> , 2021, 30, 014002.	1.8	6
6	Fault detection and fault tolerant control of vehicle semi-active suspension system with magneto-rheological damper. <i>Smart Materials and Structures</i> , 2021, 30, 014004.	1.8	17
7	Effects of functional alkali in magnetorheological finishing fluid. <i>Smart Materials and Structures</i> , 2021, 30, 024001.	1.8	7
8	3D printed shape-programmable magneto-active soft matter for biomimetic applications. <i>Composites Science and Technology</i> , 2020, 188, 107973.	3.8	109
9	Time delay analysis and constant time-delay compensation control for MRE vibration control system with multiple-frequency excitation. <i>Smart Materials and Structures</i> , 2020, 29, 014001.	1.8	26
10	Synthesis and microwave absorption properties of Fe@carbon fibers. <i>RSC Advances</i> , 2020, 10, 32561-32568.	1.7	19
11	Preparation of Reduced Graphene Oxide/Magnetic Metal Composites and Its Electromagnetic Wave Absorption Properties. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 729, 012039.	0.3	0
12	Experimental study on shock control of a vehicle semi-active suspension with magneto-rheological damper. <i>Smart Materials and Structures</i> , 2020, 29, 074002.	1.8	20
13	Fuzzy-neural network control for a Magnetorheological elastomer vibration isolation system. <i>Smart Materials and Structures</i> , 2020, 29, 074001.	1.8	18
14	Novel high efficiency deterministic polishing method using magnetorheological elastomer. <i>Smart Materials and Structures</i> , 2020, 29, 114008.	1.8	7
15	H^{∞} control for a semi-active scissors linkage seat suspension with magnetorheological damper. <i>Journal of Intelligent Material Systems and Structures</i> , 2019, 30, 708-721.	1.4	25
16	Versatile magnetorheological plastomer with 3D printability, switchable mechanics, shape memory, and self-healing capacity. <i>Composites Science and Technology</i> , 2019, 183, 107817.	3.8	55
17	Carbon black reinforced magnetorheological gel enabled high-performance magneto-resistor for motor soft start-up. <i>Smart Materials and Structures</i> , 2019, 28, 125019.	1.8	4
18	Adaptive fuzzy control of a magnetorheological elastomer vibration isolation system with time-varying sinusoidal excitations. <i>Journal of Sound and Vibration</i> , 2019, 456, 386-406.	2.1	74

#	ARTICLE	IF	CITATIONS
19	Study on the Effect of Particle Size on Viscoelastic Properties of Magnetorheological Elastomers. <i>Current Smart Materials</i> , 2019, 4, 59-67.	0.5	4
20	Synthesis of absorbing coating based on magnetorheological gel with controllable electromagnetic wave absorption properties. <i>Smart Materials and Structures</i> , 2019, 28, 044001.	1.8	12
21	Transient responses of magnetorheological elastomer and isolator under shear mode. <i>Smart Materials and Structures</i> , 2019, 28, 044002.	1.8	12
22	Dynamic Mechanical Hysteresis of Magnetorheological Elastomers Subjected to the Cyclic Loading and Periodic Magnetic Field. <i>Frontiers in Materials</i> , 2019, 6, .	1.2	11
23	Fabrication and mechanical behaviors of iron-nickel foam reinforced magnetorheological elastomer. <i>Smart Materials and Structures</i> , 2019, 28, 115039.	1.8	8
24	Magnetorheological elastomers enabled high-sensitive self-powered tribo-sensor for magnetic field detection. <i>Nanoscale</i> , 2018, 10, 4745-4752.	2.8	73
25	Active/semi-active hybrid isolation system with fuzzy switching controller. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 101-115.	1.4	10
26	Investigations on response time of magnetorheological elastomer under compression mode. <i>Smart Materials and Structures</i> , 2018, 27, 055017.	1.8	36
27	Rheological properties of dimorphic magnetorheological gels mixed dendritic carbonyl iron powder. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 12-23.	1.4	24
28	Stress relaxation behavior of magnetorheological elastomer: Experimental and modeling study. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 205-213.	1.4	39
29	The field-dependent conductivity of dimorphic magnetorheological gel incorporated with iron nanowire. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 24-31.	1.4	10
30	An EPDM/MVQ polymer blend based magnetorheological elastomer with good thermostability and mechanical performance. <i>Soft Matter</i> , 2018, 14, 8521-8528.	1.2	38
31	Investigation on the effects of doped dendritic Co particles on rheological property of magnetorheological gel. <i>Smart Materials and Structures</i> , 2018, 27, 105041.	1.8	9
32	Genetic algorithm based nonlinear self-tuning fuzzy control for time-varying sinusoidal vibration of a magnetorheological elastomer vibration isolation system. <i>Smart Materials and Structures</i> , 2018, 27, 085010.	1.8	13
33	The damping behavior of magnetorheological gel based on polyurethane matrix. <i>Polymer Composites</i> , 2017, 38, 1248-1258.	2.3	10
34	A miniature MRE isolator for lateral vibration suppression of bridge monitoring equipment: design and verification. <i>Smart Materials and Structures</i> , 2017, 26, 047001.	1.8	30
35	Improved rheological properties of dimorphic magnetorheological gels based on flower-like carbonyl iron particles. <i>Applied Surface Science</i> , 2017, 416, 772-780.	3.1	45
36	Synthesis and microwave absorption properties of hierarchical Fe micro-sphere assembly by nano-plates. <i>Journal of Alloys and Compounds</i> , 2017, 721, 449-455.	2.8	29

#	ARTICLE	IF	CITATIONS
37	Understanding the reinforcing behaviors of polyaniline-modified carbonyl iron particles in magnetorheological elastomer based on polyurethane/epoxy resin IPNs matrix. <i>Composites Science and Technology</i> , 2017, 139, 36-46.	3.8	94
38	Preparation and high-performance microwave absorption of hierarchical dendrite-like Co superstructures self-assembly of nanoflakes. <i>Nanotechnology</i> , 2017, 28, 485703.	1.3	24
39	Enhanced Microwave Absorption Property of Fe Nanoparticles Encapsulated within Reduced Graphene Oxide with Different Thicknesses. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 8872-8879.	1.8	58
40	Time-delay analysis of a magnetorheological elastomer actuator for semi-active control. , 2017, , .		4
41	Enhanced field-dependent conductivity of magnetorheological gels with low-doped carbon nanotubes. <i>Smart Materials and Structures</i> , 2017, 26, 105026.	1.8	5
42	Development and Dynamic Characterization of a Mixed Mode Magnetorheological Elastomer Isolator. <i>IEEE Transactions on Magnetics</i> , 2017, 53, 1-4.	1.2	25
43	Carbonyl iron powder surface modification of magnetorheological elastomers for vibration absorbing application. <i>Smart Materials and Structures</i> , 2016, 25, 115005.	1.8	27
44	Study on the characteristics of magneto-sensitive electromagnetic wave-absorbing properties of magnetorheological elastomers. <i>Smart Materials and Structures</i> , 2016, 25, 085046.	1.8	30
45	NARX neural network modeling and robustness analysis of magnetorheological elastomer isolator. <i>Smart Materials and Structures</i> , 2016, 25, 125019.	1.8	36
46	Thermal effects on the laminated magnetorheological elastomer isolator. <i>Smart Materials and Structures</i> , 2016, 25, 115039.	1.8	16
47	A theoretical model for the field-dependent conductivity of magneto-rheological gels and experimental verification. <i>Sensors and Actuators A: Physical</i> , 2016, 245, 127-134.	2.0	31
48	Dynamic mechanical properties of magnetorheological elastomers based on polyurethane matrix. <i>Polymer Composites</i> , 2016, 37, 1587-1595.	2.3	44
49	A hybrid magnetorheological elastomer-fluid (MRE-F) isolation mount: development and experimental validation. <i>Smart Materials and Structures</i> , 2016, 25, 015026.	1.8	35
50	Ni-coated multi-walled carbon nanotubes enhanced the magnetorheological performance of magnetorheological gel. <i>Journal of Nanoparticle Research</i> , 2016, 18, 1.	0.8	28
51	Model-free fuzzy control of a magnetorheological elastomer vibration isolation system: analysis and experimental evaluation. <i>Smart Materials and Structures</i> , 2016, 25, 035030.	1.8	46
52	A high-damping magnetorheological elastomer with bi-directional magnetic-control modulus for potential application in seismology. <i>Applied Physics Letters</i> , 2015, 107, 111901.	1.5	31
53	Applications of Magnetorheological Technology to Semiactive Vibration Control Systems. <i>Shock and Vibration</i> , 2015, 2015, 1-2.	0.3	2
54	A laminated magnetorheological elastomer bearing prototype for seismic mitigation of bridge superstructures. <i>Journal of Intelligent Material Systems and Structures</i> , 2015, 26, 1818-1825.	1.4	41

#	ARTICLE	IF	CITATIONS
55	Flower-like carbonyl iron powder modified by nanoflakes: Preparation and microwave absorption properties. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	52
56	miR-375 and miR-30d in the Effect of Chromium-Containing Chinese Medicine Moderating Glucose Metabolism. <i>Journal of Diabetes Research</i> , 2014, 2014, 1-6.	1.0	17
57	Selection Cooperation in Heterogeneous Cooperative Networks. <i>Wireless Personal Communications</i> , 2014, 75, 2089-2102.	1.8	3
58	Magneto-resistance Characteristics of Magnetorheological Gel under a Magnetic Field. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 4704-4710.	1.8	58
59	A Lightweight Selection Cooperation Protocol with Multiple Available Best Relays. <i>IEEE Communications Letters</i> , 2013, 17, 1172-1175.	2.5	11
60	Magnetic Field-Dependent Normal Force of Magnetorheological Gel. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 11583-11589.	1.8	43
61	Influence of composition of carbonyl iron particles on dynamic mechanical properties of magnetorheological elastomers. <i>Journal of Magnetism and Magnetic Materials</i> , 2012, 324, 2147-2152.	1.0	73
62	Adaptive Sliding Mode Fault-Tolerant Control for Semi-Active Suspension Using Magnetorheological Dampers. <i>Journal of Intelligent Material Systems and Structures</i> , 2011, 22, 1653-1660.	1.4	19
63	Human simulated intelligent control of vehicle suspension system with MR dampers. <i>Journal of Sound and Vibration</i> , 2009, 319, 753-767.	2.1	112
64	Study on MR Semi-active Suspension System and its Road Testing. <i>Journal of Intelligent Material Systems and Structures</i> , 2006, 17, 801-806.	1.4	72
65	HALF CAR MAGNETORHEOLOGICAL SUSPENSION SYSTEM ACCOUNTING FOR NONLINEARITY AND TIME DELAY. <i>International Journal of Modern Physics B</i> , 2005, 19, 1381-1387.	1.0	12
66	PID Control for Magnetorheological Elastomer Absorber with Impact Load. <i>Applied Mechanics and Materials</i> , 0, 121-126, 1734-1738.	0.2	3