

Wen-Ting Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6487264/publications.pdf>

Version: 2024-02-01

23
papers

1,185
citations

516215

16
h-index

676716

22
g-index

23
all docs

23
docs citations

23
times ranked

1792
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimized mouse model of embolic MCAO: From cerebral blood flow to neurological outcomes. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022, 42, 495-509.	2.4	21
2	Intranasal delivery of interleukin-4 attenuates chronic cognitive deficits via beneficial microglial responses in experimental traumatic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 2870-2886.	2.4	21
3	Diffusion Tensor Imaging (DTI) of the Cesarean-Scarred Uterus in vivo at 3T: Comparison Study of DTI Parameters Between Nonpregnant and Pregnant Cases. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 124-130.	1.9	5
4	Functional diversities of myeloid cells in the central nervous system. <i>CNS Neuroscience and Therapeutics</i> , 2020, 26, 1205-1206.	1.9	2
5	Genome-wide transcriptomic analysis of microglia reveals impaired responses in aged mice after cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, S49-S66.	2.4	41
6	Preconditioning with partial caloric restriction confers long-term protection against grey and white matter injury after transient focal ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 1394-1409.	2.4	42
7	Macrophages reprogram after ischemic stroke and promote efferocytosis and inflammation resolution in the mouse brain. <i>CNS Neuroscience and Therapeutics</i> , 2019, 25, 1329-1342.	1.9	67
8	Hypoxic preconditioning improves long-term functional outcomes after neonatal hypoxia-induced ischemic injury by restoring white matter integrity and brain development. <i>CNS Neuroscience and Therapeutics</i> , 2019, 25, 734-747.	1.9	17
9	Distinctive functional deficiencies in axonal conduction associated with two forms of cerebral white matter injury. <i>CNS Neuroscience and Therapeutics</i> , 2019, 25, 1018-1029.	1.9	10
10	Protective effects of sulforaphane in experimental vascular cognitive impairment: Contribution of the Nrf2 pathway. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 352-366.	2.4	66
11	STAT6/Arg1 promotes microglia/macrophage efferocytosis and inflammation resolution in stroke mice. <i>JCI Insight</i> , 2019, 4, .	2.3	146
12	Fatty acid transporting proteins: Roles in brain development, aging, and stroke. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 136, 35-45.	1.0	46
13	Endothelium-targeted overexpression of heat shock protein 27 ameliorates blood-brain barrier disruption after ischemic brain injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E1243-E1252.	3.3	119
14	Inhibition of Na ⁺ -K ⁺ -2Cl ⁻ cotransporter attenuates blood-brain-barrier disruption in a mouse model of traumatic brain injury. <i>Neurochemistry International</i> , 2017, 111, 23-31.	1.9	47
15	Promoting Neurovascular Recovery in Aged Mice after Ischemic Stroke - Prophylactic Effect of Omega-3 Polyunsaturated Fatty Acids. , 2017, 8, 531.		39
16	A Post-stroke Therapeutic Regimen with Omega-3 Polyunsaturated Fatty Acids that Promotes White Matter Integrity and Beneficial Microglial Responses after Cerebral Ischemia. <i>Translational Stroke Research</i> , 2016, 7, 548-561.	2.3	70
17	Delayed Docosahexaenoic Acid Treatment Combined with Dietary Supplementation of Omega-3 Fatty Acids Promotes Long-Term Neurovascular Restoration After Ischemic Stroke. <i>Translational Stroke Research</i> , 2016, 7, 521-534.	2.3	34
18	Severity-Dependent Long-Term Spatial Learning-Memory Impairment in a Mouse Model of Traumatic Brain Injury. <i>Translational Stroke Research</i> , 2016, 7, 512-520.	2.3	34

#	ARTICLE	IF	CITATIONS
19	Omega-3 polyunsaturated fatty acids mitigate blood-brain barrier disruption after hypoxic-ischemic brain injury. <i>Neurobiology of Disease</i> , 2016, 91, 37-46.	2.1	70
20	Dietary supplementation with omega-3 polyunsaturated fatty acids robustly promotes neurovascular restorative dynamics and improves neurological functions after stroke. <i>Experimental Neurology</i> , 2015, 272, 170-180.	2.0	44
21	<i>n</i> -3 Polyunsaturated Fatty Acids Reduce Neonatal Hypoxic/Ischemic Brain Injury by Promoting Phosphatidylserine Formation and Akt Signaling. <i>Stroke</i> , 2015, 46, 2943-2950.	1.0	58
22	Omega-3 polyunsaturated fatty acids in the brain: metabolism and neuroprotection. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 2653.	3.0	78
23	Omega-3 Polyunsaturated Fatty Acid Supplementation Confers Long-Term Neuroprotection Against Neonatal Hypoxic-Ischemic Brain Injury Through Anti-Inflammatory Actions. <i>Stroke</i> , 2010, 41, 2341-2347.	1.0	108