

Paul S Tofts

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6487922/publications.pdf>

Version: 2024-02-01

107
papers

14,019
citations

43973

48
h-index

42291

92
g-index

112
all docs

112
docs citations

112
times ranked

12405
citing authors

#	ARTICLE	IF	CITATIONS
1	Imaging biomarker roadmap for cancer studies. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 169-186.	12.5	792
2	Structural and resting-state MRI detects regional brain differences in young and mid-age healthy APOE ϵ 4 carriers compared with non-APOE ϵ 4 carriers. <i>NMR in Biomedicine</i> , 2016, 29, 614-624.	1.6	42
3	Biodanza for kindergarten children (TANZPRO-Biodanza): reporting on changes of cortisol levels and emotion recognition. <i>Body, Movement and Dance in Psychotherapy</i> , 2016, 11, 75-89.	0.8	5
4	MRI of carriers of the apolipoprotein E ϵ 4 allele—evidence for structural differences in normal-appearing brain tissue in ϵ 4+ relative to ϵ 4- young adults. <i>NMR in Biomedicine</i> , 2013, 26, 674-682.	1.6	22
5	Measuring the Effect of Pars Plana Vitrectomy on Vitreous Oxygenation Using Magnetic Resonance Imaging. , 2013, 54, 2028.		34
6	DCE-MRI: acquisition and analysis techniques. , 2013, , 58-74.		15
7	Precise measurement of renal filtration and vascular parameters using a two-compartment model for dynamic contrast-enhanced MRI of the kidney gives realistic normal values. <i>European Radiology</i> , 2012, 22, 1320-1330.	2.3	41
8	Comprehensive brain analysis with automated high-resolution magnetization transfer measurements. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 309-317.	1.9	6
9	Quantitative magnetisation transfer imaging in glioma: preliminary results. <i>NMR in Biomedicine</i> , 2011, 24, 492-498.	1.6	18
10	Simulation-based comparison of two approaches frequently used for dynamic contrast-enhanced MRI. <i>European Radiology</i> , 2010, 20, 432-442.	2.3	73
11	The Bland-Altman analysis: Does it have a role in assessing radiation dosimeter performance relative to an established standard?. <i>Radiation Measurements</i> , 2010, 45, 810-815.	0.7	9
12	PATH59 Prognostic factors in untreated adult low-grade gliomas. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, e23-e23.	0.9	0
13	Toward clinical application of manganese-enhanced MRI of retinal function. <i>Brain Research Bulletin</i> , 2010, 81, 333-338.	1.4	30
14	The importance of AIF ROI selection in DCE-MRI renography: Reproducibility and variability of renal perfusion and filtration. <i>European Journal of Radiology</i> , 2010, 74, e154-e160.	1.2	48
15	Low-Grade Gliomas: Six-month Tumor Growth Predicts Patient Outcome Better than Admission Tumor Volume, Relative Cerebral Blood Volume, and Apparent Diffusion Coefficient. <i>Radiology</i> , 2009, 253, 505-512.	3.6	95
16	Characterization of white matter damage in animal models of multiple sclerosis by magnetization transfer ratio and quantitative mapping of the apparent bound proton fraction f^* . <i>Multiple Sclerosis Journal</i> , 2009, 15, 16-27.	1.4	41
17	Volumes and growth rates of untreated adult low-grade gliomas indicate risk of early malignant transformation. <i>European Journal of Radiology</i> , 2009, 72, 54-64.	1.2	126
18	Quantitative imaging biomarkers in neuro-oncology. <i>Nature Reviews Clinical Oncology</i> , 2009, 6, 445-454.	12.5	92

#	ARTICLE	IF	CITATIONS
19	Imaging cadavers: Cold FLAIR and noninvasive brain thermometry using CSF diffusion. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 190-195.	1.9	46
20	Quantitative magnetic resonance of postmortem multiple sclerosis brain before and after fixation. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 268-277.	1.9	255
21	Low-Grade Gliomas: Do Changes in rCBV Measurements at Longitudinal Perfusion-weighted MR Imaging Predict Malignant Transformation?. <i>Radiology</i> , 2008, 247, 170-178.	3.6	217
22	Quantitative Magnetization Transfer Imaging in Alzheimer Disease. <i>Radiology</i> , 2007, 244, 832-837.	3.6	49
23	Normal-appearing grey and white matter T1 abnormality in early relapsing/remitting multiple sclerosis: a longitudinal study. <i>Multiple Sclerosis Journal</i> , 2007, 13, 169-177.	1.4	41
24	Quantification of subtle blood-brain barrier disruption in non-enhancing lesions in multiple sclerosis: a study of disease and lesion subtypes. <i>Multiple Sclerosis Journal</i> , 2007, 13, 884-894.	1.4	51
25	Diffusion tensor imaging of post mortem multiple sclerosis brain. <i>NeuroImage</i> , 2007, 35, 467-477.	2.1	347
26	Apparent diffusion coefficient histograms may predict low-grade glioma subtype. <i>NMR in Biomedicine</i> , 2007, 20, 49-57.	1.6	141
27	Fast, accurate, and precise mapping of the RF field in vivo using the 180° signal null. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 622-630.	1.9	107
28	Quantitative analysis of whole-tumor Gd enhancement histograms predicts malignant transformation in low-grade gliomas. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 208-214.	1.9	30
29	Quantitative magnetization transfer imaging in postmortem multiple sclerosis brain. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 41-51.	1.9	241
30	A simple correction for B1 field errors in magnetization transfer ratio measurements. <i>Magnetic Resonance Imaging</i> , 2006, 24, 255-263.	1.0	55
31	Sources of variation in multi-centre brain MTR histogram studies: body-coil transmission eliminates inter-centre differences. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2006, 19, 209-222.	1.1	38
32	Principal component and linear discriminant analysis of T1 histograms of white and grey matter in multiple sclerosis. <i>Magnetic Resonance Imaging</i> , 2006, 24, 793-800.	1.0	10
33	1H-MRS internal thermometry in test-objects (phantoms) to within 0.1%K for quality assurance in long-term quantitative MR studies. <i>NMR in Biomedicine</i> , 2006, 19, 560-565.	1.6	8
34	Unbiased segmentation of diffusion-weighted magnetic resonance images of the brain using iterative clustering. <i>Magnetic Resonance Imaging</i> , 2005, 23, 877-885.	1.0	29
35	The assessment of antiangiogenic and antivascular therapies in early-stage clinical trials using magnetic resonance imaging: issues and recommendations. <i>British Journal of Cancer</i> , 2005, 92, 1599-1610.	2.9	487
36	Assessment and correction of B1-induced errors in magnetization transfer ratio measurements. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 134-140.	1.9	57

#	ARTICLE	IF	CITATIONS
37	Correlation of apparent myelin measures obtained in multiple sclerosis patients and controls from magnetization transfer and multicompartmental T2 analysis. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 1415-1422.	1.9	64
38	Increasing normal appearing grey and white matter magnetisation transfer ratio abnormality in early relapsing remitting multiple sclerosis. <i>Journal of Neurology</i> , 2005, 252, 1037-1044.	1.8	72
39	A standardised method for measuring magnetisation transfer ratio on MR imagers from different manufacturers the EuroMT sequence. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2005, 18, 76-80.	1.1	30
40	Object strength an accurate measure for small objects that is insensitive to partial volume effects. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2005, 18, 162-169.	1.1	4
41	Three-dimensional quantitative magnetisation transfer imaging of the human brain. <i>NeuroImage</i> , 2005, 27, 436-441.	2.1	62
42	Dynamic contrast enhanced MRI in patients with diabetic macular edema: initial results. <i>Experimental Eye Research</i> , 2005, 81, 97-102.	1.2	26
43	Estimation of the macromolecular proton fraction and bound pool T2 in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2004, 10, 607-613.	1.4	45
44	Diffusion tensor imaging of early relapsing-remitting multiple sclerosis with histogram analysis using automated segmentation and brain volume correction. <i>Multiple Sclerosis Journal</i> , 2004, 10, 9-15.	1.4	45
45	Abnormalities of cerebral perfusion in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1288-1293.	0.9	115
46	Reproducibility of brain ADC histograms. <i>European Radiology</i> , 2004, 14, 425-430.	2.3	52
47	Normal cerebral perfusion measurements using arterial spin labeling: Reproducibility, stability, and age and gender effects. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 736-743.	1.9	395
48	Measuring blood volume and vascular transfer constant from dynamic, T2*-weighted contrast-enhanced MRI. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 961-968.	1.9	140
49	High field MRI correlates of myelin content and axonal density in multiple sclerosis. <i>Journal of Neurology</i> , 2003, 250, 1293-1301.	1.8	266
50	The normal appearing grey matter in primary progressive multiple sclerosis. <i>Journal of Neurology</i> , 2003, 250, 67-74.	1.8	111
51	Quantitative magnetization transfer mapping of bound protons in multiple sclerosis. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 83-91.	1.9	108
52	Removing spikes caused by quantization noise from high-resolution histograms. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 649-653.	1.9	6
53	Another approach to protons with constricted mobility in white matter: pilot studies using wide-line and high-resolution NMR spectroscopy. <i>Magnetic Resonance Imaging</i> , 2003, 21, 1039-1043.	1.0	16
54	Assessment of antiangiogenic and antivascular therapeutics using MRI: recommendations for appropriate methodology for clinical trials. <i>British Journal of Radiology</i> , 2003, 76, S87-S91.	1.0	121

#	ARTICLE	IF	CITATIONS
55	Osteogenic and Ewing Sarcomas: Estimation of Necrotic Fraction during Induction Chemotherapy with Dynamic Contrast-enhanced MR Imaging. <i>Radiology</i> , 2003, 228, 271-278.	3.6	119
56	Preliminary magnetic resonance study of the macromolecular proton fraction in white matter: a potential marker of myelin?. <i>Multiple Sclerosis Journal</i> , 2003, 9, 246-249.	1.4	32
57	Towards an Automatic Lesion Segmentation Method for Dual Echo Magnetic Resonance Images Using an Ensemble of Neural Networks. <i>Lecture Notes in Computer Science</i> , 2003, , 148-157.	1.0	1
58	Systemic Lupus Erythematosus: Diagnostic Application of Magnetization Transfer Ratio Histograms in Patients with Neuropsychiatric Symptomsâ€”Initial Results. <i>Radiology</i> , 2002, 222, 722-728.	3.6	35
59	ADC mapping of the human optic nerve: Increased resolution, coverage, and reliability with CSF-suppressed ZOOM-EPI. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 24-31.	1.9	129
60	Improved accuracy of human cerebral blood perfusion measurements using arterial spin labeling: Accounting for capillary water permeability. <i>Magnetic Resonance in Medicine</i> , 2002, 48, 27-41.	1.9	181
61	Accurate multislice gradient echoT1 measurement in the presence of non-ideal RF pulse shape and RF field nonuniformity. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 838-845.	1.9	101
62	Measuring the human retinal oxygenation response to a hyperoxic challenge using MRI: Eliminating blinking artifacts and demonstrating proof of concept. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 412-416.	1.9	91
63	Improved Reduction of Motion Artifacts in Diffusion Imaging Using Navigator Echoes and Velocity Compensation. <i>Journal of Magnetic Resonance</i> , 2000, 142, 358-363.	1.2	21
64	Volunteer Studies Replacing Animal Experiments in Brain Research. <i>ATLA Alternatives To Laboratory Animals</i> , 2000, 28, 315-331.	0.7	11
65	A multicenter measurement of magnetization transfer ratio in normal white matter. <i>Journal of Magnetic Resonance Imaging</i> , 1999, 9, 441-446.	1.9	99
66	Estimating kinetic parameters from dynamic contrast-enhanced t1-weighted MRI of a diffusable tracer: Standardized quantities and symbols. <i>Journal of Magnetic Resonance Imaging</i> , 1999, 10, 223-232.	1.9	2,856
67	MR imaging of tumor microcirculation: Promise for the new millenium. <i>Journal of Magnetic Resonance Imaging</i> , 1999, 10, 903-907.	1.9	212
68	Magnetic resonance diffusion imaging of the human cervical spinal cord in vivo. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 1269-1273.	1.9	103
69	Pharmacokinetic Analysis of Neoplasms Using Contrast- enhance^ Dynamic Magnetic Resonance Imaging. <i>Topics in Magnetic Resonance Imaging</i> , 1999, 10, 130-142.	0.7	50
70	Correction for variations in MRI scanner sensitivity in brain studies with histogram matching. <i>Magnetic Resonance in Medicine</i> , 1998, 39, 322-327.	1.9	50
71	Strategies for optimizing MRI techniques aimed at monitoring disease activity in multiple sclerosis treatment trials. <i>Journal of Neurology</i> , 1997, 244, 76-84.	1.8	70
72	Modeling tracer kinetics in dynamic Gd-DTPA MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 1997, 7, 91-101.	1.9	1,342

#	ARTICLE	IF	CITATIONS
73	Macroscopic and microscopic assessments of disease burden by MRI in multiple sclerosis: Relationship to clinical parameters. <i>Journal of Magnetic Resonance Imaging</i> , 1996, 6, 580-584.	1.9	50
74	Lesion volume measurement in multiple sclerosis: How important is accurate repositioning?. <i>Journal of Magnetic Resonance Imaging</i> , 1996, 6, 705-713.	1.9	40
75	Apparent diffusion coefficients in benign and secondary progressive multiple sclerosis by nuclear magnetic resonance. <i>Magnetic Resonance in Medicine</i> , 1996, 36, 393-400.	1.9	176
76	Optimal detection of blood-brain barrier defects with Gd-DTPA MRI—The influences of delayed imaging and optimised repetition time. <i>Magnetic Resonance Imaging</i> , 1996, 14, 373-380.	1.0	29
77	Quantitative Analysis of Dynamic Gd-DTPA Enhancement in Breast Tumors Using a Permeability Model. <i>Magnetic Resonance in Medicine</i> , 1995, 33, 564-568.	1.9	392
78	Novel MR image contrast mechanisms in epilepsy. <i>Magnetic Resonance Imaging</i> , 1995, 13, 1099-1106.	1.0	10
79	Effect of vitreous fluidity on the measurement of blood-retinal barrier permeability using contrast-enhanced MRI. <i>Magnetic Resonance in Medicine</i> , 1994, 31, 61-66.	1.9	25
80	Sources of intensity nonuniformity in spin echo images at 1.5 T. <i>Magnetic Resonance in Medicine</i> , 1994, 32, 121-128.	1.9	239
81	Improvements to the quality of MRI cluster analysis. <i>Magnetic Resonance Imaging</i> , 1994, 12, 1191-1204.	1.0	29
82	A method for visualization of MRI partial volume regions—PAIR (PARTial volume sensitised Inversion) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.9	4
83	Measurement of capillary permeability from the Gd enhancement curve: A comparison of bolus and constant infusion injection methods. <i>Magnetic Resonance Imaging</i> , 1994, 12, 81-91.	1.0	65
84	Correction of Nonuniformity in Images of the Spine and Optic Nerve from Fixed Receive-Only Surface Coils at 1.5 T. <i>Journal of Computer Assisted Tomography</i> , 1994, 18, 997-1003.	0.5	22
85	A chemical shift selective inversion recovery sequence for fat-suppressed MRI: Theory and experimental validation. <i>Magnetic Resonance Imaging</i> , 1993, 11, 341-355.	1.0	91
86	Correction of intensity nonuniformity in MR images of any orientation. <i>Magnetic Resonance Imaging</i> , 1993, 11, 183-196.	1.0	150
87	<title>Segmentation of neuroanatomy in magnetic resonance images</title>. , 1992, , .		7
88	Measurement of the blood-brain barrier permeability and leakage space using dynamic MR imaging. 1. Fundamental concepts. <i>Magnetic Resonance in Medicine</i> , 1991, 17, 357-367.	1.9	1,354
89	Nasal Orientation Device to Control Head Movement during CT and MR Studies. <i>Journal of Computer Assisted Tomography</i> , 1990, 14, 163-164.	0.5	7
90	Noninvasive measurement of molar concentrations of ³¹ P metabolites in vivo, using surface coil NMR spectroscopy. <i>Magnetic Resonance in Medicine</i> , 1988, 6, 84-86.	1.9	42

#	ARTICLE	IF	CITATIONS
91	A critical assessment of methods of measuring metabolite concentrations by NMR spectroscopy. NMR in Biomedicine, 1988, 1, 1-10.	1.6	166
92	The noninvasive measurement of absolute metabolite concentrations in vivo using surface-coil NMR spectroscopy. Journal of Magnetic Resonance, 1988, 80, 84-95.	0.5	4
93	Edited 31P brain spectra using maximum entropy data processing. Magnetic Resonance in Medicine, 1987, 4, 385-392.	1.9	15
94	Direct in vivo measurement of absolute metabolite concentrations using 31P nuclear magnetic resonance spectroscopy. Biochimica Et Biophysica Acta - Molecular Cell Research, 1986, 886, 399-405.	1.9	41
95	Investigation of human skeletal muscle structure and composition by X-ray computerised tomography. European Journal of Clinical Investigation, 1983, 13, 465-468.	1.7	51
96	T1: The Longitudinal Relaxation Time. , 0, , 111-141.		24
97	T2: The Transverse Relaxation Time. , 0, , 143-201.		18
98	D: The Diffusion of Water. , 0, , 203-256.		11
99	T1-W DCE-MRI: T1-Weighted Dynamic Contrast-Enhanced MRI. , 0, , 341-364.		24
100	T2- and T2*-W DCE-MRI: Blood Perfusion and Volume Estimation using Bolus Tracking. , 0, , 365-412.		6
101	Functional MRI. , 0, , 413-453.		19
102	ASL: Blood Perfusion Measurements Using Arterial Spin Labelling. , 0, , 455-473.		4
103	Biology: The Significance of MR Parameters in Multiple Sclerosis. , 0, , 475-499.		1
104	Spatial Registration of Images. , 0, , 501-531.		3
105	Volume and Atrophy. , 0, , 533-558.		2
106	Shape and Texture. , 0, , 559-579.		9
107	Appendix I: Greek Alphabet for Scientific Use. , 0, , 619-619.		0