Ming-Qing Xu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6489822/publications.pdf

Version: 2024-02-01

567281 580821 41 730 15 25 citations h-index g-index papers 44 44 44 1471 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Neutrophil to lymphocyte ratio changes predict small hepatocellular carcinoma survival. Journal of Surgical Research, 2014, 192, 402-408.	1.6	74
2	Postoperative neutrophil-to-lymphocyte ratio plus platelet-to-lymphocyte ratio predicts the outcomes of hepatocellular carcinoma. Journal of Surgical Research, 2015, 198, 73-79.	1.6	57
3	Risk factors associated with early and late HAT after adult liver transplantation. World Journal of Gastroenterology, 2014, 20, 10545.	3.3	49
4	The critical value of remnant liver volume-to-body weight ratio to estimate posthepatectomy liver failure in cirrhotic patients. Journal of Surgical Research, 2014, 188, 489-495.	1.6	40
5	Alvimopan combined with enhanced recovery strategy for managing postoperative ileus after open abdominal surgery: a systematic review and meta-analysis. Journal of Surgical Research, 2016, 203, 211-221.	1.6	38
6	Prolongation of liver allograft survival by dendritic cells modified with NF-κB decoy oligodeoxynucleotides. World Journal of Gastroenterology, 2004, 10, 2361.	3.3	31
7	Alpha fetoprotein changes predict hepatocellular carcinoma survival beyond the Milan criteria after hepatectomy. Journal of Surgical Research, 2017, 209, 102-111.	1.6	28
8	Minimizing tacrolimus decreases the risk of new-onset diabetes mellitus after liver transplantation. World Journal of Gastroenterology, 2016, 22, 2133.	3.3	27
9	Postoperative prognostic nutritional index change is an independent predictor of survival in patients with small hepatocellular carcinoma. American Journal of Surgery, 2016, 212, 122-127.	1.8	25
10	miRâ€203 inhibits augmented proliferation and metastasis of hepatocellular carcinoma residual in the promoted regenerating liver. Cancer Science, 2017, 108, 338-346.	3.9	24
11	Nuclear factor-κB decoy oligodeoxynucleotides attenuates ischemia/reperfusion injury in rat liver graft. World Journal of Gastroenterology, 2005, 11, 6960.	3.3	21
12	Transplantation versus hepatectomy for HCC beyond the Milan criteria: A propensity score analysis. International Journal of Surgery, 2017, 44, 33-42.	2.7	18
13	Prophylaxis against hepatitis B virus recurrence after liver transplantation: A registry study. World Journal of Gastroenterology, 2015, 21, 584.	3.3	18
14	Second Hepatectomy Improves Survival in Patients With Microvascular Invasive Hepatocellular Carcinoma Meeting the Milan Criteria. Medicine (United States), 2015, 94, e2070.	1.0	17
15	The microRNA-375 as a potentially promising biomarker to predict the prognosis of patients with head and neck or esophageal squamous cell carcinoma: a meta-analysis. European Archives of Oto-Rhino-Laryngology, 2019, 276, 957-968.	1.6	16
16	MicroRNA-203 promotes liver regeneration after partial hepatectomy in cirrhotic rats. Journal of Surgical Research, 2017, 211, 53-63.	1.6	15
17	A novel combined systemic inflammation-based score can predict survival of intermediate-to-advanced hepatocellular carcinoma patients undergoing transarterial chemoembolization. BMC Cancer, 2018, 18, 216.	2.6	15
18	<i>Comparison of Transarterial Chemoembolization Combined with Radiofrequency Ablation Therapys/i> versus <i>Surgical Resection for Early Hepatocellular Carcinoma</i> American Surgeon, 2018, 84, 282-288.</i>	0.8	15

#	Article	IF	CITATIONS
19	Novel Prognostic Nomograms for Hepatocellular Carcinoma Patients with Microvascular Invasion: Experience from a Single Center. Gut and Liver, 2019, 13, 669-682.	2.9	15
20	Polymorphisms of the CYP1B1 gene and hepatocellular carcinoma risk in a Chinese population. Gene, 2015, 564, 14-20.	2.2	14
21	Microvascular invasion patterns affect survival inÂhepatocellular carcinoma patients after second hepatectomy. Journal of Surgical Research, 2016, 200, 82-90.	1.6	14
22	Liver resection versus liver resection plus TACE for patients with hepatocellular carcinoma beyond Milan criteria. Journal of Surgical Research, 2017, 209, 8-16.	1.6	14
23	Safety of hepatitis B virus core antigen-positive grafts in liver transplantation: A single-center experience in China. World Journal of Gastroenterology, 2018, 24, 5525-5536.	3.3	13
24	Effect of low-dose tacrolimus with mycophenolate mofetil on renal function following liver transplantation. World Journal of Gastroenterology, 2014, 20, 11356.	3.3	12
25	Management of the middle hepatic vein in right lobe living donor liver transplantation: A meta-analysis. Journal of Huazhong University of Science and Technology [Medical Sciences], 2015, 35, 600-605.	1.0	12
26	Correlation between the expressions of circular RNAs in peripheral venous blood and clinicopathological features in hepatocellular carcinoma. Annals of Translational Medicine, 2020, 8, 338-338.	1.7	12
27	Liver resection for intermediate hepatocellular carcinoma. World Journal of Hepatology, 2016, 8, 607.	2.0	12
28	Augmented regeneration of partial liver allograft induced by nuclear factor-κB decoy oligodeoxynucleotides-modified dendritic cells. World Journal of Gastroenterology, 2004, 10, 573.	3.3	11
29	Hepatic Arterial Buffer Response Maintains the Homeostasis of Graft Hemodynamics in Patient Receiving Living Donor Liver Transplantation. Digestive Diseases and Sciences, 2016, 61, 464-473.	2.3	10
30	Postoperative Albumin–Bilirubin Grade Change Predicts the Prognosis of Patients with Hepatitis Bâ€Related Hepatocellular Carcinoma Within the Milan Criteria. World Journal of Surgery, 2018, 42, 1841-1847.	1.6	10
31	Zinc Finger Protein A20 Promotes Regeneration of Small-for-Size Liver Allograft and Suppresses Rejection and Results in a Longer Survival in Recipient Rats. Journal of Surgical Research, 2009, 152, 35-45.	1.6	9
32	A new index predicts early allograft dysfunction following living donor liver transplantation: A propensity score analysis. Digestive and Liver Disease, 2017, 49, 1225-1232.	0.9	9
33	Circadian Rhythms Have Effects on Surgical Outcomes of Liver Transplantation for Patients With Hepatocellular Carcinoma: A Retrospective Analysis of 147 Cases in a Single Center. Transplantation Proceedings, 2019, 51, 1913-1919.	0.6	9
34	Hepatic resection combined with radiofrequency ablation versus hepatic resection alone for multifocal hepatocellular carcinomas: A meta-analysis. Current Medical Science, 2017, 37, 974-980.	1.8	7
35	NF-κB activation and zinc finger protein A20 expression in mature dendritic cells derived from liver allografts undergoing acute rejection. World Journal of Gastroenterology, 2003, 9, 1296.	3.3	7
36	Liver resection <i>versus</i> transplantation for multiple hepatocellular carcinoma: a propensity score analysis. Oncotarget, 2017, 8, 81492-81500.	1.8	6

#	Article	IF	CITATIONS
37	Preoperative and postoperative nomograms for predicting early recurrence of hepatocellular carcinoma without macrovascular invasion after curative resection. BMC Surgery, 2022, 22, .	1.3	3
38	Upper abdominal shape as a risk factor of extended operation time and severe postoperative complications in HCC hepatectomy through subcostal incision. World Journal of Surgical Oncology, 2015, 13, 298.	1.9	2
39	Reducing biliary complications in adult-to-adult living donor liver transplantation using right lobe graft: experience of 124 cases. Frontiers of Medicine in China, 2008, 2, 130-133.	0.1	O
40	Neutrophil-to-Lymphocyte and Aspartate-to-Alanine Aminotransferase Ratios Predict Hepatocellular Carcinoma Prognosis after Transarterial Embolization. Digestive Disease Interventions, 2017, 01, .	0.2	0
41	Combined Inflammation-based Index Predicts Outcomes of Hepatocellular Carcinoma Treated with Transarterial Embolization. Digestive Disease Interventions, 2017, 01, .	0.2	0