
Fengrui Yang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6490836/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Salvianolic acid B alleviates comorbid pain in depression induced by chronic restraint stress through inhibiting GABAergic neuron excitation via an ERK-CREB-BDNF axis-dependent mechanism. Journal of Psychiatric Research, 2022, 151, 205-216.	3.1	6
2	microRNA-26a shuttled by extracellular vesicles secreted from adipose-derived mesenchymal stem cells reduce neuronal damage through KLF9-mediated regulation of TRAF2/KLF2 axis. Adipocyte, 2021, 10, 378-393.	2.8	8
3	PIAS1 alleviates diabetic peripheral neuropathy through SUMOlation of PPAR-Î ³ and miR-124-induced downregulation of EZH2/STAT3. Cell Death Discovery, 2021, 7, 372.	4.7	13
4	Inhibition of P2X7R in the amygdala ameliorates symptoms of neuropathic pain after spared nerve injury in rats. Brain, Behavior, and Immunity, 2020, 88, 507-514.	4.1	30
5	miRNA-155 silencing reduces sciatic nerve injury in diabetic peripheral neuropathy. Journal of Molecular Endocrinology, 2019, 63, 227-238.	2.5	32
6	The Natural Rotenoid Deguelin Ameliorates Diabetic Neuropathy by Decreasing Oxidative Stress and Plasma Glucose Levels in Rats via the Nrf2 Signalling Pathway. Cellular Physiology and Biochemistry, 2018, 48, 1164-1176.	1.6	18
7	MicroRNA-182 aggravates cerebral ischemia injury by targeting inhibitory member of the ASPP family (iASPP). Archives of Biochemistry and Biophysics, 2017, 620, 52-58.	3.0	27
8	Intra-amygdala microinfusion of neuropeptide S attenuates neuropathic pain and suppresses the response of spinal microglia and astrocytes after spinal nerve ligation in rats. Peptides, 2016, 82, 26-34.	2.4	13