

Kyeongsoon Park

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6490949/kyeongsoon-park-publications-by-year.pdf>
Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141 papers	7,377 citations	41 h-index	83 g-index
147 ext. papers	7,970 ext. citations	7.3 avg, IF	5.59 L-index

#	Paper	IF	Citations
141	Simultaneous production of 2Sfucosyllactose and difucosyllactose by engineered <i>Escherichia coli</i> with high secretion efficiency.. <i>Biotechnology Journal</i> , 2022 , e2100629	5.6	3
140	Intra-Articular Injection of Rebamipide-Loaded Nanoparticles Attenuate Disease Progression and Joint Destruction in Osteoarthritis Rat Model: A Pilot Study.. <i>Cartilage</i> , 2022 , 13, 19476035211069250	3	0
139	Strategies, advances, and challenges associated with the use of graphene-based nanocomposites for electrochemical biosensors.. <i>Advances in Colloid and Interface Science</i> , 2022 , 304, 102664	14.3	7
138	Targeted theranostic photoactivation on atherosclerosis. <i>Journal of Nanobiotechnology</i> , 2021 , 19, 338	9.4	0
137	Tannylated Calcium Carbonate Materials with Antacid, Anti-Inflammatory, and Antioxidant Effects. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
136	Visible Light-Cured Antibacterial Collagen Hydrogel Containing Water-Solubilized Triclosan for Improved Wound Healing. <i>Materials</i> , 2021 , 14,	3.5	4
135	Cyclic RGDfK- and Sulfo-Cy5.5-functionalized mPEG-PCL theranostic nanosystems for hepatocellular carcinoma. <i>Journal of Industrial and Engineering Chemistry</i> , 2021 , 99, 204-213	6.3	2
134	Multifunctional Tannic Acid-Alendronate Nanocomplexes with Antioxidant, Anti-Inflammatory, and Osteogenic Potency. <i>Nanomaterials</i> , 2021 , 11,	5.4	4
133	Macrophage targeted theranostic strategy for accurate detection and rapid stabilization of the inflamed high-risk plaque. <i>Theranostics</i> , 2021 , 11, 8874-8893	12.1	4
132	Oxygen-generating glycol chitosan-manganese dioxide nanoparticles enhance the photodynamic effects of chlorin e6 on activated macrophages in hypoxic conditions. <i>International Journal of Biological Macromolecules</i> , 2021 , 184, 20-28	7.9	1
131	Investigating the In Vitro Osteogenic Properties of the Inclusion Nanocarrier of Icariin with Beta-Cyclodextrin-Alginate. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 4137	2.6	1
130	Therapeutic Efficacy of Intratendinous Delivery of Dexamethasone Using Porous Microspheres for Amelioration of Inflammation and Tendon Degeneration on Achilles Tendinitis in Rats. <i>BioMed Research International</i> , 2020 , 2020, 5052028	3	1
129	A comparative pilot study of oral diacerein and locally treated diacerein-loaded nanoparticles in a model of osteoarthritis. <i>International Journal of Pharmaceutics</i> , 2020 , 581, 119249	6.5	11
128	Enhanced tendon restoration effects of anti-inflammatory, lactoferrin-immobilized, heparin-polymeric nanoparticles in an Achilles tendinitis rat model. <i>Carbohydrate Polymers</i> , 2020 , 241, 116284	10.3	11
127	In Vitro Photodynamic Effects of the Inclusion Nanocomplexes of Glucan and Chlorin e6 on Atherogenic Foam Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 22,	6.3	4
126	Lactoferrin-Anchored Tannylated Mesoporous Silica Nanomaterials for Enhanced Osteo-Differentiation Ability. <i>Pharmaceutics</i> , 2020 , 13,	6.4	3
125	Recent Advances of Biphasic Calcium Phosphate Bioceramics for Bone Tissue Regeneration. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1250, 177-188	3.6	10

124	Label-Free Tomographic Imaging of Lipid Droplets in Foam Cells for Machine-Learning-Assisted Therapeutic Evaluation of Targeted Nanodrugs. <i>ACS Nano</i> , 2020 , 14, 1856-1865	16.7	25
123	Icariin-Functionalized Nanodiamonds to Enhance Osteogenic Capacity In Vitro. <i>Nanomaterials</i> , 2020 , 10,	5.4	5
122	In vivo imaging of reactive oxygen species (ROS)-producing pro-inflammatory macrophages in murine carotid atheromas using a CD44-targetable and ROS-responsive nanosensor. <i>Journal of Industrial and Engineering Chemistry</i> , 2020 , 92, 158-166	6.3	7
121	Optimization of the Preparation and Characterization of Tannylated-Albumin Nanoagents. <i>Macromolecular Research</i> , 2020 , 28, 969-972	1.9	
120	Facile Fabrication of Oxygen-Releasing Tannylated Calcium Peroxide Nanoparticles. <i>Materials</i> , 2020 , 13,	3.5	4
119	Biomaterials for the Treatment of Tendon Injury. <i>Tissue Engineering and Regenerative Medicine</i> , 2019 , 16, 467-477	4.5	13
118	Wrapping of tendon tissues with diclofenac-immobilized polycaprolactone fibrous sheet improves tendon healing in a rabbit model of collagenase-induced Achilles tendinitis. <i>Journal of Industrial and Engineering Chemistry</i> , 2019 , 73, 152-161	6.3	4
117	Hyaluronic Acid-Conjugated Mesoporous Silica Nanoparticles Loaded with Dual Anticancer Agents for Chemophotodynamic Cancer Therapy. <i>Journal of Nanomaterials</i> , 2019 , 2019, 1-11	3.2	7
116	Accelerated Osteogenic Differentiation of MC3T3-E1 Cells by Lactoferrin-Conjugated Nanodiamonds through Enhanced Anti-Oxidant and Anti-Inflammatory Effects. <i>Nanomaterials</i> , 2019 , 10,	5.4	8
115	Long-term local PDGF delivery using porous microspheres modified with heparin for tendon healing of rotator cuff tendinitis in a rabbit model. <i>Carbohydrate Polymers</i> , 2019 , 209, 372-381	10.3	22
114	Intravascular Optical Molecular Imaging of αMacrophage Subset Within Intraplaque Hemorrhages. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 371-372	8.4	3
113	Preparation of poly-L-lysine-based nanoparticles with pH-sensitive release of curcumin for targeted imaging and therapy of liver cancer in vitro and in vivo. <i>Drug Delivery</i> , 2018 , 25, 950-960	7	37
112	Attenuation of inflammation and cartilage degradation by sulfasalazine-containing hyaluronic acid on osteoarthritis rat model. <i>International Journal of Biological Macromolecules</i> , 2018 , 114, 341-348	7.9	10
111	Spectroscopic methods to analyze drug metabolites. <i>Archives of Pharmacol Research</i> , 2018 , 41, 355-371	6.1	4
110	In vitro and in vivo anti-inflammatory and tendon-healing effects in Achilles tendinopathy of long-term curcumin delivery using porous microspheres. <i>Journal of Industrial and Engineering Chemistry</i> , 2018 , 58, 123-130	6.3	12
109	Exploring the In Vivo Anti-Inflammatory Actions of Simvastatin-Loaded Porous Microspheres on Inflamed Tenocytes in a Collagenase-Induced Animal Model of Achilles Tendinitis. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	20
108	Anti-Inflammation and Chondrogenic Differentiation Effects of Inclusion Nanocomplexes of Hyaluronic Acid-Beta Cyclodextrin and Simvastatin. <i>Tissue Engineering and Regenerative Medicine</i> , 2018 , 15, 263-274	4.5	10
107	Biomaterialized hybrid nanoparticles for imaging and therapy of cancers. <i>Quantitative Imaging in Medicine and Surgery</i> , 2018 , 8, 694-708	3.6	4

106	Design of a 3D BMP-2-Delivering Tannylated PCL Scaffold and Its Anti-Oxidant, Anti-Inflammatory, and Osteogenic Effects In Vitro. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	19
105	Simple surface biofunctionalization of biphasic calcium phosphates for improving osteogenic activity and bone tissue regeneration. <i>Journal of Industrial and Engineering Chemistry</i> , 2018 , 68, 220-228	6.3	10
104	Therapeutic Effects of Targeted PPAR γ Activation on Inflamed High-Risk Plaques Assessed by Serial Optical Imaging In Vivo. <i>Theranostics</i> , 2018 , 8, 45-60	12.1	15
103	Osteogenesis and new bone formation of alendronate-immobilized porous PLGA microspheres in a rat calvarial defect model. <i>Journal of Industrial and Engineering Chemistry</i> , 2017 , 52, 277-286	6.3	22
102	Preparation and evaluation of visible-light cured glycol chitosan hydrogel dressing containing dual growth factors for accelerated wound healing. <i>Journal of Industrial and Engineering Chemistry</i> , 2017 , 53, 360-370	6.3	55
101	Surface modification of titanium with ECD/polydopamine for a controlled release of lovastatin, and its effect on the enhanced osteogenic activity. <i>Journal of Industrial and Engineering Chemistry</i> , 2017 , 49, 158-167	6.3	7
100	In vitro photodynamic effects of scavenger receptor targeted-photoactivatable nanoagents on activated macrophages. <i>International Journal of Biological Macromolecules</i> , 2017 , 97, 181-189	7.9	15
99	Surface immobilization of biphasic calcium phosphate nanoparticles on 3D printed poly(caprolactone) scaffolds enhances osteogenesis and bone tissue regeneration. <i>Journal of Industrial and Engineering Chemistry</i> , 2017 , 55, 101-109	6.3	22
98	Preparation of redox-sensitive ECD-based nanoparticles with controlled release of curcumin for improved therapeutic effect on liver cancer in vitro. <i>Journal of Industrial and Engineering Chemistry</i> , 2017 , 45, 156-163	6.3	13
97	Versatile Chemical Derivatizations to Design Glycol Chitosan-Based Drug Carriers. <i>Molecules</i> , 2017 , 22,	4.8	8
96	Biphasic Calcium Phosphate (BCP)-Immobilized Porous Poly (d,l-Lactic-co-Glycolic Acid) Microspheres Enhance Osteogenic Activities of Osteoblasts. <i>Polymers</i> , 2017 , 9,	4.5	6
95	Multicomponent, Tumor-Homing Chitosan Nanoparticles for Cancer Imaging and Therapy. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	35
94	Ibuprofen-loaded porous microspheres suppressed the progression of monosodium iodoacetate-induced osteoarthritis in a rat model. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016 , 147, 265-273	6.3	25
93	Heparin-immobilized hydroxyapatite nanoparticles as a lactoferrin delivery system for improving osteogenic differentiation of adipose-derived stem cells. <i>Biomedical Materials (Bristol)</i> , 2016 , 11, 025004	3.5	19
92	Intracoronary dual-modal optical coherence tomography-near-infrared fluorescence structural-molecular imaging with a clinical dose of indocyanine green for the assessment of high-risk plaques and stent-associated inflammation in a beating coronary artery. <i>European Heart Journal</i> , 2016 , 37, 2833-2844	9.5	45
91	Intravascular optical imaging of high-risk plaques in vivo by targeting macrophage mannose receptors. <i>Scientific Reports</i> , 2016 , 6, 22608	4.9	40
90	3D printed alendronate-releasing poly(caprolactone) porous scaffolds enhance osteogenic differentiation and bone formation in rat tibial defects. <i>Biomedical Materials (Bristol)</i> , 2016 , 11, 055005	3.5	25
89	Facile synthesis of partially uncapped liposomes. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 135, 143-149		6

88	Fabrication of a BMP-2-immobilized porous microsphere modified by heparin for bone tissue engineering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 134, 453-60	6	50
87	Cell adhesion and in vivo osseointegration of sandblasted/acid etched/anodized dental implants. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 10324-36	6.3	45
86	Co-delivery of platelet-derived growth factor (PDGF-BB) and bone morphogenic protein (BMP-2) coated onto heparinized titanium for improving osteoblast function and osteointegration. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015 , 9, E219-28	4.4	32
85	Fabrication of poly(L-lactide) porous beads coated with hydroxyapatite using a simple fluidic device for tissue engineering. <i>Macromolecular Research</i> , 2015 , 23, 501-504	1.9	5
84	Improving Osteogenesis Activity on BMP-2-Immobilized PCL Fibers Modified by the E-Ray Irradiation Technique. <i>BioMed Research International</i> , 2015 , 2015, 302820	3	4
83	Alendronate-Eluting Biphasic Calcium Phosphate (BCP) Scaffolds Stimulate Osteogenic Differentiation. <i>BioMed Research International</i> , 2015 , 2015, 320713	3	9
82	Osteogenesis induction of periodontal ligament cells onto bone morphogenic protein-2 immobilized PCL fibers. <i>Carbohydrate Polymers</i> , 2014 , 99, 700-9	10.3	38
81	Prediction of antiarthritic drug efficacies by monitoring active matrix metalloproteinase-3 (MMP-3) levels in collagen-induced arthritic mice using the MMP-3 probe. <i>Molecular Pharmaceutics</i> , 2014 , 11, 1450-8	5.6	9
80	Improving osteoblast functions and bone formation upon BMP-2 immobilization on titanium modified with heparin. <i>Carbohydrate Polymers</i> , 2014 , 114, 123-132	10.3	47
79	Enhanced effects of osteoclastogenesis inhibition by curcumin-delivering heparin nanoparticles. <i>Macromolecular Research</i> , 2014 , 22, 647-656	1.9	
78	Local delivery of recombinant human bone morphogenic protein-2 (rhBMP-2) from rhBMP-2/heparin complex fixed to a chitosan scaffold enhances osteoblast behavior. <i>Tissue Engineering and Regenerative Medicine</i> , 2014 , 11, 163-170	4.5	5
77	Glycol chitosan-based fluorescent theranostic nanoagents for cancer therapy. <i>Marine Drugs</i> , 2014 , 12, 6038-57	6	23
76	Effect of lactoferrin-impregnated porous poly(lactide-co-glycolide) (PLGA) microspheres on osteogenic differentiation of rabbit adipose-derived stem cells (rADSCs). <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 122, 457-464	6	36
75	Osteoblast activity of MG-63 cells is enhanced by growth on a lactoferrin-immobilized titanium substrate. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 123, 191-8	6	17
74	The effect of alendronate-loaded polycaprolactone nanofibrous scaffolds on osteogenic differentiation of adipose-derived stem cells in bone tissue regeneration. <i>Journal of Biomedical Nanotechnology</i> , 2014 , 10, 1080-90	4	31
73	Fully integrated high-speed intravascular optical coherence tomography/near-infrared fluorescence structural/molecular imaging in vivo using a clinically available near-infrared fluorescence-emitting indocyanine green to detect inflamed lipid-rich atheromata in coronary-sized vessels. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 560-9	6	67
72	Bone formation in a rat tibial defect model using carboxymethyl cellulose/BioC/bone morphogenic protein-2 hybrid materials. <i>BioMed Research International</i> , 2014 , 2014, 230152	3	18
71	The effect of bone morphogenic protein-2 (BMP-2)-immobilizing heparinized-chitosan scaffolds for enhanced osteoblast activity. <i>Tissue Engineering and Regenerative Medicine</i> , 2013 , 10, 122-130	4.5	22

70	The effects of functionalized titanium with alendronate and bone morphogenic protein-2 for improving osteoblast activity. <i>Tissue Engineering and Regenerative Medicine</i> , 2013 , 10, 353-361	4.5	6
69	Hyaluronated fullerenes with photoluminescent and antitumoral activity. <i>Chemical Communications</i> , 2013 , 49, 282-4	5.8	50
68	High-resolution three-photon biomedical imaging using doped ZnS nanocrystals. <i>Nature Materials</i> , 2013 , 12, 359-66	27	218
67	The effect of titanium with heparin/BMP-2 complex for improving osteoblast activity. <i>Carbohydrate Polymers</i> , 2013 , 98, 546-54	10.3	24
66	Detection of active matrix metalloproteinase-3 in serum and fibroblast-like synoviocytes of collagen-induced arthritis mice. <i>Bioconjugate Chemistry</i> , 2013 , 24, 1068-74	6.3	16
65	A novel near-infrared fluorescence chemosensor for copper ion detection using click ligation and energy transfer. <i>Chemical Communications</i> , 2013 , 49, 5969-71	5.8	42
64	Hyaluronic acid derived from other streptococci supports <i>Streptococcus pneumoniae</i> in vitro biofilm formation. <i>BioMed Research International</i> , 2013 , 2013, 690217	3	6
63	A facile method for the preparation of monodisperse beads with uniform pore sizes for cell culture. <i>Macromolecular Rapid Communications</i> , 2013 , 34, 399-405	4.8	13
62	Effects of anodized titanium with Arg-Gly-Asp (RGD) peptide immobilized via chemical grafting or physical adsorption on bone cell adhesion and differentiation. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, 963-72	2.8	20
61	Insight of key factors influencing tumor targeting characteristics of glycol chitosan-based nanoparticles and In vivo applications. <i>Macromolecular Research</i> , 2012 , 20, 1109-1117	1.9	5
60	Recombinant human bone morphogenic protein-2 (Rhbmp-2) immobilization onto the surface of apatite-coated titanium significantly promotes osteoblast function and mineralization. <i>Tissue Engineering and Regenerative Medicine</i> , 2012 , 9, 216-223	4.5	3
59	Gentamicin and bone morphogenic protein-2 (BMP-2)-delivering heparinized-titanium implant with enhanced antibacterial activity and osteointegration. <i>Bone</i> , 2012 , 50, 974-82	4.7	133
58	Insight of current technologies for oral delivery of proteins and peptides. <i>Drug Discovery Today: Technologies</i> , 2012 , 9, e71-e174	7.1	25
57	Local delivery of alendronate eluting chitosan scaffold can effectively increase osteoblast functions and inhibit osteoclast differentiation. <i>Journal of Materials Science: Materials in Medicine</i> , 2012 , 23, 2739-49	4.5	28
56	Assessment of collagen-induced arthritis using cyanine 5.5 conjugated with hydrophobically modified glycol chitosan nanoparticles: correlation with ¹⁸ F-fluorodeoxyglucose positron emission tomography data. <i>Korean Journal of Radiology</i> , 2012 , 13, 450-7	6.9	6
55	In vivo tumor targeting imaging of cyclic RGD-modified heparin derivative to $\alpha_5\beta_1$ -integrin expressing tumor. <i>Journal of Pharmaceutical Investigation</i> , 2012 , 42, 9-14	6.3	3
54	Polysaccharide-based near-infrared fluorescence nanoprobe for cancer diagnosis. <i>Quantitative Imaging in Medicine and Surgery</i> , 2012 , 2, 106-13	3.6	10
53	Application of near-infrared fluorescence imaging using a polymeric nanoparticle-based probe for the diagnosis and therapeutic monitoring of colon cancer. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 3005-13	4.13	34

52	Real-time and non-invasive optical imaging of tumor-targeting glycol chitosan nanoparticles in various tumor models. <i>Biomaterials</i> , 2011 , 32, 5252-61	15.6	116
51	Oral protein delivery: Current status and future prospect. <i>Reactive and Functional Polymers</i> , 2011 , 71, 280-287	4.6	204
50	Near-infrared fluorescence imaging using a protease-specific probe for the detection of colon tumors. <i>Gut and Liver</i> , 2010 , 4, 488-97	4.8	20
49	Improved antitumor activity and tumor targeting of NH(2)-terminal-specific PEGylated tumor necrosis factor-related apoptosis-inducing ligand. <i>Molecular Cancer Therapeutics</i> , 2010 , 9, 1719-29	6.1	61
48	Tumor targeting chitosan nanoparticles for dual-modality optical/MR cancer imaging. <i>Bioconjugate Chemistry</i> , 2010 , 21, 578-82	6.3	126
47	Tumor-homing multifunctional nanoparticles for cancer theragnosis: Simultaneous diagnosis, drug delivery, and therapeutic monitoring. <i>Journal of Controlled Release</i> , 2010 , 146, 219-27	11.7	297
46	Tumor targeting efficiency of bare nanoparticles does not mean the efficacy of loaded anticancer drugs: importance of radionuclide imaging for optimization of highly selective tumor targeting polymeric nanoparticles with or without drug. <i>Journal of Controlled Release</i> , 2010 , 147, 253-60	11.7	38
45	New Generation of Multifunctional Nanoparticles for Cancer Imaging and Therapy. <i>Advanced Functional Materials</i> , 2009 , 19, 1553-1566	15.6	375
44	Tumor specificity and therapeutic efficacy of photosensitizer-encapsulated glycol chitosan-based nanoparticles in tumor-bearing mice. <i>Biomaterials</i> , 2009 , 30, 2929-39	15.6	151
43	Electrical pulsed stimulation of surfaces homogeneously coated with gold nanoparticles to induce neurite outgrowth of PC12 cells. <i>Langmuir</i> , 2009 , 25, 451-7	4	61
42	Polymeric nanoparticle-based activatable near-infrared nanosensor for protease determination in vivo. <i>Nano Letters</i> , 2009 , 9, 4412-6	11.5	135
41	Antitumor efficacy of cisplatin-loaded glycol chitosan nanoparticles in tumor-bearing mice. <i>Journal of Controlled Release</i> , 2008 , 127, 41-9	11.7	292
40	Hydrophobically modified glycol chitosan nanoparticles-encapsulated camptothecin enhance the drug stability and tumor targeting in cancer therapy. <i>Journal of Controlled Release</i> , 2008 , 127, 208-18	11.7	380
39	In vivo time-dependent gene expression of cationic lipid-based emulsion as a stable and biocompatible non-viral gene carrier. <i>Journal of Controlled Release</i> , 2008 , 128, 89-97	11.7	39
38	A new atherosclerotic lesion probe based on hydrophobically modified chitosan nanoparticles functionalized by the atherosclerotic plaque targeted peptides. <i>Journal of Controlled Release</i> , 2008 , 128, 217-23	11.7	80
37	Super pH-sensitive multifunctional polymeric micelle for tumor pH(e) specific TAT exposure and multidrug resistance. <i>Journal of Controlled Release</i> , 2008 , 129, 228-36	11.7	352
36	Dark quenched matrix metalloproteinase fluorogenic probe for imaging osteoarthritis development in vivo. <i>Bioconjugate Chemistry</i> , 2008 , 19, 1743-7	6.3	71
35	PLGA microsphere construct coated with TGF-beta 3 loaded nanoparticles for neocartilage formation. <i>Biomacromolecules</i> , 2008 , 9, 2162-9	6.9	45

34	Antimetastatic effect of an orally active heparin derivative on experimentally induced metastasis. <i>Clinical Cancer Research</i> , 2008 , 14, 2841-9	12.9	37
33	The use of chondrogenic differentiation drugs to induce stem cell differentiation using double bead microsphere structure. <i>Biomaterials</i> , 2008 , 29, 2490-500	15.6	26
32	Combination therapy of heparin-deoxycholic acid conjugate and doxorubicin against squamous cell carcinoma and B16F10 melanoma. <i>Pharmaceutical Research</i> , 2008 , 25, 268-76	4.5	18
31	Doxorubicin loaded pH-sensitive micelle: antitumoral efficacy against ovarian A2780/DOXR tumor. <i>Pharmaceutical Research</i> , 2008 , 25, 2074-82	4.5	108
30	Tumor endothelial cell targeted cyclic RGD-modified heparin derivative: inhibition of angiogenesis and tumor growth. <i>Pharmaceutical Research</i> , 2008 , 25, 2786-98	4.5	42
29	Triple constructs consisting of nanoparticles and microspheres for bone-marrow-derived stromal-cell-delivery microscaffolds. <i>Small</i> , 2008 , 4, 1950-5	11	22
28	A near-infrared-fluorescence-quenched gold-nanoparticle imaging probe for in vivo drug screening and protease activity determination. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 2804-7	16.4	286
27	A Near-Infrared-Fluorescence-Quenched Gold-Nanoparticle Imaging Probe for In Vivo Drug Screening and Protease Activity Determination. <i>Angewandte Chemie</i> , 2008 , 120, 2846-2849	3.6	78
26	Polymeric nanomedicine for cancer therapy. <i>Progress in Polymer Science</i> , 2008 , 33, 113-137	29.6	416
25	Preparation and characterization of hyaluronic acid-based hydrogel nanoparticles. <i>Journal of Physics and Chemistry of Solids</i> , 2008 , 69, 1591-1595	3.9	33
24	Self-assembled glycol chitosan nanoparticles for the sustained and prolonged delivery of antiangiogenic small peptide drugs in cancer therapy. <i>Biomaterials</i> , 2008 , 29, 1920-30	15.6	188
23	Stability and bioactivity of nanocomplex of TNF-related apoptosis-inducing ligand. <i>International Journal of Pharmaceutics</i> , 2008 , 363, 149-54	6.5	26
22	Activatable imaging probes with amplified fluorescent signals. <i>Chemical Communications</i> , 2008 , 4250-60	5.8	132
21	Heparin/poly(L-lysine) nanoparticle-coated polymeric microspheres for stem-cell therapy. <i>Journal of the American Chemical Society</i> , 2007 , 129, 5788-9	16.4	72
20	Protein-phosphorylation-responsive polymeric nanoparticles for imaging protein kinase activities in single living cells. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 5779-82	16.4	50
19	Protein-Phosphorylation-Responsive Polymeric Nanoparticles for Imaging Protein Kinase Activities in Single Living Cells. <i>Angewandte Chemie</i> , 2007 , 119, 5881-5884	3.6	14
18	The attenuation of experimental lung metastasis by a bile acid acylated-heparin derivative. <i>Biomaterials</i> , 2007 , 28, 2667-76	15.6	37
17	Polymers for bioimaging. <i>Progress in Polymer Science</i> , 2007 , 32, 1031-1053	29.6	166

16	Effect of polymer molecular weight on the tumor targeting characteristics of self-assembled glycol chitosan nanoparticles. <i>Journal of Controlled Release</i> , 2007 , 122, 305-14	11.7	218
15	Tumoral acidic extracellular pH targeting of pH-responsive MPEG-poly(beta-amino ester) block copolymer micelles for cancer therapy. <i>Journal of Controlled Release</i> , 2007 , 123, 109-15	11.7	261
14	Antiangiogenic and apoptotic properties of a novel amphiphilic folate-heparin-lithocholate derivative having cellular internality for cancer therapy. <i>Pharmaceutical Research</i> , 2007 , 24, 705-14	4.5	36
13	MMPs-specific PEGylated peptide-DOX conjugate micelles that can contain free doxorubicin. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007 , 67, 646-54	5.7	68
12	Antiangiogenic effect of bile acid acylated heparin derivative. <i>Pharmaceutical Research</i> , 2007 , 24, 176-85	4.5	36
11	Heparin-deoxycholic acid chemical conjugate as an anticancer drug carrier and its antitumor activity. <i>Journal of Controlled Release</i> , 2006 , 114, 300-6	11.7	129
10	Peptide-doxorubicin conjugates specifically degraded by matrix metalloproteinases expressed from tumor. <i>Drug Development Research</i> , 2006 , 67, 438-447	5.1	4
9	Anti-tumor and anti-metastatic effects of gelatin-doxorubicin and PEGylated gelatin-doxorubicin nanoparticles in SCC7 bearing mice. <i>Journal of Drug Targeting</i> , 2006 , 14, 707-16	5.4	46
8	Chemopreventive efficacy of all-trans-retinoic acid in biodegradable microspheres against epithelial cancers: results in a 4-nitroquinoline 1-oxide-induced oral carcinogenesis model. <i>International Journal of Pharmaceutics</i> , 2006 , 320, 45-52	6.5	5
7	Evaluation of absorption of heparin-DOCA conjugates on the intestinal wall using a surface plasmon resonance. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 39, 861-70	3.5	28
6	Chemoprevention of 4-NQO-induced oral carcinogenesis by co-administration of all-trans retinoic acid loaded microspheres and celecoxib. <i>Journal of Controlled Release</i> , 2005 , 104, 167-79	11.7	15
5	Cationic analog of deoxycholate as an oral delivery carrier for ceftriaxone. <i>Journal of Pharmaceutical Sciences</i> , 2005 , 94, 2541-8	3.9	21
4	Augmentation of all-trans-retinoic acid concentration in plasma by preventing inflammation responses induced by atRA-loaded microspheres with concurrent treatment of dexamethasone. <i>Drug Development Research</i> , 2004 , 61, 197-206	5.1	
3	Preparation and characterization of self-assembled nanoparticles of heparin-deoxycholic acid conjugates. <i>Langmuir</i> , 2004 , 20, 11726-31	4	130
2	Inhibition of tumor growth by biodegradable microspheres containing all-trans-retinoic acid in a human head-and-neck cancer xenograft. <i>International Journal of Cancer</i> , 2003 , 107, 145-8	7.5	28
1	Subacute toxicity of all-trans-retinoic acid loaded biodegradable microspheres in rats. <i>Drug Development Research</i> , 2003 , 59, 326-332	5.1	4