

Mohammed Bennis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6493604/publications.pdf>

Version: 2024-02-01

26
papers

565
citations

759233

12
h-index

642732

23
g-index

26
all docs

26
docs citations

26
times ranked

734
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical features and prognosis of severe scorpion envenomation in children. <i>Pediatrics International</i> , 2022, 64, .	0.5	1
2	Chronic thinner inhalation alters olfactory behaviors in adult mice. <i>Behavioural Brain Research</i> , 2022, 417, 113597.	2.2	3
3	Anxiety and Gene Expression Enhancement in Mice Exposed to Glyphosate-Based Herbicide. <i>Toxics</i> , 2022, 10, 226.	3.7	7
4	GABA-A receptor signaling in the anterior cingulate cortex modulates aggression and anxiety-related behaviors in socially isolated mice. <i>Brain Research</i> , 2021, 1762, 147440.	2.2	10
5	Metam sodium exposure during pregnancy and lactation in mice caused behavioral abnormalities and oxidative stress in offspring. <i>Environmental Toxicology and Pharmacology</i> , 2021, 85, 103630.	4.0	3
6	Antiseizure effects of <i>Anacyclus pyrethrum</i> in socially isolated rats with and without a positive handling strategy. <i>Epilepsia</i> , 2021, 62, 2551-2564.	5.1	2
7	Prenatal exposure to the pesticide metam sodium induces sensorimotor and neurobehavioral abnormalities in mice offspring. <i>Environmental Toxicology and Pharmacology</i> , 2020, 74, 103309.	4.0	3
8	Bidirectional effects of Topiramate on anterior cingulate cortex region related aggressive behavior. <i>Neuroscience Letters</i> , 2020, 737, 135307.	2.1	2
9	The effects of Topiramate on isolation-induced aggression: a behavioral and immunohistochemical study in mice. <i>Psychopharmacology</i> , 2020, 237, 2451-2467.	3.1	5
10	Neonatal 6-OHDA Lesion Model in Mouse Induces Cognitive Dysfunctions of Attention-Deficit/Hyperactivity Disorder (ADHD) During Young Age. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 27.	2.0	14
11	Pre- and postnatal exposure to glyphosate-based herbicide causes behavioral and cognitive impairments in adult mice: evidence of cortical and hippocampal dysfunction. <i>Archives of Toxicology</i> , 2020, 94, 1703-1723.	4.2	55
12	Anticonvulsive and neuroprotective effects of aqueous and methanolic extracts of <i>Anacyclus pyrethrum</i> root in kainic acid-induced-status epilepticus in mice. <i>Epilepsy Research</i> , 2019, 158, 106225.	1.6	15
13	Learning and memory impairments associated to acetylcholinesterase inhibition and oxidative stress following glyphosate based-herbicide exposure in mice. <i>Toxicology</i> , 2019, 415, 18-25.	4.2	74
14	Early lesion of the reticular thalamic nucleus disrupts the structure and function of the mediodorsal thalamus and prefrontal cortex. <i>Developmental Neurobiology</i> , 2019, 79, 913-933.	3.0	4
15	Glyphosate based- herbicide exposure affects gut microbiota, anxiety and depression-like behaviors in mice. <i>Neurotoxicology and Teratology</i> , 2018, 67, 44-49.	2.4	131
16	Neonatal 6-OHDA lesion model in mouse induces Attention-Deficit/ Hyperactivity Disorder (ADHD)-like behaviour. <i>Scientific Reports</i> , 2018, 8, 15349.	3.3	42
17	Positive reinforcement and c-Fos expression following abuse-like thinner inhalation in mice: Behavioural and immunohistochemical assessment. <i>European Journal of Neuroscience</i> , 2018, 48, 2182-2198.	2.6	2
18	Decreased Hippocampal Neuroplasticity and Behavioral Impairment in an Animal Model of Inhalant Abuse. <i>Frontiers in Neuroscience</i> , 2018, 12, 35.	2.8	4

#	ARTICLE	IF	CITATIONS
19	Morphological, structural, and functional alterations of the prefrontal cortex and the basolateral amygdala after early lesion of the rat mediodorsal thalamus. <i>Brain Structure and Function</i> , 2017, 222, 2527-2545.	2.3	17
20	Behavioral and Immunohistochemical Study of the Effects of Subchronic and Chronic Exposure to Glyphosate in Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 146.	2.0	67
21	Prenatal Exposure to Paint Thinner Alters Postnatal Development and Behavior in Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 171.	2.0	13
22	Prenatal Paraquat exposure induces neurobehavioral and cognitive changes in mice offspring. <i>Environmental Toxicology and Pharmacology</i> , 2016, 48, 53-62.	4.0	24
23	Acute and chronic glue sniffing effects and consequences of withdrawal on aggressive behavior. <i>Life Sciences</i> , 2016, 152, 14-20.	4.3	9
24	Behavioral and cognitive changes after early postnatal lesions of the rat mediodorsal thalamus. <i>Behavioural Brain Research</i> , 2015, 292, 219-232.	2.2	31
25	Effects of acute and chronic inhalation of paint thinner in mice: behavioral and immunohistochemical study. <i>Metabolic Brain Disease</i> , 2014, 29, 471-482.	2.9	12
26	Haloperidol treatment at pre-exposure phase reduces the disturbance of latent inhibition in rats with neonatal ventral hippocampus lesions. <i>Comptes Rendus - Biologies</i> , 2014, 337, 561-570.	0.2	15