

Corinne Rondeau-Mouro

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6498015/corinne-rondeau-mouro-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65

papers

1,655

citations

22

h-index

39

g-index

68

ext. papers

1,903

ext. citations

5.6

avg, IF

4.57

L-index

#	Paper	IF	Citations
65	Free/bound water absorption in an epoxy adhesive. <i>Polymer</i> , 2005 , 46, 10733-10740	3.9	209
64	Structural investigation of amylose complexes with small ligands: helical conformation, crystalline structure and thermostability. <i>International Journal of Biological Macromolecules</i> , 2005 , 35, 1-7	7.9	130
63	Functionalization of chitosan by laccase-catalyzed oxidation of ferulic acid and ethyl ferulate under heterogeneous reaction conditions. <i>Carbohydrate Polymers</i> , 2012 , 87, 537-544	10.3	98
62	Structure and interactions of ulvan in the cell wall of the marine green algae <i>Ulva rotundata</i> (Ulvales, Chlorophyceae). <i>Carbohydrate Polymers</i> , 2009 , 77, 206-216	10.3	91
61	Structural features and potential texturising properties of lemon and maize cellulose microfibrils. <i>Carbohydrate Polymers</i> , 2003 , 53, 241-252	10.3	72
60	Assessment of cell wall porosity in <i>Arabidopsis thaliana</i> by NMR spectroscopy. <i>International Journal of Biological Macromolecules</i> , 2008 , 42, 83-92	7.9	64
59	Alkaline extractability of pectic arabinan and galactan and their mobility in sugar beet and potato cell walls. <i>Carbohydrate Polymers</i> , 2006 , 65, 510-520	10.3	62
58	Studies of xylan interactions and cross-linking to synthetic lignins formed by bulk and end-wise polymerization: a model study of lignin carbohydrate complex formation. <i>Planta</i> , 2007 , 226, 267-81	4.7	50
57	A metabolic flux analysis to study the role of sucrose synthase in the regulation of the carbon partitioning in central metabolism in maize root tips. <i>Metabolic Engineering</i> , 2007 , 9, 419-32	9.7	50
56	Solid-state ¹³ C NMR spectroscopy studies of xylans in the cell wall of <i>Palmaria palmata</i> (L. Kuntze, Rhodophyta). <i>Carbohydrate Research</i> , 2003 , 338, 1559-69	2.9	50
55	Structural investigation of amylose complexes with small ligands: inter- or intra-helical associations?. <i>International Journal of Biological Macromolecules</i> , 2004 , 34, 309-15	7.9	50
54	Firming of fruit tissues by vacuum-infusion of pectin methylesterase: Visualisation of enzyme action. <i>Food Chemistry</i> , 2008 , 109, 368-78	8.5	43
53	Temperature-Associated Proton Dynamics in Wheat Starch-Based Model Systems and Wheat Flour Dough Evaluated by NMR. <i>Food and Bioprocess Technology</i> , 2015 , 8, 777-790	5.1	41
52	Specific adduction of plant lipid transfer protein by an allene oxide generated by 9-lipoxygenase and allene oxide synthase. <i>Journal of Biological Chemistry</i> , 2006 , 281, 38981-8	5.4	37
51	Interaction of dystrophin rod domain with membrane phospholipids. Evidence of a close proximity between tryptophan residues and lipids. <i>Journal of Biological Chemistry</i> , 2003 , 278, 5993-6001	5.4	33
50	Coupling lipophilization and amylose complexation to encapsulate chlorogenic acid. <i>Carbohydrate Polymers</i> , 2012 , 90, 152-8	10.3	31
49	Local evolution of seed flotation in <i>Arabidopsis</i> . <i>PLoS Genetics</i> , 2014 , 10, e1004221	6	30

48	Formation and stability of amylose ligand complexes formed by high pressure treatment. <i>Innovative Food Science and Emerging Technologies</i> , 2013 , 18, 1-6	6.8	29
47	Hydration and mechanical properties of arabinoxylans and D-glucans films. <i>Carbohydrate Polymers</i> , 2013 , 96, 31-8	10.3	27
46	Multi-scale NMR and MRI approaches to characterize starchy products. <i>Food Chemistry</i> , 2017 , 236, 2-14	8.5	22
45	Hydrothermal changes in wheat starch monitored by two-dimensional NMR. <i>Food Chemistry</i> , 2017 , 214, 412-422	8.5	22
44	NMR investigations of the 4-ethyl guaiacol self-diffusion in iota (κ)-carrageenan gels. <i>Carbohydrate Polymers</i> , 2004 , 57, 459-468	10.3	22
43	Two dimensional IR-FID-CPMG acquisition and adaptation of a maximum entropy reconstruction. <i>Journal of Magnetic Resonance</i> , 2016 , 265, 16-24	3	21
42	Study of triacylglycerol polymorphs by nuclear magnetic resonance: effects of temperature and chain length on relaxation parameters. <i>Magnetic Resonance in Chemistry</i> , 2008 , 46, 550-7	2.1	20
41	Application of CP-MAS and liquid-like solid-state NMR experiments for the study of the ripening-associated cell wall changes in tomato. <i>International Journal of Biological Macromolecules</i> , 2003 , 31, 235-44	7.9	20
40	Proton nuclear magnetic resonance study of the binary complex of cytochrome P450cam and putidaredoxin: interaction and electron transfer rate analysis. <i>FEBS Letters</i> , 1999 , 455, 302-6	3.8	19
39	PFG-NMR self-diffusion in casein dispersions: Effects of probe size and protein aggregate size. <i>Food Hydrocolloids</i> , 2013 , 31, 248-255	10.6	17
38	Overall and Local Bread Expansion, Mechanical Properties, and Molecular Structure During Bread Baking: Effect of Emulsifying Starches. <i>Food and Bioprocess Technology</i> , 2016 , 9, 1287-1305	5.1	17
37	Hydrothermal Changes of Starch Monitored by Combined NMR and DSC Methods. <i>Food and Bioprocess Technology</i> , 2017 , 10, 445-461	5.1	16
36	Probe mobility in native phosphocaseinate suspensions and in a concentrated rennet gel: effects of probe flexibility and size. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 5870-9	5.7	16
35	Effects of Crystal Growth and Polymorphism of Triacylglycerols on NMR Relaxation Parameters. 1. Evidence of a Relationship between Crystal Size and Spin Lattice Relaxation Time. <i>Crystal Growth and Design</i> , 2009 , 9, 4273-4280	3.5	16
34	Distribution and mobility of phosphates and sodium ions in cheese by solid-state ^{31}P and double-quantum filtered ^{23}Na NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2010 , 48, 297-303	2.1	15
33	Films of arabinoxylans and D-glucans extracted from cereal grains: Molecular motions by TD-NMR. <i>Carbohydrate Polymers</i> , 2011 , 86, 812-822	10.3	13
32	PASE (PARAMagnetic signals enhancement): a new method for NMR study of paramagnetic proteins. <i>Journal of Magnetic Resonance</i> , 1998 , 134, 154-7	3	13
31	Studies of polyphosphate composition and their interaction with dairy matrices by ion chromatography and ^{31}P NMR spectroscopy. <i>International Dairy Journal</i> , 2013 , 28, 102-108	3.5	12

30	Water mobility within arabinoxylan and Eglucan films studied by NMR and dynamic vapour sorption. <i>Journal of the Science of Food and Agriculture</i> , 2011 , 91, 2601-5	4.3	12
29	Low field, time domain NMR in the agriculture and agrifood sectors: An overview of applications in plants, foods and biofuels. <i>Journal of Magnetic Resonance</i> , 2021 , 323, 106899	3	12
28	Chemometric analyses of the $^1\text{H}/^{13}\text{C}$ cross-polarization build-up of celluloses NMR spectra: A novel approach for characterizing the cellulose crystallites. <i>Carbohydrate Polymers</i> , 2011 , 84, 539-549	10.3	11
27	High-resolution solid-state NMR of B-type amylose. <i>Biomacromolecules</i> , 2006 , 7, 2455-60	6.9	11
26	Multiscale characterization of arabinoxylan and Eglucan composite films. <i>Carbohydrate Polymers</i> , 2015 , 122, 248-54	10.3	10
25	Translational and rotational diffusion of flexible PEG and rigid dendrimer probes in sodium caseinate dispersions and acid gels. <i>Biopolymers</i> , 2014 , 101, 959-65	2.2	10
24	Binding of the dystrophin second repeat to membrane di-oleyl phospholipids is dependent upon lipid packing. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 648-54	3.8	10
23	Enhancing signal-to-noise ratio and resolution in low-field NMR relaxation measurements using post-acquisition digital filters. <i>Magnetic Resonance in Chemistry</i> , 2019 , 57, 616-625	2.1	10
22	Characterization of solid content and distinction between type A and B crystals of TBAB hydrates by Time Domain NMR. <i>Chemical Engineering Science</i> , 2015 , 138, 544-551	4.4	9
21	Assignment of heme methyl ^1H -NMR resonances of high-spin and low-spin ferric complexes of cytochrome p450cam using one-dimensional and two-dimensional paramagnetic signals enhancement (PASE) magnetization transfer experiments. <i>FEBS Journal</i> , 2000 , 267, 216-21		9
20	^1H -NMR study of diamagnetic cytochrome P450cam: assignment of heme resonances and substrate dependance of one cysteinyl beta proton. <i>FEBS Letters</i> , 1997 , 414, 203-8	3.8	8
19	Model systems for the understanding of lignified plant cell wall formation. <i>Plant Biosystems</i> , 2005 , 139, 93-97	1.6	8
18	In-Situ Quantitative and Multiscale Structural Study of Starch-Based Biomaterials Immersed in Water. <i>Biomacromolecules</i> , 2018 , 19, 838-848	6.9	7
17	TD-NMR studies of starches from different botanical origins: Hydrothermal and storage effects. <i>Food Chemistry</i> , 2020 , 308, 125675	8.5	7
16	Structure and organization within films of arabinoxylans extracted from wheat flour as revealed by various NMR spectroscopic methods. <i>Magnetic Resonance in Chemistry</i> , 2011 , 49 Suppl 1, S85-92	2.1	6
15	Using T as a direct detection dimension in two-dimensional time-domain NMR experiments using CWFP regime. <i>Journal of Magnetic Resonance</i> , 2020 , 311, 106666	3	6
14	Characterization of gluten-free bread crumb baked at atmospheric and reduced pressures using TD-NMR. <i>Magnetic Resonance in Chemistry</i> , 2019 , 57, 649-660	2.1	5
13	Solid-State ^{31}P NMR, a Relevant Method to Evaluate the Distribution of Phosphates in Semi-hard Cheeses. <i>Food Analytical Methods</i> , 2013 , 6, 1544-1550	3.4	4

12	Caractérisation par RMN des biopolymères d'origine végétale, de la molécule à l'organisation supramoléculaire. <i>Comptes Rendus Chimie</i> , 2008 , 11, 370-379	2.7	4
11	Gas cell opening in bread dough during baking. <i>Trends in Food Science and Technology</i> , 2021 , 109, 482-498	5.3	4
10	Dispersed phase volume fraction, weak acids and Tween 80 in a model emulsion: Effect on the germination and growth of <i>Bacillus weihenstephanensis</i> KBAB4 spores. <i>Food Research International</i> , 2018 , 109, 288-297	7	2
9	HR-DOSY experiments with radiofrequency field gradients (RFG) and their processing according to the HD method. <i>Magnetic Resonance in Chemistry</i> , 2002 , 40, S133-S138	2.1	2
8	2D TD-NMR Analysis of Complex Food Products 2017 , 1-20		2
7	Datasets of seed mucilage traits for <i>Arabidopsis thaliana</i> natural accessions with atypical outer mucilage. <i>Scientific Data</i> , 2021 , 8, 79	8.2	2
6	Sequence for simultaneous measurement of long-limit diffusion and longitudinal relaxation in unilateral NMR. <i>Journal of Magnetic Resonance</i> , 2019 , 309, 106619	3	2
5	ViP: Customized virtual phantom for quantitative magnetic resonance micro-imaging at high magnetic field. <i>Journal of Magnetic Resonance</i> , 2017 , 275, 73-79	3	1
4	Multiblock Analysis Applied to TD-NMR of Butters and Related Products. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 5317	2.6	1
3	Untargeted analysis of TD-NMR signals using a multivariate curve resolution approach: Application to the water-imbibition kinetics of <i>Arabidopsis</i> seeds. <i>Talanta</i> , 2021 , 233, 122525	6.2	1
2	Determination of the lipid content of organic waste using time-domain nuclear magnetic resonance. <i>Waste Management</i> , 2021 , 138, 41-48	8.6	0
1	Two-Phase Hygrothermal Diffusion in an Epoxy Adhesive. <i>Defect and Diffusion Forum</i> , 2006 , 258-260, 453-460	0.7	