

Fengyi Jin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6498272/fengyi-jin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

4,818
citations

37
h-index

65
g-index

143
ext. papers

5,623
ext. citations

3.9
avg, IF

5.15
L-index

#	Paper	IF	Citations
138	Gene methylation of CADM1 and MAL identified as a biomarker of high grade anal intraepithelial neoplasia.. <i>Scientific Reports</i> , 2022 , 12, 3565	4.9	0
137	HIV, Immune Dysfunction, and the Natural History of Anal High-Risk Human Papillomavirus Infection in Gay and Bisexual Men. <i>Journal of Infectious Diseases</i> , 2021 , 224, 246-257	7	1
136	Changes in Sexual Behaviour Following PrEP Initiation Among Australian Gay and Bisexual Men in Relationships: Results from a Prospective Observational Study. <i>AIDS and Behavior</i> , 2021 , 25, 3704-3711	4.3	1
135	Characteristics of Agreements to have Condomless Anal Intercourse in the Presence of an Undetectable Viral Load Among HIV Serodiscordant Male Couples in Australia, Brazil and Thailand. <i>AIDS and Behavior</i> , 2021 , 25, 3944-3954	4.3	0
134	Adherence to daily HIV pre-exposure prophylaxis in a large-scale implementation study in New South Wales, Australia. <i>Aids</i> , 2021 , 35, 1987-1996	3.5	1
133	The Natural History of Anal High-grade Squamous Intraepithelial Lesions in Gay and Bisexual Men. <i>Clinical Infectious Diseases</i> , 2021 , 72, 853-861	11.6	12
132	Prevalence and incidence of hepatitis C virus infection in men who have sex with men: a systematic review and meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 39-56	18.8	17
131	Substantial Decline in Use of HIV Preexposure Prophylaxis Following Introduction of COVID-19 Physical Distancing Restrictions in Australia: Results From a Prospective Observational Study of Gay and Bisexual Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 86, 22-30	3.1	23
130	Qualitative Findings on the Impact of COVID-19 Restrictions on Australian Gay and Bisexual Men: Community Belonging and Mental Well-being. <i>Qualitative Health Research</i> , 2021 , 31, 2414-2425	3.9	3
129	Long-term protection from HIV infection with oral HIV pre-exposure prophylaxis in gay and bisexual men: findings from the expanded and extended EPIC-NSW prospective implementation study. <i>Lancet HIV,the</i> , 2021 , 8, e486-e494	7.8	9
128	Self-reported anal symptoms and their association with anal pathology among gay and bisexual men: a cross-sectional observational analysis. <i>Sexual Health</i> , 2021 , 18, 123-129	2	1
127	Attitudes and willingness to donate blood among gay and bisexual men in Australia. <i>Transfusion</i> , 2020 , 60, 965-973	2.9	2
126	HIV treatment and anal cancer: emerging clarity. <i>Lancet HIV,the</i> , 2020 , 7, e220-e221	7.8	3
125	Prevalence, frequency, and motivations for alkyl nitrite use among gay, bisexual and other men who have sex with men in Australia. <i>International Journal of Drug Policy</i> , 2020 , 76, 102659	5.5	16
124	Psychological and utility-based quality of life impact of screening test results for anal precancerous lesions in gay and bisexual men: baseline findings from the Study of the Prevention of Anal Cancer. <i>Sexually Transmitted Infections</i> , 2020 , 96, 177-183	2.8	5
123	Effect of age on the association between recreational drug use and sexual risk behaviour: a cross-sectional observational analysis. <i>Sexual Health</i> , 2020 , 17, 538-542	2	
122	Prevalence and associations of larger burden of intra-anal high-grade squamous intraepithelial lesions at baseline in an Australian cohort of gay and bisexual men: The Study of the Prevention of Anal Cancer. <i>Cancer Epidemiology</i> , 2020 , 64, 101661	2.8	1

121	Biomedical HIV Protection Among Gay and Bisexual Men Who Use Crystal Methamphetamine. <i>AIDS and Behavior</i> , 2020 , 24, 1400-1413	4.3	8
120	Use of HIV Pre-exposure Prophylaxis (PrEP) Associated With Lower HIV Anxiety Among Gay and Bisexual Men in Australia Who Are at High Risk of HIV Infection: Results From the Flux Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 83, 119-125	3.1	25
119	Prevalence and Association of Perianal and Intra-Anal Warts with Composite High-Grade Squamous Intraepithelial Lesions Among Gay and Bisexual Men: Baseline Data from the Study of the Prevention of Anal Cancer. <i>AIDS Patient Care and STDs</i> , 2020 , 34, 436-443	5.8	1
118	Physical Distancing Due to COVID-19 Disrupts Sexual Behaviors Among Gay and Bisexual Men in Australia: Implications for Trends in HIV and Other Sexually Transmissible Infections. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 85, 309-315	3.1	50
117	Human Papillomavirus Genotypes in Anal High-Grade Squamous Intraepithelial Lesion (HSIL): Anal Intraepithelial Neoplasia Grades 2 (AIN2) and 3 (AIN3) Are Different. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2078-2083	4	1
116	Awareness and knowledge of anal cancer in a community-recruited sample of HIV-negative and HIV-positive gay and bisexual men. <i>Sexual Health</i> , 2019 , 16, 240-246	2	1
115	Prevalence, incidence and predictors of anal , anal and syphilis among older gay and bisexual men in the longitudinal Study for the Prevention of Anal Cancer (SPANC). <i>Sexually Transmitted Infections</i> , 2019 , 95, 477-483	2.8	4
114	Strategies used by gay male HIV serodiscordant couples to reduce the risk of HIV transmission from anal intercourse in three countries. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25277	5.4	8
113	HIV Pre-exposure Prophylaxis (PrEP) Uptake Among Gay and Bisexual Men in Australia and Factors Associated With the Nonuse of PrEP Among Eligible Men: Results From a Prospective Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, e73-e84	3.1	30
112	Incidence and time trends of anal cancer among people living with HIV in Australia. <i>Aids</i> , 2019 , 33, 1361-1368	3.5	9
111	Brief Report: Changes in Behavior After PrEP Initiation Among Australian Gay and Bisexual Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 52-56	3.1	17
110	Association of anal symptoms with anal high grade squamous intraepithelial lesions (HSIL) among men who have sex with men: Baseline data from the study of the prevention of anal cancer (SPANC). <i>Cancer Epidemiology</i> , 2019 , 58, 12-16	2.8	4
109	Attitudes and Perceived Social Norms toward Drug Use among Gay and Bisexual Men in Australia. <i>Substance Use and Misuse</i> , 2019 , 54, 944-954	2.2	11
108	The Role of Age and Homonegativity in Racial or Ethnic Partner Preferences Among Australian Gay and Bisexual Men. <i>Archives of Sexual Behavior</i> , 2019 , 48, 357-368	3.5	2
107	Prevalence and correlates of recent injecting drug use among gay and bisexual men in Australia: Results from the FLUX study. <i>International Journal of Drug Policy</i> , 2018 , 55, 222-230	5.5	24
106	Mental health, drug use and sexual risk behavior among gay and bisexual men. <i>International Journal of Drug Policy</i> , 2018 , 55, 169-179	5.5	49
105	Expanded HIV pre-exposure prophylaxis (PrEP) implementation in communities in New South Wales, Australia (EPIC-NSW): design of an open label, single arm implementation trial. <i>BMC Public Health</i> , 2018 , 18, 210	4.1	35
104	Human Papillomavirus Seroprevalence and Association with Anal HPV Infection and Squamous Intraepithelial Lesions in Australian Gay and Bisexual Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 768-775	4	6

103	The new MTV generation: Using methamphetamine, Truvada and Viagra to enhance sex and stay safe. <i>International Journal of Drug Policy</i> , 2018 , 55, 197-204	5.5	36
102	Histological outcomes of anal high-grade cytoreductions. <i>Cancer Cytopathology</i> , 2018 , 126, 136-144	3.9	8
101	Intensive sex partying with gamma-hydroxybutyrate: factors associated with using gamma-hydroxybutyrate for chemsex among Australian gay and bisexual men - results from the Flux Study. <i>Sexual Health</i> , 2018 , 15, 123-134	2	20
100	Viral suppression and HIV transmission in serodiscordant male couples: an international, prospective, observational, cohort study. <i>Lancet HIV</i> , 2018 , 5, e438-e447	7.8	205
99	Population-level effectiveness of rapid, targeted, high-coverage roll-out of HIV pre-exposure prophylaxis in men who have sex with men: the EPIC-NSW prospective cohort study. <i>Lancet HIV</i> , 2018 , 5, e629-e637	7.8	171
98	Age-related prevalence and twelve-month incidence of illicit drug use in a cohort of Australian gay and bisexual men: Results from the Flux Study. <i>Drug and Alcohol Dependence</i> , 2018 , 188, 175-179	4.9	3
97	Following Lives Undergoing Change (Flux) study: Implementation and baseline prevalence of drug use in an online cohort study of gay and bisexual men in Australia. <i>International Journal of Drug Policy</i> , 2017 , 41, 41-50	5.5	35
96	Prevalence and predictors of unsatisfactory anal cytology tests in a cohort of gay and bisexual men in Sydney, Australia: baseline findings from the Study of the Prevention of Anal Cancer (SPANAC). <i>European Journal of Cancer Prevention</i> , 2017 , 26, 212-216	2	6
95	Sexual transmission of hepatitis C virus among gay and bisexual men: a systematic review. <i>Sexual Health</i> , 2017 , 14, 28-41	2	46
94	The performance of human papillomavirus biomarkers in predicting anal high-grade squamous intraepithelial lesions in gay and bisexual men. <i>Aids</i> , 2017 , 31, 1303-1311	3.5	18
93	Australian gay and bisexual men's online preferences about sex with HIV-positive partners. <i>Sexual Health</i> , 2017 , 14, 221-228	2	2
92	Vaccine-preventable anal human papillomavirus in Australian gay and bisexual men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2017 , 3, 80-84	4.6	20
91	Measuring drug use sensation-seeking among Australian gay and bisexual men. <i>International Journal of Drug Policy</i> , 2017 , 49, 73-79	5.5	4
90	Off-Label Use of Phosphodiesterase Type 5 Inhibitor Erectile Dysfunction Medication to Enhance Sex Among Gay and Bisexual Men in Australia: Results From the FLUX Study. <i>Journal of Sexual Medicine</i> , 2017 , 14, 774-784	1.1	8
89	Comparison of age-specific patterns of sexual behaviour and anal HPV prevalence in homosexual men with patterns in women. <i>Sexually Transmitted Infections</i> , 2016 , 92, 228-31	2.8	19
88	Anal HPV detection in men who have sex with men living with HIV who report no recent anal sexual behaviours: baseline analysis of the Anal Cancer Examination (ACE) study. <i>Sexually Transmitted Infections</i> , 2016 , 92, 368-70	2.8	13
87	Hospitalization for Anxiety and Mood Disorders in HIV-Infected and -Uninfected Gay and Bisexual Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 73, 589-597	3.1	8
86	Papillary Immature Metaplasia of the Anal Canal: A Low-grade Lesion That Can Mimic a High-grade Lesion. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 348-53	6.7	8

85	Is there a role for the thinprep imaging system in reporting anal cytology?. <i>Diagnostic Cytopathology</i> , 2016 , 44, 384-8	1.4	
84	Patterns of Drug Use and Drug-related Hospital Admissions in HIV-Positive and -Negative Gay and Bisexual Men. <i>AIDS and Behavior</i> , 2016 , 20, 2372-2386	4.3	8
83	CpG Methylation Analysis of HPV16 in Laser Capture Microdissected Archival Tissue and Whole Tissue Sections from High Grade Anal Squamous Intraepithelial Lesions: A Potential Disease Biomarker. <i>PLoS ONE</i> , 2016 , 11, e0160673	3.7	5
82	Hospitalisation rates and associated factors in community-based cohorts of HIV-infected and -uninfected gay and bisexual men. <i>HIV Medicine</i> , 2016 , 17, 327-39	2.7	4
81	The value of a transformation zone component in anal cytology to detect HSIL. <i>Cancer Cytopathology</i> , 2016 , 124, 596-601	3.9	9
80	The performance of anal cytology as a screening test for anal HSILs in homosexual men. <i>Cancer Cytopathology</i> , 2016 , 124, 415-24	3.9	32
79	Ability to detect high-grade squamous anal intraepithelial lesions at high resolution anoscopy improves over time. <i>Sexual Health</i> , 2016 , 13, 177-81	2	20
78	Prevalence and risk factors associated with high-grade anal squamous intraepithelial lesions (HSIL)-AIN2 and HSIL-AIN3 in homosexual men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016 , 2, 97-105	4.6	23
77	A Composite Cytology-Histology Endpoint Allows a More Accurate Estimate of Anal High-Grade Squamous Intraepithelial Lesion Prevalence. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1134-43	4	24
76	"Any Condomless Anal Intercourse" is No Longer an Accurate Measure of HIV Sexual risk Behavior in Gay and Other Men Who have Sex with Men. <i>Frontiers in Immunology</i> , 2015 , 6, 86	8.4	37
75	High reproducibility of histological diagnosis of human papillomavirus-related intraepithelial lesions of the anal canal. <i>Pathology</i> , 2015 , 47, 308-13	1.6	13
74	Homosexual men in HIV serodiscordant relationships: implications for HIV treatment as prevention research. <i>Journal of the International AIDS Society</i> , 2015 , 18, 19884	5.4	8
73	Laser capture microdissection as a tool to evaluate human papillomavirus genotyping and methylation as biomarkers of persistence and progression of anal lesions. <i>BMJ Open</i> , 2015 , 5, e008439	3	15
72	Human papillomavirus 16-specific T-cell responses and spontaneous regression of anal high-grade squamous intraepithelial lesions. <i>Journal of Infectious Diseases</i> , 2015 , 211, 405-15	7	20
71	Sex workers and their clients among Australian gay and bisexual men. <i>AIDS and Behavior</i> , 2014 , 18, 1293-301	4.9	26
70	Human papillomavirus (HPV) genotypes in an Australian sample of anal cancers. <i>International Journal of Cancer</i> , 2014 , 135, 996-1001	7.5	33
69	Australian gay and bisexual men's use of erectile dysfunction medications during recent sexual encounters. <i>Journal of Sexual Medicine</i> , 2014 , 11, 809-19	1.1	6
68	The Opposites Attract Study of viral load, HIV treatment and HIV transmission in serodiscordant homosexual male couples: design and methods. <i>BMC Public Health</i> , 2014 , 14, 917	4.1	35

67	Human papillomavirus types 6 and 11 seropositivity: risk factors and association with ano-genital warts among homosexual men. <i>Journal of Infection</i> , 2013 , 66, 503-11	18.9	7
66	The Study of the Prevention of Anal Cancer (SPANAC): design and methods of a three-year prospective cohort study. <i>BMC Public Health</i> , 2013 , 13, 946	4.1	73
65	Sexual partner's age as a risk factor for HIV seroconversion in a cohort of HIV-negative homosexual men in Sydney. <i>AIDS and Behavior</i> , 2013 , 17, 2426-9	4.3	10
64	"It's hard to know what is a risky or not a risky decision": gay men's beliefs about risk during sex. <i>AIDS and Behavior</i> , 2013 , 17, 1352-61	4.3	22
63	Progression to and spontaneous regression of high-grade anal squamous intraepithelial lesions in HIV-infected and uninfected men. <i>Aids</i> , 2013 , 27, 2233-43	3.5	76
62	Do differences in age between sexual partners affect sexual risk behaviour among Australian gay and bisexual men?. <i>Sexually Transmitted Infections</i> , 2013 , 89, 653-8	2.8	12
61	O10.5 Human Papillomavirus (HPV) Genotypes Associated with Persistent HSIL Isolated by Laser Capture Microdissection. <i>Sexually Transmitted Infections</i> , 2013 , 89, A45.2-A45	2.8	
60	Anal human papillomavirus infection and associated neoplastic lesions in men who have sex with men: a systematic review and meta-analysis. <i>Lancet Oncology</i> , 2012 , 13, 487-500	21.7	663
59	Anal cancer screening [Authors' reply]. <i>Lancet Oncology</i> , 2012 , 13, e280	21.7	
58	The epidemiology and natural history of anal human papillomavirus infection in men who have sex with men. <i>Sexual Health</i> , 2012 , 9, 527-37	2	45
57	Gay men are less likely to use condoms with casual sex partners they know well. <i>AIDS and Behavior</i> , 2012 , 16, 664-8	4.3	21
56	Prevalence and predictors of high-grade anal intraepithelial neoplasia in a community-based sample of homosexual men. <i>Sexual Health</i> , 2012 , 9, 574-9	2	11
55	Is optimism enough? Gay men's beliefs about HIV and their perspectives on risk and pleasure. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 167-72	2.4	35
54	The impact of HIV seroadaptive behaviors on sexually transmissible infections in HIV-negative homosexual men in Sydney, Australia. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 191-4	2.4	37
53	The epidemiology of anal cancer. <i>Sexual Health</i> , 2012 , 9, 504-8	2	87
52	Geographical clustering of anal cancer incidence in Australia. <i>Sexual Health</i> , 2012 , 9, 509-12	2	6
51	Prevalence, incidence, and risk factors for human papillomavirus 16 seropositivity in Australian homosexual men. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 726-32	2.4	28
50	HIV, cancer, and aging. <i>Sexual Health</i> , 2011 , 8, 521-5	2	13

49	Trends in anal cancer in Australia, 1982-2005. <i>Vaccine</i> , 2011 , 29, 2322-7	4.1	78
48	Lymphogranuloma venereum is rare in Australian community-based samples of men who have sex with men. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 48-9	2.4	5
47	Participants' perspectives of self-collected anal cytological swabs. <i>Sexual Health</i> , 2011 , 8, 257-8	2	5
46	Significant increase in testing rates for sexually transmissible infections following the introduction of an anal cytological screening program, targeting HIV-positive men who have sex with men. <i>Sexual Health</i> , 2011 , 8, 76-8	2	10
45	Using population attributable risk to choose HIV prevention strategies in men who have sex with men. <i>BMC Public Health</i> , 2011 , 11, 247	4.1	12
44	Chlamydia trachomatis serovars in community-based HIV-positive and HIV-negative men who have sex with men in Sydney, Australia. <i>Sexually Transmitted Infections</i> , 2011 , 87, 501-2	2.8	4
43	Prevalence, incidence and risk factors for pharyngeal gonorrhoea in a community-based HIV-negative cohort of homosexual men in Sydney, Australia. <i>Sexually Transmitted Infections</i> , 2010 , 86, 90-6	2.8	48
42	Prevalence, incidence and risk factors for hepatitis C in homosexual men: data from two cohorts of HIV-negative and HIV-positive men in Sydney, Australia. <i>Sexually Transmitted Infections</i> , 2010 , 86, 25-8	2.8	75
41	Cancers attributable to human papillomavirus infection. <i>Sexual Health</i> , 2010 , 7, 244-52	2	92
40	Anal sexually transmitted infections and risk of HIV infection in homosexual men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53, 144-9	3.1	77
39	Per-contact probability of HIV transmission in homosexual men in Sydney in the era of HAART. <i>Aids</i> , 2010 , 24, 907-13	3.5	202
38	Serosorting may increase the risk of HIV acquisition among men who have sex with men. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 13-7	2.4	57
37	Infectiousness of HIV-infected men who have sex with men in the era of highly active antiretroviral therapy. <i>Aids</i> , 2010 , 24, 2420-1	3.5	9
36	Prevalence of other sexually transmissible infections in patients with newly diagnosed anogenital warts in a sexual health clinic. <i>Sexual Health</i> , 2010 , 7, 55-9	2	7
35	Attitudes towards new HIV biomedical prevention technologies among a cohort of HIV-negative gay men in Sydney, Australia. <i>HIV Medicine</i> , 2010 , 11, 282-8	2.7	26
34	Defining high HIV incidence subgroups of Australian homosexual men: implications for conducting HIV prevention trials in low HIV prevalence settings. <i>HIV Medicine</i> , 2010 , 11, 635-41	2.7	14
33	Nonoccupational postexposure prophylaxis, subsequent risk behaviour and HIV incidence in a cohort of Australian homosexual men. <i>Aids</i> , 2009 , 23, 1119-26	3.5	53
32	Circumcision and risk of sexually transmissible infections in a community-based cohort of HIV-negative homosexual men in Sydney, Australia. <i>Journal of Infectious Diseases</i> , 2009 , 200, 1813-9	7	24

31	Does age affect sexual behaviour among gay men in Sydney, Melbourne and Brisbane, Australia?. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009 , 21, 1098-105	2.2	22
30	Gay men's current practice of HIV seroconcordant unprotected anal intercourse: serosorting or seroguessing?. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009 , 21, 501-10	2.2	110
29	Testing for HIV and sexually transmissible infections within a mainly online sample of gay men who engage in group sex. <i>Sexually Transmitted Infections</i> , 2009 , 85, 70-4	2.8	14
28	Anal human papillomavirus genotype diversity and co-infection in a community-based sample of homosexual men. <i>Sexually Transmitted Infections</i> , 2009 , 85, 330-5	2.8	72
27	Increasing role of herpes simplex virus type 1 in first-episode anogenital herpes in heterosexual women and younger men who have sex with men, 1992-2006. <i>Sexually Transmitted Infections</i> , 2009 , 85, 416-9	2.8	74
26	Use of illicit drugs and erectile dysfunction medications and subsequent HIV infection among gay men in Sydney, Australia. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2311-20	1.1	70
25	Increases in unprotected anal intercourse with serodiscordant casual partners among HIV-negative gay men in Sydney. <i>AIDS and Behavior</i> , 2009 , 13, 638-44	4.3	25
24	Use of viral load to negotiate condom use among gay men in Sydney, Australia. <i>AIDS and Behavior</i> , 2009 , 13, 645-51	4.3	61
23	Circumcision and risk of HIV infection in Australian homosexual men. <i>Aids</i> , 2009 , 23, 2347-51	3.5	45
22	High incidence of syphilis in HIV-positive homosexual men: data from two community-based cohort studies. <i>Sexual Health</i> , 2009 , 6, 281-4	2	24
21	Unprotected anal intercourse, risk reduction behaviours, and subsequent HIV infection in a cohort of homosexual men. <i>Aids</i> , 2009 , 23, 243-52	3.5	192
20	Prevalence, incidence and risk factors for pharyngeal chlamydia in the community based Health in Men (HIM) cohort of homosexual men in Sydney, Australia. <i>Sexually Transmitted Infections</i> , 2008 , 84, 361-3	2.8	30
19	Self-report is a valid measure of circumcision status in homosexual men. <i>Sexually Transmitted Infections</i> , 2008 , 84, 187-8	2.8	21
18	Low positive predictive value of a nucleic acid amplification test for nongenital Neisseria gonorrhoeae infection in homosexual men. <i>Clinical Infectious Diseases</i> , 2008 , 47, e25-7	11.6	30
17	Trends in HIV prevalence among homosexual and bisexual men in eastern Australian states. <i>Sexual Health</i> , 2008 , 5, 103-7	2	24
16	Trends in HIV testing among homosexual and bisexual men in eastern Australian states. <i>Sexual Health</i> , 2008 , 5, 119-23	2	36
15	Trend in HIV incidence in a cohort of homosexual men in Sydney: data from the Health in Men Study. <i>Sexual Health</i> , 2008 , 5, 109-12	2	30
14	Trends in agreements between regular partners among gay men in Sydney, Melbourne and Brisbane, Australia. <i>AIDS and Behavior</i> , 2008 , 12, 513-20	4.3	57

13	Risk factors for genital and anal warts in a prospective cohort of HIV-negative homosexual men: the HIM study. <i>Sexually Transmitted Diseases</i> , 2007 , 34, 488-93	2.4	38
12	Sex work and risk behaviour among HIV-negative gay men. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2007 , 19, 931-4	2.2	15
11	Incidence and risk factors for urethral and anal gonorrhoea and chlamydia in a cohort of HIV-negative homosexual men: the Health in Men Study. <i>Sexually Transmitted Infections</i> , 2007 , 83, 113-9	2.8	103
10	How homosexual men believe they became infected with HIV: the role of risk-reduction behaviors. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 46, 245-7	3.1	32
9	High rates of sexually transmitted infections in HIV positive homosexual men: data from two community based cohorts. <i>Sexually Transmitted Infections</i> , 2007 , 83, 397-9	2.8	63
8	Predictors of frequent use of amphetamine type stimulants among HIV-negative gay men in Sydney, Australia. <i>Drug and Alcohol Dependence</i> , 2007 , 91, 260-8	4.9	48
7	Transmission of herpes simplex virus types 1 and 2 in a prospective cohort of HIV-negative gay men: the health in men study. <i>Journal of Infectious Diseases</i> , 2006 , 194, 561-70	7	63
6	Risk factors for HIV seroconversion in homosexual men in Australia. <i>Sexual Health</i> , 2006 , 3, 45-51	2	37
5	How has the sexual behaviour of gay men changed since the onset of AIDS: 1986-2003. <i>Australian and New Zealand Journal of Public Health</i> , 2005 , 29, 530-5	2.3	39
4	Prevalence and risk factors of hepatitis C in HIV-negative homosexual men in Sydney, Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2005 , 29, 536-9	2.3	7
3	Epidemic syphilis among homosexually active men in Sydney. <i>Medical Journal of Australia</i> , 2005 , 183, 179-83	4	74
2	Hepatitis A and B infection and vaccination in a cohort of homosexual men in Sydney. <i>Sexual Health</i> , 2004 , 1, 227-37	2	19
1	Predictors of recent HIV testing in homosexual men in Australia. <i>HIV Medicine</i> , 2002 , 3, 271-6	2.7	69