

Michał, J Kowalewski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6499196/publications.pdf>

Version: 2024-02-01

148
papers

5,840
citations

71102

41
h-index

91884

69
g-index

149
all docs

149
docs citations

149
times ranked

3509
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Semicassis globosum</i> (Mollusca: Gastropoda: Cassidae) from the upper Eocene Ocala Limestone of Florida with redescription and discussion of its extreme morphological variability. <i>Historical Biology</i> , 2023, 35, 734-747.	1.4	0
2	Resilient biotic response to long-term climate change in the Adriatic Sea. <i>Global Change Biology</i> , 2022, 28, 4041-4053.	9.5	19
3	Long-Term Shifts in Faunal Composition of Freshwater Mollusks in Spring-Fed Rivers of Florida. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .	2.2	3
4	COMPARING DIRECT CARBONATE AND STANDARD GRAPHITE ¹⁴ C DETERMINATIONS OF BIOGENIC CARBONATES. <i>Radiocarbon</i> , 2021, 63, 387-403.	1.8	14
5	A multiscale view of the Phanerozoic fossil record reveals the three major biotic transitions. <i>Communications Biology</i> , 2021, 4, 309.	4.4	30
6	An asynchronous Mesozoic marine revolution: the Cenozoic intensification of predation on echinoids. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20210400.	2.6	9
7	Variation in Seagrass-Associated Macroinvertebrate Communities Along the Gulf Coast of Peninsular Florida: An Exploration of Patterns and Ecological Consequences. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	10
8	Live, dead, and fossil mollusks in Florida freshwater springs and spring-fed rivers: Taphonomic pathways and the formation of multisourced, time-averaged death assemblages. <i>Paleobiology</i> , 2020, 46, 356-378.	2.0	5
9	Ecological regime shift preserved in the Anthropocene stratigraphic record. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20200695.	2.6	23
10	CHARACTERIZATION OF TRACES OF PREDATION AND PARASITISM ON FOSSIL ECHINOIDS. <i>Palaios</i> , 2020, 35, 215-227.	1.3	9
11	Idiographic and nomothetic approaches to heterogeneity are complementary: Response to comments on "Evaluating the influences of temperature, primary production, and evolutionary history on bivalve growth rates". <i>Paleobiology</i> , 2020, 46, 275-277.	2.0	0
12	Spatial point pattern analysis of traces (SPPAT): An approach for visualizing and quantifying site-selectivity patterns of drilling predators. <i>Paleobiology</i> , 2020, 46, 259-271.	2.0	3
13	Evaluating the influences of temperature, primary production, and evolutionary history on bivalve growth rates. <i>Paleobiology</i> , 2019, 45, 405-420.	2.0	22
14	Long-term persistence of structured habitats: seagrass meadows as enduring hotspots of biodiversity and faunal stability. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20191861.	2.6	21
15	Vaquita Face Extinction from Bycatch. Comment on Manjarrez-Bringas, N. et al., Lessons for Sustainable Development: Marine Mammal Conservation Policies and Its Social and Economic Effects. <i>Sustainability</i> 2018, 10, 2185. <i>Sustainability</i> , 2019, 11, 2161.	3.2	3
16	Comment on Rojas-Bracho and Colleagues (2019): Unsubstantiated Claims Can Lead to Tragic Conservation Outcomes. <i>BioScience</i> , 2019, 69, 321-322.	4.9	1
17	Predation in the marine fossil record: Studies, data, recognition, environmental factors, and behavior. <i>Earth-Science Reviews</i> , 2019, 194, 472-520.	9.1	74
18	Seasonal oyster harvesting recorded in a Late Archaic period shell ring. <i>PLoS ONE</i> , 2019, 14, e0224666.	2.5	14

#	ARTICLE	IF	CITATIONS
19	Breaking down the lithification bias: the effect of preferential sampling of larger specimens on the estimate of species richness, evenness, and average specimen size. <i>Paleobiology</i> , 2018, 44, 326-345.	2.0	4
20	The role of habitat selection on the diversity of macrobenthic communities in three gulfs of the Cuban Archipelago. <i>Bulletin of Marine Science</i> , 2018, , .	0.8	5
21	PREDATION-FACILITATED PRESERVATION OF ECHINOIDS IN A TROPICAL MARINE ENVIRONMENT. <i>Palaios</i> , 2018, 33, 478-486.	1.3	9
22	Mollusk shell assemblages as archives of spatial structuring of benthic communities around subtropical islands. <i>Estuarine, Coastal and Shelf Science</i> , 2018, 215, 132-143.	2.1	15
23	Stratigraphic signatures of mass extinctions: ecological and sedimentary determinants. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20181191.	2.6	17
24	One fossil record, multiple time resolutions: Disparate time-averaging of echinoids and mollusks on a Holocene carbonate platform. <i>Geology</i> , 2018, 46, 51-54.	4.4	35
25	Regional surveys of macrobenthic shelf invertebrate communities in Onslow Bay, North Carolina, U.S.A.. <i>Scientific Data</i> , 2018, 5, 180054.	5.3	3
26	Taphonomic Megabias in the Fossil Record of Lingulide Brachiopods. , 2018, , 145-150.		1
27	Surrogate taxa and fossils as reliable proxies of spatial biodiversity patterns in marine benthic communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20162839.	2.6	29
28	Global biogeography of Albian ammonoids: A network-based approach. <i>Geology</i> , 2017, 45, 659-662.	4.4	23
29	Increase in predator-prey size ratios throughout the Phanerozoic history of marine ecosystems. <i>Science</i> , 2017, 356, 1178-1180.	12.6	50
30	Hierarchical complexity and the size limits of life. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20171039.	2.6	34
31	Systematic vertical and lateral changes in quality and time resolution of the macrofossil record: Insights from Holocene transgressive deposits, Po coastal plain, Italy. <i>Marine and Petroleum Geology</i> , 2017, 87, 128-136.	3.3	29
32	Radiocarbon-calibrated amino acid racemization ages from Holocene sand dollars (<i>Peronella peronii</i>). <i>Quaternary Geochronology</i> , 2017, 39, 174-188.	1.4	8
33	Surges in trematode prevalence linked to centennial-scale flooding events in the Adriatic. <i>Scientific Reports</i> , 2017, 7, 5732.	3.3	19
34	The post-Palaeozoic fossil record of drilling predation on lingulide brachiopods. <i>Lethaia</i> , 2017, 50, 296-305.	1.4	8
35	Understanding modern extinctions in marine ecosystems: the role of palaeoecological data. <i>Biology Letters</i> , 2016, 12, 20150951.	2.3	23
36	Body Size Evolution Across the Geozoic. <i>Annual Review of Earth and Planetary Sciences</i> , 2016, 44, 523-553.	11.0	64

#	ARTICLE	IF	CITATIONS
37	Growth, inter- and intraspecific variation, palaeobiogeography, taphonomy and systematics of the Cenozoic ghost shrimp <i>Glypturus</i> . <i>Journal of Systematic Palaeontology</i> , 2016, 14, 99-126.	1.5	9
38	Differential responses of marine communities to natural and anthropogenic changes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20142990.	2.6	43
39	Environmental and scale-dependent evolutionary trends in the body size of crustaceans. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20150440.	2.6	17
40	The fossil record of drilling predation on barnacles. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 426, 95-111.	2.3	28
41	Use of Quartz Microtextural Analysis To Assess Possible Proglacial Deposition For the Pennsylvanian Permian Cutler Formation (Colorado, U.S.A.). <i>Journal of Sedimentary Research</i> , 2015, 85, 1310-1322.	1.6	13
42	Intense Predation on <i>Meoma Ventricosa</i> by <i>Cassis Tuberosa</i> , San Salvador Island, the Bahamas. <i>The Paleontological Society Special Publications</i> , 2014, 13, 11-11.	0.0	0
43	Shape Change in a Caribbean Miocene Bivalve and Implications for Conservation and Modern Ecosystem Management. <i>The Paleontological Society Special Publications</i> , 2014, 13, 61-61.	0.0	0
44	Quantitative Bathymetric Models and Their Applications for Late Quaternary Transgressive-Regressive Cycles of the Po Plain, Italy. <i>The Paleontological Society Special Publications</i> , 2014, 13, 166-167.	0.0	0
45	Assessing the Fidelity of Beta Diversity: Marine Benthic Assemblages on the Inner Shelf of North Carolina, USA. <i>The Paleontological Society Special Publications</i> , 2014, 13, 10-11.	0.0	0
46	Jackknife-Corrected Parametric Bootstrap Estimates of Growth Rates in Bivalve Mollusks using Nearest Living Relatives. <i>The Paleontological Society Special Publications</i> , 2014, 13, 28-28.	0.0	0
47	Vanishing Clams on an Iberian Beach: Local Consequences and Global Implications of Accelerating Loss of Shells to Tourism. <i>PLoS ONE</i> , 2014, 9, e83615.	2.5	18
48	Utility of Marine Benthic Associations as a Multivariate Proxy of Paleobathymetry: A Direct Test from Recent Coastal Ecosystems of North Carolina. <i>PLoS ONE</i> , 2014, 9, e95711.	2.5	17
49	Seasonal Oyster Harvesting Recorded by Shells of the Parasitic Snail <i>Boonea Impressa</i> in Archeological Middens of Florida and Georgia. <i>The Paleontological Society Special Publications</i> , 2014, 13, 30-30.	0.0	0
50	Seagrass-Associated Molluscan Death Assemblages in the Big Bend Region of Florida, Gulf of Mexico. <i>The Paleontological Society Special Publications</i> , 2014, 13, 101-102.	0.0	0
51	Quantitative Bathymetric Models for Late Quaternary Transgressive-Regressive Cycles of the Po Plain, Italy. <i>Journal of Geology</i> , 2014, 122, 649-670.	1.4	31
52	A continuous multi-millennial record of surficial bivalve mollusk shells from the São Paulo Bight, Brazilian shelf. <i>Quaternary Research</i> , 2014, 81, 274-283.	1.7	24
53	The effects of limpet morphology on predation by adult cancrivora crabs. <i>Journal of Experimental Marine Biology and Ecology</i> , 2014, 451, 9-15.	1.5	13
54	STOWING AWAY ON SHIPS THAT PASS IN THE NIGHT: SCLEROBIONT ASSEMBLAGES ON INDIVIDUALLY DATED BIVALVE AND BRACHIOPOD SHELLS FROM A SUBTROPICAL SHELF. <i>Palaios</i> , 2014, 29, 170-183.	1.3	19

#	ARTICLE	IF	CITATIONS
55	PREDATION ON MODERN AND FOSSIL BRACHIOPODS: ASSESSING CHEMICAL DEFENSES AND PALATABILITY. <i>Palaios</i> , 2014, 28, 724-735.	1.3	21
56	Jackknife-corrected parametric bootstrap estimates of growth rates in bivalve mollusks using nearest living relatives. <i>Theoretical Population Biology</i> , 2013, 90, 36-48.	1.1	6
57	The influence of reefs on the rise of Mesozoic marine crustaceans. <i>Geology</i> , 2013, 41, 1179-1182.	4.4	59
58	Sequence stratigraphy and the resolution of the fossil record. <i>Geology</i> , 2013, 41, 239-242.	4.4	73
59	DEATH AND DISINTEGRATION IN BAHAMAS: TAPHONOMIC PATTERNS AND PROCESSES IN TROPICAL ISLAND SETTINGS. <i>Palaios</i> , 2012, 27, 123-126.	1.3	1
60	Sub-centennial resolution amino acid geochronology for the freshwater mussel <i>Lampsilis</i> for the last 2000 years. <i>Quaternary Geochronology</i> , 2012, 9, 75-85.	1.4	4
61	Biominalization, taphonomy, and diagenesis of Paleozoic lingulide brachiopod shells preserved in silicified mudstone concretions. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 326-328, 118-127.	2.3	22
62	Traces of predation/parasitism recorded in Eocene brachiopods from the Castle Hayne Limestone, North Carolina, USA. <i>Lethaia</i> , 2012, 45, 274-289.	1.4	9
63	Thermally induced structural and chemical alteration of organic-walled microfossils: an experimental approach to understanding fossil preservation in metasediments. <i>Geobiology</i> , 2012, 10, 402-423.	2.4	56
64	Drilling Predation on Serpulid Polychaetes (<i>Ditrupa arietina</i>) from the Pliocene of the Cope Basin, Murcia Region, Southeastern Spain. <i>PLoS ONE</i> , 2012, 7, e34576.	2.5	23
65	A Lack of Attribution: Closing the Citation Gap Through a Reform of Citation and Indexing Practices. <i>Taxon</i> , 2012, 61, 1349-1351.	0.7	7
66	SEASONAL VARIATION IN ECOLOGICAL AND TAPHONOMIC PROCESSES RECORDED IN SHELLY DEATH ASSEMBLAGES. <i>Palaios</i> , 2012, 27, 373-385.	1.3	10
67	Quantifying the Timing and Rate of Crustal Evolution: Global Compilation of Radiometrically Dated Detrital Zircon Grains. <i>Journal of Geology</i> , 2011, 119, 109-126.	1.4	209
68	THE GEOZOIC SUPEREON. <i>Palaios</i> , 2011, 26, 251-255.	1.3	5
69	Spatial variation of erosion in a small, glaciated basin in the Teton Range, Wyoming, based on detrital apatite (U-Th)/He thermochronology. <i>Basin Research</i> , 2011, 23, 571-590.	2.7	36
70	Changes in shell durability of common marine taxa through the Phanerozoic: evidence for biological rather than taphonomic drivers. <i>Paleobiology</i> , 2011, 37, 303-331.	2.0	31
71	The evolutionary consequences of oxygenic photosynthesis: a body size perspective. <i>Photosynthesis Research</i> , 2011, 107, 37-57.	2.9	107
72	Resampling Methods in Paleontology. <i>The Paleontological Society Papers</i> , 2010, 16, 19-54.	0.6	24

#	ARTICLE	IF	CITATIONS
73	CONFAMILIAL PREDATION IN PLIOCENE NATICID GASTROPODS FROM SOUTHERN FRANCE: UTILITY OF PREEXISTING COLLECTIONS IN QUANTITATIVE PALEOECOLOGY. <i>Palaios</i> , 2010, 25, 221-228.	1.3	22
74	The rise of bilaterians: a few closing comments. <i>Historical Biology</i> , 2010, 22, 433-436.	1.4	3
75	Non-avian theropod dinosaurs from the early Late Cretaceous of central Europe. <i>Cretaceous Research</i> , 2010, 31, 304-320.	1.4	44
76	Theoretical diversity of the marine biosphere. <i>Paleobiology</i> , 2010, 36, 1-15.	2.0	8
77	Quantitative comparisons and models of time-averaging in bivalve and brachiopod shell accumulations. <i>Paleobiology</i> , 2010, 36, 428-452.	2.0	81
78	Osmotrophy in modular Ediacara organisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 14438-14443.	7.1	133
79	Two-phase increase in the maximum size of life over 3.5 billion years reflects biological innovation and environmental opportunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 24-27.	7.1	260
80	Quantitative evaluation of the biostratigraphic distribution of acanthomorphic acritarchs in the Ediacaran Doushantuo Formation in the Yangtze Gorges area, South China. <i>Precambrian Research</i> , 2009, 173, 170-190.	2.7	89
81	CRITICAL ISSUES OF SCALE IN PALEOECOLOGY. <i>Palaios</i> , 2009, 24, 1-4.	1.3	39
82	<i>Bouchardia rosea</i> , a vanishing brachiopod species of the Brazilian platform: taphonomy, historical ecology and conservation paleobiology. <i>Historical Biology</i> , 2009, 21, 123-137.	1.4	20
83	The rise of bilaterians: a reply. <i>Historical Biology</i> , 2009, 21, 239-246.	1.4	5
84	Distinguishing Milankovitch-Driven Processes in the Rock Record from Stochasticity Using Computer-Simulated Stratigraphy. <i>Journal of Geology</i> , 2009, 117, 349-361.	1.4	10
85	The Avalon Explosion: Evolution of Ediacara Morphospace. <i>Science</i> , 2008, 319, 81-84.	12.6	152
86	Taphonomy and compositional fidelity of Quaternary fossil assemblages of terrestrial gastropods from carbonate-rich environments of the Canary Islands. <i>Lethaia</i> , 2008, 41, 235-256.	1.4	29
87	Testing limiting similarity in Quaternary terrestrial gastropods. <i>Paleobiology</i> , 2008, 34, 378-388.	2.0	20
88	Stable isotope ($\delta^{18}O$, $\delta^{13}C$, and δ^2D) signatures of recent terrestrial communities from a low-latitude, oceanic setting: Endemic land snails, plants, rain, and carbonate sediments from the eastern Canary Islands. <i>Chemical Geology</i> , 2008, 249, 377-392.	3.3	75
89	Biotic Interaction between Spionid Polychaetes and Bouchardiid Brachiopods: Paleoeological, Taphonomic and Evolutionary Implications. <i>Acta Palaeontologica Polonica</i> , 2008, 53, 657-668.	0.4	38
90	The Microstructural Record of Predation: A New Approach for Identifying Predatory Drill Holes. <i>Palaios</i> , 2008, 23, 810-820.	1.3	21

#	ARTICLE	IF	CITATIONS
91	The Limits of Paleontological Resolution. <i>Topics in Geobiology</i> , 2008, , 1-48.	0.5	31
92	QUANTITATIVE TAPHONOMY OF A TRIASSIC REPTILE TANYTRACHELOS AHYNIS FROM THE COW BRANCH FORMATION, DAN RIVER BASIN, SOLITE QUARRY, VIRGINIA. <i>Palaios</i> , 2007, 22, 598-611.	1.3	12
93	BODY SIZE ESTIMATES FROM THE LITERATURE: UTILITY AND POTENTIAL FOR MACROEVOLUTIONARY STUDIES. <i>Palaios</i> , 2007, 22, 60-73.	1.3	25
94	SEQUENCE STRATIGRAPHIC ANATOMY OF DIVERSITY PATTERNS: LATE QUATERNARY BENTHIC MOLLUSKS OF THE PO PLAIN, ITALY. <i>Palaios</i> , 2007, 22, 296-305.	1.3	52
95	POTENTIAL PALEOECOLOGIC BIASES FROM SIZE-FILTERING OF FOSSILS: STRATEGIES FOR SIEVING. <i>Palaios</i> , 2007, 22, 612-622.	1.3	17
96	Strong coupling of predation intensity and diversity in the Phanerozoic fossil record. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 15006-15010.	7.1	209
97	PREDATOR-PREY INTERACTIONS: EXPERIMENTAL AND FIELD APPROACHES. <i>Journal of Shellfish Research</i> , 2007, 26, 217-220.	0.9	1
98	Scale and structure of time-averaging (age mixing) in terrestrial gastropod assemblages from Quaternary eolian deposits of the eastern Canary Islands. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 251, 283-299.	2.3	34
99	COMPARATIVE ANALYSIS OF DRILLING FREQUENCIES IN RECENT BRACHIOPOD-MOLLUSK ASSOCIATIONS FROM THE SOUTHERN BRAZILIAN SHELF. <i>Palaios</i> , 2007, 22, 143-154.	1.3	46
100	The Reciprocal Taphonomic Model. <i>Lethaia</i> , 2007, 30, 86-88.	1.4	34
101	Ecological, taxonomic, and taphonomic components of the post-Paleozoic increase in sample-level species diversity of marine benthos. <i>Paleobiology</i> , 2006, 32, 533-561.	2.0	77
102	1.3 Billion years of acritarch history: An empirical morphospace approach. <i>Precambrian Research</i> , 2006, 144, 52-68.	2.7	123
103	Aspartic acid racemization dating of Holocene brachiopods and bivalves from the southern Brazilian shelf, South Atlantic. <i>Quaternary Research</i> , 2006, 66, 323-331.	1.7	33
104	The Temporal Resolution of Epibiont Assemblages: Are They Ecological Snapshots or Overexposures?. <i>Journal of Geology</i> , 2006, 114, 313-324.	1.4	45
105	On the Morphological History of Proterozoic and Cambrian Acritarchs. , 2006, , 23-56.		11
106	Climatic, depositional and burial controls on diagenesis of Appalachian Carboniferous sandstones: qualitative and quantitative methods. <i>Sedimentary Geology</i> , 2005, 176, 225-246.	2.1	42
107	Secondary Evolutionary Escalation Between Brachiopods and Enemies of Other Prey. <i>Science</i> , 2005, 308, 1774-1777.	12.6	73
108	Are the most durable shelly taxa also the most common in the marine fossil record?. <i>Paleobiology</i> , 2005, 31, 607-623.	2.0	59

#	ARTICLE	IF	CITATIONS
109	Freshwater Mussel Shells as Environmental Chronicles: Geochemical and Taphonomic Signatures of Mercury-Related Extirpations in the North Fork Holston River, Virginia. <i>Environmental Science & Technology</i> , 2005, 39, 1455-1462.	10.0	49
110	Recent brachiopods from the southern Brazilian shelf: palaeontological and biogeographical implications. <i>Palaeontology</i> , 2004, 47, 515-533.	2.2	20
111	Actualistic Taphonomy: Death, Decay, and Disintegration in Contemporary Settings. <i>Palaios</i> , 2004, 19, 423-427.	1.3	31
112	Colonization of a 'Lost World': Encrustation Patterns in Modern Subtropical Brachiopod Assemblages. <i>Palaios</i> , 2004, 19, 381-395.	1.3	55
113	DRILL HOLES PRODUCED BY THE PREDATORY GASTROPOD <i>NUCELLA LAMELLOSA</i> (MURICIDAE): PALAEOBIOLOGICAL AND ECOLOGICAL IMPLICATIONS. <i>Journal of Molluscan Studies</i> , 2004, 70, 359-370.	1.2	82
114	Stratigraphic paleoecology: Bathymetric signatures and sequence overprint of mollusk associations from upper Quaternary sequences of the Po Plain, Italy. <i>Geology</i> , 2004, 32, 989.	4.4	106
115	Vacationing in the Mesozoic. <i>Palaios</i> , 2004, 19, 421-422.	1.3	0
116	Intense drilling in the Carboniferous brachiopod <i>Cardiarina cordata</i> Cooper, 1956. <i>Lethaia</i> , 2003, 36, 107-117.	1.4	31
117	Quantitative estimates of time-averaging in terebratulid brachiopod shell accumulations from a modern tropical shelf. <i>Paleobiology</i> , 2003, 29, 381-402.	2.0	113
118	Predation on Recent and Fossil Echinoids. , 2003, , 279-302.		32
119	Edge-drilling on the brachiopod <i>Perditocardinia</i> cf. <i>P. dubia</i> from the Mississippian of Missouri (USA). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003, 201, 211-219.	2.3	17
120	Sieves and Fossils: Effects of Mesh Size on Paleontological Patterns. <i>Palaios</i> , 2003, 18, 460-469.	1.3	45
121	High-Resolution Analysis of $\delta^{18}O$ in the Biogenic Phosphate of Modern and Fossil Lingulid Brachiopods. <i>Journal of Geology</i> , 2003, 111, 441-453.	1.4	10
122	Average Lifetime and Age Spectra of Detrital Grains: Toward a Unifying Theory of Sedimentary Particles. <i>Journal of Geology</i> , 2003, 111, 427-439.	1.4	39
123	Increase in evenness and sampled alpha diversity through the Phanerozoic: Comparison of early Paleozoic and Cenozoic marine fossil assemblages. <i>Geology</i> , 2002, 30, 331.	4.4	79
124	Multivariate hierarchical analyses of Miocene mollusk assemblages of Europe: Paleogeographic, paleoecological, and biostratigraphic implications. <i>Bulletin of the Geological Society of America</i> , 2002, 114, 239-256.	3.3	44
125	Abundant Brachiopods on a Tropical, Upwelling-Influenced Shelf (Southeast Brazilian Bight, South) Tj ETQq1 1 0.784314 rgBT /Overlock	1.3	54
126	The Fossil Record of Predation: An Introduction. <i>The Paleontological Society Papers</i> , 2002, 8, 1-2.	0.6	23

#	ARTICLE	IF	CITATIONS
127	The Fossil Record of Predation: An Overview of Analytical Methods. The Paleontological Society Papers, 2002, 8, 3-42.	0.6	160
128	Dead delta's former productivity: Two trillion shells at the mouth of the Colorado River. Geology, 2000, 28, 1059.	4.4	129
129	DRILL HOLES IN SHELLS OF PERMIAN BENTHIC INVERTEBRATES. Journal of Paleontology, 2000, 74, 532-543.	0.8	52
130	Dead delta's former productivity: Two trillion shells at the mouth of the Colorado River. Geology, 2000, 28, 1059-1062.	4.4	14
131	Drilling Predation on Recent Clypeasteroid Echinoids from the Red Sea. Palaios, 1999, 14, 127.	1.3	81
132	A fossil record full of holes: The Phanerozoic history of drilling predation: Comment and Reply. Geology, 1999, 27, 959.	4.4	20
133	Shell Beds as paleoecological puzzles: A case study from the Upper Permian of the Paraná Basin, Brazil. Facies, 1998, 38, 175-195.	1.4	40
134	Quantitative ichnology of triassic crayfish burrows (<i>Camborygma eumekenomos</i>): Ichnofossils as linkages to population paleoecology. Ichnos, 1998, 6, 5-20.	0.5	17
135	A fossil record full of holes: The Phanerozoic history of drilling predation. Geology, 1998, 26, 1091.	4.4	221
136	Phenetic discrimination of biometric simpletons: paleobiological implications of morphospecies in the lingulide brachiopod <i>Glottidia</i> . Paleobiology, 1997, 23, 444-469.	2.0	59
137	Taphonomy of a Living Fossil: The Lingulide Brachiopod <i>Glottidia palmeri</i> Dall from Baja California, Mexico. Palaios, 1996, 11, 244.	1.3	41
138	Trace fossils and population paleoecology: comparative analysis of size-frequency distributions derived from burrows. Lethaia, 1996, 29, 113-124.	1.4	10
139	Why is the Taphonomic Clock Such a Poor Timekeeper?. The Paleontological Society Special Publications, 1996, 8, 121-121.	0.0	1
140	Time-Averaging, Overcompleteness, and the Geological Record. Journal of Geology, 1996, 104, 317-326.	1.4	171
141	Improving with age: The fossil record of lingulide brachiopods and the nature of taphonomic megabiases. Geology, 1996, 24, 977.	4.4	39
142	Ternary Taphograms: Triangular Diagrams Applied to Taphonomic Analysis. Palaios, 1995, 10, 478.	1.3	59
143	Comparative Taphonomy And Faunal Composition Of Shelly Cheniers From Northeastern Baja California, Mexico. Ciencias Marinas, 1995, 21, 155-177.	0.4	12
144	Taphofacies analysis of recent shelly cheniers (beach ridges), northeastern baja california, Mexico. Facies, 1994, 31, 209-241.	1.4	84

#	ARTICLE	IF	CITATIONS
145	Shell survival and time-averaging in nearshore and shelf environments: estimates from the radiocarbon literature. <i>Lethaia</i> , 1994, 27, 153-165.	1.4	146
146	A predatory drillhole in <i>Glottidia palmeri</i> Dall (Brachiopoda; Lingulidae) from Recent tidal flats of northeastern Baja California, Mexico. <i>Journal of Paleontology</i> , 1994, 68, 1403-1405.	0.8	13
147	Morphometric analysis of predatory drillholes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1993, 102, 69-88.	2.3	81
148	Post-Collection Taphonomy: Shell Destruction and the Chevrolet. <i>Palaios</i> , 1992, 7, 553.	1.3	15