## Seung Hee Yang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6499289/publications.pdf

Version: 2024-02-01

686830 642321 36 574 13 23 h-index g-index citations papers 36 36 36 908 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Sulfatide-Reactive Natural Killer T Cells Abrogate Ischemia-Reperfusion Injury. Journal of the American Society of Nephrology: JASN, 2011, 22, 1305-1314.	3.0	76
2	Sex, Age, and the Association of Serum Phosphorus With All-Cause Mortality in Adults With Normal Kidney Function. American Journal of Kidney Diseases, 2016, 67, 79-88.	2.1	46
3	Periostin induces kidney fibrosis after acute kidney injury via the p38 MAPK pathway. American Journal of Physiology - Renal Physiology, 2019, 316, F426-F437.	1.3	42
4	Soluble Epoxide Hydrolase Activity Determines the Severity of Ischemia-Reperfusion Injury in Kidney. PLoS ONE, 2012, 7, e37075.	1.1	40
5	Transcriptional modulation of the T helper 17/interleukin 17 axis ameliorates renal ischemia-reperfusion injury. Nephrology Dialysis Transplantation, 2019, 34, 1481-1498.	0.4	31
6	The role of local IL6/JAK2/STAT3 signaling in high glucose–induced podocyte hypertrophy. Kidney Research and Clinical Practice, 2016, 35, 212-218.	0.9	30
7	Roles of fluid shear stress and retinoic acid in the differentiation of primary cultured human podocytes. Experimental Cell Research, 2017, 354, 48-56.	1.2	28
8	Experimental Inhibition of Periostin Attenuates Kidney Fibrosis. American Journal of Nephrology, 2017, 46, 501-517.	1.4	25
9	A Case Report of a Middle East Respiratory Syndrome Survivor with Kidney Biopsy Results. Journal of Korean Medical Science, 2016, 31, 635.	1.1	24
10	Different association between renal hyperfiltration and mortality by sex. Nephrology, 2017, 22, 804-810.	0.7	17
11	Blockade of STAT3 signaling alleviates the progression of acute kidney injury to chronic kidney disease through antiapoptosis. American Journal of Physiology - Renal Physiology, 2022, 322, F553-F572.	1.3	17
12	Genetic interactions between the donor and the recipient forÂsusceptibility to acute rejection in kidney transplantation: polymorphisms of CCR5. Nephrology Dialysis Transplantation, 2009, 24, 2919-2925.	0.4	15
13	Elevated bilirubin levels are associated with a better renal prognosis and ameliorate kidney fibrosis. PLoS ONE, 2017, 12, e0172434.	1.1	15
14	RNA-Seq profiling of microdissected glomeruli identifies potential biomarkers for human IgA nephropathy. American Journal of Physiology - Renal Physiology, 2020, 319, F809-F821.	1.3	15
15	Multisample Mass Spectrometry-Based Approach for Discovering Injury Markers in Chronic Kidney Disease. Molecular and Cellular Proteomics, 2021, 20, 100037.	2.5	15
16	Active maintenance of endothelial cells prevents kidney fibrosis. Kidney Research and Clinical Practice, 2017, 36, 329-341.	0.9	14
17	Renoprotective effects of a novel cMet agonistic antibody on kidney fibrosis. Scientific Reports, 2019, 9, 13495.	1.6	13
18	Cln 3-requiring 9 is a negative regulator of Th17 pathway-driven inflammation in anti-glomerular basement membrane glomerulonephritis. American Journal of Physiology - Renal Physiology, 2016, 311, F505-F519.	1.3	12

#	Article	IF	Citations
19	cMet agonistic antibody attenuates apoptosis in ischaemiaâ€reperfusion–induced kidney injury. Journal of Cellular and Molecular Medicine, 2020, 24, 5640-5651.	1.6	12
20	Soluble cMet levels in urine are a significant prognostic biomarker for diabetic nephropathy. Scientific Reports, 2018, 8, 12738.	1.6	11
21	Recombinant uteroglobin prevents the experimental crescentic glomerulonephritis. Kidney International, 2004, 66, 1061-1067.	2.6	10
22	Expansion of Myeloid-Derived Suppressor Cells Correlates with Renal Progression in Type 2 Diabetic Nephropathy. Immune Network, 2020, 20, e18.	1.6	10
23	Loss of KLF15 accelerates chronic podocyte injury. International Journal of Molecular Medicine, 2018, 42, 1593-1602.	1.8	9
24	ST2 blockade mitigates peritoneal fibrosis induced by TGFâ€Î² and high glucose. Journal of Cellular and Molecular Medicine, 2019, 23, 6872-6884.	1.6	9
25	Chemokine receptor 5 blockade modulates macrophage trafficking in renal ischaemicâ€reperfusion injury. Journal of Cellular and Molecular Medicine, 2020, 24, 5515-5527.	1.6	9
26	Urinary cMet as a prognostic marker in immunoglobulin A nephropathy. Journal of Cellular and Molecular Medicine, 2020, 24, 11158-11169.	1.6	5
27	NK1.1 <sup>â^'</sup> natural killer T cells upregulate interleukin-17 expression in experimental lupus nephritis. American Journal of Physiology - Renal Physiology, 2021, 320, F772-F788.	1.3	5
28	Role of the IL-33/ST2 pathway in renal allograft rejection. Experimental Cell Research, 2021, 405, 112705.	1.2	5
29	RNAâ€seq profiling of tubulointerstitial tissue reveals a potential therapeutic role of dual antiâ€phosphatase 1 in glomerulonephritis. Journal of Cellular and Molecular Medicine, 2022, 26, 3364-3377.	1.6	5
30	$Kr\tilde{A}V_4$ ppel-like factor 15 is a key suppressor of podocyte fibrosis under rotational force-driven pressure. Experimental Cell Research, 2020, 386, 111706.	1.2	3
31	cMet agonistic antibody prevents acute kidney injury to chronic kidney disease transition by suppressing Smurf1 and activating Smad7. Clinical Science, 2021, 135, 1427-1444.	1.8	3
32	The level of intracellular tacrolimus in T cell is affected by CD44 <sup>+</sup> ABCB1 <sup>+</sup> activities triggered by inflammation. European Journal of Inflammation, 2019, 17, 205873921984515.	0.2	1
33	Blood pressure management and progression of chronic kidney disease in a canine remnant kidney model. General Physiology and Biophysics, 2018, 37, 243-252.	0.4	1
34	Gut <i>Faecalibacterium</i> may improve impaired tacrolimus metabolism in kidney transplant recipients with cytochrome polymorphism. Korean Journal of Transplantation, 2020, 34, S33-S33.	0.0	1
35	FP260Inhibition of CXCR3 expression through blockade of STAT3 alpha signaling down-regulate inflammation of renal ischemia-reperfusion injury. Nephrology Dialysis Transplantation, 2019, 34, .	0.4	0
36	PO339URINE METABOLOMIC ASSAY IN EARLY IGA NEPHROPATHY PATIENTS REVEALS URINE GLYCINE AS A PROGNOSTIC BIOMARKER. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0