

Payam Shafigh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6499632/publications.pdf>

Version: 2024-02-01

92
papers

4,403
citations

101384

36
h-index

110170

64
g-index

93
all docs

93
docs citations

93
times ranked

2883
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of the optimum value of lightweight expanded clay aggregate incorporation into the roller-compacted concrete pavement through experimental measurement of mechanical and thermal properties. <i>International Journal of Pavement Engineering</i> , 2023, 24, .	2.2	0
2	The effect of superplasticizer admixture on the engineering characteristics of roller-compacted concrete pavement. <i>International Journal of Pavement Engineering</i> , 2022, 23, 2432-2447.	2.2	10
3	Drying shrinkage properties of expanded polystyrene (EPS) lightweight aggregate concrete: A review. <i>Case Studies in Construction Materials</i> , 2022, 16, e00919.	0.8	13
4	Phase change materials incorporated into geopolymer concrete for enhancing energy efficiency and sustainability of buildings: A review. <i>Case Studies in Construction Materials</i> , 2022, 17, e01162.	0.8	11
5	Thermophysical properties of sustainable cement mortar containing oil palm boiler clinker (OPBC) as a fine aggregate. <i>Construction and Building Materials</i> , 2021, 268, 121091.	3.2	20
6	Post-peak Behaviour of Composite Column Using a Ductile Lightweight Aggregate Concrete. <i>International Journal of Concrete Structures and Materials</i> , 2021, 15, .	1.4	4
7	The effect of coarse to fine aggregate ratio on drying shrinkage of roller compacted concrete pavement in different curing conditions. <i>Materiales De Construccion</i> , 2021, 71, e246.	0.2	4
8	pH Measurement of Cement-Based Materials: The Effect of Particle Size. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8000.	1.3	12
9	Experimental Analysis of Changes in Cement Mortar Containing Oil Palm Boiler Clinker Waste at Elevated Temperatures in Different Cooling Conditions. <i>Crystals</i> , 2021, 11, 988.	1.0	2
10	Recent Progress in the Application of Coconut and Palm Oil Fibres in Cement-Based Materials. <i>Sustainability</i> , 2021, 13, 12865.	1.6	2
11	Optimum moisture content in roller-compacted concrete pavement. <i>International Journal of Pavement Engineering</i> , 2020, 21, 1769-1779.	2.2	29
12	Appropriate drying shrinkage prediction models for lightweight concrete containing coarse agro-waste aggregate. <i>Journal of Building Engineering</i> , 2020, 29, 101148.	1.6	16
13	An Experimental and Numerical Study on the Flexural Performance of Over-Reinforced Concrete Beam Strengthening with Bolted-Compression Steel Plates: Part II. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 94.	1.3	6
14	The effect of cement mortar composition on the pH value. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 770, 012026.	0.3	8
15	Energy Performance of a High-Rise Residential Building Using Fibre-Reinforced Structural Lightweight Aggregate Concrete. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 4489.	1.3	5
16	The effect of cement content on drying shrinkage of roller compacted concrete pavement. <i>AIP Conference Proceedings</i> , 2020, .	0.3	0
17	Durability Property of Oil-Palm-Boiler Clinker Lightweight Concrete Based on Water Absorption Test. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020, 476, 012016.	0.2	1
18	Experimental Study on the Flexural Behavior of over Reinforced Concrete Beams Bolted with Compression Steel Plate: Part I. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 822.	1.3	9

#	ARTICLE	IF	CITATIONS
19	Laboratory comparison of roller-compacted concrete and ordinary vibrated concrete for pavement structures. <i>Gradevinar</i> , 2020, 72, 127-137.	0.2	6
20	Thermal properties of cement mortar with different mix proportions. <i>Materiales De Construccion</i> , 2020, 70, 224.	0.2	37
21	Mechanical and Durability Properties of High Strength High Performance Concrete Incorporating Rice Husk Ash. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 536, 012028.	0.3	3
22	Crossover Effect in Cement-Based Materials: A Review. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2776.	1.3	14
23	Performance of High Strength Concrete Subjected to Elevated Temperatures: A Review. <i>Fire Technology</i> , 2019, 55, 1571-1597.	1.5	25
24	The effect of using low fines content sand on the fresh and hardened properties of roller-compacted concrete pavement. <i>Case Studies in Construction Materials</i> , 2019, 11, e00230.	0.8	8
25	High Strength Concrete Incorporating Oil-Palm-Boiler Clinker as Coarse Lightweight Aggregate. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 601, 012017.	0.3	1
26	Production of high-strength lightweight concrete using waste lightweight oil-palm-boiler-clinker and limestone powder. <i>European Journal of Environmental and Civil Engineering</i> , 2019, 23, 325-344.	1.0	15
27	Comparative study of mechanical properties for substitution of normal weight coarse aggregate with oil-palm-boiler clinker and lightweight expanded clay aggregate concretes. <i>Journal of Design and Built Environment</i> , 2019, 19, 62-77.	0.4	5
28	Optimization of Mixture Proportions of High Strength High Performance Concrete Incorporating Rice Husk Ash by Using Response Surface Methodology. , 2019, , .		0
29	Determination of optimum insulation and cement plaster thickness for bungalow buildings through a simulation-statistical approach using response surface methodology. <i>Journal of Design and Built Environment</i> , 2019, 19, 48-63.	0.4	4
30	Heat-treated palm oil fuel ash as an effective supplementary cementitious material originating from agriculture waste. <i>Construction and Building Materials</i> , 2018, 167, 44-54.	3.2	31
31	Concrete as a thermal mass material for building applications - A review. <i>Journal of Building Engineering</i> , 2018, 19, 14-25.	1.6	95
32	The effect of coarse to fine aggregate ratio on the fresh and hardened properties of roller-compacted concrete pavement. <i>Construction and Building Materials</i> , 2018, 169, 553-566.	3.2	46
33	Effect of utilizing unground and ground normal and black rice husk ash on the mechanical and durability properties of high-strength concrete. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2018, 43, 1.	0.8	9
34	Oil palm shell as an agricultural solid waste in artificial lightweight aggregate concrete. <i>European Journal of Environmental and Civil Engineering</i> , 2018, 22, 165-180.	1.0	17
35	Properties of eco-friendly self-compacting concrete containing modified treated palm oil fuel ash. <i>Construction and Building Materials</i> , 2018, 158, 742-754.	3.2	66
36	A comparison study of the fresh and hardened properties of normal weight and lightweight aggregate concretes. <i>Journal of Building Engineering</i> , 2018, 15, 252-260.	1.6	57

#	ARTICLE	IF	CITATIONS
37	Optimum Oil Palm Shell Content as Coarse Aggregate in Concrete Based on Mechanical and Durability Properties. <i>Advances in Materials Science and Engineering</i> , 2018, 2018, 1-14.	1.0	27
38	Drying Shrinkage Strain of Palm-oil by-products Lightweight Concrete: A Comparison between Experimental and Prediction Models. <i>KSCE Journal of Civil Engineering</i> , 2018, 22, 4997-5008.	0.9	6
39	Thermal conductivity of concrete " A review. <i>Journal of Building Engineering</i> , 2018, 20, 81-93.	1.6	403
40	Engineering properties of lightweight aggregate concrete containing binary and ternary blended cement. <i>Journal of Cleaner Production</i> , 2017, 149, 976-988.	4.6	52
41	Production of A Green Lightweight Aggregate Concrete by Incorporating High Volume Locally Available Waste Materials. <i>Procedia Engineering</i> , 2017, 184, 778-783.	1.2	18
42	A review on indoor environmental quality (IEQ) and energy consumption in building based on occupant behavior. <i>Facilities</i> , 2017, 35, 684-695.	0.8	42
43	Manufacturing of high-strength lightweight aggregate concrete using blended coarse lightweight aggregates. <i>Journal of Building Engineering</i> , 2017, 13, 53-62.	1.6	73
44	Quality control of lightweight aggregate concrete based on initial and final water absorption tests. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 210, 012022.	0.3	13
45	Effect of Substitution of Normal Weight Coarse Aggregate with Oil-Palm-Boiler Clinker on Properties of Concrete. <i>Sains Malaysiana</i> , 2017, 46, 645-653.	0.3	6
46	High Strength Lightweight Aggregate Concrete using Blended Coarse Lightweight Aggregate Origin from Palm Oil Industry. <i>Sains Malaysiana</i> , 2017, 46, 667-675.	0.3	18
47	The Importance of Superplastizer Dosage in the Mix Design of Lightweight Aggregate Concrete Reinforced With Polypropylene Fiber. <i>MATEC Web of Conferences</i> , 2016, 66, 00020.	0.1	1
48	Mechanical properties of high strength semi-lightweight aggregate concrete containing high volume waste materials. <i>AIP Conference Proceedings</i> , 2016, , .	0.3	3
49	Mechanical Properties of High Strength Concrete Containing Coal Bottom Ash and Oil-Palm Boiler Clinker as Fine Aggregates. <i>MATEC Web of Conferences</i> , 2016, 66, 00034.	0.1	12
50	Oil-palm by-products as lightweight aggregate in concrete mixture: a review. <i>Journal of Cleaner Production</i> , 2016, 126, 56-73.	4.6	107
51	A new sustainable composite column using an agricultural solid waste as aggregate. <i>Journal of Cleaner Production</i> , 2016, 129, 282-291.	4.6	20
52	Drying shrinkage behaviour of structural lightweight aggregate concrete containing blended oil palm bio-products. <i>Journal of Cleaner Production</i> , 2016, 127, 183-194.	4.6	46
53	Utilization of high-volume treated palm oil fuel ash to produce sustainable self-compacting concrete. <i>Journal of Cleaner Production</i> , 2016, 137, 982-996.	4.6	102
54	Research progress on the flexural behaviour of externally bonded RC beams. <i>Archives of Civil and Mechanical Engineering</i> , 2016, 16, 982-1003.	1.9	46

#	ARTICLE	IF	CITATIONS
55	Effect of replacement of oil-palm-boiler clinker with oil palm shell on the properties of concrete. AIP Conference Proceedings, 2016, , .	0.3	3
56	Toward Sustainability in Concrete Industry by Using Of Solid Wastes from Palm Oil Industry. MATEC Web of Conferences, 2016, 66, 00099.	0.1	4
57	The relation between indoor environmental quality (IEQ) and energy consumption in building based on occupant behavior - A review. MATEC Web of Conferences, 2016, 66, 00086.	0.1	1
58	Engineering properties of lightweight aggregate concrete containing limestone powder and high volume fly ash. Journal of Cleaner Production, 2016, 135, 148-157.	4.6	106
59	Effects of polypropylene twisted bundle fibers on the mechanical properties of high-strength oil palm shell lightweight concrete. Materials and Structures/Materiaux Et Constructions, 2016, 49, 1221-1233.	1.3	31
60	Introducing an effective curing method for mortar containing high volume cementitious materials. Construction and Building Materials, 2016, 107, 365-377.	3.2	48
61	Benefits of using blended waste coarse lightweight aggregates in structural lightweight aggregate concrete. Journal of Cleaner Production, 2016, 119, 108-117.	4.6	77
62	Pitch spacing effect on the axial compressive behaviour of spirally reinforced concrete-filled steel tube (SRCFT). Thin-Walled Structures, 2016, 100, 213-223.	2.7	34
63	Flexural behaviour of RC beams strengthened with wire mesh-epoxy composite. Construction and Building Materials, 2015, 79, 104-114.	3.2	42
64	Development of Self-Consolidating High Strength Concrete Incorporating Treated Palm Oil Fuel Ash. Materials, 2015, 8, 2154-2173.	1.3	48
65	Strengthening of RC beams using prestressed fiber reinforced polymers " A review. Construction and Building Materials, 2015, 82, 235-256.	3.2	118
66	Supplementary cementitious materials origin from agricultural wastes " A review. Construction and Building Materials, 2015, 74, 176-187.	3.2	361
67	The use of wire mesh"epoxy composite for enhancing the flexural performance of concrete beams. Materials & Design, 2014, 60, 250-259.	5.1	43
68	Agricultural wastes as aggregate in concrete mixtures " A review. Construction and Building Materials, 2014, 53, 110-117.	3.2	186
69	Palm Oil Fuel Ash as a Partial Cement Replacement for Producing Durable Self-consolidating High-Strength Concrete. Arabian Journal for Science and Engineering, 2014, 39, 8507-8516.	1.1	38
70	The role of "2mm fine recycled concrete aggregate on the compressive and splitting tensile strengths of recycled concrete aggregate concrete. Materials & Design, 2014, 64, 345-354.	5.1	103
71	Mechanical Properties of Structural Lightweight Aggregate Concrete Containing Low Volume Steel Fiber. Arabian Journal for Science and Engineering, 2014, 39, 3579-3590.	1.1	35
72	A comparison study of the mechanical properties and drying shrinkage of oil palm shell and expanded clay lightweight aggregate concretes. Materials & Design, 2014, 60, 320-327.	5.1	57

#	ARTICLE	IF	CITATIONS
73	Structural lightweight aggregate concrete using two types of waste from the palm oil industry as aggregate. <i>Journal of Cleaner Production</i> , 2014, 80, 187-196.	4.6	109
74	Oil palm shell lightweight concrete containing high volume ground granulated blast furnace slag. <i>Construction and Building Materials</i> , 2013, 40, 231-238.	3.2	85
75	Engineering properties of oil palm shell lightweight concrete containing fly ash. <i>Materials & Design</i> , 2013, 49, 613-621.	5.1	98
76	High-Strength Lightweight Concrete Using Leca, Silica Fume, and Limestone. <i>Arabian Journal for Science and Engineering</i> , 2012, 37, 1885-1893.	1.1	44
77	Lightweight aggregate concrete fiber reinforcement – A review. <i>Construction and Building Materials</i> , 2012, 37, 452-461.	3.2	213
78	Effect of Replacement of Normal Weight Coarse Aggregate with Oil Palm Shell on Properties of Concrete. <i>Arabian Journal for Science and Engineering</i> , 2012, 37, 955-964.	1.1	21
79	Lightweight concrete made from crushed oil palm shell: Tensile strength and effect of initial curing on compressive strength. <i>Construction and Building Materials</i> , 2012, 27, 252-258.	3.2	118
80	Relationships between compressive strength of cement–slag mortars under air and water curing regimes. <i>Construction and Building Materials</i> , 2012, 31, 188-196.	3.2	38
81	Oil palm shell lightweight concrete as a ductile material. <i>Materials & Design</i> , 2012, 36, 650-654.	5.1	51
82	An experimental study on shear reinforcement in RC beams using CFRP-bars. <i>Scientific Research and Essays</i> , 2011, 6, 3447-3460.	0.1	8
83	A new method of producing high strength oil palm shell lightweight concrete. <i>Materials & Design</i> , 2011, 32, 4839-4843.	5.1	107
84	Using waste plastic bottles as additive for stone mastic asphalt. <i>Materials & Design</i> , 2011, 32, 4844-4849.	5.1	251
85	Oil palm shell as a lightweight aggregate for production high strength lightweight concrete. <i>Construction and Building Materials</i> , 2011, 25, 1848-1853.	3.2	160
86	Effect of steel fiber on the mechanical properties of oil palm shell lightweight concrete. <i>Materials & Design</i> , 2011, 32, 3926-3932.	5.1	106
87	Behavior of Channel Shear Connectors in Normal and Light Weight Aggregate Concrete (Experimental) Tj ETQq1 1 0.784314.rgBT /Over	0.3	23
88	Structural Lightweight Aggregate Concrete Containing High Volume Waste Materials. <i>Key Engineering Materials</i> , 0, 594-595, 498-502.	0.4	4
89	The Effect of Palm Oil Fuel Ash as a Cementreplacement Material on Self-Compacting Concrete. <i>Applied Mechanics and Materials</i> , 0, 567, 529-534.	0.2	5
90	Flexural Behaviour of Concrete Beams Bonded with Wire Mesh-Epoxy Composite. <i>Applied Mechanics and Materials</i> , 0, 567, 411-416.	0.2	5

#	ARTICLE	IF	CITATIONS
91	Structural Lightweight Aggregate Concrete by Incorporating Solid Wastes as Coarse Lightweight Aggregate. Applied Mechanics and Materials, 0, 749, 337-342.	0.2	15
92	Challenges of Using Agricultural Solid Wastes as Aggregate in Structural Concrete. , 0, , .		0