

Qingyuan Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6501043/publications.pdf>

Version: 2024-02-01

10
papers

562
citations

1040056

9
h-index

1372567

10
g-index

13
all docs

13
docs citations

13
times ranked

666
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification and classification of promoters using the attention mechanism based on long short-term memory. <i>Frontiers of Computer Science</i> , 2022, 16, .	2.4	6
2	Development of genic SSR marker resources from RNA-seq data in <i>Camellia japonica</i> and their application in the genus <i>Camellia</i> . <i>Scientific Reports</i> , 2021, 11, 9919.	3.3	16
3	Prediction of Anticancer Peptides Using a Low-Dimensional Feature Model. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 892.	4.1	30
4	Identification and Classification of Enhancers Using Dimension Reduction Technique and Recurrent Neural Network. <i>Computational and Mathematical Methods in Medicine</i> , 2020, 2020, 1-9.	1.3	10
5	SMRT sequencing of a full-length transcriptome reveals transcript variants involved in C18 unsaturated fatty acid biosynthesis and metabolism pathways at chilling temperature in <i>Pennisetum giganteum</i> . <i>BMC Genomics</i> , 2020, 21, 52.	2.8	16
6	RNA-seq based transcriptomic analysis uncovers Γ -linolenic acid and jasmonic acid biosynthesis pathways respond to cold acclimation in <i>Camellia japonica</i> . <i>Scientific Reports</i> , 2016, 6, 36463.	3.3	66
7	Comparative transcriptomic analysis uncovers the complex genetic network for resistance to <i>Sclerotinia sclerotiorum</i> in <i>Brassica napus</i> . <i>Scientific Reports</i> , 2016, 6, 19007.	3.3	126
8	Expression of <i>Brassica napus</i> TTG2, a regulator of trichome development, increases plant sensitivity to salt stress by suppressing the expression of auxin biosynthesis genes. <i>Journal of Experimental Botany</i> , 2015, 66, 5821-5836.	4.8	39
9	Identification of FAD2 and FAD3 genes in <i>Brassica napus</i> genome and development of allele-specific markers for high oleic and low linolenic acid contents. <i>Theoretical and Applied Genetics</i> , 2012, 125, 715-729.	3.6	154
10	Mapping of quantitative trait loci and development of allele-specific markers for seed weight in <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 2010, 121, 1289-1301.	3.6	99