

Evandro Sperandio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6501590/evandro-sperandio-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22

papers

121

citations

6

h-index

10

g-index

36

ext. papers

172

ext. citations

1.2

avg, IF

2.11

L-index

#	Paper	IF	Citations
22	Dynamic physiological responses in obese and non-obese adults submitted to cardiopulmonary exercise test. <i>PLoS ONE</i> , 2021 , 16, e0255724	3.7	2
21	Association between the handgrip strength and the isokinetic muscle function of the elbow and the knee in asymptomatic adults. <i>SAGE Open Medicine</i> , 2021 , 9, 2050312121993294	2.4	2
20	Use of a Smartphone App to Increase Physical Activity Levels in Insufficiently Active Adults: Feasibility Sequential Multiple Assignment Randomized Trial (SMART). <i>JMIR Research Protocols</i> , 2020 , 9, e14322	2	5
19	Dose-response relationship between very vigorous physical activity and cardiovascular health assessed by heart rate variability in adults: Cross-sectional results from the EPIMOV study. <i>PLoS ONE</i> , 2019 , 14, e0210216	3.7	10
18	FUNCTIONAL CAPACITY IN ADOLESCENT IDIOPATHIC SCOLIOSIS DURING THE POSTOPERATIVE PERIOD. <i>Revista Brasileira De Medicina Do Esporte</i> , 2019 , 25, 127-132	0.5	1
17	Presence of age- and sex-related differences in heart rate variability despite the maintenance of a suitable level of accelerometer-based physical activity. <i>Brazilian Journal of Medical and Biological Research</i> , 2019 , 52, e8088	2.8	7
16	PHOTOGRAMMETRY: A PROPOSAL OF OBJECTIVE ASSESSMENT OF CHEST WALL IN ADOLESCENT IDIOPATHIC SCOLIOSIS. <i>Revista Paulista De Pediatria</i> , 2019 , 37, 225-233	1.2	2
15	A new equation to predict peak VO in obese patients during cardiopulmonary exercise testing. <i>Clinical Physiology and Functional Imaging</i> , 2018 , 38, 462-467	2.4	1
14	Impact of Scoliosis Severity on Functional Capacity in Patients With Adolescent Idiopathic Scoliosis. <i>Pediatric Exercise Science</i> , 2018 , 30, 243-250	2	10
13	Thoracic changes and exercise capacity in patients with adolescent idiopathic scoliosis. <i>Fisioterapia Em Movimento</i> , 2017 , 30, 209-217	0.8	1
12	Evaluation of waist-to-height ratio as a predictor of insulin resistance in non-diabetic obese individuals. A cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2017 , 135, 462-468	1.6	6
11	Living near the port area is associated with physical inactivity and sedentary behavior. <i>Sao Paulo Medical Journal</i> , 2017 , 135, 34-41	1.6	
10	Dynamic physiological responses to the incremental shuttle walk test in adults. <i>Fisioterapia Em Movimento</i> , 2017 , 30, 821-830	0.8	
9	Restrictive pattern on spirometry: association with cardiovascular risk and level of physical activity in asymptomatic adults. <i>Jornal Brasileiro De Pneumologia</i> , 2016 , 42, 22-8	1.1	10
8	Screening for physical inactivity among adults: the value of distance walked in the six-minute walk test. A cross-sectional diagnostic study. <i>Sao Paulo Medical Journal</i> , 2016 , 134, 56-62	1.6	5
7	Association between physical activity in daily life and pulmonary function in adult smokers. <i>Jornal Brasileiro De Pneumologia</i> , 2016 , 42, 130-5	1.1	5
6	Evaluation of lung volumes, vital capacity and respiratory muscle strength after cervical, thoracic and lumbar spinal surgery. <i>Sao Paulo Medical Journal</i> , 2015 , 133, 388-93	1.6	2

5	Functional exercise capacity, lung function and chest wall deformity in patients with adolescent idiopathic scoliosis. <i>Fisioterapia Em Movimento</i> , 2015 , 28, 563-572	0.8	8
4	Functional aerobic exercise capacity limitation in adolescent idiopathic scoliosis. <i>Spine Journal</i> , 2014 , 14, 2366-72	4	32
3	COMPARATIVE STUDY OF THE EFFECTS OF LOW-LEVEL LASER AND LOW-INTENSITY ULTRASOUND ASSOCIATED WITH BIOSILICATE() ON THE PROCESS OF BONE REPAIR IN THE RAT TIBIA. <i>Revista Brasileira De Ortopedia</i> , 2012 , 47, 102-7		4
2	Comparação dos efeitos do laser de baixa potência e do ultrassom de baixa intensidade associado ao Biosilicato no processo de reparo ósseo em tíbias de ratos. <i>Revista Brasileira De Ortopedia</i> , 2012 , 47, 102-107	0.5	5
1	Reference values for the 6-min walk test in healthy middle-aged and older adults: from the total distance traveled to physiological responses. <i>Fisioterapia Em Movimento</i> , 32,	0.8	2