Bing-Hung Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/650198/publications.pdf

Version: 2024-02-01

86 3,617 36 58
papers citations h-index g-index

87 87 87 3865
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Preparation of Microemulsion from an Alkyl Polyglycoside Surfactant and Tea Tree Oil. Molecules, 2021, 26, 1971.	1.7	13
2	Preparation of cancrinite-type zeolite from diatomaceous earth as transesterification catalysts for biodiesel production. Renewable Energy, 2021, 174, 347-358.	4.3	27
3	Hydrodeoxygenation of palmitic acid over zeolite-supported nickel catalysts. Catalysis Today, 2021, 379, 124-131.	2.2	31
4	Heterogeneous Catalysts Using Strontium Oxide Agglomerates Depositing upon Titanium Plate for Enhancing Biodiesel Production. Catalysts, 2021, 11, 30.	1.6	15
5	Recent advances in one-stage conversion of lipid-based biomass-derived oils into fuel components – aromatics and isomerized alkanes. Fuel, 2020, 278, 118255.	3.4	38
6	Synthesis of Intelligent pH Indicative Films from Chitosan/Poly(vinyl alcohol)/Anthocyanin Extracted from Red Cabbage. Polymers, 2019, 11, 1088.	2.0	61
7	Metasilicate-based catalyst prepared from natural diatomaceous earth for biodiesel production. Renewable Energy, 2019, 138, 1042-1050.	4.3	16
8	Biological stoichiometry and bioenergetics of <i>Fusarium oxysporum</i> EKT01/02 proliferation using different substrates in cyanidation wastewater. Canadian Journal of Chemical Engineering, 2018, 96, 537-544.	0.9	2
9	Mesoâ€Functionalization of Silk Fibroin by Upconversion Fluorescence and Near Infrared In Vivo Biosensing. Advanced Functional Materials, 2017, 27, 1700628.	7.8	48
10	Transesterification of acid soybean oil for biodiesel production using lithium metasilicate catalyst prepared from diatomite. Journal of the Taiwan Institute of Chemical Engineers, 2017, 79, 31-36.	2.7	26
11	Optimization of biodiesel production from transesterification of triolein using zeolite LTA catalysts synthesized from kaolin clay. Journal of the Taiwan Institute of Chemical Engineers, 2017, 79, 14-22.	2.7	47
12	Nonionic Microemulsions as Solubilizers of Hydrophobic Drugs: Solubilization of Paclitaxel. Materials, 2016, 9, 761.	1.3	9
13	High-silica zeolite beta as a heterogeneous catalyst in transesterification of triolein for biodiesel production. Catalysis Today, 2016, 278, 335-343.	2.2	43
14	The Concept about the Regeneration of Spent Borohydrides and Used Catalysts from Green Electricity. Materials, 2015, 8, 3456-3466.	1.3	12
15	Hydrogen generation from deliquescence of ammonia borane using Ni–Co/r-GO catalyst. Journal of Power Sources, 2015, 293, 343-350.	4.0	17
16	Hydrogen generation from catalytic hydrolysis of sodium borohydride using bimetallic Ni–Co nanoparticles on reduced graphene oxide as catalysts. Energy, 2015, 90, 1973-1982.	4.5	97
17	Biodiesel Produced from Catalyzed Transesterification of Triglycerides Using ion-Exchanged Zeolite Beta and MCM-22. Energy Procedia, 2014, 61, 933-936.	1.8	21
18	Low-Al Zeolite Beta as a Heterogeneous Catalyst in Biodiesel Production from Microwave-assisted Transesterification of Triglycerides. Energy Procedia, 2014, 61, 918-921.	1.8	16

#	Article	IF	CITATIONS
19	Hydrogen Storage in a Chemical Hydride Fuel System Containing Ammonia Borane and Ni-Co/r-GO Catalyst. Energy Procedia, 2014, 61, 142-145.	1.8	8
20	Interaction between Hydrophobically Modified 2-Hydroxyethyl Cellulose and Sodium Dodecyl Sulfate Studied by Viscometry and Two-Dimensional NOE NMR Spectroscopy. Journal of Physical Chemistry B, 2014, 118, 6922-6930.	1.2	14
21	Micellization and gelation of PEO-PPO-PEO binary mixture with non-identical PPO block lengths in aqueous solution. Polymer, 2014, 55, 5284-5291.	1.8	15
22	Plasma enhanced chemical vapor deposition silicon nitride for a high-performance lithium ion battery anode. Journal of Power Sources, 2014, 269, 520-525.	4.0	38
23	Effects of reduction temperature and pH value of polyol process on reduced graphene oxide supported Pt electrocatalysts for oxygen reduction reaction. Energy, 2014, 70, 231-238.	4.5	32
24	Dyeâ€sensitized TiO ₂ solar cells based on nanocomposite photoanode containing plasmaâ€modified multiâ€walled carbon nanotubes. Progress in Photovoltaics: Research and Applications, 2013, 21, 47-57.	4.4	46
25	Application of kaolin-based catalysts in biodiesel production via transesterification of vegetable oils in excess methanol. Bioresource Technology, 2013, 145, 175-181.	4.8	70
26	Optimization in esterification of palmitic acid with excess methanol by solid acid catalyst. Fuel Processing Technology, 2013, 109, 7-12.	3.7	13
27	Optimization of sodium loading on zeolite support for catalyzed transesterification of triolein with methanol. Bioresource Technology, 2013, 145, 248-253.	4.8	17
28	Transesterification of Triolein to Biodiesel Using Sodium-Loaded Catalysts Prepared from Zeolites. Industrial & Engineering Chemistry Research, 2012, 51, 9959-9965.	1.8	29
29	Hydrogen production from hydrolysis of ammonia borane with limited water supply. International Journal of Hydrogen Energy, 2012, 37, 15681-15690.	3.8	28
30	Hydrogen generated from hydrolysis of ammonia borane using cobalt and ruthenium based catalysts. International Journal of Hydrogen Energy, 2012, 37, 2950-2959.	3.8	60
31	Electrochemical and Raman spectroscopic evaluation of Pt/graphitized carbon black catalyst durability for the start/stop operating condition of polymer electrolyte fuel cells. Electrochimica Acta, 2012, 70, 171-181.	2.6	107
32	Incorporation of plasma-functionalized carbon nanocapsules into a nanocrystalline TiO2 photoanode for use in dye-sensitized solar cells. Carbon, 2011, 49, 4898-4910.	5.4	12
33	A novel design of solid-state NaBH4 composite as a hydrogen source for 2W PEMFC applications. Journal of Power Sources, 2011, 196, 3530-3538.	4.0	26
34	Novel fabrication of solid-state NaBH4/Ru-based catalyst composites for hydrogen evolution using a high-energy ball-milling process. Journal of Power Sources, 2010, 195, 3887-3892.	4.0	40
35	Self-emulsifying O/W formulations of paclitaxel prepared from mixed nonionic surfactants. Journal of Pharmaceutical Sciences, 2010, 99, 2320-2332.	1.6	32
36	Synthesis of solid-state NaBH4/Co-based catalyst composite for hydrogen storage through a high-energy ball-milling process. International Journal of Hydrogen Energy, 2010, 35, 4027-4040.	3.8	42

#	Article	IF	Citations
37	Trimethyl Borate Regenerated from Spent Sodium Borohydride after Hydrogen Production. Industrial & Engineering Chemistry Research, 2010, 49, 9864-9869.	1.8	18
38	Regeneration of spent-NaBH4 back to NaBH4 by using high-energy ball milling. International Journal of Hydrogen Energy, 2009, 34, 1717-1725.	3.8	72
39	Hydrogen generation from hydrolysis of sodium borohydride using Ni–Ru nanocomposite as catalysts. International Journal of Hydrogen Energy, 2009, 34, 2153-2163.	3.8	179
40	Effect of nonionic surfactants on biodegradation of phenanthrene by a marine bacteria of Neptunomonas naphthovorans. Journal of Hazardous Materials, 2009, 162, 66-73.	6.5	51
41	Effects of additives on the cloud points of selected nonionic linear ethoxylated alcohol surfactants. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2009, 346, 237-243.	2.3	98
42	Preparation of magnetic cobalt-based catalyst for hydrogen generation from alkaline NaBH4 solution. Applied Catalysis B: Environmental, 2009, 91, 368-379.	10.8	109
43	Surfactant-mediated Biodegradation of Polycyclic Aromatic Hydrocarbons. Materials, 2009, 2, 76-94.	1.3	118
44	Recovering phenanthrene from spiked sand by a combined remediation process of micellar solubilization and cloud-point extraction. Journal of the Taiwan Institute of Chemical Engineers, 2008, 39, 337-342.	1.4	10
45	Solubilisation of triolein by microemulsions containing C12E4/hexadecane/water: Equilibrium and dynamics. Journal of Colloid and Interface Science, 2008, 325, 508-515.	5.0	8
46	Characteristics of Magnetic Mesoparticles Fabricated by Electroless Nickel Deposition. Industrial & Lamp; Engineering Chemistry Research, 2008, 47, 3021-3029.	1.8	3
47	Application of L3 sponge phase in extraction of polycyclic aromatic hydrocarbons. AICHE Journal, 2007, 53, 1450-1459.	1.8	8
48	The 2006 summary of scientific productivity of chemical engineers in Taiwan. Journal of the Taiwan Institute of Chemical Engineers, 2007, 38, 501-504.	1.4	2
49	Cloud-point extraction of selected polycyclic aromatic hydrocarbons by nonionic surfactants. Separation and Purification Technology, 2007, 57, 1-10.	3.9	58
50	Rheological Behavior of Wastewater Sludge Following Cationic Polyelectrolyte Flocculation. Drying Technology, 2006, 24, 1289-1295.	1.7	8
51	Role of Cu2+as an Additive in an Electroless Nickelâ^'Phosphorus Plating System:Â A Stabilizer or a Codeposit?. Chemistry of Materials, 2006, 18, 2959-2968.	3.2	43
52	Fabrication of magnetic nickel–tungsten–phosphorus particles by electroless deposition. Journal of Magnetism and Magnetic Materials, 2006, 305, 342-347.	1.0	9
53	Solubilization of selected polycyclic aromatic compounds by nonionic surfactants. Journal of Surfactants and Detergents, 2006, 9, 237-244.	1.0	22
54	Review of CO2 absorption using chemical solvents in hollow fiber membrane contactors. Separation and Purification Technology, 2005, 41, 109-122.	3.9	481

#	Article	IF	CITATIONS
55	Solubilization of Selected Free Fatty Acids in Palm Oil by Biodegradable Ethoxylated Surfactants. Journal of Agricultural and Food Chemistry, 2005, 53, 4476-4483.	2.4	11
56	Interaction between a Nonionic Surfactant and a Hydrophobically Modified 2-Hydroxyethyl Cellulose. Journal of Physical Chemistry B, 2005, 109, 4909-4916.	1.2	20
57	Nonionic Surfactant and Temperature Effects on the Viscosity of Hydrophobically Modified Hydroxyethyl Cellulose Solutions. Journal of Physical Chemistry B, 2005, 109, 14198-14204.	1.2	40
58	Rheological characteristics of the cationic polyelectrolyte flocculated wastewater sludge. Water Research, 2005, 39, 4429-4435.	5. 3	34
59	Microemulsion Syntheses of Sn and SnO[sub 2]-Graphite Nanocomposite Anodes for Li-lon Batteries. Journal of the Electrochemical Society, 2004, 151, A563.	1.3	49
60	Effect of halogen in high-density oxygen plasmas on photoresist trimming. AICHE Journal, 2004, 50, 1578-1588.	1.8	2
61	Role of a Pb2+Stabilizer in the Electroless Nickel Plating System:Â A Theoretical Exploration. Journal of Physical Chemistry B, 2004, 108, 10919-10929.	1.2	53
62	Preconcentration of Phenanthrene from Aqueous Solution by a Slightly Hydrophobic Nonionic Surfactant. Langmuir, 2004, 20, 6068-6070.	1.6	23
63	Modeling the stability of electroless plating bath—diffusion of nickel colloidal particles from the plating frontier. Journal of Colloid and Interface Science, 2003, 262, 89-96.	5.0	40
64	Equilibrium partition of polycyclic aromatic hydrocarbons in a cloud-point extraction process. Journal of Colloid and Interface Science, 2003, 263, 625-632.	5.0	78
65	Resist trimming technique in CF4/O2 high-density plasmas for sub-0.1 νm MOSFET fabrication using 248-nm lithography. Microelectronic Engineering, 2003, 65, 394-405.	1.1	5
66	Photoresist Trimming in Oxygen-Based High-Density Plasmas:Â Effect of HBr and Cl2Addition to CF4/O2Mixtures. Industrial & Engineering Chemistry Research, 2003, 42, 6080-6087.	1.8	1
67	Corrosive Behavior of Tungsten in Post Dry-Etch Residue Remover. Industrial & Engineering Chemistry Research, 2003, 42, 6096-6103.	1.8	8
68	Study of Interaction between Cetyltrimethylammonium Bromide and Poly(acrylic acid) by Rheological Measurements. Journal of Physical Chemistry B, 2003, 107, 6491-6496.	1.2	36
69	A study on the interfacial composition of the electroless-copper-plated BPDA-PDA polyimide sheet. Journal of Materials Chemistry, 2003, 13, 818-824.	6.7	27
70	Microemulsion Synthesis of Tin Oxide-Graphite Nanocomposites as Negative Electrode Materials for Lithium-Ion Batteries. Electrochemical and Solid-State Letters, 2003, 6, A19.	2.2	33
71	Resist trimming in high-density CF[sub 4]/O[sub 2] plasmas for sub-0.1 $\hat{1}\frac{1}{4}$ m device fabrication. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2002, 20, 1974.	1.6	19
72	Effects of Surfactants in an Electroless Nickel-Plating Bath on the Properties of Niâ^'P Alloy Deposits. Industrial & Engineering Chemistry Research, 2002, 41, 2668-2678.	1.8	89

#	Article	IF	CITATIONS
73	Creating New Supramolecular Materials by Architecture of Three-Dimensional Nanocrystal Fiber Networks. Journal of the American Chemical Society, 2002, 124, 15055-15063.	6.6	103
74	Polymeric nanospheres fabricated with natural emulsifiers for clinical administration of an anticancer drug paclitaxel (Taxol®). Materials Science and Engineering C, 2002, 20, 85-92.	3.8	45
75	Finite element analysis of slow drug release through deformed coating film: effects of morphology and average thickness of coating film. International Journal of Pharmaceutics, 2002, 234, 25-42.	2.6	15
76	Solubilization of model polycyclic aromatic hydrocarbons by nonionic surfactants. Chemical Engineering Science, 2002, 57, 2825-2835.	1.9	122
77	A Novel Cloud-Point Extraction Process for Preconcentrating Selected Polycyclic Aromatic Hydrocarbons in Aqueous Solution. Environmental Science & Environmental Science & 2001, 35, 3936-3940.	4.6	85
78	Dissolution of nonionic surfactant mixtures. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2001, 183-185, 191-202.	2.3	11
79	Slow Release of Drug through Deformed Coating Film: Effects of Morphology and Drug Diffusivity in the Coating Film. Journal of Pharmaceutical Sciences, 2001, 90, 1478-1496.	1.6	18
80	Description of multi-particle systems using Voronoi polyhedra. Powder Technology, 2001, 119, 81-88.	2.1	4
81	Turbidity and critical behavior of a colloid-polymer system. Physical Review E, 2001, 64, 042401.	0.8	15
82	Order parameter and interfacial tension of a colloid-polymer system. Physical Review E, 2000, 62, 2369-2372.	0.8	42
83	Dissolution Rates of Pure Nonionic Surfactants. Langmuir, 2000, 16, 5276-5283.	1.6	31
84	Rates of Solubilization of Triolein/Fatty Acid Mixtures by Nonionic Surfactant Solutions. Langmuir, 1998, 14, 31-41.	1.6	42
85	Rates of solubilization of triolein into nonionic surfactant solutions. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1997, 128, 129-143.	2.3	51
86	Sub-0.1 \hat{l} 4m MOSFET fabrication using 248 nm lithography by resist trimming technique in high density plasmas., 0,,.		0