

Per-Arne LÃ¶nnqvist

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6504298/publications.pdf>

Version: 2024-02-01

110
papers

4,156
citations

94433

37
h-index

123424

61
g-index

112
all docs

112
docs citations

112
times ranked

1753
citing authors

#	ARTICLE	IF	CITATIONS
1	Paravertebral blockade.. Anaesthesia, 1995, 50, 813-815.	3.8	378
2	Somatic paravertebral nerve blockade Incidence of failed block and complications. Anaesthesia, 2001, 56, 1181-1201.	3.8	275
3	Thoracic paravertebral block. British Journal of Anaesthesia, 1998, 81, 230-238.	3.4	245
4	Bilateral thoracic paravertebral block: potential and practice. British Journal of Anaesthesia, 2011, 106, 164-171.	3.4	169
5	The place of premedication in pediatric practice. Paediatric Anaesthesia, 2009, 19, 817-828.	1.1	111
6	Caudal epidural blocks in paediatric patients: a review and practical considerations. British Journal of Anaesthesia, 2019, 122, 509-517.	3.4	111
7	Clonidine vs. midazolam as premedication in children undergoing adeno-tonsillectomy: A prospective, randomized, controlled clinical trial. Acta Anaesthesiologica Scandinavica, 2004, 48, 1292-1300.	1.6	108
8	Ropivacaine-clonidine combination for caudal blockade in children. Acta Anaesthesiologica Scandinavica, 2000, 44, 446-449.	1.6	101
9	Ultrasound Versus Landmark-Based Technique for Ilioinguinal-Iliohypogastric Nerve Blockade in Children: The Implications on Plasma Levels of Ropivacaine. Anesthesia and Analgesia, 2009, 108, 1488-1492.	2.2	87
10	Postoperative pain management in children: Guidance from the pain committee of the European Society for Paediatric Anaesthesiology (<scp>ESPA</scp> Pain Management Ladder Initiative). Paediatric Anaesthesia, 2018, 28, 493-506.	1.1	87
11	Plasma Concentrations of Bupivacaine in Neonates After Continuous Epidural Infusion. Anesthesia and Analgesia, 1997, 84, 501-505.	2.2	85
12	Ropivacaine pharmacokinetics after caudal block in 1-8 year old children. British Journal of Anaesthesia, 2000, 85, 506-511.	3.4	85
13	The caudal boundary of the thoracic paravertebral space.. Anaesthesia, 1992, 47, 1051-1052.	3.8	83
14	Comparison of racemic bupivacaine, ropivacaine, and levo-bupivacaine for pediatric caudal anesthesia: Effects on postoperative analgesia and motor block†. Regional Anesthesia and Pain Medicine, 2002, 27, 157-161.	2.3	83
15	Continuous paravertebral block in children.. Anaesthesia, 1992, 47, 607-609.	3.8	81
16	The Dose-Response Relationship for Clonidine Added to a Postoperative Continuous Epidural Infusion of Ropivacaine in Children. Anesthesia and Analgesia, 2001, 93, 71-76.	2.2	76
17	Themed issue "Pediatric Regional Anesthesia" starting 2012 with a bang!. Paediatric Anaesthesia, 2012, 22, 1-2.	1.1	68
18	Paravertebral vs epidural block in children. Effects on postoperative morphine requirement after renal surgery. Acta Anaesthesiologica Scandinavica, 1994, 38, 346-349.	1.6	66

#	ARTICLE	IF	CITATIONS
19	A Comparison of Three Different Concentrations of Levobupivacaine for Caudal Block in Children. <i>Anesthesia and Analgesia</i> , 2003, 97, 368-371.	2.2	65
20	Pharmacokinetics of Clonidine after Rectal Administration in Children. <i>Anesthesiology</i> , 1994, 81, 1097-1101.	2.5	61
21	Adjuncts to caudal block in children—Quo vadis?. <i>British Journal of Anaesthesia</i> , 2005, 95, 431-433.	3.4	61
22	Plasma levels of clonidine following epidural bolus injection in children. <i>Acta Anaesthesiologica Scandinavica</i> , 1998, 42, 306-311.	1.6	53
23	Use of caudal-epidural opioids in children: still state of the art or the beginning of the end?. <i>Paediatric Anaesthesia</i> , 2002, 12, 747-749.	1.1	53
24	Midazolam as premedication: Is the emperor naked or just half-dressed?. <i>Paediatric Anaesthesia</i> , 2005, 15, 263-265.	1.1	51
25	Caudal anesthesia for minor pediatric surgery: a prospective randomized comparison of ropivacaine 0.2% vs levobupivacaine 0.2%. <i>Paediatric Anaesthesia</i> , 2005, 15, 491-494.	1.1	48
26	Spinal versus peripheral effects of adjunct clonidine: comparison of the analgesic effect of a ropivacaine-clonidine mixture when administered as a caudal or ilioinguinal-iliohypogastric nerve blockade for inguinal surgery in children. <i>Paediatric Anaesthesia</i> , 2002, 12, 680-684.	1.1	47
27	Segmental distribution of high-volume caudal anesthesia in neonates, infants, and toddlers as assessed by ultrasonography. <i>Paediatric Anaesthesia</i> , 2011, 21, 121-127.	1.1	47
28	Toxicity of local anesthetic drugs: a pediatric perspective. <i>Paediatric Anaesthesia</i> , 2012, 22, 39-43.	1.1	47
29	Dexmedetomidine as adjunct to ilioinguinal/iliohypogastric nerve blocks for pediatric inguinal hernia repair: an exploratory randomized controlled trial. <i>Paediatric Anaesthesia</i> , 2015, 25, 897-905.	1.1	46
30	The European society of regional anesthesia and pain therapy and the American society of regional anesthesia and pain medicine joint committee practice advisory on controversial topics in pediatric regional anesthesia I and II. <i>Current Opinion in Anaesthesiology</i> , 2017, 30, 613-620.	2.0	46
31	Secondary spread of caudal block as assessed by ultrasonography. <i>British Journal of Anaesthesia</i> , 2012, 108, 675-681.	3.4	45
32	Ultrasound assessment of cranial spread during caudal blockade in children: the effect of different volumes of local anaesthetics. <i>British Journal of Anaesthesia</i> , 2011, 107, 229-235.	3.4	43
33	Daring discourse: should the ESP block be renamed RIP II block?. <i>Regional Anesthesia and Pain Medicine</i> , 2021, 46, 57-60.	2.3	42
34	Radiological and clinical distribution of thoracic paravertebral blockade in infants and children. <i>Paediatric Anaesthesia</i> , 1993, 3, 83-87.	1.1	41
35	Distance between the skin and the thoracic paravertebral space. <i>Anaesthesia</i> , 2005, 60, 680-684.	3.8	40
36	Paediatric day-case anaesthesia and pain control. <i>Current Opinion in Anaesthesiology</i> , 2006, 19, 617-621.	2.0	40

#	ARTICLE	IF	CITATIONS
37	A comparison of nerve stimulator guided paravertebral block and ilio-inguinal nerve block for analgesia after inguinal herniorrhaphy in children. <i>Anaesthesia</i> , 2006, 61, 1064-1068.	3.8	40
38	Alpha α 2 adrenoceptor agonists as adjuncts to peripheral nerve blocks in children: a meta-analysis. <i>Paediatric Anaesthesia</i> , 2016, 26, 232-238.	1.1	39
39	Is ultrasound guidance mandatory when performing paediatric regional anaesthesia?. <i>Current Opinion in Anaesthesiology</i> , 2010, 23, 337-341.	2.0	38
40	Single injection paravertebral block for renal surgery in children. <i>Paediatric Anaesthesia</i> , 2008, 18, 593-597.	1.1	37
41	Regional anaesthesia and analgesia in the neonate. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2010, 24, 309-321.	4.0	34
42	Inhaled nitric oxide in neonates and children with pulmonary hypertension. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1994, 83, 1132-1136.	1.5	33
43	Ultrasound-guided infrapatellar nerve block for anterior cruciate ligament repair: a prospective, randomised, double-blind, placebo-controlled clinical trial. <i>European Journal of Anaesthesiology</i> , 2011, 28, 511-518.	1.7	33
44	Bradycardia in perspective – not all reductions in heart rate need immediate intervention. <i>Paediatric Anaesthesia</i> , 2015, 25, 44-51.	1.1	30
45	Acute pulmonary hypertension and short-term outcomes in severe Covid-19 patients needing intensive care. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 761-769.	1.6	30
46	Comparison of Static End-expiratory and Effective Lung Volumes for Gas Exchange in Healthy and Surfactant-depleted Lungs. <i>Anesthesiology</i> , 2013, 119, 101-110.	2.5	29
47	Pharmacokinetics and haemodynamic response after an intravenous bolus injection of clonidine in children. <i>Paediatric Anaesthesia</i> , 1993, 3, 359-364.	1.1	28
48	Successful Use of Laryngeal Mask Airway in Low-Weight Expreature Infants with Bronchopulmonary Dysplasia Undergoing Cryotherapy for Retinopathy of the Premature. <i>Anesthesiology</i> , 1995, 83, 422-424..	2.5	26
49	Adjuncts should always be used in pediatric regional anesthesia. <i>Paediatric Anaesthesia</i> , 2015, 25, 100-106.	1.1	26
50	Persistent left superior vena cava – an unusual location of central venous catheters in children. <i>Intensive Care Medicine</i> , 1991, 17, 497-500.	8.2	24
51	Plasma concentrations of bupivacaine in young infants after continuous epidural infusion. <i>Paediatric Anaesthesia</i> , 1994, 4, 159-162.	1.1	23
52	Alpha α 2 adrenoceptor agonists as adjuncts to Peripheral Nerve Blocks in Children – is there a mechanism of action and should we use them?. <i>Paediatric Anaesthesia</i> , 2012, 22, 421-424.	1.1	23
53	Low Plasma Sodium Concentration Predicts Perforated Acute Appendicitis in Children: A Prospective Diagnostic Accuracy Study. <i>European Journal of Pediatric Surgery</i> , 2020, 30, 350-356.	1.3	23
54	Postoperative nausea and vomiting in paediatric ambulatory surgery: sevoflurane versus spinal anaesthesia with propofol sedation. <i>Paediatric Anaesthesia</i> , 2001, 11, 337-342.	1.1	21

#	ARTICLE	IF	CITATIONS
55	Reduction of cerebral mean blood flow velocity and oxygenation after high-volume (1.5 ml kg ⁻¹) caudal block in infants. <i>British Journal of Anaesthesia</i> , 2014, 113, 688-694.	3.4	21
56	Adjunct analgesic drugs to local anaesthetics for neuroaxial blocks in children. <i>Current Opinion in Anaesthesiology</i> , 2016, 29, 626-631.	2.0	20
57	Does prolonged propofol sedation of mechanically ventilated COVID-19 patients contribute to critical illness myopathy?. <i>British Journal of Anaesthesia</i> , 2020, 125, e334-e336.	3.4	20
58	Validation of capnodynamic determination of cardiac output by measuring effective pulmonary blood flow: a study in anaesthetised children and piglets. <i>British Journal of Anaesthesia</i> , 2018, 121, 550-558.	3.4	19
59	Plasma concentrations of lignocaine after thoracic paravertebral blockade in infants and children. <i>Anaesthesia</i> , 1993, 48, 958-960.	3.8	17
60	Interactive web-based format vs conventional brochure material for information transfer to children and parents: a randomized controlled trial regarding preoperative information. <i>Paediatric Anaesthesia</i> , 2017, 27, 657-664.	1.1	17
61	Close-to-the-nerve vs interfascial plane blocks: Sniper rifle vs shotgun" which will hit the target most reliably?. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1126-1128.	1.6	17
62	Ropivacaine for central blocks in children. <i>Anaesthesia</i> , 1998, 53, 74-76.	3.8	16
63	Plasma concentrations of levobupivacaine associated with two different intermittent wound infusion regimens following surgical ductus ligation in preterm infants. <i>Paediatric Anaesthesia</i> , 2015, 25, 711-718.	1.1	16
64	Capnodynamic assessment of effective lung volume during cardiac output manipulations in a porcine model. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 761-769.	1.6	16
65	Plasma concentrations of alpha-1-acid glycoprotein in preterm and term newborns: influence of mode of delivery and implications for plasma protein binding of local anaesthetics. <i>British Journal of Anaesthesia</i> , 2018, 121, 427-431.	3.4	16
66	Impact of Anesthetics, Analgesics, and Perioperative Blood Transfusion in Pediatric Cancer Patients. <i>Anesthesia and Analgesia</i> , 2019, 129, 1653-1665.	2.2	16
67	Blocks for pain management in children undergoing ambulatory surgery. <i>Current Opinion in Anaesthesiology</i> , 2011, 24, 627-632.	2.0	15
68	Volumes of the spinal canal and caudal space in children zero to three years of age assessed by magnetic resonance imaging: implications for volume dosage of caudal blockade. <i>British Journal of Anaesthesia</i> , 2017, 119, 972-978.	3.4	15
69	Consent issues and pediatric regional anesthesia. <i>Paediatric Anaesthesia</i> , 2009, 19, 958-960.	1.1	14
70	Onset time for pharmacologic premedication with clonidine as a nasal aerosol: a double-blind, placebo-controlled, randomized trial. <i>Paediatric Anaesthesia</i> , 2012, 22, 877-883.	1.1	12
71	Blood pressure and flow in pediatric anesthesia: An educational review. <i>Paediatric Anaesthesia</i> , 2022, 32, 10-16.	1.1	12
72	What's new in pediatric paravertebral analgesia. <i>Techniques in Regional Anesthesia and Pain Management</i> , 2002, 6, 131-135.	0.2	11

#	ARTICLE	IF	CITATIONS
73	Age-dependent variations in white adipose tissue glycerol and lactate production after surgery measured by microdialysis in neonates and children. <i>Paediatric Anaesthesia</i> , 2000, 10, 283-289.	1.1	10
74	Exhaled Nitric Oxide Increases During High Frequency Oscillatory Ventilation in Rabbits. <i>Experimental Physiology</i> , 1999, 84, 959-969.	2.0	9
75	The potential future or just a way of trespassing the safety limits of pediatric regional anesthesia?. <i>Paediatric Anaesthesia</i> , 2011, 21, 95-97.	1.1	9
76	A Continuous Noninvasive Method to Assess Mixed Venous Oxygen Saturation: A Proof-of-Concept Study in Pigs. <i>Anesthesia and Analgesia</i> , 2021, 132, 1768-1776.	2.2	9
77	Major abdominal surgery of the neonate: anaesthetic considerations. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2004, 18, 321-342.	4.0	8
78	Capnodynamic determination of cardiac output in hypoxia-induced pulmonary hypertension in pigs. <i>British Journal of Anaesthesia</i> , 2019, 122, 335-341.	3.4	8
79	Role of information and preparation for improvement of pediatric perioperative care. <i>Paediatric Anaesthesia</i> , 2022, 32, 600-608.	1.1	8
80	Cardiac Output Assessments in Anesthetized Children: Dynamic Capnography Versus Esophageal Doppler. <i>Anesthesia and Analgesia</i> , 2022, 134, 644-652.	2.2	7
81	Capnodynamics—Measuring cardiac output via ventilation. <i>Paediatric Anaesthesia</i> , 2022, 32, 255-261.	1.1	7
82	Difficult Tracheal Intubation in Patients with Retinoblastoma Caused by 13q Deficiency. <i>Japanese Journal of Clinical Oncology</i> , 1998, 28, 507-510.	1.3	6
83	The potential implications of using disability-free survival and number needed to suffer as outcome measures for neonatal intensive care. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 200-202.	1.5	6
84	A healthy measure of monitoring fundamentals!. <i>Paediatric Anaesthesia</i> , 2018, 28, 580-587.	1.1	6
85	EXHALED NITRIC OXIDE INCREASES DURING HIGH FREQUENCY OSCILLATORY VENTILATION IN RABBITS. <i>Experimental Physiology</i> , 1999, 84, 959-969.	2.0	6
86	Incidence of bradycardia at arrival to the operating room after oral or intravenous premedication with clonidine in children. <i>Paediatric Anaesthesia</i> , 2015, 25, 956-962.	1.1	5
87	What has happened since the First World Congress on Pediatric Pain in 1988? The past, the present and the future. <i>Minerva Anestesiologica</i> , 2020, 86, 1205-1213.	1.0	5
88	Non-invasive capnodynamic mixed venous oxygen saturation during major changes in oxygen delivery. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 1315-1324.	1.6	5
89	Cerebral blood flow alterations associated with high volume caudal block in infants. <i>British Journal of Anaesthesia</i> , 2020, 125, 1064-1069.	3.4	4
90	End-tidal expiratory lung volume assessment using helium and carbon dioxide in an experimental model of pediatric capnoperitoneum. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1106-1113.	1.6	4

#	ARTICLE	IF	CITATIONS
91	Rapid systemic uptake of naloxone after intranasal administration in children. <i>Paediatric Anaesthesia</i> , 2021, 31, 631-636.	1.1	4
92	Author's reply. <i>Paediatric Anaesthesia</i> , 2008, 18, 271-271.	1.1	3
93	A different perspective. <i>Current Opinion in Anaesthesiology</i> , 2018, 31, 308-312.	2.0	3
94	Number needed to suffer: replying to comments on my paper. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 204-205.	1.5	3
95	Sodium and water homeostasis in children admitted with acute appendicitis: a prospective study. <i>Pediatric Research</i> , 2019, 86, 5-8.	2.3	3
96	Determination of adequate positive end-expiratory pressure level required for carbon dioxide homeostasis in an animal model of infant laparoscopy. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1114-1119.	1.6	3
97	Asleep or awake: is paediatric regional anaesthesia without general anaesthesia possible?. <i>British Journal of Anaesthesia</i> , 2020, 125, 115-117.	3.4	3
98	Reply to Dr. Haydar regarding his comment: caudal clonidine and apnea risk. <i>Paediatric Anaesthesia</i> , 2015, 25, 538-538.	1.1	2
99	Ultrasound-guided parasternal Pecs block: a new and useful supplement to Pecs I and serratus anterior plane blocks. <i>Anaesthesia Cases</i> , 2016, 4, 29-32.	0.0	2
100	20 Sevoflurane Effect on Cerebral Haemodynamics During Induction of Anesthesia in Young Children Assessed By Near Infrared Spectroscopy. Preliminary Results. <i>Pediatric Research</i> , 2004, 56, 467-467.	2.3	1
101	Authors' reply. <i>Paediatric Anaesthesia</i> , 2007, 17, 401-401.	1.1	1
102	Anatomical dissections are not obsolete. <i>European Journal of Anaesthesiology</i> , 2014, 31, 303-304.	1.7	1
103	Primary spread of caudal blockade in children: the possible limiting role of the lumbar spinal cord enlargement (tumenescence) in combination with the cerebrospinal fluid rebound mechanism. <i>Paediatric Anaesthesia</i> , 2021, 31, 650-654.	1.1	1
104	Efficacy and pharmacokinetics of erector spinae plane block in children. <i>Regional Anesthesia and Pain Medicine</i> , 2021, 46, rapm-2020-102354.	2.3	1
105	Accumulating marginal gains. <i>Regional Anesthesia and Pain Medicine</i> , 2021, 46, 459-459.	2.3	1
106	In Memoriam Professor Riku Aantaa: 1959–2016. <i>Paediatric Anaesthesia</i> , 2017, 27, 444-445.	1.1	0
107	Response to comments on our Editorial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 277-277.	1.6	0
108	Response to comments by Dr Forero to our daring discourse. <i>Regional Anesthesia and Pain Medicine</i> , 2021, 46, 837-838.	2.3	0

#	ARTICLE	IF	CITATIONS
109	Response to Dr Howle and colleagues. Regional Anesthesia and Pain Medicine, 2021, 46, 929-930.	2.3	0
110	Comment regarding the recent Editorial by Vutskits and Skowno. Paediatric Anaesthesia, 2022, 32, 687-687.	1.1	0