

Michael A Emery

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6504877/publications.pdf>

Version: 2024-02-01

16
papers

200
citations

933447

10
h-index

1058476

14
g-index

16
all docs

16
docs citations

16
times ranked

210
citing authors

#	ARTICLE	IF	CITATIONS
1	Examining the relationship between substance use and explorationâ€œexploitation behavior in young adults.. <i>Experimental and Clinical Psychopharmacology</i> , 2022, 30, 897-906.	1.8	3
2	Drug-specific differences in the ability of opioids to manage burn pain. <i>Burns</i> , 2020, 46, 503-513.	1.9	11
3	Endogenous Opioids at the Intersection of Opioid Addiction, Pain, and Depression: The Search for a Precision Medicine Approach. <i>Annual Review of Neuroscience</i> , 2020, 43, 355-374.	10.7	23
4	Members of the same pharmacological family are not alike: Different opioids, different consequences, hope for the opioid crisis?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 428-449.	4.8	21
5	The role of the vasopressin system and dopamine D1 receptors in the effects of social housing condition on morphine reward. <i>Drug and Alcohol Dependence</i> , 2018, 188, 113-118.	3.2	8
6	Hydrocodone is More Effective than Morphine or Oxycodone in Suppressing the Development of Burn-Induced Mechanical Allodynia. <i>Pain Medicine</i> , 2017, 18, 2170-2180.	1.9	10
7	Opioid addiction: Who are your real friends?. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 83, 697-712.	6.1	32
8	Burn injury decreases the antinociceptive effects of opioids. <i>Behavioural Pharmacology</i> , 2017, 28, 285-293.	1.7	10
9	Hydrocodone, but Neither Morphine nor Oxycodone, Is Effective in Suppressing Burn-Induced Mechanical Allodynia in the Uninjured Foot Contralateral to the Burn. <i>Journal of Burn Care and Research</i> , 2017, 38, 319-326.	0.4	8
10	Inhibiting social support from massage-like stroking increases morphine dependence. <i>Behavioural Pharmacology</i> , 2017, 28, 642-647.	1.7	4
11	Differential Effects of Oxycodone, Hydrocodone, and Morphine on Activation Levels of Signaling Molecules. <i>Pain Medicine</i> , 2015, 17, n/a-n/a.	1.9	13
12	Differential effects of oxycodone, hydrocodone, and morphine on the responses of D2/D3 dopamine receptors. <i>Behavioural Brain Research</i> , 2015, 284, 37-41.	2.2	19
13	Social housing conditions influence morphine dependence and the extinction of morphine place preference in adolescent mice. <i>Drug and Alcohol Dependence</i> , 2014, 142, 283-289.	3.2	13
14	Differential effects of methadone and buprenorphine on the response of D2/D3 dopamine receptors in adolescent mice. <i>Drug and Alcohol Dependence</i> , 2013, 132, 420-426.	3.2	10
15	Chronic folic acid administration confers no treatment effects in either a high or low dose following unilateral controlled cortical impact injury in the rat. <i>Restorative Neurology and Neuroscience</i> , 2012, 30, 291-302.	0.7	10
16	Amyloids as Sensors and Protectors (ASAP) Hypothesis. <i>Journal of Alzheimer's Disease</i> , 2012, 29, 503-514.	2.6	5