## William E Mansbach

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6504901/publications.pdf

Version: 2024-02-01

26 papers 368 citations

759233 12 h-index 19 g-index

27 all docs

27 docs citations

times ranked

27

370 citing authors

#	Article	IF	CITATIONS
1	The Brief Cognitive Assessment Tool (BCAT): A new test emphasizing contextual memory, executive functions, attentional capacity, and the prediction of instrumental activities of daily living. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 183-194.	1.3	50
2	Differentiating levels of cognitive functioning: a comparison of the Brief Interview for Mental Status (BIMS) and the Brief Cognitive Assessment Tool (BCAT) in a nursing home sample. Aging and Mental Health, 2014, 18, 921-928.	2.8	50
3	The Multifaceted Nature of Social Support in a Community Sample of Elderly Women. Journal of Social Issues, 1984, 40, 99-112.	3.3	48
4	Predicting Functional Dependence in Mild Cognitive Impairment: Differential Contributions of Memory and Executive Functions. Gerontologist, The, 2019, 59, 925-935.	3.9	29
5	Meaningful Activity for Long-Term Care Residents With Dementia: A Comparison of Activities and Raters. Gerontologist, The, 2017, 57, gnv694.	3.9	24
6	The Brief Anxiety and Depression Scale (BADS): a new instrument for detecting anxiety and depression in long-term care residents. International Psychogeriatrics, 2015, 27, 673-681.	1.0	23
7	Development and validation of the short form of the Brief Cognitive Assessment Tool (BCAT-SF). Aging and Mental Health, 2012, 16, 1065-1071.	2.8	21
8	The Judgment Test of the Neuropsychological Assessment Battery (NAB): Psychometric Considerations in an Assisted-Living Sample. Clinical Neuropsychologist, 2013, 27, 827-839.	2.3	19
9	Preliminary investigation of the Kitchen Picture Test (KPT): A new screening test of practical judgment for older adults. Aging, Neuropsychology, and Cognition, 2014, 21, 674-692.	1.3	16
10	The Efficacy of a Computer-Assisted Cognitive Rehabilitation Program for Patients with Mild Cognitive Deficits: A Pilot Study. Experimental Aging Research, 2017, 43, 94-104.	1.2	15
11	A comparison of cognitive functioning in long-term care and short-stay nursing home residents. Ageing and Society, 2017, 37, 1-13.	1.7	12
12	Rapid Cognitive Assessment of Nursing Home Residents: A Comparison of the Brief Interview for Mental Status (BIMS) and Brief Cognitive Assessment Tool–Short Form (BCAT-SF). Research in Gerontological Nursing, 2016, 9, 35-44.	0.6	12
13	Story recall and word lists: Differential and combined utilities in predicting cognitive diagnosis. Journal of Clinical and Experimental Neuropsychology, 2014, 36, 569-576.	1.3	10
14	A comparison of the diagnostic accuracy of the AD8 and BCAT-SF in identifying dementia and mild cognitive impairment in long-term care residents. Aging, Neuropsychology, and Cognition, 2016, 23, 609-624.	1.3	8
15	The brief cognitive assessment tool (BCAT): cross-validation in a community dwelling older adult sample. International Psychogeriatrics, 2015, 27, 243-250.	1.0	7
16	Predicting Off-Label Antipsychotic Medication Use in a Randomly Selected Nursing Home Sample Based on Resident and Facility Characteristics. Research in Gerontological Nursing, 2016, 9, 257-266.	0.6	7
17	Mild cognitive impairment (MCI) in long-term care patients: subtype classification and occurrence. Aging and Mental Health, 2016, 20, 271-276.	2.8	5
18	Verbal test of practical judgment (VPJ): a new test of judgment that predicts functional skills for older adults. Aging and Mental Health, 2019, 23, 718-726.	2.8	4

#	Article	IF	CITATIONS
19	Validity of Brief Cognitive Assessment Tool modifications for older adults with visual and motor limitations. Journal of Clinical and Experimental Neuropsychology, 2018, 40, 715-721.	1.3	3
20	A path to early diagnosis of mild cognitive impairment and dementia: validity and reliability of the myMemCheck® self-administered screening tool. Family Practice, 2020, 37, 561-567.	1.9	2
21	The Brief Cognitive Impairment Scale (BCIS): preliminary investigation of a severe-stage dementia test emphasizing cognitive processing and interpersonal tolerance. Aging, Neuropsychology, and Cognition, 2018, 25, 33-48.	1.3	1
22	A New Tool for Detecting COVID-19 Psychological Burden Among Postacute and Long-term Care Residents (Mood-5 Scale): Observational Study. JMIR Aging, 2021, 4, e26340.	3.0	1
23	The Columbia Behavior Scale for Dementia (CBS-8): Validity and Reliability of a Rapidly Administered New Instrument for Dementia-Related Behaviors in Long-Term Care Settings. Research in Gerontological Nursing, 2021, 14, 160-168.	0.6	1
24	Integrating Working Memory Exercises With Nursing Home Rehabilitation to Achieve "Better, Faster― Functional Outcomes. Topics in Geriatric Rehabilitation, 2020, 36, 60-68.	0.4	0
25	Preliminary Investigation of the Psychometric Properties of the Korean Version of the Brief Cognitive Assessment Tool—Short Form for Korean American Nursing Home Residents. Research in Gerontological Nursing, 2015, 8, 50-56.	0.6	O
26	Disparities in Dementia Occurrence and Rate of Cognitive Decline Between African American and White Long-Term Care Residents. Research in Gerontological Nursing, 2020, 13, 173-179.	0.6	0