Huji Xu

List of Publications by Citations

Source: https://exaly.com/author-pdf/6505228/huji-xu-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers5,777
citations35
h-index75
g-index126
ext. papers6,940
ext. citations6.6
avg, IF4.82
L-index

#	Paper	IF	Citations
115	Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014 , 506, 376-81	50.4	1426
114	Interaction between ERAP1 and HLA-B27 in ankylosing spondylitis implicates peptide handling in the mechanism for HLA-B27 in disease susceptibility. <i>Nature Genetics</i> , 2011 , 43, 761-7	36.3	646
113	Identification of multiple risk variants for ankylosing spondylitis through high-density genotyping of immune-related loci. <i>Nature Genetics</i> , 2013 , 45, 730-8	36.3	551
112	Digestive system is a potential route of COVID-19: an analysis of single-cell coexpression pattern of key proteins in viral entry process. <i>Gut</i> , 2020 , 69, 1010-1018	19.2	269
111	The digestive system is a potential route of 2019-nCov infection: a bioinformatics analysis based on single-cell transcriptomes		237
110	Development and regulation of cell-mediated immune responses to the blood stages of malaria: implications for vaccine research. <i>Annual Review of Immunology</i> , 2005 , 23, 69-99	34.7	149
109	The mechanism and significance of deletion of parasite-specific CD4(+) T cells in malaria infection. <i>Journal of Experimental Medicine</i> , 2002 , 195, 881-92	16.6	125
108	Association of ERAP1, but not IL23R, with ankylosing spondylitis in a Han Chinese population. <i>Arthritis and Rheumatism</i> , 2009 , 60, 3263-8		116
107	Risk for ACPA-positive rheumatoid arthritis is driven by shared HLA amino acid polymorphisms in Asian and European populations. <i>Human Molecular Genetics</i> , 2014 , 23, 6916-26	5.6	114
106	Novel loci and pathways significantly associated with longevity. <i>Scientific Reports</i> , 2016 , 6, 21243	4.9	105
105	Association of STAT3 and TNFRSF1A with ankylosing spondylitis in Han Chinese. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 289-92	2.4	86
104	Prospective meta-analysis of interleukin 1 gene complex polymorphisms confirms associations with ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 1305-9	2.4	85
103	Decreased plasma IL22 levels, but not increased IL17 and IL23 levels, correlate with disease activity in patients with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 604-6	2.4	82
102	Enhanced apoptosis and senescence of bone-marrow-derived mesenchymal stem cells in patients with systemic lupus erythematosus. <i>Stem Cells and Development</i> , 2012 , 21, 2387-94	4.4	77
101	Chinese SLE Treatment and Research group (CSTAR) registry: I. Major clinical characteristics of Chinese patients with systemic lupus erythematosus. <i>Lupus</i> , 2013 , 22, 1192-9	2.6	77
100	Neutrophils induce damage to respiratory epithelial cells infected with respiratory syncytial virus. <i>European Respiratory Journal</i> , 1998 , 12, 612-8	13.6	72
99	Immunity to asexual blood stage malaria and vaccine approaches. <i>Immunology and Cell Biology</i> , 2002 , 80, 401-14	5	66

(2007-2015)

98	ERAP2 is associated with ankylosing spondylitis in HLA-B27-positive and HLA-B27-negative patients. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1627-9	2.4	63
97	Apoptotic deletion of Th cells specific for the 19-kDa carboxyl-terminal fragment of merozoite surface protein 1 during malaria infection. <i>Journal of Immunology</i> , 2001 , 167, 3903-9	5.3	63
96	Efficacy and safety of adalimumab in Chinese adults with active ankylosing spondylitis: results of a randomised, controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 587-94	2.4	60
95	Novel risk loci for rheumatoid arthritis in Han Chinese and congruence with risk variants in Europeans. <i>Arthritis and Rheumatology</i> , 2014 , 66, 1121-32	9.5	59
94	Chinese SLE Treatment and Research group (CSTAR) registry: II. Prevalence and risk factors of pulmonary arterial hypertension in Chinese patients with systemic lupus erythematosus. <i>Lupus</i> , 2014 , 23, 1085-91	2.6	54
93	Contribution of a Non-classical HLA Gene, HLA-DOA, to the Risk of Rheumatoid Arthritis. <i>American Journal of Human Genetics</i> , 2016 , 99, 366-74	11	51
92	The insert sequence in SARS-CoV-2 enhances spike protein cleavage by TMPRSS		49
91	Common variants on 2p16.1, 6p22.1 and 10q24.32 are associated with schizophrenia in Han Chinese population. <i>Molecular Psychiatry</i> , 2017 , 22, 954-960	15.1	47
90	Shotgun metagenomics reveals an enrichment of potentially cross-reactive bacterial epitopes in ankylosing spondylitis patients, as well as the effects of TNFi therapy upon microbiome composition. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 132-140	2.4	47
89	Treatment of collagen-induced arthritis with an anti-osteopontin monoclonal antibody through promotion of apoptosis of both murine and human activated T cells. <i>Arthritis and Rheumatism</i> , 2008 , 58, 2041-52		46
88	Cross-ethnic meta-analysis identifies association of the GPX3-TNIP1 locus with amyotrophic lateral sclerosis. <i>Nature Communications</i> , 2017 , 8, 611	17.4	45
87	Predominant association of HLA-B*2704 with ankylosing spondylitis in Chinese Han patients. <i>Tissue Antigens</i> , 2010 , 75, 61-4		45
86	The purine salvage enzyme hypoxanthine guanine xanthine phosphoribosyl transferase is a major target antigen for cell-mediated immunity to malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 2628-33	11.5	45
85	CD4+ T cells acting independently of antibody contribute to protective immunity to Plasmodium chabaudi infection after apical membrane antigen 1 immunization. <i>Journal of Immunology</i> , 2000 , 165, 389-96	5.3	44
84	Genetic variant in IL33 is associated with susceptibility to rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014 , 16, R105	5.7	42
83	The immunological challenge to developing a vaccine to the blood stages of malaria parasites. <i>Immunological Reviews</i> , 2004 , 201, 254-67	11.3	42
82	C9orf72 hexanucleotide repeat expansions in Chinese sporadic amyotrophic lateral sclerosis. <i>Neurobiology of Aging</i> , 2015 , 36, 2660.e1-8	5.6	40
81	Cellular targets of interleukin-18 in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1411-8	2.4	37

80	Identification of T cell epitopes on the 33-kDa fragment of Plasmodium yoelii merozoite surface protein 1 and their antibody-independent protective role in immunity to blood stage malaria. Journal of Immunology, 2002 , 169, 944-51	5.3	34
79	Chinese SLE Treatment and Research group (CSTAR) registry VII: prevalence and clinical significance of serositis in Chinese patients with systemic lupus erythematosus. <i>Lupus</i> , 2016 , 25, 652-7	2.6	30
78	Double allogenic mesenchymal stem cells transplantations could not enhance therapeutic effect compared with single transplantation in systemic lupus erythematosus. <i>Clinical and Developmental Immunology</i> , 2012 , 2012, 273291		28
77	Brief report: high-throughput sequencing of IL23R reveals a low-frequency, nonsynonymous single-nucleotide polymorphism that is associated with ankylosing spondylitis in a Han Chinese population. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1747-52		27
76	Tofacitinib for the treatment of ankylosing spondylitis: a phase III, randomised, double-blind, placebo-controlled study. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	25
75	Excessive CD11cTbet B cells promote aberrant T differentiation and affinity-based germinal center selection in lupus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 18550-18560	11.5	24
74	Chinese SLE Treatment and Research group (CSTAR) registry: V. gender impact on Chinese patients with systemic lupus erythematosus. <i>Lupus</i> , 2015 , 24, 1267-75	2.6	19
73	Efficacy and Safety of Tofacitinib in Chinese Patients with Rheumatoid Arthritis. <i>Chinese Medical Journal</i> , 2018 , 131, 2683-2692	2.9	18
72	Whole-exome sequencing in amyotrophic lateral sclerosis suggests NEK1 is a risk gene in Chinese. <i>Genome Medicine</i> , 2017 , 9, 97	14.4	17
71	Regulatory CD4+ T cells promote B cell anergy in murine lupus. <i>Journal of Immunology</i> , 2014 , 192, 4069	-75333	17
70	Management of rheumatoid arthritis in People's Republic of China - focus on tocilizumab and patient considerations. <i>International Journal of General Medicine</i> , 2015 , 8, 187-94	2.3	17
69	Comparison of the performance of two commercial genome-wide association study genotyping platforms in Han Chinese samples. <i>G3: Genes, Genomes, Genetics</i> , 2013 , 3, 23-9	3.2	17
68	Association of variants in MMEL1 and CTLA4 with rheumatoid arthritis in the Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1793-7	2.4	16
67	Secondary failure to treatment with recombinant human IL-1 receptor antagonist in Chinese patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2011 , 30, 697-701	3.9	16
66	TCR usage, gene expression and function of two distinct FOXP3(+)Treg subsets within CD4(+)CD25(hi) T cells identified by expression of CD39 and CD45RO. <i>Immunology and Cell Biology</i> , 2016 , 94, 293-305	5	15
65	Salmonella flagellin is a potent carrier-adjuvant for peptide conjugate to induce peptide-specific antibody response in mice. <i>Vaccine</i> , 2015 , 33, 2038-44	4.1	15
64	A Rare Variant (rs933717) at FBXO31-MAP1LC3B in Chinese Is Associated With Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2018 , 70, 287-297	9.5	14
63	Interstitial inflammation in visceral organs is a pathologic feature of adult-onset Still's disease. <i>Rheumatology International</i> , 2011 , 31, 923-7	3.6	14

(2020-2017)

62	Matrix metalloproteinase-3 and the 7-joint ultrasound score in the assessment of disease activity and therapeutic efficacy in patients with moderate to severe rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 250	5.7	13	
61	Chinese Systemic Lupus Erythematosus Treatment and Research Group Registry VI: Effect of Cigarette Smoking on the Clinical Phenotype of Chinese Patients with Systemic Lupus Erythematosus. <i>PLoS ONE</i> , 2015 , 10, e0134451	3.7	13	
60	Nature and specificity of the required protective immune response that develops postchallenge in mice vaccinated with the 19-kilodalton fragment of Plasmodium yoelii merozoite surface protein 1. <i>Infection and Immunity</i> , 2002 , 70, 6013-20	3.7	13	
59	The genomic landscape of human immune-mediated diseases. <i>Journal of Human Genetics</i> , 2015 , 60, 675	5 -8 .13	12	
58	HLA risk alleles and gut microbiome in ankylosing spondylitis and rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 101499	5.3	11	
57	Chinese Systemic Lupus Erythematosus Treatment and Research Group Registry IX: Clinical Features and Survival of Childhood-Onset Systemic Lupus Erythematosus in China. <i>Chinese Medical Journal</i> , 2017 , 130, 1276-1282	2.9	10	
56	Current controversies in spondyloarthritis: SPARTAN. <i>Journal of Rheumatology</i> , 2010 , 37, 2617-23	4.1	10	
55	Effect of Plasmodium yoelii exposure on vaccination with the 19-kilodalton carboxyl terminus of merozoite surface protein 1 and vice versa and implications for the application of a human malaria vaccine. <i>Infection and Immunity</i> , 2009 , 77, 817-24	3.7	10	
54	Adapting immunity with subunit vaccines: case studies with group A Streptococcus and malaria. <i>International Journal for Parasitology</i> , 2002 , 32, 575-80	4.3	9	
53	Circulating low molecular weight IgMa disease marker in autoimmune, infective, immunodeficient and B cell lymphoproliferative disorders. <i>Disease Markers</i> , 1992 , 10, 115-41	3.2	9	
52	Ultrasound7 versus ultrasound12 in monitoring the response to infliximab in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2016 , 35, 587-94	3.9	8	
51	An enhanced chemiluminescence detection system combined with a modified immunoblot technique for the detection of low molecular weight IgM in sera from healthy adults and neonates. <i>Journal of Immunological Methods</i> , 1992 , 146, 241-7	2.5	8	
50	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1168-1174	2.4	8	
49	Genetics and the axial spondyloarthritis spectrum. <i>Rheumatology</i> , 2020 , 59, iv58-iv66	3.9	7	
48	Influence of Cigarette Smoking on Rheumatoid Arthritis Risk in the Han Chinese Population. <i>Frontiers in Medicine</i> , 2017 , 4, 76	4.9	6	
47	Affordable measures to monitor and alarm nosocomial SARS-CoV-2 infection due to poor ventilation. <i>Indoor Air</i> , 2021 , 31, 1833-1842	5.4	6	
46	Genetic and clinical markers for predicting treatment responsiveness in rheumatoid arthritis. <i>Frontiers of Medicine</i> , 2019 , 13, 411-419	12	6	
45	Host CD8land CD103 dendritic cells prime transplant antigen-specific CD8 T cells via cross-dressing. <i>Immunology and Cell Biology</i> , 2020 , 98, 563-576	5	5	

44	Polyspecific malaria antibodies present at the time of infection inhibit the development of immunity to malaria but antibodies specific for the malaria merozoite surface protein, MSP1, facilitate immunity. <i>Parasite Immunology</i> , 2002 , 24, 233-41	2.2	5
43	Low molecular weight IgM and CD5 B lymphocytes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 1994 , 53, 383-90	2.4	5
42	MHC associations of ankylosing spondylitis in East Asians are complex and involve non-HLA-B27 HLA contributions. <i>Arthritis Research and Therapy</i> , 2020 , 22, 74	5.7	5
41	Silencing SOCS3 Markedly Deteriorates Spondyloarthritis in Mice Induced by Minicircle DNA Expressing IL23. <i>Frontiers in Immunology</i> , 2018 , 9, 2641	8.4	5
40	IBI303, a biosimilar to adalimumab, for the treatment of patients with ankylosing spondylitis in China: a randomised, double-blind, phase 3 equivalence trial. <i>Lancet Rheumatology, The</i> , 2019 , 1, e35-e4	3 ^{14.2}	4
39	Hyperprolactinemia is associated with a high prevalence of serum autoantibodies, high levels of inflammatory cytokines and an abnormal distribution of peripheral B-cell subsets. <i>Endocrine</i> , 2019 , 64, 648-656	4	4
38	Comparative evaluation of CD5 B cells in patients with rheumatoid arthritis and essential mixed cryoimmunoglobulinemia using FACS analyzer and FACSCAN flow cytometer. <i>Annals of the New York Academy of Sciences</i> , 1992 , 651, 594-8	6.5	4
37	Identification of susceptibility variants to benign childhood epilepsy with centro-temporal spikes (BECTS) in Chinese Han population. <i>EBioMedicine</i> , 2020 , 57, 102840	8.8	4
36	Gene Polymorphism Is not Associated with Rheumatoid Arthritis Susceptibility in the Northern Chinese Han Population: A Case-Control Study. <i>Chinese Medical Journal</i> , 2018 , 131, 171-179	2.9	4
35	EHR2Vec: Representation Learning of Medical Concepts From Temporal Patterns of Clinical Notes Based on Self-Attention Mechanism. <i>Frontiers in Genetics</i> , 2020 , 11, 630	4.5	3
34	Successful treatment of infliximab in a patient with scleroderma: a case report. <i>Medicine (United States)</i> , 2017 , 96, e6737	1.8	3
33	Safety of infliximab therapy in rheumatoid arthritis patients with previous exposure to hepatitis B virus. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 408-12	2.3	3
32	Low molecular weight IgM in the sera of patients with chronic lymphocytic leukemia. <i>Pathology</i> , 1993 , 25, 52-6	1.6	3
31	Shotgun metagenomics reveals an enrichment of potentially cross-reactive bacterial epitopes in ankylosing spondylitis patients, as well as the effects of TNFi therapy and the host genotype upon microbiome composition		3
30	Correlation Between Chronic Pain Acceptance and Clinical Variables in Ankylosing Spondylitis and Its Prediction Role for Biologics Treatment. <i>Frontiers in Medicine</i> , 2020 , 7, 17	4.9	2
29	Successful treatment of a patient with Kasabach-Merritt syndrome and multiple giant hepatic hemangiomas. <i>Journal of International Medical Research</i> , 2020 , 48, 300060519898358	1.4	2
28	Low molecular weight IgM in healthy adults: influence of HLA. <i>Human Immunology</i> , 1996 , 51, 55-9	2.3	2
27	Trans-ancestry genome-wide association study identifies novel genetic mechanisms in rheumatoid arth	ritis	2

(2021-2021)

26	Disentangling the Progression of Non-alcoholic Fatty Liver Disease in the Human Gut Microbiota. <i>Frontiers in Microbiology</i> , 2021 , 12, 728823	5.7	2
25	A novel privacy-preserving federated genome-wide association study framework and its application in identifying potential risk variants in ankylosing spondylitis. <i>Briefings in Bioinformatics</i> , 2021 , 22,	13.4	2
24	Assessment of Neuropathic Pain in Ankylosing Spondylitis: Prevalence and Characteristics. <i>Pain and Therapy</i> , 2021 , 10, 1467-1479	3.6	2
23	Exome Chip Analyses and Genetic Risk for IgA Nephropathy among Han Chinese. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 213-224	6.9	2
22	Restored and Enhanced Memory T Cell Immunity in Rheumatoid Arthritis After TNFIBlocker Treatment. <i>Frontiers in Immunology</i> , 2019 , 10, 887	8.4	1
21	Dermatomyositis with renal infarction: a case report and literature review. <i>Journal of International Medical Research</i> , 2017 , 45, 2153-2157	1.4	1
20	Disease Activity-Guided Stepwise Tapering but Not Discontinuation of Biologics Is a Feasible Therapeutic Strategy for Patients with Ankylosing Spondylitis: Real-World Evidence <i>Advances in Therapy</i> , 2022 , 39, 1393	4.1	1
19	Factors relating to bone mineral density in young and middle-aged patients with ankylosing spondylitis. <i>Chinese Medical Journal</i> , 2021 , 134, 2556-2563	2.9	1
18	Epithelial NELF guards intestinal barrier function to ameliorate colitis by maintaining junctional integrity. <i>Mucosal Immunology</i> , 2021 ,	9.2	1
17	Genetics of axial spondyloarthritis 2015 , 956-959		1
16	Acute effects of air pollution on lupus nephritis in patients with systemic lupus erythematosus: A multicenter panel study in China. <i>Environmental Research</i> , 2021 , 195, 110875	7.9	1
15	Human transitional and IgM mature nalle B cells preserve permissive B-cell receptors. <i>Immunology and Cell Biology</i> , 2021 , 99, 865-878	5	1
14	Epidemiology of Takayasu arteritis in Shanghai: A hospital-based study and systematic review.	2.3	1
	International Journal of Rheumatic Diseases, 2021 , 24, 1247-1256	2.3	
13	Intranasal immunization with a peptide conjugated to Salmonella flagellin induces both systemic and mucosal peptide-specific antibody responses in mice. <i>Microbiology and Immunology</i> , 2016 , 60, 497-5		1
13	Intranasal immunization with a peptide conjugated to Salmonella flagellin induces both systemic		1
	Intranasal immunization with a peptide conjugated to Salmonella flagellin induces both systemic and mucosal peptide-specific antibody responses in mice. <i>Microbiology and Immunology</i> , 2016 , 60, 497-5 Salmonella flagellin acted as an effective fusion partner for expression of Plasmodium falciparum	5 60 7	
12	Intranasal immunization with a peptide conjugated to Salmonella flagellin induces both systemic and mucosal peptide-specific antibody responses in mice. <i>Microbiology and Immunology</i> , 2016 , 60, 497-50. Salmonella flagellin acted as an effective fusion partner for expression of Plasmodium falciparum surface protein 25 in Escherichia coli. <i>Human Vaccines and Immunotherapeutics</i> , 2016 , 12, 2362-4. Fatigue in Ankylosing Spondylitis Is Associated With Psychological Factors and Brain Gray Matter.	5 6 0 ⁷	1

8	More Advantageous in the COVID-19 Epidemic Situation. <i>Frontiers in Pharmacology</i> , 2021 , 12, 692768	5.6	О
7	Post-traumatic stress disorder in patients with rheumatic disease during the COVID-19 outbreak: a cross-sectional case-control study in China <i>BMJ Open</i> , 2022 , 12, e049749	3	O
6	Genetics of Axial Spondyloarthritis 2019 , 67-85		
5	A randomized, double-blind, and placebo-controlled multicenter clinical trial of a novel cytotoxic T-lymphocyte antigen-4 fusion protein, Leining, in Chinese active rheumatoid arthritis patients with an inadequate response to methotrexate. <i>Rheumatology International</i> , 2014 , 34, 1519-27	3.6	
4	Thrombocytopenic purpura after bone marrow metastasis of gastric cancer: a case report. <i>Academic Journal of Second Military Medical University</i> , 2009 , 28, 1136-1136		
3	Detection of anti-cyclic citrullinated peptide antibodies in patients with rheumatoid arthritis: the clinical significance. <i>Academic Journal of Second Military Medical University</i> , 2011 , 31, 1023-1026		
2	Effect of Mechanical Stress in Combination with Verapamil on Levels of Aggrecan and mRNAs and Proteins in Human Osteoarthritic Chondrocyte/Agarose Constructs. <i>Chinese Medical Journal</i> , 2018 , 131, 2229-2231	2.9	
1	Beyond interleukin-17-targeted therapy: Complexity of environment-genetics-immunology needs to be addressed <i>Chinese Medical Journal</i> , 2022 , 135, 511-512	2.9	