

Terry W Moody

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/650611/publications.pdf>

Version: 2024-02-01

125
papers

7,658
citations

53794

45
h-index

54911

84
g-index

125
all docs

125
docs citations

125
times ranked

4190
citing authors

#	ARTICLE	IF	CITATIONS
1	The G Proteinâ€Coupled Receptor PAC1 Regulates Transactivation of the Receptor Tyrosine Kinase HER3. <i>Journal of Molecular Neuroscience</i> , 2021, 71, 1589-1597.	2.3	16
2	Pituitary adenylate cyclase-activating polypeptide/vasoactive intestinal peptide [Part 1]: biology, pharmacology, and new insights into their cellular basis of action/signaling which are providing new therapeutic targets. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2021, 28, 198-205.	2.3	14
3	Bombesin, endothelin, neurotensin and pituitary adenylate cyclase activating polypeptide cause tyrosine phosphorylation of receptor tyrosine kinases. <i>Peptides</i> , 2021, 137, 170480.	2.4	6
4	Bombesin Receptor Family Activation and CNS/Neural Tumors: Review of Evidence Supporting Possible Role for Novel Targeted Therapy. <i>Frontiers in Endocrinology</i> , 2021, 12, 728088.	3.5	17
5	Pituitary adenylate cyclase-activating polypeptide/vasoactive intestinal peptide (Part 2): biology and clinical importance in central nervous system and inflammatory disorders. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2021, 28, 206-213.	2.3	8
6	Neuropeptide bombesin receptor activation stimulates growth of lung cancer cells through HER3 with a MAPK-dependent mechanism. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2020, 1867, 118625.	4.1	13
7	Neurotensin receptors regulate transactivation of the EGFR and HER2 in a reactive oxygen species-dependent manner. <i>European Journal of Pharmacology</i> , 2019, 865, 172735.	3.5	8
8	Peptide receptors as cancer drug targets. <i>Annals of the New York Academy of Sciences</i> , 2019, 1455, 141-148.	3.8	13
9	PAC1 regulates receptor tyrosine kinase transactivation in a reactive oxygen species-dependent manner. <i>Peptides</i> , 2019, 120, 170017.	2.4	11
10	A possible new target in lung-cancer cells: The orphan receptor, bombesin receptor subtype-3. <i>Peptides</i> , 2018, 101, 213-226.	2.4	25
11	Neuropeptide G Protein-Coupled Receptors as Oncotargets. <i>Frontiers in Endocrinology</i> , 2018, 9, 345.	3.5	43
12	Endothelin causes transactivation of the EGFR and HER2 in non-small cell lung cancer cells. <i>Peptides</i> , 2017, 90, 90-99.	2.4	23
13	AM-37 and ST-36 Are Small Molecule Bombesin Receptor Antagonists. <i>Frontiers in Endocrinology</i> , 2017, 8, 176.	3.5	4
14	ADCYAP1 (adenylate cyclase activating polypeptide 1 (pituitary)). <i>Atlas of Genetics and Cytogenetics in Oncology and Haematology</i> , 2017, , .	0.1	0
15	The Role of Gastrin and CCK Receptors in Pancreatic Cancer and other Malignancies. <i>International Journal of Biological Sciences</i> , 2016, 12, 283-291.	6.4	53
16	Vasoactive intestinal peptide/pituitary adenylate cyclase activating polypeptide, and their receptors and cancer. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2016, 23, 38-47.	2.3	89
17	Bombesin related peptides/receptors and their promising therapeutic roles in cancer imaging, targeting and treatment. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 1055-1073.	3.4	92
18	PACAP and Cancer. <i>Current Topics in Neurotoxicity</i> , 2016, , 795-814.	0.4	7

#	ARTICLE	IF	CITATIONS
19	EGFR Transactivation by Peptide G Protein-Coupled Receptors in Cancer. Current Drug Targets, 2016, 17, 520-528.	2.1	33
20	A structureâ€“function study of PACAP using conformationally restricted analogs: Identification of PAC1 receptor-selective PACAP agonists. Peptides, 2015, 66, 26-42.	2.4	41
21	ML-18 is a non-peptide bombesin receptor subtype-3 antagonist which inhibits lung cancer growth. Peptides, 2015, 64, 55-61.	2.4	21
22	Insights into bombesin receptors and ligands: Highlighting recent advances. Peptides, 2015, 72, 128-144.	2.4	90
23	CI-988 Inhibits EGFR Transactivation and Proliferation Caused by Addition of CCK/Gastrin to Lung Cancer Cells. Journal of Molecular Neuroscience, 2015, 56, 663-672.	2.3	13
24	Neuropeptides as lung cancer growth factors. Peptides, 2015, 72, 106-111.	2.4	19
25	SR48692 inhibits non-small cell lung cancer proliferation in an EGF receptor-dependent manner. Life Sciences, 2014, 100, 25-34.	4.3	25
26	Bombesin Peptides. , 2013, , 506-511.		5
27	VIP/PACAP Receptors. , 2013, , 556-561.		2
28	Bombesin-Related Peptides. , 2013, , 1188-1196.		3
29	Pituitary Adenylate Cyclase-Activating Polypeptide Causes Tyrosine Phosphorylation of the Epidermal Growth Factor Receptor in Lung Cancer Cells. Journal of Pharmacology and Experimental Therapeutics, 2012, 341, 873-881.	2.5	42
30	PYK-2 is Tyrosine Phosphorylated after Activation of Pituitary Adenylate Cyclase Activating Polypeptide Receptors in Lung Cancer Cells. Journal of Molecular Neuroscience, 2012, 48, 660-666.	2.3	7
31	Pituitary Adenylate Cyclase-Activating Polypeptide Causes Increased Tyrosine Phosphorylation of Focal Adhesion Kinase and Paxillin. Journal of Molecular Neuroscience, 2012, 46, 68-74.	2.3	6
32	Bombesin receptor subtype-3 agonists stimulate the growth of lung cancer cells and increase EGF receptor tyrosine phosphorylation. Peptides, 2011, 32, 1677-1684.	2.4	31
33	Bombesin Receptor-Mediated Imaging and Cytotoxicity: Review and Current Status. Current Drug Delivery, 2011, 8, 79-134.	1.6	128
34	VIP and PACAP: recent insights into their functions/roles in physiology and disease from molecular and genetic studies. Current Opinion in Endocrinology, Diabetes and Obesity, 2011, 18, 61-67.	2.3	82
35	Neuromedin B receptors regulate EGF receptor tyrosine phosphorylation in lung cancer cells. European Journal of Pharmacology, 2010, 637, 38-45.	3.5	51
36	Dithiolethione modified valproate and diclofenac increase E-cadherin expression and decrease proliferation of non-small cell lung cancer cells. Lung Cancer, 2010, 68, 154-160.	2.0	35

#	ARTICLE	IF	CITATIONS
37	Pharmacology of putative selective hBRS-3 receptor agonists for human bombesin receptors (BnR): Affinities, potencies and selectivity in multiple native and BnR transfected cells. Peptides, 2010, 31, 1569-1578.	2.4	23
38	Characterization of putative GRP- and NMB-receptor antagonist's interaction with human receptors. Peptides, 2009, 30, 1473-1486.	2.4	43
39	Bombesin marine toxin conjugates inhibit the growth of lung cancer cells. Life Sciences, 2008, 82, 855-861.	4.3	18
40	Bombesin-related peptides and their receptors: recent advances in their role in physiology and disease states. Current Opinion in Endocrinology, Diabetes and Obesity, 2008, 15, 58-64.	2.3	179
41	Cancer Cell Receptor Internalization and Proliferation: Effects of Neuropeptide Analogs. Neuromethods, 2008, , 115-129.	0.3	0
42	Vasoactive Intestinal Peptide Receptors: A Molecular Target in Breast and Lung Cancer. Current Pharmaceutical Design, 2007, 13, 1099-1104.	1.9	45
43	Vasoactive intestinal peptide-camptothecin conjugates inhibit the proliferation of breast cancer cells. Peptides, 2007, 28, 1883-1890.	2.4	23
44	Thymosin α_1 as a Chemopreventive Agent in Lung and Breast Cancer. Annals of the New York Academy of Sciences, 2007, 1112, 297-304.	3.8	27
45	Bombesin-Related Peptides and Neurotensin: Effects on Cancer Growth/Proliferation and Cellular Signaling in Cancer. , 2006, , 429-434.		14
46	VIP and PACAP as Autocrine Growth Factors in Breast and Lung Cancer. , 2006, , 473-477.		2
47	Breast Cancer VPAC1 Receptors. Annals of the New York Academy of Sciences, 2006, 1070, 436-439.	3.8	15
48	Bombesin/Gastrin-Releasing Peptide Receptor Antagonists Increase the Ability of Histone Deacetylase Inhibitors to Reduce Lung Cancer Proliferation. Journal of Molecular Neuroscience, 2006, 28, 231-238.	2.3	20
49	In Vitro and in Vivo Antitumor Effects of Cytotoxic Camptothecin-Bombesin Conjugates Are Mediated by Specific Interaction with Cellular Bombesin Receptors. Journal of Pharmacology and Experimental Therapeutics, 2006, 318, 1265-1272.	2.5	50
50	Gastrin-releasing peptide (GRP) induces angiogenesis and the specific GRP blocker 77427 inhibits tumor growth in vitro and in vivo. Oncogene, 2005, 24, 4106-4113.	5.9	55
51	Increased Expression of Insulin-Like Growth Factor I and/or Its Receptor in Gastrinomas Is Associated with Low Curability, Increased Growth, and Development of Metastases. Clinical Cancer Research, 2005, 11, 3233-3242.	7.0	66
52	Camptothecin-somatostatin conjugates inhibit the growth of small cell lung cancer cells. Peptides, 2005, 26, 1560-1566.	2.4	22
53	Development of High Affinity Camptothecin-Bombesin Conjugates That Have Targeted Cytotoxicity for Bombesin Receptor-containing Tumor Cells. Journal of Biological Chemistry, 2004, 279, 23580-23589.	3.4	73
54	Inhibition of Wnt-2-mediated signaling induces programmed cell death in non-small-cell lung cancer cells. Oncogene, 2004, 23, 6170-6174.	5.9	248

#	ARTICLE	IF	CITATIONS
55	Bombesin-like peptides and associated receptors within the brain: distribution and behavioral implications. <i>Peptides</i> , 2004, 25, 511-520.	2.4	112
56	The development of VIP-ellipticine conjugates. <i>Regulatory Peptides</i> , 2004, 123, 187-192.	1.9	15
57	VIP receptor antagonists inhibit mammary carcinogenesis in C3(1)SV40T antigen mice. <i>Life Sciences</i> , 2004, 74, 1345-1357.	4.3	23
58	Nonpeptide gastrin releasing peptide receptor antagonists inhibit the proliferation of lung cancer cells. <i>European Journal of Pharmacology</i> , 2003, 474, 21-29.	3.5	38
59	CAI inhibits the growth of small cell lung cancer cells. <i>Lung Cancer</i> , 2003, 39, 279-288.	2.0	27
60	VIP as a trophic factor in the CNS and cancer cells. <i>Peptides</i> , 2003, 24, 163-177.	2.4	93
61	Neuropeptides as Autocrine Growth Factors in Cancer Cells. <i>Current Pharmaceutical Design</i> , 2003, 9, 495-509.	1.9	110
62	The Effects of Adrenomedullin Overexpression in Breast Tumor Cells. <i>Journal of the National Cancer Institute</i> , 2002, 94, 1226-1237.	6.3	103
63	VIP-ellipticine derivatives inhibit the growth of breast cancer cells. <i>Life Sciences</i> , 2002, 71, 1005-1014.	4.3	29
64	AH6809 antagonizes non-small cell lung cancer prostaglandin receptors. <i>Lung Cancer</i> , 2002, 36, 33-42.	2.0	17
65	Thymosin α_1 inhibits mammary carcinogenesis in Fisher rats. <i>Peptides</i> , 2002, 23, 1011-1014.	2.4	24
66	PACAP-27 tyrosine phosphorylates mitogen activated protein kinase and increases VEGF mRNAs in human lung cancer cells. <i>Regulatory Peptides</i> , 2002, 109, 135-140.	1.9	27
67	Neurotensin causes tyrosine phosphorylation of focal adhesion kinase in lung cancer cells. <i>European Journal of Pharmacology</i> , 2002, 442, 179-186.	3.5	28
68	(N-stearyl, Norleucine ¹⁷)VIPhybrid is a Broad Spectrum Vasoactive Intestinal Peptide Receptor Antagonist. <i>Journal of Molecular Neuroscience</i> , 2002, 18, 29-36.	2.3	23
69	Five-lipoxygenase inhibitors can mediate apoptosis in human breast cancer cell lines through complex eicosanoid interactions. <i>FASEB Journal</i> , 2001, 15, 2007-2009.	0.5	181
70	Prostaglandin E2 and vasoactive intestinal peptide increase vascular endothelial cell growth factor mRNAs in lung cancer cells. <i>Lung Cancer</i> , 2001, 31, 203-212.	2.0	52
71	SR48692 is a neurotensin receptor antagonist which inhibits the growth of small cell lung cancer cells. <i>Peptides</i> , 2001, 22, 109-115.	2.4	50
72	Bombesin and gastrin releasing peptide increase tyrosine phosphorylation of focal adhesion kinase and paxillin in non-small cell lung cancer cells. <i>Cancer Letters</i> , 2001, 162, 87-95.	7.2	26

#	ARTICLE	IF	CITATIONS
73	A lipophilic vasoactive intestinal peptide analog enhances the antiproliferative effect of chemotherapeutic agents on cancer cell lines. <i>Cancer</i> , 2001, 92, 2172-2180.	4.1	33
74	VIP receptor antagonists and chemotherapeutic drugs inhibit the growth of breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 2001, 68, 55-64.	2.5	47
75	A Vasoactive Intestinal Peptide Antagonist Inhibits the Growth of Glioblastoma Cells. <i>Journal of Molecular Neuroscience</i> , 2001, 17, 331-340.	2.3	26
76	A bombesin receptor subtype-3 peptide increases nuclear oncogene expression in a MEK-1 dependent manner in human lung cancer cells. <i>European Journal of Pharmacology</i> , 2001, 412, 13-20.	3.5	27
77	Enhanced tumorigenesis and reduced transforming growth factor- β type II receptor in lung tumors from mice with reduced gene dosage of transforming growth factor- β 1. <i>Molecular Carcinogenesis</i> , 2000, 29, 112-126.	2.7	22
78	Nonpeptide neuromedin B receptor antagonists inhibit the proliferation of C6 cells. <i>European Journal of Pharmacology</i> , 2000, 409, 133-142.	3.5	27
79	Thymosin α 1 is chemopreventive for lung adenoma formation in A/J mice. <i>Cancer Letters</i> , 2000, 155, 121-127.	7.2	19
80	PACAP (6â€“38) is a PACAP receptor antagonist for breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 1999, 56, 175-184.	2.5	37
81	Bombesin activates MAP kinase in non-small cell lung cancer cells. <i>Peptides</i> , 1999, 20, 121-126.	2.4	25
82	Reduction in transforming growth factor- β 2 type II receptor in mouse lung carcinogenesis. <i>Molecular Carcinogenesis</i> , 1998, 22, 46-56.	2.7	23
83	(Arg15, Arg21) VIP: Evaluation of Biological Activity and Localization to Breast Cancer Tumors. <i>Peptides</i> , 1998, 19, 585-592.	2.4	41
84	Transforming Growth Factor-Beta Expression in Mouse Lung Carcinogenesis. <i>Experimental Lung Research</i> , 1998, 24, 579-593.	1.2	16
85	Expression of Adrenomedullin and Its Receptor in Normal and Malignant Human Skin: A Potential Pluripotent Role in the Integument. <i>Endocrinology</i> , 1997, 138, 5597-5604.	2.8	120
86	Expression of Adrenomedullin and Its Receptor in Normal and Malignant Human Skin: A Potential Pluripotent Role in the Integument. <i>Endocrinology</i> , 1997, 138, 5597-5604.	2.8	39
87	Peptides and growth factors in non-small cell lung cancer. <i>Peptides</i> , 1996, 17, 545-555.	2.4	34
88	Bombesin/GRP and vasoactive intestinal peptide/PACAP as growth factors. <i>Growth Factors and Cytokines in Health and Disease</i> , 1996, 1, 491-535.	0.2	10
89	Detection of adrenomedullin, a hypotensive peptide, in amniotic fluid and fetal membranes. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 175, 906-911.	1.3	75
90	Monoclonal antibody β IR-3 inhibits non-small cell lung cancer growth in vitro and in vivo. <i>Journal of Cellular Biochemistry</i> , 1996, 63, 269-275.	2.6	42

#	ARTICLE	IF	CITATIONS
91	Adrenomedullin Expression in Human Tumor Cell Lines ITS POTENTIAL ROLE AS AN AUTOCRINE GROWTH FACTOR. Journal of Biological Chemistry, 1996, 271, 23345-23351.	3.4	274
92	BW2258U89: A GRP receptor antagonist which inhibits small cell lung cancer growth. Life Sciences, 1995, 56, 521-529.	4.3	25
93	Sigma receptors are expressed in human non-small cell lung carcinoma. Life Sciences, 1995, 56, 2385-2392.	4.3	46
94	TGF β -PE40 inhibits non-small cell lung cancer growth. Life Sciences, 1994, 54, 445-453.	4.3	21
95	HIV envelope protein-induced neuronal damage and retardation of behavioral development in rat neonates. Brain Research, 1993, 603, 222-233.	2.2	130
96	Growth factor and peptide receptors in small cell lung cancer. Life Sciences, 1993, 52, 1161-1173.	4.3	83
97	Pituitary adenylate cyclase activating polypeptide receptors are present on small cell lung cancer cells. Peptides, 1993, 14, 241-246.	2.4	45
98	Autoradiographic localization of neuromedin B binding sites in rat brain. Molecular and Cellular Neurosciences, 1990, 1, 161-167.	2.2	27
99	CCK antagonists interact with CCK-B receptors on human small cell lung cancer cells. Peptides, 1990, 11, 1033-1036.	2.4	28
100	Neurotensin elevates cytosolic calcium in small cell lung cancer cells. Peptides, 1989, 10, 1217-1221.	2.4	30
101	Cholecystokinin elevates cytosolic calcium in small cell lung cancer cells. Biochemical and Biophysical Research Communications, 1989, 163, 605-610.	2.1	37
102	Somatostatin inhibits the secretion of bombesin-like peptides from small cell lung cancer cells. Peptides, 1988, 9, 257-261.	2.4	17
103	Neurotensin binds with high affinity to small cell lung cancer cells. Peptides, 1988, 9, 57-61.	2.4	31
104	Substance P analogues function as bombesin receptor antagonists and inhibit small cell lung cancer clonal growth. Peptides, 1988, 9, 1367-1372.	2.4	38
105	Distribution of bombesin binding sites in the rat gastrointestinal tract. Peptides, 1988, 9, 643-649.	2.4	76
106	High affinity binding of VIP to human lung cancer cell lines. Peptides, 1987, 8, 1101-1106.	2.4	45
107	Bombesin-like peptides elevate cytosolic calcium in small cell lung cancer cells. Biochemical and Biophysical Research Communications, 1987, 147, 189-195.	2.1	69
108	High affinity binding of cholecystokinin to small cell lung cancer cells. Peptides, 1987, 8, 103-107.	2.4	48

#	ARTICLE	IF	CITATIONS
109	Neuromedin B-like peptides in rat brain: Biochemical characterization, mechanism of release and localization in synaptosomes. <i>Peptides</i> , 1986, 7, 815-820.	2.4	38
110	Autoradiographic visualization of CNS receptors for vasoactive intestinal peptide. <i>Peptides</i> , 1986, 7, 283-288.	2.4	78
111	Bombesin-like peptides can function as autocrine growth factors in human small-cell lung cancer. <i>Nature</i> , 1985, 316, 823-826.	27.8	1,337
112	I. High affinity receptors for bombesin/GRP-like peptides on human small cell lung cancer. <i>Life Sciences</i> , 1985, 37, 105-113.	4.3	231
113	Neurotensin is produced by and secreted from classic small cell lung cancer cells. <i>Life Sciences</i> , 1985, 36, 1727-1732.	4.3	49
114	Biochemical and histochemical characterization of ranatensin immunoreactive peptides in rat brain: Lack of coexistence with bombesin/GRP. <i>Brain Research</i> , 1985, 338, 97-113.	2.2	57
115	Biochemical characterization and autoradiographic localization of central substance P receptors using [125I]physalaemin. <i>Brain Research</i> , 1985, 332, 299-307.	2.2	63
116	Autoradiographic distribution of substance P receptors in rat central nervous system. <i>Nature</i> , 1983, 303, 714-716.	27.8	231
117	Bombesin-like peptides and receptors in human tumor cell lines. <i>Peptides</i> , 1983, 4, 683-686.	2.4	98
118	Bombesin-like peptides in small cell lung cancer: Biochemical characterization and secretion from a cell line. <i>Life Sciences</i> , 1983, 32, 487-493.	4.3	71
119	Distribution and origin of bombesin, substance P and somatostatin in cat spinal cord. <i>Peptides</i> , 1983, 4, 673-681.	2.4	66
120	Autoradiographic visualization of rat brain binding sites for bombesin-like peptides. <i>European Journal of Pharmacology</i> , 1983, 87, 163-164.	3.5	48
121	Alterations in rat central nervous system endorphins following transauricular electroacupuncture. <i>Brain Research</i> , 1981, 224, 83-93.	2.2	107
122	Bombesin-like peptides in rat spinal cord: Biochemical characterization, localization and mechanism of release. <i>Life Sciences</i> , 1981, 29, 2273-2279.	4.3	66
123	Bombesin: Receptor distribution in brain and effects on nociception and locomotor activity. <i>Brain Research</i> , 1980, 193, 209-220.	2.2	170
124	Bombesin-like peptides in rat brain: Localization in synaptosomes and release from hypothalamic slices. <i>Life Sciences</i> , 1980, 26, 1707-1712.	4.3	88
125	Bombesin-like peptides in rat brain: Quantitation and biochemical characterization. <i>Biochemical and Biophysical Research Communications</i> , 1979, 90, 7-14.	2.1	150