## Ãgnes Farkas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6506332/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Quality Assessment of Goldenrod, Milkweed and Multifloral Honeys Based on Botanical Origin, Antioxidant Capacity and Mineral Content. International Journal of Molecular Sciences, 2022, 23, 769.	1.8	9
2	Antioxidant Capacity Determination of Hungarian-, Slovak-, and Polish-Origin Goldenrod Honeys. Plants, 2022, 11, 792.	1.6	4
3	Soil Humus, Iron, Sulphate and Magnesium Content Affect Nectar Traits of Wild Garlic (Allium) Tj ETQq1 1 0.7	84314 rgB7 1.6	[/Oyerlock 10
4	Quality Evaluation of Light- and Dark-Colored Hungarian Honeys, Focusing on Botanical Origin, Antioxidant Capacity and Mineral Content. Molecules, 2021, 26, 2825.	1.7	20
5	In Vitro Antibacterial and Antibiofilm Activity of Hungarian Honeys against Respiratory Tract Bacteria. Foods, 2021, 10, 1632.	1.9	18
6	Treatment of Benign Prostatic Hyperplasia by Natural Drugs. Molecules, 2021, 26, 7141.	1.7	41
7	Worldwide poisoning potential of Brugmansia and Datura. Forensic Toxicology, 2020, 38, 30-41.	1.4	20
8	Ethnobotanical, historical and histological evaluation of Helleborus L. genetic resources used in veterinary and human ethnomedicine. Genetic Resources and Crop Evolution, 2020, 67, 781-797.	0.8	11
9	Melissopalynology, antioxidant activity and multielement analysis of two types of early spring honeys from Hungary. Food Bioscience, 2020, 35, 100587.	2.0	23
10	Helianthus tuberosus L. agg. in the Carpathian Basin: a blessing or a curse?. Genetic Resources and Crop Evolution, 2018, 65, 865-879.	0.8	2
11	Ethnomedicinal treatment of gastrointestinal disorders in Transylvania, Romania. Acta Ethnographica Hungarica, 2017, 62, 207-220.	0.1	5
12	Bioactive Constituents and Antioxidant Activity of Some Carpathian Basin Honeys. Natural Product Communications, 2016, 11, 1934578X1601100.	0.2	4
13	Can seasonal dynamics of allelochemicals play a role in plant invasions? A case study with Helianthus tuberosus L Plant Ecology, 2016, 217, 1489-1501.	0.7	10
14	Natural Substances from Higher Plants as Potential Anti-MRSA Agents. Studies in Natural Products Chemistry, 2016, , 63-110.	0.8	3
15	Bioactive Constituents and Antioxidant Activity of Some Carpathian Basin honeys. Natural Product Communications, 2016, 11, 245-50.	0.2	3
16	Protein and alkaloid patterns of the floral nectar in some solanaceous species. Acta Biologica Hungarica, 2015, 66, 304-315.	0.7	7
17	Patterns of nectar and pollen presentation influence the attractiveness of four raspberry and blackberry cultivars to pollinators. Journal of Horticultural Science and Biotechnology, 2015, 90, 47-56.	0.9	12
18	Multipurpose Herbs: Hidden Potentials and Dangers in the Garden. Medicinal and Aromatic Plants of the World, 2015, , 425-434.	0.1	0

Ãgnes Farkas

#	Article	IF	CITATIONS
19	Leaf epidermal characteristics and genetic variability in Central European populations of broad-leaved Festuca L. taxa. Plant Systematics and Evolution, 2014, 300, 431-451.	0.3	3
20	Validated HPLC Method for Simultaneous Quantitation of Bergenin, Arbutin, and Gallic Acid in Leaves of Different Bergenia Species. Chromatographia, 2014, 77, 1129-1135.	0.7	11
21	Hungarian Ethnobotanical Studies in Romania. , 2014, , 29-44.		5
22	An ethnobotanical study on home gardens in a Transylvanian Hungarian Csángó village (Romania). Genetic Resources and Crop Evolution, 2013, 60, 1423-1432.	0.8	30
23	Comparative studies on nectar from two self-fertile and two self-sterile cultivars of quince ( <i>Cydonia oblonga</i> Mill.) and their attractiveness to honeybees. Journal of Horticultural Science and Biotechnology, 2013, 88, 776-782.	0.9	2
24	Comparative ecomorphology of the cyathial nectaries in eight European <i>Euphorbia</i> species. Acta Biologica Hungarica, 2013, 64, 45-59.	0.7	6
25	Variation in Nectar Volume and Sugar Concentration of <i>Allium ursinum</i> L. ssp. <i>ucrainicum</i> in Three Habitats. Scientific World Journal, The, 2012, 2012, 1-7.	0.8	17
26	Determination of tropane alkaloids atropine and scopolamine by liquid chromatography–mass spectrometry in plant organs of Datura species. Journal of Chromatography A, 2012, 1232, 295-301.	1.8	103
27	Floral traits affecting fire blight infection and management. Trees - Structure and Function, 2012, 26, 47-66.	0.9	29
28	Histological Study of Some <i>Echium vulgare, Pulmonaria officinalis</i> and <i>Symphytum officinale</i> Populations. Natural Product Communications, 2011, 6, 1934578X1100601.	0.2	3
29	FRIENDS OR FOES? ORNAMENTALS - MEDICINAL PLANTS - POISONOUS PLANTS. Acta Horticulturae, 2011, , 43-48.	0.1	1
30	Separation and Identification of Carotenoids in Flowers of Chelidonium majus L. and Inflorescences of Solidago canadensis L Chromatographia, 2010, 71, 103-108.	0.7	25
31	LC-MS Quantitative Determination of Atropine and Scopolamine in the Floral Nectar of Datura Species. Chromatographia, 2010, 71, 43-49.	0.7	49
32	Chemical and Genetic Relationships among Sage (Salvia officinalis L.) Cultivars and Judean Sage (Salvia) Tj ETQq	0 0 0 rgBT 2.4	Г /Oyerlock 10
33	S Locus Genes and the Evolution of Self-Fertility in Arabidopsis thaliana. Plant Cell, 2007, 19, 94-106.	3.1	110
34	Anatomical and genetic differences between Salvia taxa. European Journal of Pharmaceutical Sciences, 2007, 32, S20.	1.9	0
35	"Pharmacognosical Newsâ€â€"The first Hungarian journal on medicinal plants. European Journal of Pharmaceutical Sciences, 2007, 32, S26.	1.9	0
36	NECTARY STRUCTURE OF PEAR CULTIVARS AND ITS RELATION TO FIRE BLIGHT SUSCEPTIBILITY. Acta	0.1	7

Horticulturae, 2006, , 131-138.

Ãgnes Farkas

#	Article	lF	CITATIONS
37	INFLUENCE OF BIOREGULATORS ON APPLE NECTAR CHARACTERISTICS, IN RELATION TO FIREBLIGHT INFECTION. Acta Horticulturae, 2006, , 139-146.	0.1	1
38	The nectary as the primary site of infection by Erwinia amylovora (Burr.) Winslow et al.: a mini review. Plant Systematics and Evolution, 2003, 238, 183-194.	0.3	79
39	Nectar secretion dynamics of Hungarian local pear cultivars. Plant Systematics and Evolution, 2003, 238, 57-67.	0.3	25
40	Antibacterial and Biofilm Degradation Effects of Hungarian Honeys Linked With Botanical Origin, Antioxidant Capacity and Mineral Content. Frontiers in Nutrition, 0, 9, .	1.6	8