

Teresa Lebel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6507169/publications.pdf>

Version: 2024-02-01

47

papers

1,103

citations

567281

15

h-index

414414

32

g-index

48

all docs

48

docs citations

48

times ranked

1368

citing authors

#	ARTICLE	IF	CITATIONS
1	Intra-specific genetic variability drives carbon metabolism and symbiotic host interactions in the ectomycorrhizal fungus <i>< i>Pisolithus microcarpus</i></i> . Environmental Microbiology, 2021, 23, 2004-2020.	3.8	14
2	Investigating gall midges (Asphondylia), associated microfungi and parasitoids in some Chenopod plant hosts (Amaranthaceae) in south-eastern Australia. Arthropod-Plant Interactions, 2021, 15, 747-771.	1.1	0
3	A field-based investigation of simple phenol variation in Australian <i>Agaricus xanthodermus</i> . Mycologia, 2021, 113, 1-13.	1.9	1
4	Revision of the genus <i>< i>Restingomyces</i></i> , including two new species from Mexico. Mycologia, 2021, 113, 1-11.	1.9	1
5	Continental-scale metagenomics, BLAST searches, and herbarium specimens: The Australian Microbiome Initiative and the National Herbarium of Victoria. Applications in Plant Sciences, 2020, 8, e11392.	2.1	1
6	Fungal Planet description sheets: 1042â€“1111. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2020, 44, 301-459.	4.4	91
7	<p>A new Stephanospora (Agaricales, Basidiomycota) from the Yucatan peninsula, Mexico</p>. Phytotaxa, 2020, 436, 63-71.	0.3	1
8	<i>Ionosporus</i> : a new genus for <i>Boletus longipes</i> (Boletaceae), with a new species, <i>I. australis</i> , from Australia. Mycological Progress, 2019, 18, 439-451.	1.4	15
9	Two new species of <i>< i>Dactylasioptera</i></i> (Diptera: Cecidomyiidae) inducing stem galls on <i>< i>Maireana</i></i> (Chenopodiaceae). Austral Entomology, 2019, 58, 220-234.	1.4	3
10	Two new species of <i>Pisolithus</i> (Sclerodermataceae) from Australasia, and an assessment of the confused nomenclature of <i>P. tinctorius</i> . Phytotaxa, 2018, 348, 163.	0.3	12
11	Phylogeny, biogeography and taxonomic re-assessment of <i>Multifurca</i> (Russulaceae, Russulales) using three-locus data. PLoS ONE, 2018, 13, e0205840.	2.5	10
12	New species of <i>Austroboletus</i> (Boletaceae) in Australia. Mycological Progress, 2017, 16, 769-775.	1.4	8
13	Dating the emergence of truffle-like fungi in Australia, by using an augmented meta-analysis. Australian Systematic Botany, 2016, 29, 284.	0.9	8
14	Towards management of invasive ectomycorrhizal fungi. Biological Invasions, 2016, 18, 3383-3395.	2.4	41
15	Six simple guidelines for introducing new genera of fungi. IMA Fungus, 2015, 6, A65-A68.	3.8	44
16	Cryptic diversity in the sequestrate genus <i>Stephanospora</i> (Stephanosporaceae: Agaricales) in Australasia. Fungal Biology, 2015, 119, 201-228.	2.5	17
17	<i>Corticarius beeverorum</i> , a new species of sequestrate <i>Corticarius</i> from New Zealand. Mycological Progress, 2014, 13, 915-921.	1.4	4
18	Rediscovery of <i>Multifurca stenophylla</i> (Berk.) T.Lebel, C.W.Dunk & T.W.May comb. nov. (Russulaceae) from Australia. Mycological Progress, 2013, 12, 497-504.	1.4	5

#	ARTICLE	IF	CITATIONS
19	Description and affinities of a sequestrate Lepiota (Agaricaceae) from Australia. <i>Mycological Progress</i> , 2013, 12, 525-532.	1.4	13
20	Two new species of sequestrate Agaricus (section Minores) from Australia. <i>Mycological Progress</i> , 2013, 12, 699-707.	1.4	19
21	Truffle-like fungi sporocarps in a eucalypt-dominated landscape: patterns in diversity and community structure. <i>Fungal Diversity</i> , 2013, 58, 143-157.	12.3	16
22	Sequestrate species of <i>Agaricus</i> and <i>Macrolepiota</i> from Australia: new species and combinations and their position in a calibrated phylogeny. <i>Mycologia</i> , 2012, 104, 496-520.	1.9	55
23	Fungi associated with Asphondylia (Diptera: Cecidomyiidae) galls on <i>Sarcocornia quinqueflora</i> and <i>Tecticornia arbuscula</i> (Chenopodiaceae). <i>Fungal Diversity</i> , 2012, 55, 143-154.	12.3	12
24	The sequestrate genus Rosbeeva T.Lebel & Orihara gen. nov. (Boletaceae) from Australasia and Japan: new species and new combinations. <i>Fungal Diversity</i> , 2012, 52, 49-71.	12.3	35
25	Characterisation of ectomycorrhizal formation by the exotic fungus <i>Amanita muscaria</i> with <i>Nothofagus cunninghamii</i> in Victoria, Australia. <i>Mycorrhiza</i> , 2012, 22, 135-147.	2.8	22
26	Truffle consumption by New Guinea forest wallabies. <i>Fungal Ecology</i> , 2011, 4, 270-276.	1.6	15
27	Fungi and fire in Australian ecosystems: a review of current knowledge, management implications and future directions. <i>Australian Journal of Botany</i> , 2011, 59, 70.	0.6	62
28	Fungi and the urban environment: A review. <i>Landscape and Urban Planning</i> , 2010, 96, 138-145.	7.5	107
29	Phenology of epigaeous macrofungi found in red gum woodlands. <i>Fungal Biology</i> , 2010, 114, 171-178.	2.5	5
30	Establishment of ectomycorrhizal fungal community on isolated <i>Nothofagus cunninghamii</i> seedlings regenerating on dead wood in Australian wet temperate forests: does fruit-body type matter?. <i>Mycorrhiza</i> , 2009, 19, 403-416.	2.8	40
31	The truffle genus <i>Cribbea</i> (Physalacriaceae, Agaricales) in Australia. <i>Australian Systematic Botany</i> , 2009, 22, 39.	0.9	13
32	Australasian species of <i>Macowanites</i> are sequestrate species of <i>Russula</i> (Russulaceae, Basidiomycota). <i>Australian Systematic Botany</i> , 2007, 20, 355.	0.9	55
33	The safety of edible fungi purchased at Melbourne markets. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 279-280.	1.8	0
34	Description and affinities of a new sequestrate fungus, <i>Barcheria willisiana</i> gen. et sp. nov. (Agaricales) from Australia. <i>Mycological Research</i> , 2004, 108, 206-213.	2.5	13
35	Australasian sequestrate (truffle-like) fungi. XIII. <i>Cystangium</i> (Russulales, Basidiomycota). <i>Australian Systematic Botany</i> , 2003, 16, 371.	0.9	8
36	Australasian sequestrate (truffle-like) fungi. XIV. <i>Gymnomyces</i> (Russulales, Basidiomycota). <i>Australian Systematic Botany</i> , 2003, 16, 401.	0.9	5

#	ARTICLE	IF	CITATIONS
37	Type Studies of Sequestrate Russulales II. Australian and New Zealand Species Related to Russula. Mycologia, 2002, 94, 327.	1.9	4
38	Type studies of sequestrate Russulales II. Australian and New Zealand species related to <i>Russula</i> . Mycologia, 2002, 94, 327-354.	1.9	18
39	Australasian sequestrate (truffle-like) fungi. XII. Amarrendia gen. nov.: an astipitate, sequestrate relative of Torrendia and Amanita (Amanitaceae) from Australia. Australian Systematic Botany, 2002, 15, 513.	0.9	12
40	Species richness, abundance, and composition of hypogeous and epigeous ectomycorrhizal fungal sporocarps in young, rotation-age, and old-growth stands of Douglas-fir (<i>Pseudotsuga menziesii</i>) in the Cascade Range of Oregon, U.S.A. Canadian Journal of Botany, 2002, 80, 186-204.	1.1	166
41	Sequestrate russulales of New Zealand:Gymnomycesandmacowanites. New Zealand Journal of Botany, 2002, 40, 489-509.	1.1	9
42	Type studies of sequestrate Russulales II. Australian and New Zealand species related to Russula. Mycologia, 2002, 94, 327-54.	1.9	3
43	Sequestrate (truffle-like) fungi of Australia and New Zealand. Australian Systematic Botany, 2001, 14, 439.	0.9	71
44	Type Studies of Sequestrate Russulales. I. Generic Type Species. Mycologia, 2000, 92, 1188.	1.9	12
45	Type studies of sequestrate Russulales. I. Generic type species. Mycologia, 2000, 92, 1188-1205.	1.9	13
46	Australasian truffle-like fungi. IX. History and current trends in the study of the taxonomy of sequestrate macrofungi from Australia and New Zealand. Australian Systematic Botany, 1999, 12, 803.	0.9	7
47	Commensalism Between an Epizoic Limpet, <i>Patelloida nigrosulcata</i> , and Its Gastropod Hosts, <i>Haliotis roei</i> and <i>Patella laticostata</i> , on Intertidal Platforms off Perth, Western Australia. Marine and Freshwater Research, 1990, 41, 647.	1.3	12