

# Farshad Shakerian

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6507695/publications.pdf>

Version: 2024-02-01

33  
papers

242  
citations

1162889

8  
h-index

1058333

14  
g-index

33  
all docs

33  
docs citations

33  
times ranked

376  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of garlic powder tablet on carotid intima-media thickness in patients with coronary artery disease. <i>Nutrition and Health</i> , 2013, 22, 143-155.	0.6	31
2	Coronary Slow Flow Phenomenon Clinical Findings and Predictors. <i>Research in Cardiovascular Medicine</i> , 2016, 5, e30296.	0.2	29
3	Efficacy of pentoxifylline in prevention of contrast-induced nephropathy in angioplasty patients. <i>International Urology and Nephrology</i> , 2012, 44, 1145-1149.	0.6	26
4	Left ventricular end-diastolic pressure-guided hydration for the prevention of contrast-induced acute kidney injury in patients with stable ischemic heart disease: the LAKESIDE trial. <i>International Urology and Nephrology</i> , 2019, 51, 1815-1822.	0.6	16
5	Intravenous magnesium sulfate: new method in prevention of contrast-induced nephropathy in primary percutaneous coronary intervention. <i>International Urology and Nephrology</i> , 2015, 47, 521-525.	0.6	15
6	Immediate Results of Percutaneous Trans-Luminal Mitral Commissurotomy in Pregnant Women with Severe Mitral Stenosis. <i>Clinical Medicine Insights: Cardiology</i> , 2012, 6, CMC.S8580.	0.6	11
7	Plasma homocysteine level and its genotypes as a risk factor for coronary artery disease in patients undergoing coronary angiography. <i>Journal of Cardiovascular Disease Research (discontinued)</i> , 2012, 3, 276-279.	0.1	10
8	Comparison between rosuvastatin and atorvastatin for the prevention of contrast-induced nephropathy in patients with STEMI undergoing primary percutaneous coronary intervention. <i>Journal of Cardiovascular and Thoracic Research</i> , 2018, 10, 149-152.	0.3	10
9	Percutaneous Mitral Valvuloplasty Using Echocardiographic Intercommissural Diameter as Reference for Balloon Sizing: A Randomized Controlled Trial. <i>Clinical Cardiology</i> , 2012, 35, 749-754.	0.7	9
10	Percutaneous Mitral Valvuloplastyâ€”A New Method for Balloon Sizing Based on Maximal Commissural Diameter to Improve Procedural Results. <i>The American Heart Hospital Journal</i> , 2010, 8, 29.	0.2	9
11	The usefulness of cardiopulmonary exercise testing in assessment of patients with suspected coronary artery disease. <i>Postgraduate Medical Journal</i> , 2016, 92, 328-332.	0.9	8
12	Intracoronary versus Intravenous eptifibatid during percutaneous coronary intervention for acute ST-segment elevation myocardial infarction; a randomized controlled trial. <i>Cardiovascular Intervention and Therapeutics</i> , 2017, 32, 351-357.	1.2	7
13	Effects of the COVID-19 Pandemic on the Management of Patients With ST-elevation Myocardial Infarction in a Tertiary Cardiovascular Center. <i>Critical Pathways in Cardiology</i> , 2021, 20, 53-55.	0.2	7
14	Percutaneous device closure for secundum-type atrial septal defect: short and intermediate-term results. <i>Archives of Iranian Medicine</i> , 2012, 15, 693-5.	0.2	7
15	Elective percutaneous coronary intervention: the relationship between preprocedural blood glucose levels and periprocedural myocardial injury. <i>Texas Heart Institute Journal</i> , 2013, 40, 410-7.	0.1	6
16	Downregulation of <i>Talin-1</i> is associated with the increased expression of miR-182-5p and miR-92-5p in coronary artery disease. <i>Journal of Clinical Laboratory Analysis</i> , 2022, 36, e24252.	0.9	6
17	Comparison of outcomes of diseased coronary arteries ectasia, stenosis and combined. <i>Research in Cardiovascular Medicine</i> , 2015, 4, 2.	0.2	5
18	Diagnostic accuracy of two-dimensional coronary angiographicâ€”derived fractional flow reserveâ€”Preliminary results. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E484-E494.	0.7	5

#	ARTICLE	IF	CITATIONS
19	Periprocedural hemoglobin changes and myocardial injury in patients undergoing percutaneous coronary intervention. <i>Research in Cardiovascular Medicine</i> , 2013, 2, 109.	0.2	5
20	In-hospital and six-month outcomes of elderly patients undergoing primary percutaneous coronary intervention for acute ST-elevation myocardial infarction. <i>ARYA Atherosclerosis</i> , 2016, 12, 28-34.	0.4	4
21	Relationship between Distribution of Coronary Artery Lesions and Renal Artery Stenosis in Patients Undergoing Simultaneous Coronary and Renal Angiography. <i>Clinical Medicine Insights: Cardiology</i> , 2011, 5, CMC.S6819.	0.6	3
22	The effects of side branch predilation during provisional stenting of coronary bifurcation lesions: A double-blind randomized controlled trial. <i>Research in Cardiovascular Medicine</i> , 2016, 5, 10.	0.2	3
23	Mitral valve resistance determines hemodynamic consequences of severe rheumatic mitral stenosis and immediate outcomes of percutaneous valvuloplasty. <i>Echocardiography</i> , 2017, 34, 162-168.	0.3	2
24	The significance of coronary artery calcium score as a predictor of coronary artery stenosis in individuals referred for CT angiography. <i>Journal of Cardiovascular and Thoracic Research</i> , 2020, 12, 203-208.	0.3	2
25	Difficult management of coronary artery disease in a patient with thrombotic thrombocytopenic purpura. <i>The Journal of Tehran Heart Center</i> , 2014, 9, 140-2.	0.3	2
26	Comparison of the clinical and morphologic characteristics of culprit lesions in unstable angina and non-ST-elevation myocardial infarction. <i>Heart Asia</i> , 2012, 4, 32-36.	1.1	1
27	Association between the risks of contrast-induced nephropathy after diagnostic or interventional coronary management and the transradial and transfemoral access approaches. <i>Journal of Cardiovascular and Thoracic Research</i> , 2020, 12, 51-55.	0.3	1
28	Coronary flow assessment in unstable angina/non st-segment elevation myocardial infarction patients via thrombolysis in myocardial infarction frame count in angiography. <i>Research in Cardiovascular Medicine</i> , 2013, 2, 95.	0.2	1
29	Craniofacial Pain as the Sole Sign of Prodromal Angina and Acute Coronary Syndrome: A Review and Report of a Rare Case. <i>Iranian Endodontic Journal</i> , 2015, 10, 274-80.	0.8	1
30	Impella 2.5 in a patient with left main coronary artery occlusion. <i>Journal of Cardiology Cases</i> , 2013, 7, e142-e144.	0.2	0
31	Cardiac Reverse Remodeling After Transcatheter Patent Ductus Arteriosus Closure in Adults. <i>Current Problems in Cardiology</i> , 2021, , 100938.	1.1	0
32	Left main pci, still a main issue. <i>Research in Cardiovascular Medicine</i> , 2013, 2, 185.	0.2	0
33	Role of stent oversizing in patients undergoing primary percutaneous coronary intervention. An open-labeled randomized controlled trial. <i>Minerva Cardiology and Angiology</i> , 2021, 69, 513-521.	0.4	0