

Willem Kuyken

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6509276/willem-kuyken-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151 papers	9,034 citations	48 h-index	93 g-index
167 ext. papers	10,920 ext. citations	5.5 avg, IF	6.26 L-index

#	Paper	IF	Citations
151	Mindfulness-based cognitive therapy to prevent relapse in recurrent depression. <i>Journal of Consulting and Clinical Psychology</i> , 2008 , 76, 966-78	6.5	535
150	How does mindfulness-based cognitive therapy work?. <i>Behaviour Research and Therapy</i> , 2010 , 48, 1105-1122	5.2	527
149	Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse: An Individual Patient Data Meta-analysis From Randomized Trials. <i>JAMA Psychiatry</i> , 2016 , 73, 565-74	14.5	397
148	Systematic review and meta-analysis of transdiagnostic psychological treatments for anxiety and depressive disorders in adulthood. <i>Clinical Psychology Review</i> , 2015 , 40, 91-110	10.8	297
147	What is compassion and how can we measure it? A review of definitions and measures. <i>Clinical Psychology Review</i> , 2016 , 47, 15-27	10.8	295
146	Autobiographical memory functioning in depression and reports of early abuse.. <i>Journal of Abnormal Psychology</i> , 1995 , 104, 585-591	7	289
145	Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2016 , 388, 871-80	40	282
144	Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. <i>Lancet, The</i> , 2015 , 386, 63-73	40	278
143	Home practice in Mindfulness-Based Cognitive Therapy and Mindfulness-Based Stress Reduction: A systematic review and meta-analysis of participants' mindfulness practice and its association with outcomes. <i>Behaviour Research and Therapy</i> , 2017 , 95, 29-41	5.2	251
142	A systematic review of mechanisms of change in mindfulness-based cognitive therapy in the treatment of recurrent major depressive disorder. <i>Clinical Psychology Review</i> , 2015 , 37, 26-39	10.8	248
141	Cognitive behavioural therapy as an adjunct to pharmacotherapy for primary care based patients with treatment resistant depression: results of the CoBaT randomised controlled trial. <i>Lancet, The</i> , 2013 , 381, 375-84	40	223
140	Effectiveness of the Mindfulness in Schools Programme: non-randomised controlled feasibility study. <i>British Journal of Psychiatry</i> , 2013 , 203, 126-31	5.4	212
139	Examining the factor structures of the five facet mindfulness questionnaire and the self-compassion scale. <i>Psychological Assessment</i> , 2014 , 26, 407-18	5.3	183
138	Effectiveness of mindfulness-based stress reduction and mindfulness based cognitive therapy in vascular disease: A systematic review and meta-analysis of randomised controlled trials. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 341-51	4.1	181
137	Examining the factor structure of the 39-item and 15-item versions of the Five Facet Mindfulness Questionnaire before and after mindfulness-based cognitive therapy for people with recurrent depression. <i>Psychological Assessment</i> , 2016 , 28, 791-802	5.3	163
136	A lifetime approach to major depressive disorder: The contributions of psychological interventions in preventing relapse and recurrence. <i>Clinical Psychology Review</i> , 2015 , 41, 16-26	10.8	149
135	Developing methods for assessing quality of life in different cultural settings. The history of the WHOQOL instruments. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 1-8	4.5	149

134	Mechanisms of action in mindfulness-based cognitive therapy (MBCT) and mindfulness-based stress reduction (MBSR) in people with physical and/or psychological conditions: A systematic review. <i>Clinical Psychology Review</i> , 2017 , 55, 74-91	10.8	135
133	Competence in Teaching Mindfulness-Based Courses: Concepts, Development and Assessment. <i>Mindfulness</i> , 2012 , 3, 76-84	2.9	130
132	Development and validation of the mindfulness-based interventions - teaching assessment criteria (MBI:TAC). <i>Assessment</i> , 2013 , 20, 681-8	3.7	120
131	Intrusive memories of childhood abuse during depressive episodes. <i>Behaviour Research and Therapy</i> , 1994 , 32, 525-8	5.2	116
130	Training Teachers to Deliver Mindfulness-Based Interventions: Learning from the UK Experience. <i>Mindfulness</i> , 2010 , 1, 74-86	2.9	114
129	Research Review: The effects of mindfulness-based interventions on cognition and mental health in children and adolescents - a meta-analysis of randomized controlled trials. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 244-258	7.9	114
128	Compassion in the landscape of suffering. <i>Contemporary Buddhism</i> , 2011 , 12, 143-155	0.1	111
127	Autobiographical memory style in seasonal affective disorder and its relationship to future symptom remission.. <i>Journal of Abnormal Psychology</i> , 2001 , 110, 335-340	7	106
126	Participants' experiences of mindfulness-based cognitive therapy: "It changed me in just about every way possible". <i>Behavioural and Cognitive Psychotherapy</i> , 2009 , 37, 413-30	2.1	104
125	The reliability and quality of cognitive case formulation. <i>Behaviour Research and Therapy</i> , 2005 , 43, 1187-201	3.21	103
124	Is cognitive case formulation science or science fiction?. <i>Clinical Psychology: Science and Practice</i> , 2003 , 10, 52-69	3.7	102
123	Rumination in adolescents at risk for depression. <i>Journal of Affective Disorders</i> , 2006 , 96, 39-47	6.6	84
122	Quality of Life Assessment across Cultures. <i>International Journal of Mental Health</i> , 1994 , 23, 5-27	1.4	83
121	Doing no harm in mindfulness-based programs: Conceptual issues and empirical findings. <i>Clinical Psychology Review</i> , 2019 , 71, 101-114	10.8	81
120	Autobiographical memory and depression. <i>British Journal of Clinical Psychology</i> , 1995 , 34, 89-92	3.6	79
119	The Implementation of Mindfulness-Based Cognitive Therapy: Learning From the UK Health Service Experience. <i>Mindfulness</i> , 2013 , 4, 246-254	2.9	73
118	Overgeneral autobiographical memory in depressed adolescents with, versus without, a reported history of trauma. <i>Journal of Abnormal Psychology</i> , 2006 , 115, 387-96	7	71
117	Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: follow-up of the CoBaT randomised controlled trial. <i>Lancet Psychiatry</i> , 2016 , 3, 137-44	23.3	69

116	Therapist competence, comorbidity and cognitive-behavioral therapy for depression. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 42-8	9.4	66
115	Disorder specific and trans-diagnostic case conceptualisation. <i>Clinical Psychology Review</i> , 2011 , 31, 213-24.8	4.8	65
114	Remembering as an observer: how is autobiographical memory retrieval vantage perspective linked to depression?. <i>Memory</i> , 2009 , 17, 624-34	1.8	65
113	Facets of autobiographical memory in adolescents with major depressive disorder and never-depressed controls. <i>Cognition and Emotion</i> , 2006 , 20, 466-87	2.3	64
112	Causal beliefs about depression in depressed patients, clinical psychologists and lay persons. <i>The British Journal of Medical Psychology</i> , 1992 , 65 (Pt 3), 257-68		58
111	A Non-Randomised Feasibility Trial Assessing the Efficacy of a Mindfulness-Based Intervention for Teachers to Reduce Stress and Improve Well-Being. <i>Mindfulness</i> , 2016 , 7, 198-208	2.9	56
110	The Science and Practice of Case Conceptualization. <i>Behavioural and Cognitive Psychotherapy</i> , 2008 , 36, 757-768	2.1	53
109	Psychometric properties of the Beck Self-Esteem Scales. <i>Behaviour Research and Therapy</i> , 2001 , 39, 115-34	3.4	53
108	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBaT randomised controlled trial. <i>Health Technology Assessment</i> , 2014 , 18, 1-167, vii-viii	4.4	51
107	The psychometric properties of the Kentucky Inventory of Mindfulness Skills in clinical populations. <i>Assessment</i> , 2010 , 17, 220-9	3.7	50
106	Overgeneral autobiographical memory in adolescents at risk for depression. <i>Memory</i> , 2011 , 19, 241-50	1.8	49
105	Intraclass correlation associated with therapists: estimates and applications in planning psychotherapy research. <i>Cognitive Behaviour Therapy</i> , 2011 , 40, 15-33	4.4	48
104	The characteristics of involuntary and voluntary autobiographical memories in depressed and never depressed individuals. <i>Consciousness and Cognition</i> , 2012 , 21, 1382-92	2.6	43
103	Response to cognitive therapy in depression: The role of maladaptive beliefs and personality disorders.. <i>Journal of Consulting and Clinical Psychology</i> , 2001 , 69, 560-566	6.5	42
102	The Relation of Early Abuse to Cognition and Coping in Depression. <i>Cognitive Therapy and Research</i> , 1999 , 23, 665-677	2.7	42
101	Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 366-73	5.4	41
100	Soothing Your Heart and Feeling Connected: A New Experimental Paradigm to Study the Benefits of Self-Compassion. <i>Clinical Psychological Science</i> , 2019 , 7, 545-565	6	40
99	Autobiographical memory functioning in depression and reports of early abuse. <i>Journal of Abnormal Psychology</i> , 1995 , 104, 585-91	7	40

98	Stress and coping in depressed women. <i>Cognitive Therapy and Research</i> , 1994 , 18, 403-412	2.7	39
97	Development and Psychometric Properties of the Sussex-Oxford Compassion Scales (SOCS). <i>Assessment</i> , 2020 , 27, 3-20	3.7	39
96	Involuntary and voluntary autobiographical memory specificity as a function of depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013 , 44, 7-13	2.6	38
95	Sudden gains in cognitive-behavior therapy for treatment-resistant depression: Processes of change. <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 726-37	6.5	38
94	Cognitive therapy outcome: the effects of hopelessness in a naturalistic outcome study. <i>Behaviour Research and Therapy</i> , 2004 , 42, 631-46	5.2	37
93	Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. <i>BMC Psychiatry</i> , 2012 , 12, 125	4.2	36
92	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). <i>Health Technology Assessment</i> , 2015 , 19, 1-124	4.4	36
91	The effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 194	2.8	33
90	Self-Compassion and Parenting in Mothers and Fathers with Depression. <i>Mindfulness</i> , 2016 , 7, 896-908	2.9	32
89	The prevalence of depressive symptoms among fathers and associated risk factors during the first seven years of their child's life: findings from the Millennium Cohort Study. <i>BMC Public Health</i> , 2016 , 16, 509	4.1	31
88	No pain, no gain: depressed clients' experiences of cognitive behavioural therapy. <i>British Journal of Clinical Psychology</i> , 2013 , 52, 347-64	3.6	30
87	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2010 , 11, 99	2.8	29
86	Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. <i>Journal of Affective Disorders</i> , 2015 , 187, 54-61	6.6	28
85	Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care: the CoBaT randomised controlled trial protocol. <i>Contemporary Clinical Trials</i> , 2012 , 33, 312-9	2.3	27
84	Assessing the validity of the ICECAP-A capability measure for adults with depression. <i>BMC Psychiatry</i> , 2017 , 17, 46	4.2	26
83	Mindfulness Training in UK Secondary Schools: a Multiple Case Study Approach to Identification of Cornerstones of Implementation. <i>Mindfulness</i> , 2019 , 10, 376-389	2.9	25
82	Exploring patients' reasons for declining contact in a cognitive behavioural therapy randomised controlled trial in primary care. <i>British Journal of General Practice</i> , 2012 , 62, e371-7	1.6	25
81	Teacher Competence in Mindfulness-Based Cognitive Therapy for Depression and Its Relation to Treatment Outcome. <i>Mindfulness</i> , 2017 , 8, 960-972	2.9	24

80	The Mental Regulation of Autobiographical Recollection in the Aftermath of Trauma. <i>Current Directions in Psychological Science</i> , 2008 , 17, 259-263	6.5	24
79	Autobiographical memory style in seasonal affective disorder and its relationship to future symptom remission. <i>Journal of Abnormal Psychology</i> , 2001 , 110, 335-40	7	23
78	Bringing light into darkness: A multiple baseline mixed methods case series evaluation of Augmented Depression Therapy (ADepT). <i>Behaviour Research and Therapy</i> , 2019 , 120, 103418	5.2	22
77	Does mindfulness based cognitive therapy prevent relapse of depression?. <i>BMJ, The</i> , 2012 , 345, e7194	5.9	22
76	The Effectiveness of Mindfulness-Based Cognitive Therapy (MBCT) in Real-World Healthcare Services. <i>Mindfulness</i> , 2020 , 11, 279-290	2.9	21
75	Self-Compassion and Cultural Values: A Cross-Cultural Study of Self-Compassion Using a Multitrait-Multimethod (MTMM) Analytical Procedure. <i>Frontiers in Psychology</i> , 2018 , 9, 2638	3.4	20
74	Cost-effectiveness of cognitive-behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: economic evaluation of the CoBaT Trial. <i>British Journal of Psychiatry</i> , 2014 , 204, 69-76	5.4	19
73	The psychosocial context of depressive rumination: ruminative brooding predicts diminished relationship satisfaction in individuals with a history of past major depression. <i>British Journal of Clinical Psychology</i> , 2010 , 49, 275-80	3.6	19
72	Mind the gaps: the accessibility and implementation of an effective depression relapse prevention programme in UK NHS services: learning from mindfulness-based cognitive therapy through a mixed-methods study. <i>BMJ Open</i> , 2019 , 9, e026244	3	19
71	Cost and outcome of behavioural activation versus cognitive behaviour therapy for depression (COBRA): study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 29	2.8	18
70	Trainee clinical psychologists: adaptation and professional functioning: a longitudinal study. <i>Clinical Psychology and Psychotherapy</i> , 2003 , 10, 41-54	2.9	18
69	Postnatal paternal depressive symptoms associated with fathers' subsequent parenting: findings from the Millennium Cohort Study. <i>British Journal of Psychiatry</i> , 2015 , 207, 558-9	5.4	16
68	Advances in cognitive-behavioural therapy for unipolar depression. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 5-13	4.8	16
67	Accessibility and implementation in UK services of an effective depression relapse prevention programme - mindfulness-based cognitive therapy (MBCT): ASPIRE study protocol. <i>Implementation Science</i> , 2014 , 9, 62	8.4	15
66	Does father-child conflict mediate the association between fathers' postnatal depressive symptoms and children's adjustment problems at 7 years old?. <i>Psychological Medicine</i> , 2016 , 46, 1719-33	6.9	14
65	The experiences of parents in mindfulness-based cognitive therapy. <i>Clinical Child Psychology and Psychiatry</i> , 2012 , 17, 103-19	2	14
64	Accessibility and implementation in the UK NHS services of an effective depression relapse prevention programme: learning from mindfulness-based cognitive therapy through a mixed-methods study. <i>Health Services and Delivery Research</i> , 2017 , 5, 1-190	1.5	14
63	Frequency of Self-reported Unpleasant Events and Harm in a Mindfulness-Based Program in Two General Population Samples. <i>Mindfulness</i> , 2021 , 12, 763-774	2.9	14

62	Moderators of response to cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care. <i>Journal of Affective Disorders</i> , 2015 , 174, 272-80	6.6	13
61	Cost and Outcome of Behavioural Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. <i>Health Technology Assessment</i> , 2017 , 21, 1-366	4.4	13
60	Evaluating Augmented Depression Therapy (ADepT): study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 63	1.9	12
59	A Framework for Supervision for Mindfulness-Based Teachers: a Space for Embodied Mutual Inquiry. <i>Mindfulness</i> , 2015 , 6, 572-581	2.9	12
58	Children's emotion understanding in relation to attachment to mother and father. <i>British Journal of Developmental Psychology</i> , 2018 , 36, 557-572	2	12
57	Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2016 , 17, 59	2.8	12
56	The psychological sequelae of childhood sexual abuse: A review of the literature and implications for treatment. <i>Clinical Psychology and Psychotherapy</i> , 1995 , 2, 108-121	2.9	12
55	Why do GPs exclude patients from participating in research? An exploration of adherence to and divergence from trial criteria. <i>Family Practice</i> , 2014 , 31, 364-70	1.9	11
54	A parallel-group, randomized controlled trial into the effectiveness of Mindfulness-Based Compassionate Living (MBCL) compared to treatment-as-usual in recurrent depression: Trial design and protocol. <i>Contemporary Clinical Trials</i> , 2016 , 50, 77-83	2.3	10
53	Assessing Competence in Collaborative Case Conceptualization: Development and Preliminary Psychometric Properties of the Collaborative Case Conceptualization Rating Scale (CCC-RS). <i>Behavioural and Cognitive Psychotherapy</i> , 2016 , 44, 179-92	2.1	10
52	Dispositional self-compassion and responses to mood challenge in people at risk for depressive relapse/recurrence. <i>Clinical Psychology and Psychotherapy</i> , 2018 , 25, 621-633	2.9	10
51	Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2014 , 15, 217	2.8	10
50	Processes of change in cognitive behavioral therapy for treatment-resistant depression: psychological flexibility, rumination, avoidance, and emotional processing. <i>Psychotherapy Research</i> , 2020 , 30, 983-997	3.6	10
49	The Mindfulness-Based Interventions: Teaching Assessment Criteria (MBI:TAC): reflections on implementation and development. <i>Current Opinion in Psychology</i> , 2019 , 28, 6-10	6.2	10
48	Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. <i>Trials</i> , 2018 , 19, 211	2.8	9
47	Evaluation of mindfulness-based cognitive therapy for life and a cognitive behavioural therapy stress-management workshop to improve healthcare staff stress: study protocol for two randomised controlled trials. <i>Trials</i> , 2018 , 19, 209	2.8	9
46	Assessing health care students' intentions and motivations for learning: the Healthcare Learning and Studying Inventory (HLSI). <i>Advances in Health Sciences Education</i> , 2013 , 18, 451-62	3.7	9
45	Benefits and Barriers to Attending MBCT Reunion Meetings: An Insider Perspective. <i>Mindfulness</i> , 2012 , 3, 139-150	2.9	9

44	Under/over-recruitment to mental health trials. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 158	6.5	9
43	The HARMONIC trial: study protocol for a randomised controlled feasibility trial of Shaping Healthy Minds-a modular transdiagnostic intervention for mood, stressor-related and anxiety disorders in adults. <i>BMJ Open</i> , 2018 , 8, e024546	3	9
42	Continuation of Antidepressants vs Sequential Psychological Interventions to Prevent Relapse in Depression: An Individual Participant Data Meta-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 868-875	14.5	9
41	Recovery from recurrent depression: Randomized controlled trial of the efficacy of mindfulness-based compassionate living compared with treatment-as-usual on depressive symptoms and its consolidation at longer term follow-up. <i>Journal of Affective Disorders</i> , 2020 , 273, 265-273	6.6	8
40	Manual Development and Pilot Randomised Controlled Trial of Mindfulness-Based Cognitive Therapy Versus Usual Care for Parents with a History of Depression. <i>Mindfulness</i> , 2016 , 7, 1024-1033	2.9	8
39	A longitudinal study of the psychological adaptation of trainee clinical psychologists. <i>Clinical Psychology and Psychotherapy</i> , 2000 , 7, 394-400	2.9	8
38	Susceptibility to prosocial and antisocial influence in adolescence. <i>Journal of Adolescence</i> , 2020 , 84, 56-68	3.4	8
37	Mindfulness-Based Cognitive Therapy for Young People and Their Carers: a Mixed-Method Feasibility Study. <i>Mindfulness</i> , 2018 , 9, 1063-1075	2.9	8
36	Anna: A 26-year-old woman with major depression and borderline personality disorder. <i>Cognitive and Behavioral Practice</i> , 1999 , 6, 50-53	2.3	7
35	Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-220	4.4	7
34	Training School Teachers to Deliver a Mindfulness Program: Exploring Scalability, Acceptability, Effectiveness, and Cost-effectiveness. <i>Global Advances in Health and Medicine</i> , 2020 , 9, 2164956120964738	1.8	7
33	Individuals' Long Term Use of Cognitive Behavioural Skills to Manage their Depression: A Qualitative Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2017 , 45, 46-57	2.1	6
32	Feasibility and Effectiveness of a Workplace-Adapted Mindfulness-Based Programme to Reduce Stress in Workers at a Private Sector Logistics Company: An Exploratory Mixed Methods Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
31	The psychological adaptation of psychologists in clinical training: the role of cognition, coping and social support 1998 , 5, 238-252		6
30	The Role of Schools in Early Adolescents' Mental Health: Findings From the MYRIAD Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 1467-1478	7.2	6
29	Reducing stress and promoting well-being in healthcare workers using mindfulness-based cognitive therapy for life. <i>International Journal of Clinical and Health Psychology</i> , 2021 , 21, 100227	5.1	6
28	Decentering as a core component in the psychological treatment and prevention of youth anxiety and depression: a narrative review and insight report. <i>Translational Psychiatry</i> , 2021 , 11, 288	8.6	6
27	Feasibility and Acceptability of Mindfulness-based Cognitive Therapy Compared with Mindfulness-based Stress Reduction and Treatment as Usual in People with Depression and Cardiovascular Disorders: a Three-Arm Randomised Controlled Trial. <i>Mindfulness</i> , 2020 , 11, 30-50	2.9	6

26	The Impact of Affective Context on Autobiographical Recollection in Depression. <i>Clinical Psychological Science</i> , 2018 , 6, 315-324	6	6
25	Response to cognitive therapy in depression: the role of maladaptive beliefs and personality disorders. <i>Journal of Consulting and Clinical Psychology</i> , 2001 , 69, 560-6	6.5	6
24	Power and clinical psychology: a model for resolving power-related ethical dilemmas. <i>Ethics and Behavior</i> , 1999 , 9, 21-37	1.4	5
23	Sudden gains and patterns of symptom change in cognitive-behavioral therapy for treatment-resistant depression. <i>Journal of Consulting and Clinical Psychology</i> , 2020 , 88, 106-118	6.5	5
22	The psychometric properties of the cognitive emotion regulation questionnaire (CERQ) in a clinical sample of adults with recurrent depression. <i>Journal of Affective Disorders</i> , 2020 , 276, 212-219	6.6	5
21	Can We Agree What Skilled Mindfulness-Based Teaching Looks Like? Lessons From Studying the MBI:TAC. <i>Global Advances in Health and Medicine</i> , 2020 , 9, 2164956120964733	1.9	5
20	Individual participant data (IPD) meta-analysis of psychological relapse prevention interventions versus control for patients in remission from depression: a protocol. <i>BMJ Open</i> , 2020 , 10, e034158	3	4
19	Teachers "Finding Peace in a Frantic World": An Experimental Study of Self-Taught and Instructor-Led Mindfulness Program Formats on Acceptability, Effectiveness, and Mechanisms.. <i>Journal of Educational Psychology</i> , 2021 , 113, 1689-1708	5.3	4
18	Do Females with Bulimia Nervosa and Eating Disorder Not Otherwise Specified Have Selective Memory Biases?. <i>Behavioural and Cognitive Psychotherapy</i> , 2015 , 43, 602-13	2.1	3
17	Cognitive behavioural therapy for treatment-resistant depression - AuthorsSreply. <i>Lancet, The</i> , 2013 , 381, 1814-5	4.0	3
16	Developing stepped care treatment for depression (STEPS): study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2014 , 15, 452	2.8	3
15	Recovery from recurrent depression with mindfulness-based cognitive therapy and antidepressants: a qualitative study with illustrative case studies. <i>BMJ Open</i> , 2020 , 10, e033892	3	3
14	The Mental Health and Wellbeing of University Students: Acceptability, Effectiveness, and Mechanisms of a Mindfulness-Based Course. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
13	A developmental psychopathology approach. <i>Cognitive and Behavioral Practice</i> , 1999 , 6, 78-83	2.3	2
12	Mindfulness-Based Programs: Why, When, and How to Adapt?. <i>Global Advances in Health and Medicine</i> , 2022 , 11, 21649561211068805	1.9	2
11	Mindfulness-Based Cognitive Therapy: A Promising New Approach to Preventing Depressive Relapse. <i>Focus (American Psychiatric Publishing)</i> , 2012 , 10, 489-491	1.1	1
10	Autobiographical memory style and clinical outcomes following mindfulness-based cognitive therapy (MBCT): An individual patient data meta-analysis.. <i>Behaviour Research and Therapy</i> , 2022 , 151, 104048	5.2	1
9	Update to the effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2021 , 22, 254	2.8	1

8	Mindfulness-Based Compassionate Living (MBCL): a Qualitative Study into the Added Value of Compassion in Recurrent Depression. <i>Mindfulness</i> , 2021 , 12, 2196-2206	2.9	1
7	A Biobehavioural Approach to Understand How Mindfulness-Based Cognitive Therapy Reduces Dispositional Negative Self-Bias in Recurrent Depression. <i>Mindfulness</i> , 1	2.9	1
6	Cognitive Therapy15-39		0
5	Universal Mindfulness Training in Schools for Adolescents: a Scoping Review and Conceptual Model of Moderators, Mediators, and Implementation Factors.. <i>Prevention Science</i> , 2022 , 1	4	0
4	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Clinical Psychological Science</i> , 216770262210768	6	0
3	Mindfulness-Based Cognitive Therapy for Recurrent Depression 2014 , 29-60		
2	Conditional Beliefs of Primary-Care Patients with Treatment-Resistant Depression. <i>Behavioural and Cognitive Psychotherapy</i> , 2016 , 44, 513-26	2.1	
1	Protocol for a randomised controlled trial investigating an intervention to boost decentering in response to distressing mental experiences during adolescence: the decentering in adolescence study (DECADES).. <i>BMJ Open</i> , 2022 , 12, e056864	3	