Willem Kuyken

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6509276/willem-kuyken-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

9,034
citations

48
p-index

93
g-index

167
ext. papers

10,920
ext. citations

5.5
avg, IF

L-index

#	Paper	IF	Citations
151	Mindfulness-Based Programs: Why, When, and How to Adapt?. <i>Global Advances in Health and Medicine</i> , 2022 , 11, 21649561211068805	1.9	2
150	Autobiographical memory style and clinical outcomes following mindfulness-based cognitive therapy (MBCT): An individual patient data meta-analysis <i>Behaviour Research and Therapy</i> , 2022 , 151, 104048	5.2	1
149	Universal Mindfulness Training in Schools for Adolescents: a Scoping Review and Conceptual Model of Moderators, Mediators, and Implementation Factors <i>Prevention Science</i> , 2022 , 1	4	O
148	Protocol for a randomised controlled trial investigating an intervention to boost decentering in response to distressing mental experiences during adolescence: the decentering in adolescence study (DECADES) <i>BMJ Open</i> , 2022 , 12, e056864	3	
147	Teachers "Finding Peace in a Frantic World": An Experimental Study of Self-Taught and Instructor-Led Mindfulness Program Formats on Acceptability, Effectiveness, and Mechanisms <i>Journal of Educational Psychology</i> , 2021 , 113, 1689-1708	5.3	4
146	The Role of Schools in Early AdolescentsSMental Health: Findings From the MYRIAD Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 1467-1478	7.2	6
145	Update to the effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2021 , 22, 254	2.8	1
144	Reducing stress and promoting well-being in healthcare workers using mindfulness-based cognitive therapy for life. <i>International Journal of Clinical and Health Psychology</i> , 2021 , 21, 100227	5.1	6
143	Decentering as a core component in the psychological treatment and prevention of youth anxiety and depression: a narrative review and insight report. <i>Translational Psychiatry</i> , 2021 , 11, 288	8.6	6
142	The Mental Health and Wellbeing of University Students: Acceptability, Effectiveness, and Mechanisms of a Mindfulness-Based Course. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
141	Mindfulness-Based Compassionate Living (MBCL): a Qualitative Study into the Added Value of Compassion in Recurrent Depression. <i>Mindfulness</i> , 2021 , 12, 2196-2206	2.9	1
140	Frequency of Self-reported Unpleasant Events and Harm in a Mindfulness-Based Program in Two General Population Samples. <i>Mindfulness</i> , 2021 , 12, 763-774	2.9	14
139	Continuation of Antidepressants vs Sequential Psychological Interventions to Prevent Relapse in Depression: An Individual Participant Data Meta-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 868-875	14.5	9
138	Individual participant data (IPD) meta-analysis of psychological relapse prevention interventions versus control for patients in remission from depression: a protocol. <i>BMJ Open</i> , 2020 , 10, e034158	3	4
137	Recovery from recurrent depression: Randomized controlled trial of the efficacy of mindfulness-based compassionate living compared with treatment-as-usual on depressive symptoms and its consolidation at longer term follow-up. <i>Journal of Affective Disorders</i> , 2020 , 273, 265	6.6 5-273	8
136	Feasibility and Effectiveness of a Workplace-Adapted Mindfulness-Based Programme to Reduce Stress in Workers at a Private Sector Logistics Company: An Exploratory Mixed Methods Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
135	Recovery from recurrent depression with mindfulness-based cognitive therapy and antidepressants: a qualitative study with illustrative case studies. <i>BMJ Open</i> , 2020 , 10, e033892	3	3

134	Training School Teachers to Deliver a Mindfulness Program: Exploring Scalability, Acceptability, Effectiveness, and Cost-effectiveness. <i>Global Advances in Health and Medicine</i> , 2020 , 9, 2164956120964	1738	7
133	Sudden gains and patterns of symptom change in cognitive-behavioral therapy for treatment-resistant depression. <i>Journal of Consulting and Clinical Psychology</i> , 2020 , 88, 106-118	6.5	5
132	Processes of change in cognitive behavioral therapy for treatment-resistant depression: psychological flexibility, rumination, avoidance, and emotional processing. <i>Psychotherapy Research</i> , 2020 , 30, 983-997	3.6	10
131	Susceptibility to prosocial and antisocial influence in adolescence. <i>Journal of Adolescence</i> , 2020 , 84, 56-	-6 <u>8</u> .4	8
130	The psychometric properties of the cognitive emotion regulation questionnaire (CERQ) in a clinical sample of adults with recurrent depression. <i>Journal of Affective Disorders</i> , 2020 , 276, 212-219	6.6	5
129	Can We Agree What Skilled Mindfulness-Based Teaching Looks Like? Lessons From Studying the MBI:TAC. <i>Global Advances in Health and Medicine</i> , 2020 , 9, 2164956120964733	1.9	5
128	The Effectiveness of Mindfulness-Based Cognitive Therapy (MBCT) in Real-World Healthcare Services. <i>Mindfulness</i> , 2020 , 11, 279-290	2.9	21
127	Feasibility and Acceptability of Mindfulness-based Cognitive Therapy Compared with Mindfulness-based Stress Reduction and Treatment as Usual in People with Depression and Cardiovascular Disorders: a Three-Arm Randomised Controlled Trial. <i>Mindfulness</i> , 2020 , 11, 30-50	2.9	6
126	Development and Psychometric Properties of the Sussex-Oxford Compassion Scales (SOCS). <i>Assessment</i> , 2020 , 27, 3-20	3.7	39
125	Bringing light into darkness: A multiple baseline mixed methods case series evaluation of Augmented Depression Therapy (ADepT). <i>Behaviour Research and Therapy</i> , 2019 , 120, 103418	5.2	22
124	Evaluating Augmented Depression Therapy (ADepT): study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 63	1.9	12
123	Soothing Your Heart and Feeling Connected: A New Experimental Paradigm to Study the Benefits of Self-Compassion. <i>Clinical Psychological Science</i> , 2019 , 7, 545-565	6	40
122	Mindfulness Training in UK Secondary Schools: a Multiple Case Study Approach to Identification of Cornerstones of Implementation. <i>Mindfulness</i> , 2019 , 10, 376-389	2.9	25
121	SMind the gapsS the accessibility and implementation of an effective depression relapse prevention programme in UK NHS services: learning from mindfulness-based cognitive therapy through a mixed-methods study. BMJ Open, 2019, 9, e026244	3	19
120	Doing no harm in mindfulness-based programs: Conceptual issues and empirical findings. <i>Clinical Psychology Review</i> , 2019 , 71, 101-114	10.8	81
119	The Mindfulness-Based Interventions: Teaching Assessment Criteria (MBI:TAC): reflections on implementation and development. <i>Current Opinion in Psychology</i> , 2019 , 28, 6-10	6.2	10
118	Research Review: The effects of mindfulness-based interventions on cognition and mental health in children and adolescents - a meta-analysis of randomized controlled trials. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 244-258	7.9	114
117	Children's emotion understanding in relation to attachment to mother and father. <i>British Journal of Developmental Psychology</i> , 2018 , 36, 557-572	2	12

116	Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. <i>Trials</i> , 2018 , 19, 211	2.8	9
115	Evaluation of mindfulness-based cognitive therapy for life and a cognitive behavioural therapy stress-management workshop to improve healthcare staff stress: study protocol for two randomised controlled trials. <i>Trials</i> , 2018 , 19, 209	2.8	9
114	Dispositional self-compassion and responses to mood challenge in people at risk for depressive relapse/recurrence. <i>Clinical Psychology and Psychotherapy</i> , 2018 , 25, 621-633	2.9	10
113	Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-220	4.4	7
112	The Impact of Affective Context on Autobiographical Recollection in Depression. <i>Clinical Psychological Science</i> , 2018 , 6, 315-324	6	6
111	Mindfulness-Based Cognitive Therapy for Young People and Their Carers: a Mixed-Method Feasibility Study. <i>Mindfulness</i> , 2018 , 9, 1063-1075	2.9	8
110	Self-Compassion and Cultural Values: A Cross-Cultural Study of Self-Compassion Using a Multitrait-Multimethod (MTMM) Analytical Procedure. <i>Frontiers in Psychology</i> , 2018 , 9, 2638	3.4	20
109	The HARMONIC trial: study protocol for a randomised controlled feasibility trial of Shaping Healthy Minds-a modular transdiagnostic intervention for mood, stressor-related and anxiety disorders in adults. <i>BMJ Open</i> , 2018 , 8, e024546	3	9
108	Home practice in Mindfulness-Based Cognitive Therapy and Mindfulness-Based Stress Reduction: A systematic review and meta-analysis of participantsSmindfulness practice and its association with outcomes. <i>Behaviour Research and Therapy</i> , 2017 , 95, 29-41	5.2	251
107	Mechanisms of action in mindfulness-based cognitive therapy (MBCT) and mindfulness-based stress reduction (MBSR) in people with physical and/or psychological conditions: A systematic review. <i>Clinical Psychology Review</i> , 2017 , 55, 74-91	10.8	135
106	Teacher Competence in Mindfulness-Based Cognitive Therapy for Depression and Its Relation to Treatment Outcome. <i>Mindfulness</i> , 2017 , 8, 960-972	2.9	24
105	IndividualsSLong Term Use of Cognitive Behavioural Skills to Manage their Depression: A Qualitative Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2017 , 45, 46-57	2.1	6
104	Assessing the validity of the ICECAP-A capability measure for adults with depression. <i>BMC Psychiatry</i> , 2017 , 17, 46	4.2	26
103	The effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 194	2.8	33
102	Accessibility and implementation in the UK NHS services of an effective depression relapse prevention programme: learning from mindfulness-based cognitive therapy through a mixed-methods study. <i>Health Services and Delivery Research</i> , 2017 , 5, 1-190	1.5	14
101	Cost and Outcome of BehaviouRal Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. <i>Health Technology Assessment</i> , 2017 , 21, 1-366	4.4	13
100	A parallel-group, randomized controlled trial into the effectiveness of Mindfulness-Based Compassionate Living (MBCL) compared to treatment-as-usual in recurrent depression: Trial design and protocol. <i>Contemporary Clinical Trials</i> , 2016 , 50, 77-83	2.3	10
99	Does father-child conflict mediate the association between fathersSpostnatal depressive symptoms and childrens adjustment problems at 7 years old?. <i>Psychological Medicine</i> , 2016 , 46, 1719-33	₃ 6.9	14

98	Manual Development and Pilot Randomised Controlled Trial of Mindfulness-Based Cognitive Therapy Versus Usual Care for Parents with a History of Depression. <i>Mindfulness</i> , 2016 , 7, 1024-1033	2.9	8
97	Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2016 , 17, 59	2.8	12
96	Assessing Competence in Collaborative Case Conceptualization: Development and Preliminary Psychometric Properties of the Collaborative Case Conceptualization Rating Scale (CCC-RS). <i>Behavioural and Cognitive Psychotherapy</i> , 2016 , 44, 179-92	2.1	10
95	A Non-Randomised Feasibility Trial Assessing the Efficacy of a Mindfulness-Based Intervention for Teachers to Reduce Stress and Improve Well-Being. <i>Mindfulness</i> , 2016 , 7, 198-208	2.9	56
94	Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: follow-up of the CoBalT randomised controlled trial. <i>Lancet Psychiatry,the</i> , 2016 , 3, 137-44	23.3	69
93	Sudden gains in cognitive-behavior therapy for treatment-resistant depression: Processes of change. <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 726-37	6.5	38
92	Examining the factor structure of the 39-item and 15-item versions of the Five Facet Mindfulness Questionnaire before and after mindfulness-based cognitive therapy for people with recurrent depression. <i>Psychological Assessment</i> , 2016 , 28, 791-802	5.3	163
91	The prevalence of depressive symptoms among fathers and associated risk factors during the first seven years of their childs life: findings from the Millennium Cohort Study. <i>BMC Public Health</i> , 2016 , 16, 509	4.1	31
90	Conditional Beliefs of Primary-Care Patients with Treatment-Resistant Depression. <i>Behavioural and Cognitive Psychotherapy</i> , 2016 , 44, 513-26	2.1	
89	What is compassion and how can we measure it? A review of definitions and measures. <i>Clinical Psychology Review</i> , 2016 , 47, 15-27	10.8	295
89 88			295 32
	Psychology Review, 2016 , 47, 15-27		
88	Psychology Review, 2016, 47, 15-27 Self-Compassion and Parenting in Mothers and Fathers with Depression. Mindfulness, 2016, 7, 896-908 Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. British Journal of Psychiatry, 2016,	2.9	32
88 8 ₇	Psychology Review, 2016, 47, 15-27 Self-Compassion and Parenting in Mothers and Fathers with Depression. Mindfulness, 2016, 7, 896-908 Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. British Journal of Psychiatry, 2016, 208, 366-73 Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse: An Individual	2.9 5.4	32
88 87 86	Self-Compassion and Parenting in Mothers and Fathers with Depression. <i>Mindfulness</i> , 2016 , 7, 896-908 Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 366-73 Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse: An Individual Patient Data Meta-analysis From Randomized Trials. <i>JAMA Psychiatry</i> , 2016 , 73, 565-74 Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression	2.9 5.4 14.5	32 41 397
88 87 86 85	Self-Compassion and Parenting in Mothers and Fathers with Depression. <i>Mindfulness</i> , 2016 , 7, 896-908 Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 366-73 Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse: An Individual Patient Data Meta-analysis From Randomized Trials. <i>JAMA Psychiatry</i> , 2016 , 73, 565-74 Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2016 , 388, 871-80 Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence	2.9 5.4 14.5	32 41 397 282 278
88 87 86 85 84	Self-Compassion and Parenting in Mothers and Fathers with Depression. <i>Mindfulness</i> , 2016 , 7, 896-908 Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 366-73 Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse: An Individual Patient Data Meta-analysis From Randomized Trials. <i>JAMA Psychiatry</i> , 2016 , 73, 565-74 Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. <i>Lancet</i> , <i>The</i> , 2016 , 388, 871-80 Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. <i>Lancet</i> , <i>The</i> , 2015 , 386, 63-73 A lifetime approach to major depressive disorder: The contributions of psychological interventions	2.9 5.4 14.5 40	32 41 397 282 278

80	Postnatal paternal depressive symptoms associated with fathersSsubsequent parenting: findings from the Millennium Cohort Study. <i>British Journal of Psychiatry</i> , 2015 , 207, 558-9	5.4	16
79	Moderators of response to cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care. <i>Journal of Affective Disorders</i> , 2015 , 174, 272-80	6.6	13
78	A Framework for Supervision for Mindfulness-Based Teachers: a Space for Embodied Mutual Inquiry. <i>Mindfulness</i> , 2015 , 6, 572-581	2.9	12
77	Do Females with Bulimia Nervosa and Eating Disorder Not Otherwise Specified Have Selective Memory Biases?. <i>Behavioural and Cognitive Psychotherapy</i> , 2015 , 43, 602-13	2.1	3
76	Systematic review and meta-analysis of transdiagnostic psychological treatments for anxiety and depressive disorders in adulthood. <i>Clinical Psychology Review</i> , 2015 , 40, 91-110	10.8	297
75	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). <i>Health Technology Assessment</i> , 2015 , 19, 1-124	4.4	36
74	Cost and outcome of behavioural activation versus cognitive behaviour therapy for depression (COBRA): study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 29	2.8	18
73	Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2014 , 15, 217	2.8	10
72	Accessibility and implementation in UK services of an effective depression relapse prevention programme - mindfulness-based cognitive therapy (MBCT): ASPIRE study protocol. <i>Implementation Science</i> , 2014 , 9, 62	8.4	15
71	Effectiveness of mindfulness-based stress reduction and mindfulness based cognitive therapy in vascular disease: A systematic review and meta-analysis of randomised controlled trials. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 341-51	4.1	181
70	Cost-effectiveness of cognitive-behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: economic evaluation of the CoBalT Trial. <i>British Journal of Psychiatry</i> , 2014 , 204, 69-76	5.4	19
69	Developing stepped care treatment for depression (STEPS): study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2014 , 15, 452	2.8	3
68	Examining the factor structures of the five facet mindfulness questionnaire and the self-compassion scale. <i>Psychological Assessment</i> , 2014 , 26, 407-18	5.3	183
67	Why do GPs exclude patients from participating in research? An exploration of adherence to and divergence from trial criteria. <i>Family Practice</i> , 2014 , 31, 364-70	1.9	11
66	Mindfulness-Based Cognitive Therapy for Recurrent Depression 2014 , 29-60		
65	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBalT randomised controlled trial. <i>Health Technology Assessment</i> , 2014 , 18, 1-167, vii-viii	4.4	51
64	The Implementation of Mindfulness-Based Cognitive Therapy: Learning From the UK Health Service Experience. <i>Mindfulness</i> , 2013 , 4, 246-254	2.9	73
63	Assessing health care studentsSintentions and motivations for learning: the Healthcare Learning and Studying Inventory (HLSI). <i>Advances in Health Sciences Education</i> , 2013 , 18, 451-62	3.7	9

(2011-2013)

62	Cognitive behavioural therapy as an adjunct to pharmacotherapy for primary care based patients with treatment resistant depression: results of the CoBalT randomised controlled trial. <i>Lancet, The</i> , 2013 , 381, 375-84	40	223
61	Cognitive behavioural therapy for treatment-resistant depression - AuthorsSreply. <i>Lancet, The</i> , 2013 , 381, 1814-5	40	3
60	No pain, no gain: depressed clientsSexperiences of cognitive behavioural therapy. <i>British Journal of Clinical Psychology</i> , 2013 , 52, 347-64	3.6	30
59	Involuntary and voluntary autobiographical memory specificity as a function of depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013 , 44, 7-13	2.6	38
58	Development and validation of the mindfulness-based interventions - teaching assessment criteria (MBI:TAC). <i>Assessment</i> , 2013 , 20, 681-8	3.7	120
57	Effectiveness of the Mindfulness in Schools Programme: non-randomised controlled feasibility study. <i>British Journal of Psychiatry</i> , 2013 , 203, 126-31	5.4	212
56	Competence in Teaching Mindfulness-Based Courses: Concepts, Development and Assessment. <i>Mindfulness</i> , 2012 , 3, 76-84	2.9	130
55	Mindfulness-Based Cognitive Therapy: A Promising New Approach to Preventing Depressive Relapse. <i>Focus (American Psychiatric Publishing)</i> , 2012 , 10, 489-491	1.1	1
54	The experiences of parents in mindfulness-based cognitive therapy. <i>Clinical Child Psychology and Psychiatry</i> , 2012 , 17, 103-19	2	14
53	Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care: the CoBalT randomised controlled trial protocol. <i>Contemporary Clinical Trials</i> , 2012 , 33, 312-9	2.3	27
52	The characteristics of involuntary and voluntary autobiographical memories in depressed and never depressed individuals. <i>Consciousness and Cognition</i> , 2012 , 21, 1382-92	2.6	43
51	Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. <i>BMC Psychiatry</i> , 2012 , 12, 125	4.2	36
50	Exploring patientsSreasons for declining contact in a cognitive behavioural therapy randomised controlled trial in primary care. <i>British Journal of General Practice</i> , 2012 , 62, e371-7	1.6	25
49	Benefits and Barriers to Attending MBCT Reunion Meetings: An Insider Perspective. <i>Mindfulness</i> , 2012 , 3, 139-150	2.9	9
48	Does mindfulness based cognitive therapy prevent relapse of depression?. <i>BMJ, The</i> , 2012 , 345, e7194	5.9	22
47	Compassion in the landscape of suffering. <i>Contemporary Buddhism</i> , 2011 , 12, 143-155	0.1	111
46	Disorder specific and trans-diagnostic case conceptualisation. Clinical Psychology Review, 2011, 31, 213-	24 0.8	65
45	Overgeneral autobiographical memory in adolescents at risk for depression. <i>Memory</i> , 2011 , 19, 241-50	1.8	49

44	Intraclass correlation associated with therapists: estimates and applications in planning psychotherapy research. <i>Cognitive Behaviour Therapy</i> , 2011 , 40, 15-33	4.4	48
43	The psychometric properties of the Kentucky Inventory of Mindfulness Skills in clinical populations. <i>Assessment</i> , 2010 , 17, 220-9	3.7	50
42	How does mindfulness-based cognitive therapy work?. Behaviour Research and Therapy, 2010, 48, 1105-	1922	527
41	The psychosocial context of depressive rumination: ruminative brooding predicts diminished relationship satisfaction in individuals with a history of past major depression. <i>British Journal of Clinical Psychology</i> , 2010 , 49, 275-80	3.6	19
40	Training Teachers to Deliver Mindfulness-Based Interventions: Learning from the UK Experience. <i>Mindfulness</i> , 2010 , 1, 74-86	2.9	114
39	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2010 , 11, 99	2.8	29
38	Therapist competence, comorbidity and cognitive-behavioral therapy for depression. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 42-8	9.4	66
37	ParticipantsSexperiences of mindfulness-based cognitive therapy: "It changed me in just about every way possible". <i>Behavioural and Cognitive Psychotherapy</i> , 2009 , 37, 413-30	2.1	104
36	Remembering as an observer: how is autobiographical memory retrieval vantage perspective linked to depression?. <i>Memory</i> , 2009 , 17, 624-34	1.8	65
35	Mindfulness-based cognitive therapy to prevent relapse in recurrent depression. <i>Journal of Consulting and Clinical Psychology</i> , 2008 , 76, 966-78	6.5	535
34	The Science and Practice of Case Conceptualization. <i>Behavioural and Cognitive Psychotherapy</i> , 2008 , 36, 757-768	2.1	53
33	The Mental Regulation of Autobiographical Recollection in the Aftermath of Trauma. <i>Current Directions in Psychological Science</i> , 2008 , 17, 259-263	6.5	24
32	Under/over-recruitment to mental health trials. Acta Psychiatrica Scandinavica, 2007, 116, 158	6.5	9
31	Advances in cognitive-behavioural therapy for unipolar depression. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 5-13	4.8	16
30	Rumination in adolescents at risk for depression. <i>Journal of Affective Disorders</i> , 2006 , 96, 39-47	6.6	84
29	Facets of autobiographical memory in adolescents with major depressive disorder and never-depressed controls. <i>Cognition and Emotion</i> , 2006 , 20, 466-87	2.3	64
28	Overgeneral autobiographical memory in depressed adolescents with, versus without, a reported history of trauma. <i>Journal of Abnormal Psychology</i> , 2006 , 115, 387-96	7	71
27	The reliability and quality of cognitive case formulation. <i>Behaviour Research and Therapy</i> , 2005 , 43, 1187	7- <u>2</u> 01	103

(1995-2004)

26	Developing methods for assessing quality of life in different cultural settings. The history of the WHOQOL instruments. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 1-8	4.5	149
25	Cognitive therapy outcome: the effects of hopelessness in a naturalistic outcome study. <i>Behaviour Research and Therapy</i> , 2004 , 42, 631-46	5.2	37
24	Trainee clinical psychologistsSadaptation and professional functioning: a longitudinal study. <i>Clinical Psychology and Psychotherapy</i> , 2003 , 10, 41-54	2.9	18
23	Is cognitive case formulation science or science fiction?. <i>Clinical Psychology: Science and Practice</i> , 2003 , 10, 52-69	3.7	102
22	Response to cognitive therapy in depression: The role of maladaptive beliefs and personality disorders <i>Journal of Consulting and Clinical Psychology</i> , 2001 , 69, 560-566	6.5	42
21	Autobiographical memory style in seasonal affective disorder and its relationship to future symptom remission <i>Journal of Abnormal Psychology</i> , 2001 , 110, 335-340	7	106
20	Psychometric properties of the Beck Self-Esteem Scales. <i>Behaviour Research and Therapy</i> , 2001 , 39, 115	-34	53
19	Autobiographical memory style in seasonal affective disorder and its relationship to future symptom remission. <i>Journal of Abnormal Psychology</i> , 2001 , 110, 335-40	7	23
18	Response to cognitive therapy in depression: the role of maladaptive beliefs and personality disorders. <i>Journal of Consulting and Clinical Psychology</i> , 2001 , 69, 560-6	6.5	6
17	A longitudinal study of the psychological adaptation of trainee clinical psychologists. <i>Clinical Psychology and Psychotherapy</i> , 2000 , 7, 394-400	2.9	8
16	Power and clinical psychology: a model for resolving power-related ethical dilemmas. <i>Ethics and Behavior</i> , 1999 , 9, 21-37	1.4	5
15	The Relation of Early Abuse to Cognition and Coping in Depression. <i>Cognitive Therapy and Research</i> , 1999 , 23, 665-677	2.7	42
14	Anna: A 26-year-old woman with major depression and borderline personality disorder. <i>Cognitive and Behavioral Practice</i> , 1999 , 6, 50-53	2.3	7
13	A developmental psychopathology approach. <i>Cognitive and Behavioral Practice</i> , 1999 , 6, 78-83	2.3	2
12	The psychological adaptation of psychologists in clinical training: the role of cognition, coping and social support 1998 , 5, 238-252		6
11	The psychological sequelae of childhood sexual abuse: A review of the literature and implications for treatment. <i>Clinical Psychology and Psychotherapy</i> , 1995 , 2, 108-121	2.9	12
10	Autobiographical memory and depression. British Journal of Clinical Psychology, 1995, 34, 89-92	3.6	79
9	Autobiographical memory functioning in depression and reports of early abuse <i>Journal of Abnormal Psychology</i> , 1995 , 104, 585-591	7	289

8	Autobiographical memory functioning in depression and reports of early abuse. <i>Journal of Abnormal Psychology</i> , 1995 , 104, 585-91	7	40
7	Quality of Life Assessment across Cultures. <i>International Journal of Mental Health</i> , 1994 , 23, 5-27	1.4	83
6	Stress and coping in depressed women. <i>Cognitive Therapy and Research</i> , 1994 , 18, 403-412	2.7	39
5	Intrusive memories of childhood abuse during depressive episodes. <i>Behaviour Research and Therapy</i> , 1994 , 32, 525-8	5.2	116
4	Causal beliefs about depression in depressed patients, clinical psychologists and lay persons. <i>The British Journal of Medical Psychology</i> , 1992 , 65 (Pt 3), 257-68		58
3	Cognitive Therapy15-39		О
2	A Biobehavioural Approach to Understand How Mindfulness-Based Cognitive Therapy Reduces Dispositional Negative Self-Bias in Recurrent Depression. <i>Mindfulness</i> ,1	2.9	1
1	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Clinical Psychological Science</i> ,2167702622	6 1 0768	О