

Linda Brubaker

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6510129/linda-brubaker-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

367
papers

20,857
citations

66
h-index

134
g-index

432
ext. papers

24,080
ext. citations

4.1
avg, IF

6.56
L-index

#	Paper	IF	Citations
367	The standardization of terminology of female pelvic organ prolapse and pelvic floor dysfunction. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 175, 10-7	6.4	3315
366	Fourth International Consultation on Incontinence Recommendations of the International Scientific Committee: Evaluation and treatment of urinary incontinence, pelvic organ prolapse, and fecal incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 213-40	2.3	764
365	Abdominal sacrocolpopexy: a comprehensive review. <i>Obstetrics and Gynecology</i> , 2004 , 104, 805-23	4.9	675
364	Retropubic versus transobturator midurethral slings for stress incontinence. <i>New England Journal of Medicine</i> , 2010 , 362, 2066-76	59.2	493
363	Urine is not sterile: use of enhanced urine culture techniques to detect resident bacterial flora in the adult female bladder. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 871-6	9.7	458
362	Abdominal sacrocolpopexy with Burch colposuspension to reduce urinary stress incontinence. <i>New England Journal of Medicine</i> , 2006 , 354, 1557-66	59.2	407
361	Evidence of uncultivated bacteria in the adult female bladder. <i>Journal of Clinical Microbiology</i> , 2012 , 50, 1376-83	9.7	385
360	Burch colposuspension versus fascial sling to reduce urinary stress incontinence. <i>New England Journal of Medicine</i> , 2007 , 356, 2143-55	59.2	381
359	The female urinary microbiome: a comparison of women with and without urgency urinary incontinence. <i>MBio</i> , 2014 , 5, e01283-14	7.8	346
358	Defining success after surgery for pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , 2009 , 114, 600-609	4.9	346
357	Long-term outcomes following abdominal sacrocolpopexy for pelvic organ prolapse. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 2016-24	27.4	344
356	A randomized trial of urodynamic testing before stress-incontinence surgery. <i>New England Journal of Medicine</i> , 2012 , 366, 1987-97	59.2	329
355	The standardization of terminology for researchers in female pelvic floor disorders. <i>International Urogynecology Journal</i> , 2001 , 12, 178-86	2	295
354	Urinary incontinence in women. <i>Lancet, The</i> , 2006 , 367, 57-67	40	294
353	Patient-reported reasons for discontinuing overactive bladder medication. <i>BJU International</i> , 2010 , 105, 1276-82	5.6	269
352	Comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse: the OPTIMAL randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1023-34	27.4	265
351	Refractory idiopathic urge urinary incontinence and botulinum A injection. <i>Journal of Urology</i> , 2008 , 180, 217-22	2.5	246

350	Patient-selected goals: a new perspective on surgical outcome. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 1551-7; discussion 1557-8	6.4	199
349	Advanced anterior vaginal wall prolapse is highly correlated with apical prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1837-40	6.4	190
348	Two-year outcomes after sacrocolpopexy with and without burch to prevent stress urinary incontinence. <i>Obstetrics and Gynecology</i> , 2008 , 112, 49-55	4.9	180
347	The use of mesh in gynecologic surgery. <i>International Urogynecology Journal</i> , 1997 , 8, 105-15	2	176
346	Robotic compared with laparoscopic sacrocolpopexy: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2014 , 123, 5-12	4.9	167
345	The female urinary microbiome in urgency urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 347.e1-11	6.4	166
344	Anticholinergic therapy vs. onabotulinumtoxin for urgency urinary incontinence. <i>New England Journal of Medicine</i> , 2012 , 367, 1803-13	59.2	159
343	The Clinical Urine Culture: Enhanced Techniques Improve Detection of Clinically Relevant Microorganisms. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 1216-22	9.7	157
342	The role of preoperative urodynamic testing in stress-continent women undergoing sacrocolpopexy: the Colpopexy and Urinary Reduction Efforts (CARE) randomized surgical trial. <i>International Urogynecology Journal</i> , 2008 , 19, 607-14	2	156
341	Risk factors for mesh/suture erosion following sacral colpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 688.e1-5	6.4	153
340	Outcome after rectovaginal fascia reattachment for rectocele repair. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 1360-3; discussion 1363-4	6.4	146
339	Urinary incontinence predictors and life impact in ethnically diverse perimenopausal women. <i>Obstetrics and Gynecology</i> , 2002 , 100, 1230-8	4.9	145
338	Urinary Incontinence in Women: A Review. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 1592-1604	27.4	139
337	Incontinence medication response relates to the female urinary microbiota. <i>International Urogynecology Journal</i> , 2016 , 27, 723-33	2	139
336	Adverse events over two years after retropubic or transobturator midurethral sling surgery: findings from the Trial of Midurethral Slings (TOMUS) study. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 205, 498.e1-6	6.4	132
335	Transvaginal electrical stimulation for female urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 536-40	6.4	124
334	Urinary incontinence prevalence: results from the National Health and Nutrition Examination Survey. <i>Journal of Urology</i> , 2008 , 179, 656-61	2.5	119
333	Childhood urinary symptoms predict adult overactive bladder symptoms. <i>Journal of Urology</i> , 2006 , 175, 989-93	2.5	118

332	The sensitivity and specificity of a simple test to distinguish between urge and stress urinary incontinence. <i>Annals of Internal Medicine</i> , 2006 , 144, 715-23	8	116
331	Urinary incontinence in women. <i>Nature Reviews Disease Primers</i> , 2017 , 3, 17042	51.1	113
330	Functional failure of fascia lata allografts. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 1339-44; discussion 1344-6	6.4	107
329	The "costs" of urinary incontinence for women. <i>Obstetrics and Gynecology</i> , 2006 , 107, 908-16	4.9	104
328	Patient-centered surgical outcomes: the impact of goal achievement and urge incontinence on patient satisfaction one year after surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 722-8	6.4	104
327	Four-contrast defecography: pelvic "floor-oscopy". <i>Diseases of the Colon and Rectum</i> , 1995 , 38, 695-9	3.1	102
326	Continence pessary compared with behavioral therapy or combined therapy for stress incontinence: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2010 , 115, 609-617	4.9	98
325	Failure of allograft suburethral slings. <i>BJU International</i> , 1999 , 84, 785-8	5.6	98
324	The minimum important differences for the urinary scales of the Pelvic Floor Distress Inventory and Pelvic Floor Impact Questionnaire. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 580.e1-7	6.4	94
323	Effects of pudendal nerve injury in the female rat. <i>Neurourology and Urodynamics</i> , 2000 , 19, 53-69	2.3	94
322	Effect of Uterosacral Ligament Suspension vs Sacrospinous Ligament Fixation With or Without Perioperative Behavioral Therapy for Pelvic Organ Vaginal Prolapse on Surgical Outcomes and Prolapse Symptoms at 5 Years in the OPTIMAL Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1554-1565	27.4	93
321	Behavioral therapy to enable women with urge incontinence to discontinue drug treatment: a randomized trial. <i>Annals of Internal Medicine</i> , 2008 , 149, 161-9	8	92
320	Urinary bacteria in adult women with urgency urinary incontinence. <i>International Urogynecology Journal</i> , 2014 , 25, 1179-84	2	86
319	A randomized trial of colpopexy and urinary reduction efforts (CARE): design and methods. <i>Contemporary Clinical Trials</i> , 2003 , 24, 629-42		85
318	Evaluation of the urinary microbiota of women with uncomplicated stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 55.e1-55.e16	6.4	84
317	Patient preparedness: an important predictor of surgical outcome. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 654.e1-6	6.4	83
316	Development and validation of patient-reported outcomes measures for overactive bladder: a review of concepts. <i>Urology</i> , 2006 , 68, 9-16	1.6	81
315	Further validation of the short form versions of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ). <i>Neurourology and Urodynamics</i> , 2011 , 30, 541-6	2.3	80

314	Racial differences in pelvic anatomy by magnetic resonance imaging. <i>Obstetrics and Gynecology</i> , 2008 , 111, 914-20	4.9	79
313	Patient-reported outcomes in overactive bladder: importance for determining clinical effectiveness of treatment. <i>Urology</i> , 2006 , 68, 3-8	1.6	79
312	Histologic analysis of needle biopsy of urethral sphincter from women with normal and stress incontinence with comparison of electromyographic findings. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 180, 342-8	6.4	77
311	Nocturnal polyuria and nocturia relief in patients treated with solifenacin for overactive bladder symptoms. <i>International Urogynecology Journal</i> , 2007 , 18, 737-41	2	76
310	Sexual function 6 months after first delivery. <i>Obstetrics and Gynecology</i> , 2008 , 111, 1040-4	4.9	74
309	High costs of urinary incontinence among women electing surgery to treat stress incontinence. <i>Obstetrics and Gynecology</i> , 2008 , 111, 899-907	4.9	72
308	Interplay between bladder microbiota and urinary antimicrobial peptides: mechanisms for human urinary tract infection risk and symptom severity. <i>PLoS ONE</i> , 2014 , 9, e114185	3.7	72
307	The new world of the urinary microbiota in women. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 644-9	6.4	71
306	Sexual function before and after sacrocolpopexy for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 629.e1-6	6.4	71
305	Colpocleisis and urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 1241-4	6.4	69
304	Electrical stimulation in overactive bladder. <i>Urology</i> , 2000 , 55, 17-23; discussion 31-2	1.6	69
303	Factors associated with incontinence frequency in a surgical cohort of stress incontinent women. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 2088-93	6.4	68
302	5-year continence rates, satisfaction and adverse events of burch urethropexy and fascial sling surgery for urinary incontinence. <i>Journal of Urology</i> , 2012 , 187, 1324-30	2.5	67
301	Urinary habits among asymptomatic women. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 1384-8	6.4	60
300	The anatomic and functional variability of rectoceles in women. <i>International Urogynecology Journal</i> , 1999 , 10, 96-9	2	59
299	"Sterile Urine" and the Presence of Bacteria. <i>European Urology</i> , 2015 , 68, 173-4	10.2	58
298	Risk factors for urinary tract infection following incontinence surgery. <i>International Urogynecology Journal</i> , 2011 , 22, 1255-65	2	58
297	Gastrointestinal complications following abdominal sacrocolpopexy for advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 78.e1-7	6.4	58

296	The female urinary microbiota, urinary health and common urinary disorders. <i>Annals of Translational Medicine</i> , 2017 , 5, 34	3.2	57
295	Mixed incontinence is more bothersome than pure incontinence subtypes. <i>International Urogynecology Journal</i> , 2008 , 19, 1359-62	2	56
294	Responsiveness of quality of life measurements to change after reconstructive pelvic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 20-4	6.4	54
293	Bother related to bladder control and health care seeking behavior in adults in the United States. <i>Journal of Urology</i> , 2009 , 181, 2591-8	2.5	53
292	Patient-selected goals: the fourth dimension in assessment of pelvic floor disorders. <i>International Urogynecology Journal</i> , 2008 , 19, 81-4	2	52
291	Reliability of health-related quality-of-life measures 1 year after surgical procedures for pelvic floor disorders. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 780-8	6.4	52
290	Development and validation of the Overactive Bladder Satisfaction (OAB-S) Questionnaire. <i>Neurourology and Urodynamics</i> , 2008 , 27, 179-90	2.3	51
289	Do mothers remember key events during labor?. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 195-200	6.4	51
288	A model for predicting the risk of de novo stress urinary incontinence in women undergoing pelvic organ prolapse surgery. <i>Obstetrics and Gynecology</i> , 2014 , 123, 279-287	4.9	50
287	The relationships among measures of incontinence severity in women undergoing surgery for stress urinary incontinence. <i>Journal of Urology</i> , 2007 , 177, 1810-4	2.5	50
286	Urinary incontinence symptom scores and urodynamic diagnoses. <i>Neurourology and Urodynamics</i> , 2002 , 21, 30-5	2.3	50
285	Sacrocolpopexy for pelvic organ prolapse: evidence-based review and recommendations. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 205, 60-5	2.4	50
284	Urinary microbes and postoperative urinary tract infection risk in urogynecologic surgical patients. <i>International Urogynecology Journal</i> , 2018 , 29, 1797-1805	2	49
283	Randomized controlled multisite trial of injected bulking agents for women with intrinsic sphincter deficiency: mid-urethral injection of Zuidex via the Implacer versus proximal urethral injection of Contigen cystoscopically. <i>Urology</i> , 2009 , 74, 771-5	1.6	48
282	Patient-reported outcomes in overactive bladder: the influence of perception of condition and expectation for treatment benefit. <i>Urology</i> , 2006 , 68, 29-37	1.6	48
281	The etiology of urinary retention after surgery for genuine stress incontinence. <i>Neurourology and Urodynamics</i> , 2001 , 20, 13-21	2.3	47
280	Sexual activity predicts continued pessary use. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 198-200	6.4	46
279	Vaginal topography does not correlate well with visceral position in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 1997 , 8, 336-9	2	45

278	Operations and pelvic muscle training in the management of apical support loss (OPTIMAL) trial: design and methods. <i>Contemporary Clinical Trials</i> , 2009 , 30, 178-89	2.3	43
277	The impact of stress incontinence surgery on female sexual function. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 562.e1-7	6.4	43
276	The relationship between obstructive sleep apnea, nocturia, and daytime overactive bladder syndrome in women. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 598.e1-5	6.4	42
275	Tolterodine is equally effective in patients with mixed incontinence and those with urge incontinence alone. <i>BJU International</i> , 2003 , 92, 418-21	5.6	42
274	Dynamic cystoproctography: a technique for assessing disorders of the pelvic floor in women. <i>American Journal of Roentgenology</i> , 1994 , 163, 368-70	5.4	42
273	Transvaginal electrical stimulation in the treatment of genuine stress incontinence and detrusor instability. <i>International Urogynecology Journal</i> , 1993 , 4, 9-13	2	42
272	The Prevention of Lower Urinary Tract Symptoms (PLUS) Research Consortium: A Transdisciplinary Approach Toward Promoting Bladder Health and Preventing Lower Urinary Tract Symptoms in Women Across the Life Course. <i>Journal of Women's Health</i> , 2018 , 27, 283-289	3	41
271	Outcomes following vaginal prolapse repair and mid urethral sling (OPUS) trial--design and methods. <i>Clinical Trials</i> , 2009 , 6, 162-71	2.2	41
270	What is the pain of interstitial cystitis like?. <i>International Urogynecology Journal</i> , 2006 , 17, 69-72	2	41
269	Stress incontinence injection therapy: what is best for our patients?. <i>European Urology</i> , 2005 , 48, 552-65	10.2	41
268	Design of the Value of Urodynamic Evaluation (Value) trial: A non-inferiority randomized trial of preoperative urodynamic investigations. <i>Contemporary Clinical Trials</i> , 2009 , 30, 531-9	2.3	40
267	Aging and overactive bladder may be associated with loss of urethral sensation in women. <i>Neurourology and Urodynamics</i> , 2007 , 26, 981-4	2.3	40
266	A longitudinal study of the development of dieting among 7-17-year-old Swedish girls. <i>International Journal of Eating Disorders</i> , 2002 , 31, 32-42	6.3	40
265	Levator ani muscle in women with genitourinary prolapse: indirect assessment by muscle histopathology. <i>Neurourology and Urodynamics</i> , 1996 , 15, 17-29	2.3	40
264	Female urinary microbiota. <i>Current Opinion in Urology</i> , 2017 , 27, 282-286	2.8	39
263	Quality of Life and Sexual Function 2 Years After Vaginal Surgery for Prolapse. <i>Obstetrics and Gynecology</i> , 2016 , 127, 1071-1079	4.9	39
262	Urinary symptoms are associated with certain urinary microbes in urogynecologic surgical patients. <i>International Urogynecology Journal</i> , 2018 , 29, 1765-1771	2	39
261	The minimum important difference for the International Consultation on Incontinence Questionnaire-Urinary Incontinence Short Form in women with stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2015 , 34, 183-7	2.3	39

260	Segmentations of MRI images of the female pelvic floor: a study of inter- and intra-reader reliability. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 684-91	5.6	39
259	Reproducibility of dynamic MR imaging pelvic measurements: a multi-institutional study. <i>Radiology</i> , 2008 , 249, 534-40	20.5	39
258	The expectations of patients who undergo surgery for stress incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 308.e1-6	6.4	39
257	Engagement, workplace satisfaction, and retention of surgical specialists in academic medicine in the United States. <i>Journal of the American College of Surgeons</i> , 2014 , 219, 31-42	4.4	38
256	Mixed incontinence: comparing definitions in women having stress incontinence surgery. <i>Neurourology and Urodynamics</i> , 2009 , 28, 268-73	2.3	38
255	Pudendal denervation affects the structure and function of the striated, urethral sphincter in female rats. <i>International Urogynecology Journal</i> , 1998 , 9, 88-93	2	38
254	Variability Of 24-Hour Voiding Diary Variables Among Asymptomatic Women. <i>Journal of Urology</i> , 2003 , 169, 207-209	2.5	38
253	Urgency: the cornerstone symptom of overactive bladder. <i>Urology</i> , 2004 , 64, 12-6	1.6	37
252	Pharmacokinetics of intravaginal metronidazole gel. <i>Journal of Clinical Pharmacology</i> , 1994 , 34, 1060-5	2.9	37
251	Urobiome updates: advances in urinary microbiome research. <i>Nature Reviews Urology</i> , 2019 , 16, 73-74	5.5	37
250	The urinary microbiota: a paradigm shift for bladder disorders?. <i>Current Opinion in Obstetrics and Gynecology</i> , 2016 , 28, 407-12	2.4	36
249	Predictors of discontinuing overactive bladder medications. <i>BJU International</i> , 2010 , 105, 1283-90	5.6	35
248	Two-year outcomes after surgery for stress urinary incontinence in older compared with younger women. <i>Obstetrics and Gynecology</i> , 2008 , 112, 621-9	4.9	35
247	Botulinum toxin: from life-threatening disease to novel medical therapy. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 7-15	6.4	35
246	Bladder symptoms 1 year after abdominal sacrocolpopexy with and without Burch colposuspension in women without preoperative stress incontinence symptoms. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 647.e1-6	6.4	35
245	Concentric needle electrodes are superior to perineal surface-patch electrodes for electromyographic documentation of urethral sphincter relaxation during voiding. <i>BJU International</i> , 2006 , 97, 117-20	5.6	35
244	Sacrocolpopexy and the anterior compartment: support and function. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 1690-5; discussion 1695-6	6.4	35
243	What happens to the posterior compartment and bowel symptoms after sacrocolpopexy? evaluation of 5-year outcomes from E-CARE. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014 , 20, 261-6	1.9	34

242	Urethral collagen morphologic characteristics among women with genuine stress incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 182, 1565-74	6.4	34
241	The urobiome of continent adult women: a cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 193-201	3.7	34
240	Minimum important difference for validated instruments in women with urge incontinence. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1319-24	2.3	33
239	Gender differences in 24-hour urinary diaries of asymptomatic North American adults. <i>Journal of Urology</i> , 2005 , 173, 490-2	2.5	32
238	Incidence and Predictors of Anal Incontinence After Obstetric Anal Sphincter Injury in Primiparous Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015 , 21, 182-9	1.9	31
237	Minimum important differences for scales assessing symptom severity and quality of life in patients with fecal incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014 , 20, 342-8	1.9	31
236	Open and unresolved clinical questions in female pelvic medicine and reconstructive surgery. <i>BJU International</i> , 2006 , 98 Suppl 1, 110-6	5.6	31
235	Clinical and demographic factors associated with valsalva leak point pressure among women undergoing burch bladder neck suspension or autologous rectus fascial sling procedures. <i>Neurourology and Urodynamics</i> , 2007 , 26, 392-6	2.3	30
234	Sacrocolpopexy without concomitant posterior repair improves posterior compartment defects. <i>International Urogynecology Journal</i> , 2008 , 19, 1267-70	2	30
233	Rejection of life in anorexic and bulimic patients. <i>International Journal of Eating Disorders</i> , 2002 , 31, 43-86.3		30
232	Urine trouble: should we think differently about UTI?. <i>International Urogynecology Journal</i> , 2018 , 29, 205-210	2	29
231	Sexual activity and function in women more than 2 years after midurethral sling placement. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, 421.e1-6	6.4	29
230	Questions and answers after linda brubaker, linda D. Cardozo, and magnus fall. <i>Urology</i> , 2000 , 55, 31-2	1.6	29
229	The cost of preoperative urodynamics: A secondary analysis of the VALUE trial. <i>Neurourology and Urodynamics</i> , 2016 , 35, 81-4	2.3	29
228	Challenges for managing overactive bladder and guidance for patient support. <i>American Journal of Managed Care</i> , 2009 , 15, S118-22	2.1	29
227	Day of surgery urine cultures identify urogynecologic patients at increased risk for postoperative urinary tract infection. <i>Journal of Urology</i> , 2013 , 189, 1721-4	2.5	28
226	Urethral and bladder current perception thresholds: normative data in women. <i>Journal of Urology</i> , 2007 , 178, 189-92; discussion 192	2.5	28
225	Non-surgical management of stress urinary incontinence: ambulatory treatments for leakage associated with stress (ATLAS) trial. <i>Clinical Trials</i> , 2007 , 4, 92-101	2.2	28

224	Change in Overactive Bladder Symptoms After Surgery for Stress Urinary Incontinence in Women. <i>Obstetrics and Gynecology</i> , 2015 , 126, 423-430	4.9	27
223	Surgery for pelvic organ prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 9-19	1.9	27
222	Patient satisfaction with stress incontinence surgery. <i>Neurourology and Urodynamics</i> , 2010 , 29, 1403-9	2.3	27
221	Effect of preoperative voiding mechanism on success rate of autologous rectus fascia suburethral sling procedure. <i>Obstetrics and Gynecology</i> , 1998 , 91, 577-81	4.9	27
220	The fate of rectus fascia suburethral slings. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 964-6	6.4	27
219	A comparison of women with primary and recurrent pelvic prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 180, 1415-8	6.4	27
218	The etiology and management of recurrent urinary tract infections in postmenopausal women. <i>Climacteric</i> , 2019 , 22, 242-249	3.1	27
217	American Urogynecologic Society Best-Practice Statement: Recurrent Urinary Tract Infection in Adult Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 321-335	1.9	26
216	New pelvic symptoms are common after reconstructive pelvic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 88.e1-5	6.4	26
215	Transobturator tape erosion associated with leg pain. <i>International Urogynecology Journal</i> , 2006 , 17, 66-8	2	26
214	Repeat cesarean section and primary elective cesarean section: recently trained obstetrician-gynecologist practice patterns and opinions. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1872-5; discussion 1875-6	6.4	26
213	Diversity of the midstream urine microbiome in adults with chronic kidney disease. <i>International Urology and Nephrology</i> , 2018 , 50, 1123-1130	2.3	25
212	Sexual function before and after non-surgical treatment for stress urinary incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011 , 17, 30-35	1.9	25
211	Urodynamic prolapse reduction alters urethral pressure but not filling or pressure flow parameters. <i>Journal of Urology</i> , 2007 , 177, 600-3	2.5	25
210	The antigenicity of fascia lata allografts. <i>BJU International</i> , 2000 , 86, 826-8	5.6	25
209	Pubic osteomyelitis and granuloma after bone anchor placement. <i>International Urogynecology Journal</i> , 1999 , 10, 346-8	2	25
208	Urinary tract injuries in pelvic surgery. <i>Surgical Clinics of North America</i> , 1991 , 71, 963-76	4	25
207	Management of recurrent stress urinary incontinence after burch and sling procedures. <i>Neurourology and Urodynamics</i> , 2016 , 35, 344-8	2.3	25

206	Does formal mentoring for faculty members matter? A survey of clinical faculty members. <i>Medical Education</i> , 2016 , 50, 670-81	3.7	24
205	Patient satisfaction after midurethral sling surgery for stress urinary incontinence. <i>Obstetrics and Gynecology</i> , 2013 , 121, 1009-1016	4.9	24
204	Challenges in designing a pragmatic clinical trial: the mixed incontinence -- medical or surgical approach (MIMOSA) trial experience. <i>Clinical Trials</i> , 2009 , 6, 355-64	2.2	24
203	Obstructive voiding symptoms are not predictive of elevated postvoid residual urine volumes. <i>International Urogynecology Journal</i> , 2008 , 19, 801-4	2	24
202	What is a clinician to do-believe the patient or her urinary diary?. <i>Journal of Urology</i> , 2006 , 176, 633-5; discussion 635	2.5	24
201	Peripartum urinary incontinence in a racially diverse obstetrical population. <i>International Urogynecology Journal</i> , 2006 , 17, 525-30	2	24
200	Relationship between levator ani contraction and motor unit activation in the urethral sphincter. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 403-6	6.4	24
199	Anticholinergic versus botulinum toxin A comparison trial for the treatment of bothersome urge urinary incontinence: ABC trial. <i>Contemporary Clinical Trials</i> , 2012 , 33, 184-96	2.3	23
198	Ambulation of hospitalized gynecologic surgical patients: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2013 , 121, 533-537	4.9	23
197	Urodynamic changes associated with successful stress urinary incontinence surgery: is a little tension a good thing?. <i>Urology</i> , 2011 , 78, 1257-62	1.6	23
196	Current Use of Pelvic Organ Prolapse Quantification by AUGS and ICS Members. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011 , 17, 67-9	1.9	23
195	Three dimensional virtual reality model of the normal female pelvic floor. <i>Annals of Biomedical Engineering</i> , 2004 , 32, 292-6	4.7	23
194	How do urinary diaries of women with an overactive bladder differ from those of asymptomatic controls?. <i>BJU International</i> , 2005 , 96, 365-7	5.6	23
193	Localization of the urge to void in patients with painful bladder syndrome. <i>Neurourology and Urodynamics</i> , 2005 , 24, 633-7	2.3	23
192	Pelvic floor evaluation with dynamic fluoroscopy. <i>Obstetrics and Gynecology</i> , 1993 , 82, 863-8	4.9	23
191	Validation of the clinical bulbocavernosus reflex. <i>Neurourology and Urodynamics</i> , 2003 , 22, 589-91; discussion 591-2	2.3	22
190	Role of urethral electromyography in predicting outcome of Burch retropubic urethropexy. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 51-5	6.4	22
189	Knowledge and perceptions of pelvic floor disorders among african american and latina women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011 , 17, 190-4	1.9	21

188	Urinary retention is uncommon after colpocleisis with concomitant mid-urethral sling. <i>International Urogynecology Journal</i> , 2009 , 20, 213-6	2	21
187	The mysteries of menopause and urogynecologic health: clinical and scientific gaps. <i>Menopause</i> , 2019 , 26, 103-111	2.5	21
186	Abdominal Colpopexy: Comparison of Endoscopic Surgical Strategies (ACCESS). <i>Contemporary Clinical Trials</i> , 2012 , 33, 1011-8	2.3	20
185	Changes in urodynamic measures two years after Burch colposuspension or autologous sling surgery. <i>Urology</i> , 2011 , 78, 1263-8	1.6	20
184	Goal attainment scaling in patients with lower urinary tract symptoms: development and pilot testing of the Self-Assessment Goal Achievement (SAGA) questionnaire. <i>International Urogynecology Journal</i> , 2011 , 22, 937-46	2	20
183	Validation of a real-time urodynamic measure of urinary sensation. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 661.e1-4; discussion 661.e4-5	6.4	20
182	Bother arising from urinary frequency in women. <i>Neurourology and Urodynamics</i> , 2002 , 21, 36-40; discussion 41	2.3	20
181	Risk factors for an elevated postvoid residual urine volume in women with symptoms of urinary urgency, frequency and urge incontinence. <i>International Urogynecology Journal</i> , 2001 , 12, 237-9; discussion 239-40	2	20
180	Radiology of the pelvic floor. <i>Clinical Obstetrics and Gynecology</i> , 1993 , 36, 952-9	1.7	20
179	Benchmarking urine storage and collection conditions for evaluating the female urinary microbiome. <i>Scientific Reports</i> , 2019 , 9, 13409	4.9	19
178	Where do we place the sacrocolpopexy stitch? A magnetic resonance imaging investigation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013 , 19, 31-3	1.9	19
177	Mixed incontinence: comparing definitions in non-surgical patients. <i>Neurourology and Urodynamics</i> , 2011 , 30, 47-51	2.3	19
176	Pelvic floor fitness using lay instructors. <i>Obstetrics and Gynecology</i> , 2008 , 111, 1298-304	4.9	19
175	Neural pain after uterosacral ligament vaginal suspension. <i>International Urogynecology Journal</i> , 2007 , 18, 109-10	2	19
174	Anal sphincter laceration at vaginal delivery: is this event coded accurately?. <i>Obstetrics and Gynecology</i> , 2007 , 109, 1141-5	4.9	19
173	Using acupuncture to modify alertness in the classroom: a single-blinded, randomized, cross-over trial. <i>Journal of Alternative and Complementary Medicine</i> , 2005 , 11, 673-9	2.4	19
172	Temporal Dynamics of the Adult Female Lower Urinary Tract Microbiota. <i>MBio</i> , 2020 , 11,	7.8	18
171	Patient related factors associated with long-term urinary continence after Burch colposuspension and pubovaginal fascial sling surgeries. <i>Journal of Urology</i> , 2012 , 188, 485-9	2.5	18

170	Patients with painful bladder syndrome have altered response to thermal stimuli and catastrophic reaction to painful experiences. <i>Neurourology and Urodynamics</i> , 2009 , 28, 400-4	2.3	18
169	Evaluation of urgency in women, with a validated Urgency, Severity and Impact Questionnaire (USIQ). <i>International Urogynecology Journal</i> , 2009 , 20, 301-7	2	18
168	Uncomplicated erosion of polytetrafluoroethylene grafts into the rectum. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 233-4	6.4	18
167	Controversies and uncertainties: abdominal versus vaginal surgery for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 690-3	6.4	18
166	Normal pelvic floor physiology. <i>Obstetrics and Gynecology Clinics of North America</i> , 1998 , 25, 707-22, v	3.3	18
165	Repeat post-op voiding trials: an inconvenient correlate with success. <i>Neurourology and Urodynamics</i> , 2014 , 33, 1225-8	2.3	17
164	Urinary Symptoms and Their Associations With Urinary Tract Infections in Urogynecologic Patients. <i>Obstetrics and Gynecology</i> , 2017 , 130, 718-725	4.9	17
163	Medical education for "Dreamers": Barriers and opportunities for undocumented immigrants. <i>Academic Medicine</i> , 2014 , 89, 1593-8	3.9	17
162	The volume at which women leak first on urodynamic testing is not associated with quality of life, measures of urethral integrity or surgical failure. <i>Journal of Urology</i> , 2007 , 178, 193-6	2.5	17
161	Patient-perceived outcomes in the treatment of stress urinary incontinence: focus on urethral injection therapy. <i>International Urogynecology Journal</i> , 2007 , 18, 199-205	2	17
160	Prevalence and impact of nocturia in a urogynecologic population. <i>International Urogynecology Journal</i> , 2007 , 18, 1049-52	2	17
159	Changes in physical activity after abdominal sacrocolpopexy for advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 570.e1-5	6.4	17
158	Recurrent stress incontinence is associated with decreased neuromuscular function in the striated urethral sphincter. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1434-7	6.4	17
157	Open Burch urethropexy has a low rate of perioperative complications. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 107-10	6.4	17
156	A critical review of diagnostic criteria for evaluating patients with symptomatic stress urinary incontinence. <i>BJU International</i> , 2005 , 95, 327-34	5.6	17
155	Suburethral sling release. <i>Obstetrics and Gynecology</i> , 1995 , 86, 686-8	4.9	17
154	The Strategic Value of Succession Planning for Department Chairs. <i>Academic Medicine</i> , 2016 , 91, 465-8	3.9	16
153	Characteristics, satisfaction, and engagement of part-time faculty at U.S. medical schools. <i>Academic Medicine</i> , 2015 , 90, 355-64	3.9	16

152	Continent women have better urethral neuromuscular function than those with stress incontinence. <i>International Urogynecology Journal</i> , 2011 , 22, 1479-84	2	16
151	The external urethral barrier for stress incontinence: a multicenter trial of safety and efficacy. Miniguard Investigators Group. <i>Obstetrics and Gynecology</i> , 1999 , 93, 932-7	4.9	16
150	Vaginal estrogen therapy is associated with increased Lactobacillus in the urine of postmenopausal women with overactive bladder symptoms. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 727.e1-727.e11	6.4	16
149	Surgical preparation: are patients "ready" for stress urinary incontinence surgery?. <i>International Urogynecology Journal</i> , 2014 , 25, 41-6	2	15
148	Treatment satisfaction and goal attainment with onabotulinumtoxinA in patients with incontinence due to idiopathic OAB. <i>International Urogynecology Journal</i> , 2012 , 23, 1017-25	2	15
147	Assessing the safety and efficacy of combined abdominoplasty and gynecologic surgery. <i>Annals of Plastic Surgery</i> , 2011 , 67, 272-4	1.7	15
146	Measurements from image-based three dimensional pelvic floor reconstruction: a study of inter- and intraobserver reliability. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 30, 344-50	5.6	15
145	Tolterodine causes measurable restoration of urethral sensation in women with urge urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 555-7	2.3	15
144	Patients' pelvic goals change after initial urogynecologic consultation. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 640.e1-3	6.4	15
143	Multiple foreign body erosions after laparoscopic colposuspension with mesh. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 252-3	6.4	15
142	Striated urethral sphincter activity does not alter urethral pressure during filling cystometry. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 55-9	6.4	15
141	Urinary incontinence management costs are reduced following Burch or sling surgery for stress incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 171.e1-7	6.4	14
140	Effect of material properties on predicted vesical pressure during a cough in a simplified computational model of the bladder and urethra. <i>Annals of Biomedical Engineering</i> , 2013 , 41, 185-94	4.7	14
139	Complex repetitive discharges--a feature of the urethral continence mechanism or a pathological finding?. <i>Journal of Urology</i> , 2012 , 187, 2140-3	2.5	14
138	Spanish language translation of pelvic floor disorders instruments. <i>International Urogynecology Journal</i> , 2007 , 18, 1171-8	2	14
137	Life-threatening reaction to indigo carmine--a sulfa allergy?. <i>International Urogynecology Journal</i> , 2005 , 16, 418-9	2	14
136	Models for Predicting Recurrence, Complications, and Health Status in Women After Pelvic Organ Prolapse Surgery. <i>Obstetrics and Gynecology</i> , 2018 , 132, 298-309	4.9	14
135	Microbiota in 2016: Associating infection and incontinence with the female urinary microbiota. <i>Nature Reviews Urology</i> , 2017 , 14, 72-74	5.5	13

134	Observations relating to urinary sensation during detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2009 , 28, 497-500	2.3	13
133	Research education in obstetrics and gynecology: how are we doing?. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 532.e1-4	6.4	13
132	A multicentered comparison of measurements obtained with microtip and external water pressure transducers. <i>International Urogynecology Journal</i> , 2006 , 17, 400-6	2	13
131	Was charakterisiert Buchenurwälder? Untersuchungen der Altersstruktur des Kronendachs und der räumlichen Verteilung der Baumriesen in einem Modellwald mit Hilfe des Simulationsmodells BEFORE. <i>European Journal of Forest Research</i> , 2001 , 120, 288-302		13
130	Variability of 24-hour voiding diary variables among asymptomatic women. <i>Journal of Urology</i> , 2003 , 169, 207-9	2.5	13
129	The Female Urinary Microbiota/Microbiome: Clinical and Research Implications. <i>Rambam Maimonides Medical Journal</i> , 2017 , 8,	1.8	12
128	A pelvic floor fitness program for older women with urinary symptoms: a feasibility study. <i>PM and R</i> , 2013 , 5, 672-6	2.2	12
127	Preoperative hesitating urinary stream is associated with postoperative voiding dysfunction and surgical failure following Burch colposuspension or pubovaginal rectus fascial sling surgery. <i>International Urogynecology Journal</i> , 2011 , 22, 713-9	2	12
126	Predictors of outcomes in the treatment of urge urinary incontinence in women. <i>International Urogynecology Journal</i> , 2009 , 20, 489-97	2	12
125	Transabdominal uterosacral suspension: outcomes and complications. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 656.e1-5	6.4	12
124	Bladder drainage during labor: a randomized controlled trial. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 1046-51	1.9	11
123	Validation study of the Self-Assessment Goal Achievement (SAGA) questionnaire for lower urinary tract symptoms. <i>International Journal of Clinical Practice</i> , 2013 , 67, 342-50	2.9	11
122	Clinical research education study teams: a research curriculum for obstetric and gynecology residents. <i>Obstetrics and Gynecology</i> , 2011 , 117, 1403-1407	4.9	11
121	Challenges of conducting multi-center, multi-disciplinary urinary incontinence clinical trials: experience of the urinary incontinence treatment network. <i>Neurourology and Urodynamics</i> , 2009 , 28, 170-6	2.3	11
120	Effects of IGF-I gene therapy on the injured rat pudendal nerve. <i>International Urogynecology Journal</i> , 2003 , 14, 2-7; discussion 8	2	11
119	A perfect storm. <i>International Urogynecology Journal</i> , 2012 , 23, 3-4	2	10
118	Ready or Not? Obstetrics and Gynecology Resident Preparedness for Female Pelvic Medicine and Reconstructive Surgery Training. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017 , 23, 401-408	1.9	10
117	IL22 regulates human urothelial cell sensory and innate functions through modulation of the acetylcholine response, immunoregulatory cytokines and antimicrobial peptides: assessment of an in vitro model. <i>PLoS ONE</i> , 2014 , 9, e111375	3.7	10

116	Does urethral competence affect urodynamic voiding parameters in women with prolapse?. <i>Neurourology and Urodynamics</i> , 2007 , 26, 1030-5	2.3	10
115	Concomitant Anterior Repair, Preoperative Prolapse Severity, and Anatomic Prolapse Outcomes After Vaginal Apical Procedures. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019 , 25, 22-28	1.9	10
114	Development and psychometric evaluation of the urgency questionnaire for evaluating severity and health-related quality of life impact of urinary urgency in overactive bladder. <i>International Urogynecology Journal</i> , 2015 , 26, 373-82	2	9
113	Cost-Effectiveness Analysis of Anticholinergics Versus Botox for Urgency Urinary Incontinence: Results From the Anticholinergic Versus Botox Comparison Randomized Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 311-6	1.9	9
112	Reliability and responsiveness of the Urgency Severity and Life Impact Questionnaire (USIQ). <i>International Urogynecology Journal</i> , 2012 , 23, 193-6	2	9
111	What are the best outcome measures when assessing treatments for LUTD?--achieving the most out of outcome evaluation: ICI-RS 2011. <i>Neurourology and Urodynamics</i> , 2012 , 31, 400-3	2.3	9
110	Donor fascia in urogynaecological procedures: a canine model. <i>BJU International</i> , 2001 , 87, 682-9	5.6	9
109	Clinical correlates in patients not completing a voiding diary. <i>International Urogynecology Journal</i> , 1996 , 7, 256-9	2	9
108	Open sacrocolpopexy and vaginal apical repair: retrospective comparison of success and serious complications. <i>International Urogynecology Journal</i> , 2018 , 29, 1101-1110	2	9
107	Forming Consensus To Advance Urobiome Research. <i>MSystems</i> , 2021 , 6, e0137120	7.6	9
106	A Pelvic Health Curriculum in School Settings: The Effect on Adolescent Females' Knowledge. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2017 , 30, 188-192	2	8
105	Pelvic organ prolapse in a cohort of women treated for stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 550.e1-5	6.4	8
104	Findings of universal cystoscopy at incontinence surgery and their sequelae. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 480.e1-8	6.4	8
103	Preoperative clinical, demographic, and urodynamic measures associated with failure to demonstrate urodynamic stress incontinence in women enrolled in two randomized clinical trials of surgery for stress urinary incontinence. <i>International Urogynecology Journal</i> , 2013 , 24, 269-74	2	8
102	Development and Validation of a Quantitative Measure of Adaptive Behaviors in Women With Pelvic Floor Disorders. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017 , 23, 232-237	1.9	8
101	Quantification of vaginal support: are continuous summary scores better than POPQ stage?. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 512.e1-6	6.4	8
100	Ultrastructure of detrusor and urethral smooth muscle in women with urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 182, 879-84	6.4	8
99	Bladder Health Experiences, Perceptions and Knowledge of Sexual and Gender Minorities. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	7

98	Pain and activity after vaginal reconstructive surgery for pelvic organ prolapse and stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 233.e1-233.e16	6.4	7
97	Time well spent: the association between time and effort allocation and intent to leave among clinical faculty. <i>Academic Medicine</i> , 2015 , 90, 365-71	3.9	7
96	Bladder bacterial diversity differs in continent and incontinent women: a cross-sectional study. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 729.e1-729.e10	6.4	7
95	Does Patient Education Augment Pelvic Floor Physical Therapy Preparedness and Attendance? A Randomized Controlled Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 155-160	1.9	7
94	Surgical Outcomes After Apical Repair for Vault Compared With Uterovaginal Prolapse. <i>Obstetrics and Gynecology</i> , 2018 , 131, 475-483	4.9	7
93	Attendance at Prescribed Pelvic Floor Physical Therapy in a Diverse, Urban Urogynecology Population. <i>PM and R</i> , 2018 , 10, 601-606	2.2	7
92	Clinical value of a patient-reported goal-attainment measure: the global development of self-assessment goal achievement (SAGA) questionnaire for patients with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2014 , 33, 90-4	2.3	7
91	Solifenacin objectively decreases urinary sensation in women with overactive bladder syndrome. <i>International Urology and Nephrology</i> , 2012 , 44, 425-9	2.3	7
90	Conflicts-of-interest disclosures at the 2010 AUGS Scientific Meeting. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012 , 18, 79-81	1.9	7
89	Symptoms of combined prolapse and urinary incontinence in large surgical cohorts. <i>Obstetrics and Gynecology</i> , 2010 , 115, 310-316	4.9	7
88	Physical activity in women planning sacrocolpopexy. <i>International Urogynecology Journal</i> , 2007 , 18, 33-7	2	7
87	Development of the Measure of Adaptations for Pelvic Symptoms (MAPS): the Importance of Incorporating the Female Patient's Voice. <i>Applied Research in Quality of Life</i> , 2007 , 1, 239-251	2.3	7
86	Urinary incontinence and diuretic avoidance among adults with chronic kidney disease. <i>International Urology and Nephrology</i> , 2016 , 48, 1321-1326	2.3	7
85	The Spectrum of Bladder Health: The Relationship Between Lower Urinary Tract Symptoms and Interference with Activities. <i>Journal of Womens Health</i> , 2019 , 28, 827-841	3	6
84	Missing data frequency and correlates in two randomized surgical trials for urinary incontinence in women. <i>International Urogynecology Journal</i> , 2015 , 26, 1155-9	2	6
83	Recurrent Urinary Tract Infections in Adult Women. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 658-659	27.4	6
82	Corrections to Report of a Trial of Burch Colposuspension. <i>New England Journal of Medicine</i> , 2016 , 374, 2295	59.2	6
81	European content validation of the Self-Assessment Goal Achievement (SAGA) questionnaire in patients with overactive bladder. <i>International Urogynecology Journal</i> , 2013 , 24, 1529-36	2	6

80	Neuromuscular characterization of the urethra in continent women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011 , 17, 226-30	1.9	6
79	Is routine cystoscopy an essential intraoperative test at hysterectomy?. <i>Obstetrics and Gynecology</i> , 2009 , 113, 2-3	4.9	6
78	Urinary urgency and frequency: what should a clinician do?. <i>Obstetrics and Gynecology</i> , 2005 , 105, 661-7	4.9	6
77	Clarifying the technique of four-contrast defecography. <i>Diseases of the Colon and Rectum</i> , 1996 , 39, 826	3.1	6
76	Kegel or cut? Variations on his theme. <i>Journal of reproductive medicine, The</i> , 1993 , 38, 672-8		6
75	Recurrent urinary tract infection: Association of clinical profiles with urobiome composition in women. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1479-1489	2.3	6
74	Investigation of Sacral Needle Depth in Minimally Invasive Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 214-8	1.9	6
73	Pre-operative guided imagery in female pelvic medicine and reconstructive surgery: a randomized trial. <i>International Urogynecology Journal</i> , 2018 , 29, 1117-1122	2	5
72	An evidence-based approach to urodynamic testing. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 127-129	3.7	5
71	Phenazopyridine does not improve catheter discomfort following gynecologic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 267.e1-3	6.4	5
70	Institutional review board variability in minimal-risk multicenter urogynecology studies. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012 , 18, 89-92	1.9	5
69	An alternative statistical approach for predicting prolonged catheterization after Burch colposuspension during reconstructive pelvic surgery. <i>International Urogynecology Journal</i> , 1997 , 8, 203-8	2	5
68	Clinically useful measures in women with mixed urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 664.e1-3; discussion 664.e3-4	6.4	5
67	Usefulness of urine dipstick in an urogynecologic population. <i>International Urogynecology Journal</i> , 2006 , 17, 489-91	2	5
66	Surgical treatment of urinary incontinence in women. <i>Gastroenterology</i> , 2004 , 126, S71-6	13.3	5
65	Initial assessment: the history in women with pelvic floor problems. <i>Clinical Obstetrics and Gynecology</i> , 1998 , 41, 657-62	1.7	5
64	Development of Conceptual Models to Guide Public Health Research, Practice, and Policy: Synthesizing Traditional and Contemporary Paradigms. <i>Health Promotion Practice</i> , 2020 , 21, 510-524	1.8	5
63	Preoperative Urodynamic Parameters (Valsalva Leak Point Pressure and Maximum Urethral Closure Pressure), Urinary Collagen and Plasma Vitamin D Levels as Predictors of Mid Urethral Sling Surgery Outcome. <i>Journal of Urology</i> , 2016 , 196, 819-23	2.5	4

62	Adherence to Oral Therapy for Urgency Urinary Incontinence: Results from the Anticholinergic Versus Botox Comparison (ABC) Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 24-8	1.9	4
61	The impact of dispositional optimism on symptoms and treatment choices in patients with pelvic floor disorders. <i>International Urogynecology Journal</i> , 2012 , 23, 295-8	2	4
60	Pelvic floor disorders clinical trials: participant recruitment and retention. <i>International Urogynecology Journal</i> , 2013 , 24, 73-9	2	4
59	Fesoterodine prescription fill patterns and evaluation of the YourWay patient support plan for patients with overactive bladder symptoms and physicians. <i>Postgraduate Medicine</i> , 2014 , 126, 246-56	3.7	4
58	Challenges in academic obstetrics and gynecology departments. <i>Obstetrics and Gynecology</i> , 2013 , 122, 1092-1099	4.9	4
57	Pathway to Finite Element Analysis of Stress Urinary Incontinence Mechanics 2011 ,		4
56	Measurement of transurethral bladder neck displacement during tension-free vaginal tape procedure. <i>International Urogynecology Journal</i> , 2011 , 22, 721-4	2	4
55	PUK36 PATIENT SATISFACTION: PSYCHOMETRIC VALIDATION OF THE OAB-S, AN OVERACTIVE BLADDER TREATMENT SATISFACTION QUESTIONNAIRE.. <i>Value in Health</i> , 2005 , 8, A88	3.3	4
54	Modern Management of Genitourinary Fistula. <i>Journal of Pelvic Medicine & Surgery</i> , 2005 , 11, 223-234		4
53	The human urobiome. <i>Mammalian Genome</i> , 2021 , 32, 232-238	3.2	4
52	Pain scores are not predictive of pain medication utilization. <i>Pain Research and Treatment</i> , 2011 , 2011, 987468	1.9	3
51	Measuring Urinary Sensation with Current Perception Threshold: A Comparison between Method of Limits and Method of Levels. <i>Obstetrics and Gynecology International</i> , 2012 , 2012, 868915	2	3
50	Chronic lower urinary symptoms do not predict bacteriuria. <i>International Journal of Gynecology and Obstetrics</i> , 2008 , 101, 302-3	4	3
49	The correlation of voiding variables between non-instrumented uroflowmetry and pressure-flow studies in women with pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2008 , 27, 515-21	2.3	3
48	New vs old: descriptors can affect patients' surgical preferences. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 476.e1-3	6.4	3
47	Bowel Symptoms and POP-Q Stage Are Poorly Correlated. <i>Journal of Pelvic Medicine & Surgery</i> , 2006 , 12, 263-266		3
46	Evacuatory Dysfunction Following Gynecologic Surgery 2005 , 532-545		3
45	Cystometry, urethrocystometry, and videocystourethrography. <i>Clinical Obstetrics and Gynecology</i> , 1990 , 33, 315-24	1.7	3

44	Muscle Function and Ageing 2008 , 49-61		3
43	Urinary microbiota of women with recurrent urinary tract infection: collection and culture methods. <i>International Urogynecology Journal</i> , 2021 , 1	2	3
42	School Toileting Environment, Bullying, and Lower Urinary Tract Symptoms in a Population of Adolescent and Young Adult Girls: Preventing Lower Urinary Tract Symptoms Consortium Analysis of Avon Longitudinal Study of Parents and Children. <i>Urology</i> , 2021 , 151, 86-93	1.6	3
41	Rectocele. <i>Current Opinion in Obstetrics and Gynecology</i> , 1996 , 8, 876-9	2.4	3
40	Mesh, graft, or standard repair for prolapse surgery?. <i>Lancet, The</i> , 2017 , 389, 334-336	4.0	2
39	Anesthetic Cream Use During Office Pessary Removal and Replacement: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2017 , 130, 190-197	4.9	2
38	Symptom improvement in women after fecal incontinence treatments: a multicenter cohort study of the pelvic floor disorders network. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015 , 21, 46-52	1.9	2
37	A Bayesian multivariate meta-analysis of prevalence data. <i>Statistics in Medicine</i> , 2020 , 39, 3105-3119	2.3	2
36	Recruitment and retention: A randomized controlled trial of video-enhanced versus standard consent processes within the E-OPTIMAL study. <i>Clinical Trials</i> , 2019 , 16, 481-489	2.2	2
35	Urethral sensation following reconstructive pelvic surgery. <i>International Urogynecology Journal</i> , 2014 , 25, 1569-73	2	2
34	Medical education as mission: why one medical school chose to accept DREAMers. <i>Hastings Center Report</i> , 2013 , 43, 21-4	3.3	2
33	Conflict of interest disclosure in obstetrics & gynecology. <i>Obstetrics and Gynecology</i> , 2011 , 118, 1108-1110	1.0	2
32	Double trouble: two complicated slings in one woman. <i>International Urogynecology Journal</i> , 2007 , 18, 1503-5	2	2
31	Women who experience detrusor overactive at lower bladder volumes report greater bother. <i>Neurourology and Urodynamics</i> , 2008 , 27, 45-7	2.3	2
30	Risk Factors for Surgical Failure and Worsening Pelvic Floor Symptoms Within 5 Years After Vaginal Prolapse Repair. <i>Obstetrics and Gynecology</i> , 2020 , 136, 933-941	4.9	2
29	Genomic relatedness and clinical significance of strains isolated from the urogenital tract of sexual partners. <i>Microbial Genomics</i> , 2021 , 7,	4.4	2
28	Measuring Bladder Health: Development and Cognitive Evaluation of Items for a Novel Bladder Health Instrument. <i>Journal of Urology</i> , 2021 , 205, 1407-1414	2.5	2
27	Racial Differences in Urinary Incontinence Prevalence, Overactive Bladder and Associated Bother among Men: The Multi-Ethnic Study of Atherosclerosis. <i>Journal of Urology</i> , 2021 , 205, 524-531	2.5	2

26	Is the juice worth the squeeze? Transdisciplinary team science in bladder health. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1601-1611	2.3	1
25	Reply to Argiri Sianou, George Galyfos and Georgios Kaparos' Letter to the Editor re: Alan J. Wolfe, Linda Brubaker. "Sterile Urine" and the Presence of Bacteria. <i>Eur Urol</i> 2015;68:173-4. <i>European Urology</i> , 2016 , 69, e8-9	10.2	1
24	Perioperative bowel habits of women undergoing gynecologic surgery: a pilot study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012 , 18, 153-7	1.9	1
23	Application of biofeedback in the treatment of urinary incontinence.. <i>Professional Psychology: Research and Practice</i> , 1996 , 27, 554-560	2.2	1
22	Urgency: the cornerstone symptom of overactive bladder. <i>Urology</i> , 2005 , 66, 230-1; author reply 231	1.6	1
21	Sliding hernia of the bladder presenting as suprapubic pain in a female. <i>International Urogynecology Journal</i> , 2004 , 15, 51-2	2	1
20	ELECTRICAL STIMULATION IN OVERACTIVE BLADDER. <i>BJU International</i> , 2000 , 85, 17-23	5.6	1
19	Equity for "DREAMers" in Medical School Admissions. <i>The Virtual Mentor: VM</i> , 2015 , 17, 154-9		1
18	Association of Overactive Bladder With Hypertension and Blood Pressure Control: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Hypertension</i> , 2021 ,	2.3	1
17	Non-invasive bladder function measures in healthy, asymptomatic female children and adolescents: A systematic review and meta-analysis. <i>Journal of Pediatric Urology</i> , 2021 , 17, 452-462	1.5	1
16	A Randomized Clinical Trial of Standard versus Expanded Cultures to Diagnose Urinary Tract Infections in Women. <i>Journal of Urology</i> , 2021 , 206, 1212-1221	2.5	1
15	Postoperative urinary tract infection after urogynecologic surgery: timing and uropathogens. <i>International Urogynecology Journal</i> , 2020 , 31, 1621-1626	2	1
14	Racial differences in urinary incontinence prevalence and associated bother: the Multi-Ethnic Study of Atherosclerosis. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 80.e1-80.e9	6.4	1
13	Clinical advances in urogynecology. <i>Minerva Ginecologica</i> , 2006 , 58, 259-64	1.2	1
12	Laying the Foundation for Bladder Health Promotion in Women and Girls. <i>Urology</i> , 2021 , 150, 227-233	1.6	0
11	Symptom improvement with mirabegron treatment is associated with urobiome changes in adult women.. <i>International Urogynecology Journal</i> , 2022 , 1	2	0
10	Effectiveness of blinding: sham suprapubic incisions in a randomized trial of retropubic midurethral sling in women undergoing vaginal prolapse surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 554.e1-7	6.4	
9	Devices and meshes for the surgical treatment of prolapse and incontinence. Foreword. <i>Clinical Obstetrics and Gynecology</i> , 2013 , 56, 219-20	1.7	

- 8 We are just getting started. *Female Pelvic Medicine and Reconstructive Surgery*, **2011**, 17, 157 1.9
- 7 Is hysterectomy associated with an increase in the symptoms of urinary incontinence?. *Nature Reviews Urology*, **2007**, 4, 250-1
- 6 Editorial comment. *Urology*, **2000**, 56, 775-6 1.6
- 5 PRO Questionnaires to Screen and Measure Satisfaction, Expectations and Goal Achievement **2010**, 114-124
- 4 Ur-ine Old Age: Urinary Microbiome of Older Community Dwelling Women. *Cell Host and Microbe*, **2020**, 28, 149-151 23.4
- 3 Reply. *American Journal of Obstetrics and Gynecology*, **2016**, 215, 403 6.4
- 2 Editorial comment. *Urology*, **2016**, 91, 51 1.6
- 1 Identification and management of urinary incontinence in midlife women. *Menopause*, **2019**, 26, 1324-1326