

# Linda Brubaker

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6510129/linda-brubaker-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

367  
papers

20,857  
citations

66  
h-index

134  
g-index

432  
ext. papers

24,080  
ext. citations

4.1  
avg. IF

6.56  
L-index

#	Paper	IF	Citations
367	Symptom improvement with mirabegron treatment is associated with urobiome changes in adult women.. <i>International Urogynecology Journal</i> , <b>2022</b> , 1	2	0
366	Genomic relatedness and clinical significance of strains isolated from the urogenital tract of sexual partners. <i>Microbial Genomics</i> , <b>2021</b> , 7,	4.4	2
365	The human urobiome. <i>Mammalian Genome</i> , <b>2021</b> , 32, 232-238	3.2	4
364	Urinary microbiota of women with recurrent urinary tract infection: collection and culture methods. <i>International Urogynecology Journal</i> , <b>2021</b> , 1	2	3
363	Association of Overactive Bladder With Hypertension and Blood Pressure Control: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Hypertension</i> , <b>2021</b> ,	2.3	1
362	Recurrent urinary tract infection: Association of clinical profiles with urobiome composition in women. <i>Neurourology and Urodynamics</i> , <b>2021</b> , 40, 1479-1489	2.3	6
361	Non-invasive bladder function measures in healthy, asymptomatic female children and adolescents: A systematic review and meta-analysis. <i>Journal of Pediatric Urology</i> , <b>2021</b> , 17, 452-462	1.5	1
360	Measuring Bladder Health: Development and Cognitive Evaluation of Items for a Novel Bladder Health Instrument. <i>Journal of Urology</i> , <b>2021</b> , 205, 1407-1414	2.5	2
359	A Randomized Clinical Trial of Standard versus Expanded Cultures to Diagnose Urinary Tract Infections in Women. <i>Journal of Urology</i> , <b>2021</b> , 206, 1212-1221	2.5	1
358	Laying the Foundation for Bladder Health Promotion in Women and Girls. <i>Urology</i> , <b>2021</b> , 150, 227-233	1.6	0
357	Racial differences in urinary incontinence prevalence and associated bother: the Multi-Ethnic Study of Atherosclerosis. <i>American Journal of Obstetrics and Gynecology</i> , <b>2021</b> , 224, 80.e1-80.e9	6.4	1
356	School Toileting Environment, Bullying, and Lower Urinary Tract Symptoms in a Population of Adolescent and Young Adult Girls: Preventing Lower Urinary Tract Symptoms Consortium Analysis of Avon Longitudinal Study of Parents and Children. <i>Urology</i> , <b>2021</b> , 151, 86-93	1.6	3
355	Racial Differences in Urinary Incontinence Prevalence, Overactive Bladder and Associated Bother among Men: The Multi-Ethnic Study of Atherosclerosis. <i>Journal of Urology</i> , <b>2021</b> , 205, 524-531	2.5	2
354	Forming Consensus To Advance Urobiome Research. <i>MSystems</i> , <b>2021</b> , 6, e0137120	7.6	9
353	Bladder bacterial diversity differs in continent and incontinent women: a cross-sectional study. <i>American Journal of Obstetrics and Gynecology</i> , <b>2020</b> , 223, 729.e1-729.e10	6.4	7
352	A Bayesian multivariate meta-analysis of prevalence data. <i>Statistics in Medicine</i> , <b>2020</b> , 39, 3105-3119	2.3	2
351	Recurrent Urinary Tract Infections in Adult Women. <i>JAMA - Journal of the American Medical Association</i> , <b>2020</b> , 323, 658-659	27.4	6

350	Is the juice worth the squeeze? Transdisciplinary team science in bladder health. <i>Neurourology and Urodynamics</i> , <b>2020</b> , 39, 1601-1611	2.3	1
349	Temporal Dynamics of the Adult Female Lower Urinary Tract Microbiota. <i>MBio</i> , <b>2020</b> , 11,	7.8	18
348	Development of Conceptual Models to Guide Public Health Research, Practice, and Policy: Synthesizing Traditional and Contemporary Paradigms. <i>Health Promotion Practice</i> , <b>2020</b> , 21, 510-524	1.8	5
347	Vaginal estrogen therapy is associated with increased Lactobacillus in the urine of postmenopausal women with overactive bladder symptoms. <i>American Journal of Obstetrics and Gynecology</i> , <b>2020</b> , 223, 727.e1-727.e11	6.4	16
346	Ur-ine Old Age: Urinary Microbiome of Older Community Dwelling Women. <i>Cell Host and Microbe</i> , <b>2020</b> , 28, 149-151	23.4	
345	Risk Factors for Surgical Failure and Worsening Pelvic Floor Symptoms Within 5 Years After Vaginal Prolapse Repair. <i>Obstetrics and Gynecology</i> , <b>2020</b> , 136, 933-941	4.9	2
344	The urobiome of continent adult women: a cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2020</b> , 127, 193-201	3.7	34
343	Postoperative urinary tract infection after urogynecologic surgery: timing and uropathogens. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 1621-1626	2	1
342	Bladder Health Experiences, Perceptions and Knowledge of Sexual and Gender Minorities. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	7
341	Pain and activity after vaginal reconstructive surgery for pelvic organ prolapse and stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2019</b> , 221, 233.e1-233.e16	6.4	7
340	Benchmarking urine storage and collection conditions for evaluating the female urinary microbiome. <i>Scientific Reports</i> , <b>2019</b> , 9, 13409	4.9	19
339	The Spectrum of Bladder Health: The Relationship Between Lower Urinary Tract Symptoms and Interference with Activities. <i>Journal of Womens Health</i> , <b>2019</b> , 28, 827-841	3	6
338	Recruitment and retention: A randomized controlled trial of video-enhanced versus standard consent processes within the E-OPTIMAL study. <i>Clinical Trials</i> , <b>2019</b> , 16, 481-489	2.2	2
337	Identification and management of urinary incontinence in midlife women. <i>Menopause</i> , <b>2019</b> , 26, 1324-1326		
336	The mysteries of menopause and urogynecologic health: clinical and scientific gaps. <i>Menopause</i> , <b>2019</b> , 26, 103-111	2.5	21
335	The etiology and management of recurrent urinary tract infections in postmenopausal women. <i>Climacteric</i> , <b>2019</b> , 22, 242-249	3.1	27
334	Urobiome updates: advances in urinary microbiome research. <i>Nature Reviews Urology</i> , <b>2019</b> , 16, 73-74	5.5	37
333	Concomitant Anterior Repair, Preoperative Prolapse Severity, and Anatomic Prolapse Outcomes After Vaginal Apical Procedures. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2019</b> , 25, 22-28	1.9	10

332	The Prevention of Lower Urinary Tract Symptoms (PLUS) Research Consortium: A Transdisciplinary Approach Toward Promoting Bladder Health and Preventing Lower Urinary Tract Symptoms in Women Across the Life Course. <i>Journal of Women's Health</i> , <b>2018</b> , 27, 283-289	3	41
331	Does Patient Education Augment Pelvic Floor Physical Therapy Preparedness and Attendance? A Randomized Controlled Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2018</b> , 24, 155-160	1.9	7
330	Diversity of the midstream urine microbiome in adults with chronic kidney disease. <i>International Urology and Nephrology</i> , <b>2018</b> , 50, 1123-1130	2.3	25
329	Effect of Uterosacral Ligament Suspension vs Sacrospinous Ligament Fixation With or Without Perioperative Behavioral Therapy for Pelvic Organ Vaginal Prolapse on Surgical Outcomes and Prolapse Symptoms at 5 Years in the OPTIMAL Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 1554-1565	27.4	93
328	American Urogynecologic Society Best-Practice Statement: Recurrent Urinary Tract Infection in Adult Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2018</b> , 24, 321-335	1.9	26
327	Surgical Outcomes After Apical Repair for Vault Compared With Uterovaginal Prolapse. <i>Obstetrics and Gynecology</i> , <b>2018</b> , 131, 475-483	4.9	7
326	Urine trouble: should we think differently about UTI?. <i>International Urogynecology Journal</i> , <b>2018</b> , 29, 205-210	2	29
325	Attendance at Prescribed Pelvic Floor Physical Therapy in a Diverse, Urban Urogynecology Population. <i>PM and R</i> , <b>2018</b> , 10, 601-606	2.2	7
324	Pre-operative guided imagery in female pelvic medicine and reconstructive surgery: a randomized trial. <i>International Urogynecology Journal</i> , <b>2018</b> , 29, 1117-1122	2	5
323	Urinary symptoms are associated with certain urinary microbes in urogynecologic surgical patients. <i>International Urogynecology Journal</i> , <b>2018</b> , 29, 1765-1771	2	39
322	Models for Predicting Recurrence, Complications, and Health Status in Women After Pelvic Organ Prolapse Surgery. <i>Obstetrics and Gynecology</i> , <b>2018</b> , 132, 298-309	4.9	14
321	Urinary microbes and postoperative urinary tract infection risk in urogynecologic surgical patients. <i>International Urogynecology Journal</i> , <b>2018</b> , 29, 1797-1805	2	49
320	Open sacrocolpopexy and vaginal apical repair: retrospective comparison of success and serious complications. <i>International Urogynecology Journal</i> , <b>2018</b> , 29, 1101-1110	2	9
319	A Pelvic Health Curriculum in School Settings: The Effect on Adolescent Females' Knowledge. <i>Journal of Pediatric and Adolescent Gynecology</i> , <b>2017</b> , 30, 188-192	2	8
318	Mesh, graft, or standard repair for prolapse surgery?. <i>Lancet, The</i> , <b>2017</b> , 389, 334-336	40	2
317	Female urinary microbiota. <i>Current Opinion in Urology</i> , <b>2017</b> , 27, 282-286	2.8	39
316	Anesthetic Cream Use During Office Pessary Removal and Replacement: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , <b>2017</b> , 130, 190-197	4.9	2
315	Microbiota in 2016: Associating infection and incontinence with the female urinary microbiota. <i>Nature Reviews Urology</i> , <b>2017</b> , 14, 72-74	5.5	13

314	Urinary Incontinence in Women: A Review. <i>JAMA - Journal of the American Medical Association</i> , <b>2017</b> , 318, 1592-1604	27.4	139
313	The Female Urinary Microbiota/Microbiome: Clinical and Research Implications. <i>Rambam Maimonides Medical Journal</i> , <b>2017</b> , 8,	1.8	12
312	Ready or Not? Obstetrics and Gynecology Resident Preparedness for Female Pelvic Medicine and Reconstructive Surgery Training. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2017</b> , 23, 401-408	1.9	10
311	Urinary Symptoms and Their Associations With Urinary Tract Infections in Urogynecologic Patients. <i>Obstetrics and Gynecology</i> , <b>2017</b> , 130, 718-725	4.9	17
310	Development and Validation of a Quantitative Measure of Adaptive Behaviors in Women With Pelvic Floor Disorders. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2017</b> , 23, 232-237	1.9	8
309	Urinary incontinence in women. <i>Nature Reviews Disease Primers</i> , <b>2017</b> , 3, 17042	51.1	113
308	Evaluation of the urinary microbiota of women with uncomplicated stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2017</b> , 216, 55.e1-55.e16	6.4	84
307	The female urinary microbiota, urinary health and common urinary disorders. <i>Annals of Translational Medicine</i> , <b>2017</b> , 5, 34	3.2	57
306	Corrections to Report of a Trial of Burch Colposuspension. <i>New England Journal of Medicine</i> , <b>2016</b> , 374, 2295	59.2	6
305	Cost-Effectiveness Analysis of Anticholinergics Versus Botox for Urgency Urinary Incontinence: Results From the Anticholinergic Versus Botox Comparison Randomized Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2016</b> , 22, 311-6	1.9	9
304	The urinary microbiota: a paradigm shift for bladder disorders?. <i>Current Opinion in Obstetrics and Gynecology</i> , <b>2016</b> , 28, 407-12	2.4	36
303	Preoperative Urodynamic Parameters (Valsalva Leak Point Pressure and Maximum Urethral Closure Pressure), Urinary Collagen and Plasma Vitamin D Levels as Predictors of Mid Urethral Sling Surgery Outcome. <i>Journal of Urology</i> , <b>2016</b> , 196, 819-23	2.5	4
302	Does formal mentoring for faculty members matter? A survey of clinical faculty members. <i>Medical Education</i> , <b>2016</b> , 50, 670-81	3.7	24
301	Quality of Life and Sexual Function 2 Years After Vaginal Surgery for Prolapse. <i>Obstetrics and Gynecology</i> , <b>2016</b> , 127, 1071-1079	4.9	39
300	Adherence to Oral Therapy for Urgency Urinary Incontinence: Results from the Anticholinergic Versus Botox Comparison (ABC) Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2016</b> , 22, 24-8	1.9	4
299	The Strategic Value of Succession Planning for Department Chairs. <i>Academic Medicine</i> , <b>2016</b> , 91, 465-8	3.9	16
298	Incontinence medication response relates to the female urinary microbiota. <i>International Urogynecology Journal</i> , <b>2016</b> , 27, 723-33	2	139
297	Reply to Argiri Sianou, George Galyfos and Georgios Kaparos' Letter to the Editor re: Alan J. Wolfe, Linda Brubaker. "Sterile Urine" and the Presence of Bacteria. <i>Eur Urol</i> 2015;68:173-4. <i>European Urology</i> , <b>2016</b> , 69, e8-9	10.2	1

296	Management of recurrent stress urinary incontinence after burch and sling procedures. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 344-8	2.3	25
295	Investigation of Sacral Needle Depth in Minimally Invasive Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2016</b> , 22, 214-8	1.9	6
294	Urinary incontinence and diuretic avoidance among adults with chronic kidney disease. <i>International Urology and Nephrology</i> , <b>2016</b> , 48, 1321-1326	2.3	7
293	Reply. <i>American Journal of Obstetrics and Gynecology</i> , <b>2016</b> , 215, 403	6.4	
292	Editorial comment. <i>Urology</i> , <b>2016</b> , 91, 51	1.6	
291	The Clinical Urine Culture: Enhanced Techniques Improve Detection of Clinically Relevant Microorganisms. <i>Journal of Clinical Microbiology</i> , <b>2016</b> , 54, 1216-22	9.7	157
290	Sacrocolpopexy for pelvic organ prolapse: evidence-based review and recommendations. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2016</b> , 205, 60-5	2.4	50
289	The cost of preoperative urodynamics: A secondary analysis of the VALUE trial. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 81-4	2.3	29
288	The new world of the urinary microbiota in women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2015</b> , 213, 644-9	6.4	71
287	Missing data frequency and correlates in two randomized surgical trials for urinary incontinence in women. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 1155-9	2	6
286	Symptom improvement in women after fecal incontinence treatments: a multicenter cohort study of the pelvic floor disorders network. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2015</b> , 21, 46-52	1.9	2
285	Time well spent: the association between time and effort allocation and intent to leave among clinical faculty. <i>Academic Medicine</i> , <b>2015</b> , 90, 365-71	3.9	7
284	"Sterile Urine" and the Presence of Bacteria. <i>European Urology</i> , <b>2015</b> , 68, 173-4	10.2	58
283	The female urinary microbiome in urgency urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2015</b> , 213, 347.e1-11	6.4	166
282	Development and psychometric evaluation of the urgency questionnaire for evaluating severity and health-related quality of life impact of urinary urgency in overactive bladder. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 373-82	2	9
281	Characteristics, satisfaction, and engagement of part-time faculty at U.S. medical schools. <i>Academic Medicine</i> , <b>2015</b> , 90, 355-64	3.9	16
280	Change in Overactive Bladder Symptoms After Surgery for Stress Urinary Incontinence in Women. <i>Obstetrics and Gynecology</i> , <b>2015</b> , 126, 423-430	4.9	27
279	Incidence and Predictors of Anal Incontinence After Obstetric Anal Sphincter Injury in Primiparous Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2015</b> , 21, 182-9	1.9	31

278	The minimum important difference for the International Consultation on Incontinence Questionnaire-Urinary Incontinence Short Form in women with stress urinary incontinence. <i>Neurourology and Urodynamics</i> , <b>2015</b> , 34, 183-7	2.3	39
277	Equity for "DREAMers" in Medical School Admissions. <i>The Virtual Mentor: VM</i> , <b>2015</b> , 17, 154-9		1
276	Urine is not sterile: use of enhanced urine culture techniques to detect resident bacterial flora in the adult female bladder. <i>Journal of Clinical Microbiology</i> , <b>2014</b> , 52, 871-6	9.7	458
275	Repeat post-op voiding trials: an inconvenient correlate with success. <i>Neurourology and Urodynamics</i> , <b>2014</b> , 33, 1225-8	2.3	17
274	Pelvic organ prolapse in a cohort of women treated for stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 211, 550.e1-5	6.4	8
273	Effectiveness of blinding: sham suprapubic incisions in a randomized trial of retropubic midurethral sling in women undergoing vaginal prolapse surgery. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 211, 554.e1-7	6.4	
272	Surgical preparation: are patients "ready" for stress urinary incontinence surgery?. <i>International Urogynecology Journal</i> , <b>2014</b> , 25, 41-6	2	15
271	Urinary bacteria in adult women with urgency urinary incontinence. <i>International Urogynecology Journal</i> , <b>2014</b> , 25, 1179-84	2	86
270	Urethral sensation following reconstructive pelvic surgery. <i>International Urogynecology Journal</i> , <b>2014</b> , 25, 1569-73	2	2
269	Findings of universal cystoscopy at incontinence surgery and their sequelae. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 210, 480.e1-8	6.4	8
268	Urinary incontinence management costs are reduced following Burch or sling surgery for stress incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 211, 171.e1-7	6.4	14
267	Engagement, workplace satisfaction, and retention of surgical specialists in academic medicine in the United States. <i>Journal of the American College of Surgeons</i> , <b>2014</b> , 219, 31-42	4.4	38
266	IL22 regulates human urothelial cell sensory and innate functions through modulation of the acetylcholine response, immunoregulatory cytokines and antimicrobial peptides: assessment of an in vitro model. <i>PLoS ONE</i> , <b>2014</b> , 9, e111375	3.7	10
265	Fesoterodine prescription fill patterns and evaluation of the YourWay patient support plan for patients with overactive bladder symptoms and physicians. <i>Postgraduate Medicine</i> , <b>2014</b> , 126, 246-56	3.7	4
264	The female urinary microbiome: a comparison of women with and without urgency urinary incontinence. <i>MBio</i> , <b>2014</b> , 5, e01283-14	7.8	346
263	Clinical value of a patient-reported goal-attainment measure: the global development of self-assessment goal achievement (SAGA) questionnaire for patients with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , <b>2014</b> , 33, 90-4	2.3	7
262	Medical education for "Dreamers": Barriers and opportunities for undocumented immigrants. <i>Academic Medicine</i> , <b>2014</b> , 89, 1593-8	3.9	17
261	What happens to the posterior compartment and bowel symptoms after sacrocolpopexy? evaluation of 5-year outcomes from E-CARE. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2014</b> , 20, 261-6	1.9	34

260	A model for predicting the risk of de novo stress urinary incontinence in women undergoing pelvic organ prolapse surgery. <i>Obstetrics and Gynecology</i> , <b>2014</b> , 123, 279-287	4.9	50
259	Comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse: the OPTIMAL randomized trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2014</b> , 311, 1023-34	27.4	265
258	Robotic compared with laparoscopic sacrocolpopexy: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , <b>2014</b> , 123, 5-12	4.9	167
257	Minimum important differences for scales assessing symptom severity and quality of life in patients with fecal incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2014</b> , 20, 342-8	1.9	31
256	Interplay between bladder microbiota and urinary antimicrobial peptides: mechanisms for human urinary tract infection risk and symptom severity. <i>PLoS ONE</i> , <b>2014</b> , 9, e114185	3.7	72
255	European content validation of the Self-Assessment Goal Achievement (SAGA) questionnaire in patients with overactive bladder. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 1529-36	2	6
254	A pelvic floor fitness program for older women with urinary symptoms: a feasibility study. <i>PM and R</i> , <b>2013</b> , 5, 672-6	2.2	12
253	Long-term outcomes following abdominal sacrocolpopexy for pelvic organ prolapse. <i>JAMA - Journal of the American Medical Association</i> , <b>2013</b> , 309, 2016-24	27.4	344
252	Preoperative clinical, demographic, and urodynamic measures associated with failure to demonstrate urodynamic stress incontinence in women enrolled in two randomized clinical trials of surgery for stress urinary incontinence. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 269-74	2	8
251	Pelvic floor disorders clinical trials: participant recruitment and retention. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 73-9	2	4
250	Effect of material properties on predicted vesical pressure during a cough in a simplified computational model of the bladder and urethra. <i>Annals of Biomedical Engineering</i> , <b>2013</b> , 41, 185-94	4.7	14
249	Day of surgery urine cultures identify urogynecologic patients at increased risk for postoperative urinary tract infection. <i>Journal of Urology</i> , <b>2013</b> , 189, 1721-4	2.5	28
248	An evidence-based approach to urodynamic testing. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2013</b> , 120, 127-129	3.7	5
247	Where do we place the sacrocolpopexy stitch? A magnetic resonance imaging investigation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2013</b> , 19, 31-3	1.9	19
246	Devices and meshes for the surgical treatment of prolapse and incontinence. Foreword. <i>Clinical Obstetrics and Gynecology</i> , <b>2013</b> , 56, 219-20	1.7	
245	Challenges in academic obstetrics and gynecology departments. <i>Obstetrics and Gynecology</i> , <b>2013</b> , 122, 1092-1099	4.9	4
244	Medical education as mission: why one medical school chose to accept DREAMers. <i>Hastings Center Report</i> , <b>2013</b> , 43, 21-4	3.3	2
243	Validation study of the Self-Assessment Goal Achievement (SAGA) questionnaire for lower urinary tract symptoms. <i>International Journal of Clinical Practice</i> , <b>2013</b> , 67, 342-50	2.9	11



242	Patient satisfaction after midurethral sling surgery for stress urinary incontinence. <i>Obstetrics and Gynecology</i> , <b>2013</b> , 121, 1009-1016	4.9	24
241	Ambulation of hospitalized gynecologic surgical patients: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , <b>2013</b> , 121, 533-537	4.9	23
240	Bladder drainage during labor: a randomized controlled trial. <i>Journal of Obstetrics and Gynaecology Research</i> , <b>2012</b> , 38, 1046-51	1.9	11
239	Reliability and responsiveness of the Urgency Severity and Life Impact Questionnaire (USIQ). <i>International Urogynecology Journal</i> , <b>2012</b> , 23, 193-6	2	9
238	The impact of dispositional optimism on symptoms and treatment choices in patients with pelvic floor disorders. <i>International Urogynecology Journal</i> , <b>2012</b> , 23, 295-8	2	4
237	A perfect storm. <i>International Urogynecology Journal</i> , <b>2012</b> , 23, 3-4	2	10
236	Abdominal Colpopexy: Comparison of Endoscopic Surgical Strategies (ACCESS). <i>Contemporary Clinical Trials</i> , <b>2012</b> , 33, 1011-8	2.3	20
235	5-year continence rates, satisfaction and adverse events of burch urethropexy and fascial sling surgery for urinary incontinence. <i>Journal of Urology</i> , <b>2012</b> , 187, 1324-30	2.5	67
234	Complex repetitive discharges--a feature of the urethral continence mechanism or a pathological finding?. <i>Journal of Urology</i> , <b>2012</b> , 187, 2140-3	2.5	14
233	A randomized trial of urodynamic testing before stress-incontinence surgery. <i>New England Journal of Medicine</i> , <b>2012</b> , 366, 1987-97	59.2	329
232	Anticholinergic therapy vs. onabotulinumtoxinA for urgency urinary incontinence. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 1803-13	59.2	159
231	Anticholinergic versus botulinum toxin A comparison trial for the treatment of bothersome urge urinary incontinence: ABC trial. <i>Contemporary Clinical Trials</i> , <b>2012</b> , 33, 184-96	2.3	23
230	Sexual activity and function in women more than 2 years after midurethral sling placement. <i>American Journal of Obstetrics and Gynecology</i> , <b>2012</b> , 207, 421.e1-6	6.4	29
229	Patient related factors associated with long-term urinary continence after Burch colposuspension and pubovaginal fascial sling surgeries. <i>Journal of Urology</i> , <b>2012</b> , 188, 485-9	2.5	18
228	What are the best outcome measures when assessing treatments for LUTD?--achieving the most out of outcome evaluation: ICI-RS 2011. <i>Neurourology and Urodynamics</i> , <b>2012</b> , 31, 400-3	2.3	9
227	Solifenacin objectively decreases urinary sensation in women with overactive bladder syndrome. <i>International Urology and Nephrology</i> , <b>2012</b> , 44, 425-9	2.3	7
226	Treatment satisfaction and goal attainment with onabotulinumtoxinA in patients with incontinence due to idiopathic OAB. <i>International Urogynecology Journal</i> , <b>2012</b> , 23, 1017-25	2	15
225	Measuring Urinary Sensation with Current Perception Threshold: A Comparison between Method of Limits and Method of Levels. <i>Obstetrics and Gynecology International</i> , <b>2012</b> , 2012, 868915	2	3

224	Evidence of uncultivated bacteria in the adult female bladder. <i>Journal of Clinical Microbiology</i> , <b>2012</b> , 50, 1376-83	9.7	385
223	Conflicts-of-interest disclosures at the 2010 AUGS Scientific Meeting. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2012</b> , 18, 79-81	1.9	7
222	Institutional review board variability in minimal-risk multicenter urogynecology studies. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2012</b> , 18, 89-92	1.9	5
221	Perioperative bowel habits of women undergoing gynecologic surgery: a pilot study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2012</b> , 18, 153-7	1.9	1
220	Changes in urodynamic measures two years after Burch colposuspension or autologous sling surgery. <i>Urology</i> , <b>2011</b> , 78, 1263-8	1.6	20
219	Urodynamic changes associated with successful stress urinary incontinence surgery: is a little tension a good thing?. <i>Urology</i> , <b>2011</b> , 78, 1257-62	1.6	23
218	Pain scores are not predictive of pain medication utilization. <i>Pain Research and Treatment</i> , <b>2011</b> , 2011, 987468	1.9	3
217	Neuromuscular characterization of the urethra in continent women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2011</b> , 17, 226-30	1.9	6
216	Sexual function before and after non-surgical treatment for stress urinary incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2011</b> , 17, 30-35	1.9	25
215	We are just getting started. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2011</b> , 17, 157	1.9	
214	Assessing the safety and efficacy of combined abdominoplasty and gynecologic surgery. <i>Annals of Plastic Surgery</i> , <b>2011</b> , 67, 272-4	1.7	15
213	Clinical research education study teams: a research curriculum for obstetric and gynecology residents. <i>Obstetrics and Gynecology</i> , <b>2011</b> , 117, 1403-1407	4.9	11
212	Conflict of interest disclosure in obstetrics & gynecology. <i>Obstetrics and Gynecology</i> , <b>2011</b> , 118, 1108-1110	1.9	2
211	Knowledge and perceptions of pelvic floor disorders among african american and latina women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2011</b> , 17, 190-4	1.9	21
210	Current Use of Pelvic Organ Prolapse Quantification by AUGS and ICS Members. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2011</b> , 17, 67-9	1.9	23
209	Pathway to Finite Element Analysis of Stress Urinary Incontinence Mechanics <b>2011</b> ,		4
208	Phenazopyridine does not improve catheter discomfort following gynecologic surgery. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 204, 267.e1-3	6.4	5
207	Adverse events over two years after retropubic or transobturator midurethral sling surgery: findings from the Trial of Midurethral Slings (TOMUS) study. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 205, 498.e1-6	6.4	132

206	Preoperative hesitating urinary stream is associated with postoperative voiding dysfunction and surgical failure following Burch colposuspension or pubovaginal rectus fascial sling surgery. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 713-9	2	12
205	Measurement of transurethral bladder neck displacement during tension-free vaginal tape procedure. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 721-4	2	4
204	Goal attainment scaling in patients with lower urinary tract symptoms: development and pilot testing of the Self-Assessment Goal Achievement (SAGA) questionnaire. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 937-46	2	20
203	Risk factors for urinary tract infection following incontinence surgery. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 1255-65	2	58
202	Continent women have better urethral neuromuscular function than those with stress incontinence. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 1479-84	2	16
201	Segmentations of MRI images of the female pelvic floor: a study of inter- and intra-reader reliability. <i>Journal of Magnetic Resonance Imaging</i> , <b>2011</b> , 33, 684-91	5.6	39
200	Mixed incontinence: comparing definitions in non-surgical patients. <i>Neurourology and Urodynamics</i> , <b>2011</b> , 30, 47-51	2.3	19
199	Further validation of the short form versions of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ). <i>Neurourology and Urodynamics</i> , <b>2011</b> , 30, 541-6	2.3	80
198	Minimum important difference for validated instruments in women with urge incontinence. <i>Neurourology and Urodynamics</i> , <b>2011</b> , 30, 1319-24	2.3	33
197	Predictors of discontinuing overactive bladder medications. <i>BJU International</i> , <b>2010</b> , 105, 1283-90	5.6	35
196	Patient-reported reasons for discontinuing overactive bladder medication. <i>BJU International</i> , <b>2010</b> , 105, 1276-82	5.6	269
195	Retropubic versus transobturator midurethral slings for stress incontinence. <i>New England Journal of Medicine</i> , <b>2010</b> , 362, 2066-76	59.2	493
194	Surgery for pelvic organ prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2010</b> , 16, 9-19	1.9	27
193	Symptoms of combined prolapse and urinary incontinence in large surgical cohorts. <i>Obstetrics and Gynecology</i> , <b>2010</b> , 115, 310-316	4.9	7
192	Continence pessary compared with behavioral therapy or combined therapy for stress incontinence: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , <b>2010</b> , 115, 609-617	4.9	98
191	Quantification of vaginal support: are continuous summary scores better than POPQ stage?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 203, 512.e1-6	6.4	8
190	Tolterodine causes measurable restoration of urethral sensation in women with urge urinary incontinence. <i>Neurourology and Urodynamics</i> , <b>2010</b> , 29, 555-7	2.3	15
189	Fourth International Consultation on Incontinence Recommendations of the International Scientific Committee: Evaluation and treatment of urinary incontinence, pelvic organ prolapse, and fecal incontinence. <i>Neurourology and Urodynamics</i> , <b>2010</b> , 29, 213-40	2.3	764

188	Patient satisfaction with stress incontinence surgery. <i>Neurourology and Urodynamics</i> , <b>2010</b> , 29, 1403-9	2.3	27
187	PRO Questionnaires to Screen and Measure Satisfaction, Expectations and Goal Achievement <b>2010</b> , 114-124		
186	Challenges in designing a pragmatic clinical trial: the mixed incontinence -- medical or surgical approach (MIMOSA) trial experience. <i>Clinical Trials</i> , <b>2009</b> , 6, 355-64	2.2	24
185	Defining success after surgery for pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , <b>2009</b> , 114, 600-609	4.9	346
184	The minimum important differences for the urinary scales of the Pelvic Floor Distress Inventory and Pelvic Floor Impact Questionnaire. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 200, 580.e1-7	6.4	94
183	Measurements from image-based three dimensional pelvic floor reconstruction: a study of inter- and intraobserver reliability. <i>Journal of Magnetic Resonance Imaging</i> , <b>2009</b> , 30, 344-50	5.6	15
182	Challenges of conducting multi-center, multi-disciplinary urinary incontinence clinical trials: experience of the urinary incontinence treatment network. <i>Neurourology and Urodynamics</i> , <b>2009</b> , 28, 170-6	2.3	11
181	Patients with painful bladder syndrome have altered response to thermal stimuli and catastrophic reaction to painful experiences. <i>Neurourology and Urodynamics</i> , <b>2009</b> , 28, 400-4	2.3	18
180	Observations relating to urinary sensation during detrusor overactivity. <i>Neurourology and Urodynamics</i> , <b>2009</b> , 28, 497-500	2.3	13
179	Mixed incontinence: comparing definitions in women having stress incontinence surgery. <i>Neurourology and Urodynamics</i> , <b>2009</b> , 28, 268-73	2.3	38
178	Urinary retention is uncommon after colpocleisis with concomitant mid-urethral sling. <i>International Urogynecology Journal</i> , <b>2009</b> , 20, 213-6	2	21
177	Evaluation of urgency in women, with a validated Urgency, Severity and Impact Questionnaire (USIQ). <i>International Urogynecology Journal</i> , <b>2009</b> , 20, 301-7	2	18
176	Predictors of outcomes in the treatment of urge urinary incontinence in women. <i>International Urogynecology Journal</i> , <b>2009</b> , 20, 489-97	2	12
175	New pelvic symptoms are common after reconstructive pelvic surgery. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 200, 88.e1-5	6.4	26
174	Operations and pelvic muscle training in the management of apical support loss (OPTIMAL) trial: design and methods. <i>Contemporary Clinical Trials</i> , <b>2009</b> , 30, 178-89	2.3	43
173	Design of the Value of Urodynamic Evaluation (ValUE) trial: A non-inferiority randomized trial of preoperative urodynamic investigations. <i>Contemporary Clinical Trials</i> , <b>2009</b> , 30, 531-9	2.3	40
172	Randomized controlled multisite trial of injected bulking agents for women with intrinsic sphincter deficiency: mid-urethral injection of Zuidex via the Implacer versus proximal urethral injection of Contigen cystoscopically. <i>Urology</i> , <b>2009</b> , 74, 771-5	1.6	48
171	Outcomes following vaginal prolapse repair and mid urethral sling (OPUS) trial--design and methods. <i>Clinical Trials</i> , <b>2009</b> , 6, 162-71	2.2	41

170	Bother related to bladder control and health care seeking behavior in adults in the United States. <i>Journal of Urology</i> , <b>2009</b> , 181, 2591-8	2.5	53
169	The impact of stress incontinence surgery on female sexual function. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 200, 562.e1-7	6.4	43
168	Transabdominal uterosacral suspension: outcomes and complications. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 200, 656.e1-5	6.4	12
167	Is routine cystoscopy an essential intraoperative test at hysterectomy?. <i>Obstetrics and Gynecology</i> , <b>2009</b> , 113, 2-3	4.9	6
166	Challenges for managing overactive bladder and guidance for patient support. <i>American Journal of Managed Care</i> , <b>2009</b> , 15, S118-22	2.1	29
165	Urinary incontinence prevalence: results from the National Health and Nutrition Examination Survey. <i>Journal of Urology</i> , <b>2008</b> , 179, 656-61	2.5	119
164	Chronic lower urinary symptoms do not predict bacteriuria. <i>International Journal of Gynecology and Obstetrics</i> , <b>2008</b> , 101, 302-3	4	3
163	Refractory idiopathic urge urinary incontinence and botulinum A injection. <i>Journal of Urology</i> , <b>2008</b> , 180, 217-22	2.5	246
162	Racial differences in pelvic anatomy by magnetic resonance imaging. <i>Obstetrics and Gynecology</i> , <b>2008</b> , 111, 914-20	4.9	79
161	High costs of urinary incontinence among women electing surgery to treat stress incontinence. <i>Obstetrics and Gynecology</i> , <b>2008</b> , 111, 899-907	4.9	72
160	Pelvic floor fitness using lay instructors. <i>Obstetrics and Gynecology</i> , <b>2008</b> , 111, 1298-304	4.9	19
159	Two-year outcomes after sacrocolpopexy with and without burch to prevent stress urinary incontinence. <i>Obstetrics and Gynecology</i> , <b>2008</b> , 112, 49-55	4.9	180
158	Reproducibility of dynamic MR imaging pelvic measurements: a multi-institutional study. <i>Radiology</i> , <b>2008</b> , 249, 534-40	20.5	39
157	Behavioral therapy to enable women with urge incontinence to discontinue drug treatment: a randomized trial. <i>Annals of Internal Medicine</i> , <b>2008</b> , 149, 161-9	8	92
156	Two-year outcomes after surgery for stress urinary incontinence in older compared with younger women. <i>Obstetrics and Gynecology</i> , <b>2008</b> , 112, 621-9	4.9	35
155	Sexual function 6 months after first delivery. <i>Obstetrics and Gynecology</i> , <b>2008</b> , 111, 1040-4	4.9	74
154	Patient-selected goals: the fourth dimension in assessment of pelvic floor disorders. <i>International Urogynecology Journal</i> , <b>2008</b> , 19, 81-4	2	52
153	The role of preoperative urodynamic testing in stress-continent women undergoing sacrocolpopexy: the Colpopexy and Urinary Reduction Efforts (CARE) randomized surgical trial. <i>International Urogynecology Journal</i> , <b>2008</b> , 19, 607-14	2	156

152	Obstructive voiding symptoms are not predictive of elevated postvoid residual urine volumes. <i>International Urogynecology Journal</i> , <b>2008</b> , 19, 801-4	2	24
151	Sacrocolpopexy without concomitant posterior repair improves posterior compartment defects. <i>International Urogynecology Journal</i> , <b>2008</b> , 19, 1267-70	2	30
150	Mixed incontinence is more bothersome than pure incontinence subtypes. <i>International Urogynecology Journal</i> , <b>2008</b> , 19, 1359-62	2	56
149	Development and validation of the Overactive Bladder Satisfaction (OAB-S) Questionnaire. <i>Neurourology and Urodynamics</i> , <b>2008</b> , 27, 179-90	2.3	51
148	Women who experience detrusor overactive at lower bladder volumes report greater bother. <i>Neurourology and Urodynamics</i> , <b>2008</b> , 27, 45-7	2.3	2
147	The correlation of voiding variables between non-instrumented uroflowmetry and pressure-flow studies in women with pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , <b>2008</b> , 27, 515-21	2.3	3
146	The expectations of patients who undergo surgery for stress incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 308.e1-6	6.4	39
145	Changes in physical activity after abdominal sacrocolpopexy for advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 570.e1-5	6.4	17
144	Clinically useful measures in women with mixed urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 664.e1-3; discussion 664.e3-4	6.4	5
143	Validation of a real-time urodynamic measure of urinary sensation. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 661.e1-4; discussion 661.e4-5	6.4	20
142	The relationship between obstructive sleep apnea, nocturia, and daytime overactive bladder syndrome in women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 598.e1-5	6.4	42
141	New vs old: descriptors can affect patients' surgical preferences. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 199, 476.e1-3	6.4	3
140	Risk factors for mesh/suture erosion following sacral colpopexy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 199, 688.e1-5	6.4	153
139	Muscle Function and Ageing <b>2008</b> , 49-61		3
138	The volume at which women leak first on urodynamic testing is not associated with quality of life, measures of urethral integrity or surgical failure. <i>Journal of Urology</i> , <b>2007</b> , 178, 193-6	2.5	17
137	Urethral and bladder current perception thresholds: normative data in women. <i>Journal of Urology</i> , <b>2007</b> , 178, 189-92; discussion 192	2.5	28
136	Urodynamic prolapse reduction alters urethral pressure but not filling or pressure flow parameters. <i>Journal of Urology</i> , <b>2007</b> , 177, 600-3	2.5	25
135	The relationships among measures of incontinence severity in women undergoing surgery for stress urinary incontinence. <i>Journal of Urology</i> , <b>2007</b> , 177, 1810-4	2.5	50

134	Clinical and demographic factors associated with valsalva leak point pressure among women undergoing burch bladder neck suspension or autologous rectus fascial sling procedures. <i>Neurourology and Urodynamics</i> , <b>2007</b> , 26, 392-6	2.3	30
133	Does urethral competence affect urodynamic voiding parameters in women with prolapse?. <i>Neurourology and Urodynamics</i> , <b>2007</b> , 26, 1030-5	2.3	10
132	Aging and overactive bladder may be associated with loss of urethral sensation in women. <i>Neurourology and Urodynamics</i> , <b>2007</b> , 26, 981-4	2.3	40
131	Botulinum toxin: from life-threatening disease to novel medical therapy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 196, 7-15	6.4	35
130	Gastrointestinal complications following abdominal sacrocolpopexy for advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 78.e1-7	6.4	58
129	Research education in obstetrics and gynecology: how are we doing?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 532.e1-4	6.4	13
128	Sexual function before and after sacrocolpopexy for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 629.e1-6	6.4	71
127	Patients' pelvic goals change after initial urogynecologic consultation. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 640.e1-3	6.4	15
126	Bladder symptoms 1 year after abdominal sacrocolpopexy with and without Burch colposuspension in women without preoperative stress incontinence symptoms. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 647.e1-6	6.4	35
125	Patient preparedness: an important predictor of surgical outcome. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 654.e1-6	6.4	83
124	Neural pain after uterosacral ligament vaginal suspension. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 109-10	2	19
123	Physical activity in women planning sacrocolpopexy. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 33-7	2	7
122	Patient-perceived outcomes in the treatment of stress urinary incontinence: focus on urethral injection therapy. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 199-205	2	17
121	Nocturnal polyuria and nocturia relief in patients treated with solifenacin for overactive bladder symptoms. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 737-41	2	76
120	Prevalence and impact of nocturia in a urogynecologic population. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 1049-52	2	17
119	Spanish language translation of pelvic floor disorders instruments. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 1171-8	2	14
118	Double trouble: two complicated slings in one woman. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 1503-5	2	2
117	Development of the Measure of Adaptations for Pelvic Symptoms (MAPS): the Importance of Incorporating the Female Patient's Voice. <i>Applied Research in Quality of Life</i> , <b>2007</b> , 1, 239-251	2.3	7

116	Anal sphincter laceration at vaginal delivery: is this event coded accurately?. <i>Obstetrics and Gynecology</i> , <b>2007</b> , 109, 1141-5	4.9	19
115	Is hysterectomy associated with an increase in the symptoms of urinary incontinence?. <i>Nature Reviews Urology</i> , <b>2007</b> , 4, 250-1		
114	Non-surgical management of stress urinary incontinence: ambulatory treatments for leakage associated with stress (ATLAS) trial. <i>Clinical Trials</i> , <b>2007</b> , 4, 92-101	2.2	28
113	Burch colposuspension versus fascial sling to reduce urinary stress incontinence. <i>New England Journal of Medicine</i> , <b>2007</b> , 356, 2143-55	59.2	381
112	The "costs" of urinary incontinence for women. <i>Obstetrics and Gynecology</i> , <b>2006</b> , 107, 908-16	4.9	104
111	Abdominal sacrocolpopexy with Burch colposuspension to reduce urinary stress incontinence. <i>New England Journal of Medicine</i> , <b>2006</b> , 354, 1557-66	59.2	407
110	Childhood urinary symptoms predict adult overactive bladder symptoms. <i>Journal of Urology</i> , <b>2006</b> , 175, 989-93	2.5	118
109	Urinary incontinence in women. <i>Lancet, The</i> , <b>2006</b> , 367, 57-67	4.0	294
108	What is a clinician to do-believe the patient or her urinary diary?. <i>Journal of Urology</i> , <b>2006</b> , 176, 633-5; discussion 635	2.5	24
107	Patient-reported outcomes in overactive bladder: the influence of perception of condition and expectation for treatment benefit. <i>Urology</i> , <b>2006</b> , 68, 29-37	1.6	48
106	Development and validation of patient-reported outcomes measures for overactive bladder: a review of concepts. <i>Urology</i> , <b>2006</b> , 68, 9-16	1.6	81
105	Patient-reported outcomes in overactive bladder: importance for determining clinical effectiveness of treatment. <i>Urology</i> , <b>2006</b> , 68, 3-8	1.6	79
104	The sensitivity and specificity of a simple test to distinguish between urge and stress urinary incontinence. <i>Annals of Internal Medicine</i> , <b>2006</b> , 144, 715-23	8	116
103	Bowel Symptoms and POP-Q Stage Are Poorly Correlated. <i>Journal of Pelvic Medicine &amp; Surgery</i> , <b>2006</b> , 12, 263-266		3
102	Concentric needle electrodes are superior to perineal surface-patch electrodes for electromyographic documentation of urethral sphincter relaxation during voiding. <i>BJU International</i> , <b>2006</b> , 97, 117-20	5.6	35
101	Open and unresolved clinical questions in female pelvic medicine and reconstructive surgery. <i>BJU International</i> , <b>2006</b> , 98 Suppl 1, 110-6	5.6	31
100	Patient-centered surgical outcomes: the impact of goal achievement and urge incontinence on patient satisfaction one year after surgery. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 194, 722-8	6.4	104
99	Recurrent stress incontinence is associated with decreased neuromuscular function in the striated urethral sphincter. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 194, 1434-7	6.4	17



98	Advanced anterior vaginal wall prolapse is highly correlated with apical prolapse. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 195, 1837-40	6.4	190
97	A multicentered comparison of measurements obtained with microtip and external water pressure transducers. <i>International Urogynecology Journal</i> , <b>2006</b> , 17, 400-6	2	13
96	Usefulness of urine dipstick in an urogynecologic population. <i>International Urogynecology Journal</i> , <b>2006</b> , 17, 489-91	2	5
95	Peripartum urinary incontinence in a racially diverse obstetrical population. <i>International Urogynecology Journal</i> , <b>2006</b> , 17, 525-30	2	24
94	Transobturator tape erosion associated with leg pain. <i>International Urogynecology Journal</i> , <b>2006</b> , 17, 66-8	2	26
93	What is the pain of interstitial cystitis like?. <i>International Urogynecology Journal</i> , <b>2006</b> , 17, 69-72	2	41
92	Clinical advances in urogynecology. <i>Minerva Ginecologica</i> , <b>2006</b> , 58, 259-64	1.2	1
91	PUK36 PATIENT SATISFACTION: PSYCHOMETRIC VALIDATION OF THE OAB-S, AN OVERACTIVE BLADDER TREATMENT SATISFACTION QUESTIONNAIRE.. <i>Value in Health</i> , <b>2005</b> , 8, A88	3.3	4
90	Gender differences in 24-hour urinary diaries of asymptomatic North American adults. <i>Journal of Urology</i> , <b>2005</b> , 173, 490-2	2.5	32
89	Urgency: the cornerstone symptom of overactive bladder. <i>Urology</i> , <b>2005</b> , 66, 230-1; author reply 231	1.6	1
88	Modern Management of Genitourinary Fistula. <i>Journal of Pelvic Medicine &amp; Surgery</i> , <b>2005</b> , 11, 223-234		4
87	Urinary urgency and frequency: what should a clinician do?. <i>Obstetrics and Gynecology</i> , <b>2005</b> , 105, 661-7	4.9	6
86	Striated urethral sphincter activity does not alter urethral pressure during filling cystometry. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 192, 55-9	6.4	15
85	Reliability of health-related quality-of-life measures 1 year after surgical procedures for pelvic floor disorders. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 192, 780-8	6.4	52
84	Controversies and uncertainties: abdominal versus vaginal surgery for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 192, 690-3	6.4	18
83	Repeat cesarean section and primary elective cesarean section: recently trained obstetrician-gynecologist practice patterns and opinions. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 192, 1872-5; discussion 1875-6	6.4	26
82	Factors associated with incontinence frequency in a surgical cohort of stress incontinent women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 193, 2088-93	6.4	68
81	A critical review of diagnostic criteria for evaluating patients with symptomatic stress urinary incontinence. <i>BJU International</i> , <b>2005</b> , 95, 327-34	5.6	17

80	How do urinary diaries of women with an overactive bladder differ from those of asymptomatic controls?. <i>BJU International</i> , <b>2005</b> , 96, 365-7	5.6	23
79	Stress incontinence injection therapy: what is best for our patients?. <i>European Urology</i> , <b>2005</b> , 48, 552-65	10.2	41
78	Localization of the urge to void in patients with painful bladder syndrome. <i>Neurourology and Urodynamics</i> , <b>2005</b> , 24, 633-7	2.3	23
77	Life-threatening reaction to indigo carmine--a sulfa allergy?. <i>International Urogynecology Journal</i> , <b>2005</b> , 16, 418-9	2	14
76	Evacuatory Dysfunction Following Gynecologic Surgery <b>2005</b> , 532-545		3
75	Using acupressure to modify alertness in the classroom: a single-blinded, randomized, cross-over trial. <i>Journal of Alternative and Complementary Medicine</i> , <b>2005</b> , 11, 673-9	2.4	19
74	Sexual activity predicts continued pessary use. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 191, 198-200	6.4	46
73	Three dimensional virtual reality model of the normal female pelvic floor. <i>Annals of Biomedical Engineering</i> , <b>2004</b> , 32, 292-6	4.7	23
72	Sliding hernia of the bladder presenting as suprapubic pain in a female. <i>International Urogynecology Journal</i> , <b>2004</b> , 15, 51-2	2	1
71	Surgical treatment of urinary incontinence in women. <i>Gastroenterology</i> , <b>2004</b> , 126, S71-6	13.3	5
70	Urgency: the cornerstone symptom of overactive bladder. <i>Urology</i> , <b>2004</b> , 64, 12-6	1.6	37
69	Abdominal sacrocolpopexy: a comprehensive review. <i>Obstetrics and Gynecology</i> , <b>2004</b> , 104, 805-23	4.9	675
68	Effects of IGF-I gene therapy on the injured rat pudendal nerve. <i>International Urogynecology Journal</i> , <b>2003</b> , 14, 2-7; discussion 8	2	11
67	Do mothers remember key events during labor?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2003</b> , 189, 195-200	6.4	51
66	Colpocleisis and urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2003</b> , 189, 1241-4	6.4	69
65	Patient-selected goals: a new perspective on surgical outcome. <i>American Journal of Obstetrics and Gynecology</i> , <b>2003</b> , 189, 1551-7; discussion 1557-8	6.4	199
64	A randomized trial of colpopexy and urinary reduction efforts (CARE): design and methods. <i>Contemporary Clinical Trials</i> , <b>2003</b> , 24, 629-42		85
63	Validation of the clinical bulbocavernosus reflex. <i>Neurourology and Urodynamics</i> , <b>2003</b> , 22, 589-91; discussion 591-2	2.3	22

62	Tolterodine is equally effective in patients with mixed incontinence and those with urge incontinence alone. <i>BJU International</i> , <b>2003</b> , 92, 418-21	5.6	42
61	Variability Of 24-Hour Voiding Diary Variables Among Asymptomatic Women. <i>Journal of Urology</i> , <b>2003</b> , 169, 207-209	2.5	38
60	Variability of 24-hour voiding diary variables among asymptomatic women. <i>Journal of Urology</i> , <b>2003</b> , 169, 207-9	2.5	13
59	Uncomplicated erosion of polytetrafluoroethylene grafts into the rectum. <i>American Journal of Obstetrics and Gynecology</i> , <b>2002</b> , 187, 233-4	6.4	18
58	Relationship between levator ani contraction and motor unit activation in the urethral sphincter. <i>American Journal of Obstetrics and Gynecology</i> , <b>2002</b> , 187, 403-6	6.4	24
57	Multiple foreign body erosions after laparoscopic colposuspension with mesh. <i>American Journal of Obstetrics and Gynecology</i> , <b>2002</b> , 187, 252-3	6.4	15
56	Open Burch urethropexy has a low rate of perioperative complications. <i>American Journal of Obstetrics and Gynecology</i> , <b>2002</b> , 187, 107-10	6.4	17
55	Urinary habits among asymptomatic women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2002</b> , 187, 1384-8	6.4	60
54	Bother arising from urinary frequency in women. <i>Neurourology and Urodynamics</i> , <b>2002</b> , 21, 36-40; discussion 41	2.3	20
53	Urinary incontinence symptom scores and urodynamic diagnoses. <i>Neurourology and Urodynamics</i> , <b>2002</b> , 21, 30-5	2.3	50
52	Rejection of life in anorexic and bulimic patients. <i>International Journal of Eating Disorders</i> , <b>2002</b> , 31, 43-86.3		30
51	A longitudinal study of the development of dieting among 7-17-year-old Swedish girls. <i>International Journal of Eating Disorders</i> , <b>2002</b> , 31, 32-42	6.3	40
50	Urinary incontinence predictors and life impact in ethnically diverse perimenopausal women. <i>Obstetrics and Gynecology</i> , <b>2002</b> , 100, 1230-8	4.9	145
49	The standardization of terminology for researchers in female pelvic floor disorders. <i>International Urogynecology Journal</i> , <b>2001</b> , 12, 178-86	2	295
48	Risk factors for an elevated postvoid residual urine volume in women with symptoms of urinary urgency, frequency and urge incontinence. <i>International Urogynecology Journal</i> , <b>2001</b> , 12, 237-9; discussion 239-40	2	20
47	Was charakterisiert Buchenurwälder? Untersuchungen der Altersstruktur des Kronendachs und der räumlichen Verteilung der Baumriesen in einem Modellwald mit Hilfe des Simulationsmodells BEFORE. <i>European Journal of Forest Research</i> , <b>2001</b> , 120, 288-302		13
46	Donor fascia in urogynaecological procedures: a canine model. <i>BJU International</i> , <b>2001</b> , 87, 682-9	5.6	9
45	The etiology of urinary retention after surgery for genuine stress incontinence. <i>Neurourology and Urodynamics</i> , <b>2001</b> , 20, 13-21	2.3	47

44	Responsiveness of quality of life measurements to change after reconstructive pelvic surgery. <i>American Journal of Obstetrics and Gynecology</i> , <b>2001</b> , 185, 20-4	6.4	54
43	Role of urethral electromyography in predicting outcome of Burch retropubic urethropexy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2001</b> , 185, 51-5	6.4	22
42	The antigenicity of fascia lata allografts. <i>BJU International</i> , <b>2000</b> , 86, 826-8	5.6	25
41	Effects of pudendal nerve injury in the female rat. <i>Neurourology and Urodynamics</i> , <b>2000</b> , 19, 53-69	2.3	94
40	The fate of rectus fascia suburethral slings. <i>American Journal of Obstetrics and Gynecology</i> , <b>2000</b> , 183, 964-6	6.4	27
39	Urethral collagen morphologic characteristics among women with genuine stress incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2000</b> , 182, 1565-74	6.4	34
38	Ultrastructure of detrusor and urethral smooth muscle in women with urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2000</b> , 182, 879-84	6.4	8
37	ELECTRICAL STIMULATION IN OVERACTIVE BLADDER. <i>BJU International</i> , <b>2000</b> , 85, 17-23	5.6	1
36	Editorial comment. <i>Urology</i> , <b>2000</b> , 56, 775-6	1.6	
35	Electrical stimulation in overactive bladder. <i>Urology</i> , <b>2000</b> , 55, 17-23; discussion 31-2	1.6	69
34	Questions and answers after linda brubaker, linda D. Cardozo, and magnus fall. <i>Urology</i> , <b>2000</b> , 55, 31-2	1.6	29
33	Failure of allograft suburethral slings. <i>BJU International</i> , <b>1999</b> , 84, 785-8	5.6	98
32	Pubic osteomyelitis and granuloma after bone anchor placement. <i>International Urogynecology Journal</i> , <b>1999</b> , 10, 346-8	2	25
31	The anatomic and functional variability of rectoceles in women. <i>International Urogynecology Journal</i> , <b>1999</b> , 10, 96-9	2	59
30	A comparison of women with primary and recurrent pelvic prolapse. <i>American Journal of Obstetrics and Gynecology</i> , <b>1999</b> , 180, 1415-8	6.4	27
29	Histologic analysis of needle biopsy of urethral sphincter from women with normal and stress incontinence with comparison of electromyographic findings. <i>American Journal of Obstetrics and Gynecology</i> , <b>1999</b> , 180, 342-8	6.4	77
28	Functional failure of fascia lata allografts. <i>American Journal of Obstetrics and Gynecology</i> , <b>1999</b> , 181, 1339-44; discussion 1344-6	6.4	107
27	Outcome after rectovaginal fascia reattachment for rectocele repair. <i>American Journal of Obstetrics and Gynecology</i> , <b>1999</b> , 181, 1360-3; discussion 1363-4	6.4	146

26	The external urethral barrier for stress incontinence: a multicenter trial of safety and efficacy. Miniguard Investigators Group. <i>Obstetrics and Gynecology</i> , <b>1999</b> , 93, 932-7	4.9	16
25	Pudendal denervation affects the structure and function of the striated, urethral sphincter in female rats. <i>International Urogynecology Journal</i> , <b>1998</b> , 9, 88-93	2	38
24	Effect of preoperative voiding mechanism on success rate of autologous rectus fascia suburethral sling procedure. <i>Obstetrics and Gynecology</i> , <b>1998</b> , 91, 577-81	4.9	27
23	Normal pelvic floor physiology. <i>Obstetrics and Gynecology Clinics of North America</i> , <b>1998</b> , 25, 707-22, v	3.3	18
22	Initial assessment: the history in women with pelvic floor problems. <i>Clinical Obstetrics and Gynecology</i> , <b>1998</b> , 41, 657-62	1.7	5
21	Transvaginal electrical stimulation for female urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , <b>1997</b> , 177, 536-40	6.4	124
20	The use of mesh in gynecologic surgery. <i>International Urogynecology Journal</i> , <b>1997</b> , 8, 105-15	2	176
19	Vaginal topography does not correlate well with visceral position in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , <b>1997</b> , 8, 336-9	2	45
18	An alternative statistical approach for predicting prolonged catheterization after Burch colposuspension during reconstructive pelvic surgery. <i>International Urogynecology Journal</i> , <b>1997</b> , 8, 203-8	3	5
17	Application of biofeedback in the treatment of urinary incontinence.. <i>Professional Psychology: Research and Practice</i> , <b>1996</b> , 27, 554-560	2.2	1
16	Clarifying the technique of four-contrast defecography. <i>Diseases of the Colon and Rectum</i> , <b>1996</b> , 39, 826-31	3.1	6
15	Clinical correlates in patients not completing a voiding diary. <i>International Urogynecology Journal</i> , <b>1996</b> , 7, 256-9	2	9
14	The standardization of terminology of female pelvic organ prolapse and pelvic floor dysfunction. <i>American Journal of Obstetrics and Gynecology</i> , <b>1996</b> , 175, 10-7	6.4	3315
13	Levator ani muscle in women with genitourinary prolapse: indirect assessment by muscle histopathology. <i>Neurourology and Urodynamics</i> , <b>1996</b> , 15, 17-29	2.3	40
12	Rectocele. <i>Current Opinion in Obstetrics and Gynecology</i> , <b>1996</b> , 8, 876-9	2.4	3
11	Four-contrast defecography: pelvic "floor-oscopy". <i>Diseases of the Colon and Rectum</i> , <b>1995</b> , 38, 695-9	3.1	102
10	Suburethral sling release. <i>Obstetrics and Gynecology</i> , <b>1995</b> , 86, 686-8	4.9	17
9	Sacrocolpopexy and the anterior compartment: support and function. <i>American Journal of Obstetrics and Gynecology</i> , <b>1995</b> , 173, 1690-5; discussion 1695-6	6.4	35

8	Dynamic cystoproctography: a technique for assessing disorders of the pelvic floor in women. <i>American Journal of Roentgenology</i> , <b>1994</b> , 163, 368-70	5.4	42
7	Pharmacokinetics of intravaginal metronidazole gel. <i>Journal of Clinical Pharmacology</i> , <b>1994</b> , 34, 1060-5	2.9	37
6	Radiology of the pelvic floor. <i>Clinical Obstetrics and Gynecology</i> , <b>1993</b> , 36, 952-9	1.7	20
5	Transvaginal electrical stimulation in the treatment of genuine stress incontinence and detrusor instability. <i>International Urogynecology Journal</i> , <b>1993</b> , 4, 9-13	2	42
4	Kegel or cut? Variations on his theme. <i>Journal of reproductive medicine, The</i> , <b>1993</b> , 38, 672-8		6
3	Pelvic floor evaluation with dynamic fluoroscopy. <i>Obstetrics and Gynecology</i> , <b>1993</b> , 82, 863-8	4.9	23
2	Urinary tract injuries in pelvic surgery. <i>Surgical Clinics of North America</i> , <b>1991</b> , 71, 963-76	4	25
1	Cystometry, urethrocytometry, and videocystourethrography. <i>Clinical Obstetrics and Gynecology</i> , <b>1990</b> , 33, 315-24	1.7	3