

Carmen SÃ¡ez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6511001/publications.pdf>

Version: 2024-02-01

58
papers

3,243
citations

257101

24
h-index

149479

56
g-index

58
all docs

58
docs citations

58
times ranked

4192
citing authors

#	ARTICLE	IF	CITATIONS
1	Wnt/ β^2 -Catenin Signaling Contributes to Paclitaxel Resistance in Bladder Cancer Cells with Cancer Stem Cell-Like Properties. <i>International Journal of Molecular Sciences</i> , 2022, 23, 450.	1.8	17
2	PARP Inhibitors: A New Horizon for Patients with Prostate Cancer. <i>Biomedicines</i> , 2022, 10, 1416.	1.4	20
3	EDIL3 promotes epithelial \rightarrow mesenchymal transition and paclitaxel resistance through its interaction with integrin β^2 in cancer cells. <i>Cell Death Discovery</i> , 2020, 6, 86.	2.0	29
4	p53 and FBXW7: Sometimes Two Guardians Are Worse than One. <i>Cancers</i> , 2020, 12, 985.	1.7	9
5	SCF(FBXW7)-mediated degradation of p53 promotes cell recovery after UV α -induced DNA damage. <i>FASEB Journal</i> , 2019, 33, 11420-11430.	0.2	19
6	Loss of MYBBP1A Induces Cancer Stem Cell Activity in Renal Cancer. <i>Cancers</i> , 2019, 11, 235.	1.7	12
7	Obatoclox and Paclitaxel Synergistically Induce Apoptosis and Overcome Paclitaxel Resistance in Urothelial Cancer Cells. <i>Cancers</i> , 2018, 10, 490.	1.7	27
8	Protocols for the Study of Taxanes Chemosensitivity in Prostate Cancer. <i>Methods in Molecular Biology</i> , 2018, 1786, 153-173.	0.4	2
9	Prognostic relevance of Src activation in stage II-III colon cancer. <i>Human Pathology</i> , 2017, 67, 119-125.	1.1	15
10	G ₁ /S phase progression is regulated by PLK1 degradation through the CDK1/ β^2 TrCP axis. <i>FASEB Journal</i> , 2017, 31, 2925-2936.	0.2	17
11	Both p62/SQSTM1-HDAC6-dependent autophagy and the aggresome pathway mediate CDK1 degradation in human breast cancer. <i>Scientific Reports</i> , 2017, 7, 10078.	1.6	41
12	Multidrug resistance transporter profile reveals MDR3 as a marker for stratification of blastemal Wilms tumour patients. <i>Oncotarget</i> , 2017, 8, 11173-11186.	0.8	11
13	HMGA2 overexpression predicts relapse susceptibility of blastemal Wilms tumor patients. <i>Oncotarget</i> , 2017, 8, 115290-115303.	0.8	7
14	Dasatinib, a Src inhibitor, sensitizes liver metastatic colorectal carcinoma to oxaliplatin in tumors with high levels of phospho-Src. <i>Oncotarget</i> , 2016, 7, 33111-33124.	0.8	27
15	Loss of PKC δ Induces Prostate Cancer Resistance to Paclitaxel through Activation of Wnt/ β^2 -Catenin Pathway and Mcl-1 Accumulation. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 1713-1725.	1.9	20
16	Loss of FBXW7 and accumulation of MCL1 and PLK1 promote paclitaxel resistance in breast cancer. <i>Oncotarget</i> , 2016, 7, 52751-52765.	0.8	30
17	Efficacy of bortezomib in sarcomas with high levels of MAP17 (PDZK1IP1). <i>Oncotarget</i> , 2016, 7, 67033-67046.	0.8	23
18	β^2 TrCP controls the lysosome-mediated degradation of CDK1, whose accumulation correlates with tumor malignancy. <i>Oncotarget</i> , 2014, 5, 7563-7574.	0.8	22

#	ARTICLE	IF	CITATIONS
19	Prostate Cancer Cell Response to Paclitaxel Is Affected by Abnormally Expressed Securin PTTG1. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 2372-2383.	1.9	20
20	MAX Inactivation in Small Cell Lung Cancer Disrupts MYC-SWI/SNF Programs and Is Synthetic Lethal with BRG1. <i>Cancer Discovery</i> , 2014, 4, 292-303.	7.7	153
21	A single mutation in Securin induces chromosomal instability and enhances cell invasion. <i>European Journal of Cancer</i> , 2013, 49, 500-510.	1.3	17
22	PTPL1 and PKC ζ contribute to proapoptotic signalling in prostate cancer cells. <i>Cell Death and Disease</i> , 2013, 4, e576-e576.	2.7	16
23	Prognostic value of CtIP/RBBP8 expression in breast cancer. <i>Cancer Medicine</i> , 2013, 2, 774-783.	1.3	31
24	Craniopharyngiomas Express Embryonic Stem Cell Markers (SOX2, OCT4, KLF4, and SOX9) as Pituitary Stem Cells but Do Not Coexpress RET/GFRA3 Receptors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E80-E87.	1.8	63
25	Paclitaxel sensitivity of breast cancer cells requires efficient mitotic arrest and disruption of Bcl-xL/Bak interaction. <i>Breast Cancer Research and Treatment</i> , 2012, 133, 917-928.	1.1	44
26	Downregulation of protein tyrosine phosphatase PTPL1 alters cell cycle and upregulates invasion-related genes in prostate cancer cells. <i>Clinical and Experimental Metastasis</i> , 2012, 29, 349-358.	1.7	17
27	Differential expression of THOC1 and ALY mRNP biogenesis/export factors in human cancers. <i>BMC Cancer</i> , 2011, 11, 77.	1.1	64
28	Glycogen Synthase Kinase-3 β (GSK3 β) Negatively Regulates PTTG1/Human Securin Protein Stability, and GSK3 β Inactivation Correlates with Securin Accumulation in Breast Tumors. <i>Journal of Biological Chemistry</i> , 2011, 286, 30047-30056.	1.6	18
29	Immunohistochemical Expression of Hsp60 Correlates With Tumor Progression and Hormone Resistance in Prostate Cancer. <i>Urology</i> , 2010, 76, 1017.e1-1017.e6.	0.5	57
30	A GRFa2/Prop1/Stem (GPS) Cell Niche in the Pituitary. <i>PLoS ONE</i> , 2009, 4, e4815.	1.1	158
31	Simultaneous inactivation of Par-4 and PTEN in vivo leads to synergistic NF- κ B activation and invasive prostate carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12962-12967.	3.3	40
32	Induction of Dlk1 by PTTG1 Inhibits Adipocyte Differentiation and Correlates with Malignant Transformation. <i>Molecular Biology of the Cell</i> , 2009, 20, 3353-3362.	0.9	20
33	Methylation alterations are not a major cause of PTTG1 missregulation. <i>BMC Cancer</i> , 2008, 8, 110.	1.1	4
34	Anti-glutathione S-transferase T1 antibody-mediated rejection in C4d-positive renal allograft recipients. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2393-2398.	0.4	33
35	The dependence receptor Ret induces apoptosis in somatotrophs through a Pit-1/p53 pathway, preventing tumor growth. <i>EMBO Journal</i> , 2007, 26, 2015-2028.	3.5	73
36	Clinicopathological correlations of Bcl-xL and Bax expression in differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2007, 68, 070907132242004-???	1.2	8

#	ARTICLE	IF	CITATIONS
37	Prognostic Significance of Human Pituitary Tumor-Transforming Gene Immunohistochemical Expression in Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1404-1409.	1.8	43
38	Bcl-xL Is Overexpressed in Hormone-Resistant Prostate Cancer and Promotes Survival of LNCaP Cells via Interaction with Proapoptotic Bak. <i>Endocrinology</i> , 2006, 147, 4960-4967.	1.4	107
39	Increased Hepatocyte Fas Expression and Apoptosis in HIV and Hepatitis C Virus Coinfection. <i>Journal of Infectious Diseases</i> , 2005, 192, 1566-1576.	1.9	33
40	Securin Is a Target of the UV Response Pathway in Mammalian Cells. <i>Molecular and Cellular Biology</i> , 2004, 24, 2720-2733.	1.1	41
41	Neuroblastoma initially presenting as a primary bone tumor: diagnostic value of molecular assays for tyrosine hydroxylase. <i>Medical and Pediatric Oncology</i> , 2003, 40, 167-170.	1.0	2
42	Bone involvement and abscess formation by neutrophil-rich CD30+ anaplastic large-cell lymphoma mimicking skeletal infection in an AIDS patient. <i>Journal of Infection</i> , 2003, 47, 73-76.	1.7	15
43	Glial-Derived Neurotrophic Factor and RET Gene Expression in Normal Human Anterior Pituitary Cell Types and in Pituitary Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 1879-1884.	1.8	33
44	Expression of hpttg proto-oncogene in lymphoid neoplasias. <i>Oncogene</i> , 2002, 21, 8173-8177.	2.6	39
45	Glial-Derived Neurotrophic Factor and RET Gene Expression in Normal Human Anterior Pituitary Cell Types and in Pituitary Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 1879-1884.	1.8	10
46	Structural normalization of the lymphoid tissue in asymptomatic HIV-infected patients after 48 weeks of potent antiretroviral therapy. <i>Aids</i> , 2001, 15, 2371-2378.	1.0	7
47	Mucinous (colloid) adenocarcinomas secrete distinct O-acylated forms of sialomucins: a histochemical study of gastric, colorectal and breast adenocarcinomas. <i>Histopathology</i> , 2001, 39, 554-560.	1.6	20
48	Neuroblastoma of the urinary bladder in an infant clinically detected by hematuria. <i>Medical and Pediatric Oncology</i> , 2000, 35, 488-492.	1.0	5
49	hpttg is over-expressed in pituitary adenomas and other primary epithelial neoplasias. <i>Oncogene</i> , 1999, 18, 5473-5476.	2.6	139
50	Expression of basic fibroblast growth factor and its receptors FGFR1 and FGFR2 in human benign prostatic hyperplasia treated with finasteride. , 1999, 40, 83-88.		40
51	Regressive changes in finasteride-treated human hyperplastic prostates correlate with an upregulation of TGF- β 2 receptor expression. , 1998, 37, 84-90.		27
52	Sialomucins are characteristically O-acylated in poorly differentiated and colloid prostatic adenocarcinomas. <i>Modern Pathology</i> , 1998, 11, 1193-7.	2.9	11
53	Pituitary Lactotroph Hyperplasia and Chronic Hyperprolactinemia in Dopamine D2 Receptor-Deficient Mice. <i>Neuron</i> , 1997, 19, 103-113.	3.8	398
54	Mice Lacking Dopamine D4 Receptors Are Supersensitive to Ethanol, Cocaine, and Methamphetamine. <i>Cell</i> , 1997, 90, 991-1001.	13.5	452

#	ARTICLE	IF	CITATIONS
55	[5] Cloning of G protein-coupled opioid receptors using degenerate PCR and low-stringency homology screening. <i>Methods in Neurosciences</i> , 1995, , 90-104.	0.5	4
56	Characterization and Distribution of a Cloned Rat μ -Opioid Receptor. <i>Journal of Neurochemistry</i> , 1995, 64, 14-24.	2.1	69
57	Molecular cloning and tissue distribution of a putative member of the rat opioid receptor gene family that is not a μ , δ or δ opioid receptor type. <i>FEBS Letters</i> , 1994, 347, 284-288.	1.3	547
58	Primary Pure Choriocarcinoma of the Liver. <i>Pathology Research and Practice</i> , 1992, 188, 375-377.	1.0	17