

# Vaidotas Urbanavicius

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6511690/publications.pdf>

Version: 2024-02-01

19  
papers

224  
citations

1478280

6  
h-index

1719901

7  
g-index

19  
all docs

19  
docs citations

19  
times ranked

192  
citing authors

#	ARTICLE	IF	CITATIONS
1	Oral Octreotide Capsules Lowered Incidence and Improved Severity of Acromegaly Symptoms Compared to Injectable Somatostatin Receptor Ligands Results From the MPOWERED Trial. <i>Journal of the Endocrine Society</i> , 2021, 5, A522-A523.	0.1	0
2	Effects of Body Weight Reduction on Arterial Stiffness and Endothelial Function after Bariatric Surgery in Morbidly Obese Patients: A 4-Year Clinical Study. <i>Acta Endocrinologica</i> , 2018, 14, 491-497.	0.1	7
3	The Rare Case of Mixed Gonadal Dysgenesis, Mosaic Karyotype, Petroclival Meningioma and Idiopathic Hyperdehydroepiandrosteronism. <i>Acta Endocrinologica</i> , 2018, 14, 527-532.	0.1	0
4	A prospective 4-year study of insulin resistance and adipokines in morbidly obese diabetic and non-diabetic patients after gastric banding. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2017, 2, 147-153.	0.3	3
5	Approaches to the 26-36-year-old Lithuanian Men's Sexual Function. <i>Acta Endocrinologica</i> , 2016, 12, 168-176.	0.1	0
6	Comparison the sexuality of 26 - 36-years-old Lithuanian healthy and type-1 diabetic males with older than 40 years men sexuality of 8 European countries. <i>Problemy Endokrinologii</i> , 2016, 62, 37-39.	0.2	0
7	Adrenal Androgen Producing Adenoma Associated with Epileptic Seizures. <i>Acta Endocrinologica</i> , 2014, 10, 487-494.	0.1	0
8	Comparison of Changes in Blood Glucose, Insulin Resistance Indices, and Adipokine Levels in Diabetic and Nondiabetic Subjects With Morbid Obesity After Laparoscopic Adjustable Gastric Banding. <i>Medicina (Lithuania)</i> , 2013, 49, 2.	0.8	7
9	Hyperinsulinaemia impairs gastrointestinal motility and slows carbohydrate absorption. <i>Diabetologia</i> , 1995, 38, 79-85.	2.9	75
10	Carotid Artery Wall Intima-Media Thickness Is Associated With Insulin-Mediated Glucose Disposal in Men at High and Low Coronary Risk. <i>Stroke</i> , 1995, 26, 956-960.	1.0	90
11	Insulin sensitivity is more related to fat distribution than to heredity for hypertension in normotensive men. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 883-886.	1.5	15
12	Low-Dose Angiotensin II Increases Glucose Disposal Rate During Euglycemic Hyperinsulinemia. <i>American Journal of Hypertension</i> , 1993, 6, 892-895.	1.0	27
13	Clinical features and therapeutic outcomes of acromegaly during the recent 5 years: single centre experience. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
14	Sexual function of 26-36-year-old men with type 1 diabetes. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
15	Adrenal androgen secreting tumour in 39-year-old woman: Hormones and sexuality. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
16	Effectiveness of somatostatin analogs as first-line or second-line treatment of acromegaly: single centre experience. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
17	Search for DHEASism and DHEASoma. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
18	Referral of patients from Lithuania to determination of dehydroepiandrosterone sulphate and no clinical consequences of results. <i>Endocrine Abstracts</i> , 0, , .	0.0	0

#	ARTICLE	IF	CITATIONS
19	Concentration of dehydroepiandrosterone sulphate in 109 males and 54 females with adrenal tumors. Endocrine Abstracts, 0, , .	0.0	0