

Vaidotas Urbanavicius

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6511690/publications.pdf>

Version: 2024-02-01

19
papers

224
citations

1478505

6
h-index

1720034

7
g-index

19
all docs

19
docs citations

19
times ranked

192
citing authors

#	ARTICLE	IF	CITATIONS
1	Oral Octreotide Capsules Lowered Incidence and Improved Severity of Acromegaly Symptoms Compared to Injectable Somatostatin Receptor Ligands Results From the MPOWERED Trial. Journal of the Endocrine Society, 2021, 5, A522-A523.	0.2	0
2	Effects of Body Weight Reduction on Arterial Stiffness and Endothelial Function after Bariatric Surgery in Morbidly Obese Patients: A 4-Year Clinical Study. Acta Endocrinologica, 2018, 14, 491-497.	0.3	7
3	The Rare Case of Mixed Gonadal Dysgenesis, Mosaic Karyotype, Petroclival Meningioma and Idiopathic Hyperdehydroepiandrosteronism. Acta Endocrinologica, 2018, 14, 527-532.	0.3	0
4	A prospective 4-year study of insulin resistance and adipokines in morbidly obese diabetic and non-diabetic patients after gastric banding. Wideochirurgia I Inne Techniki Maloinwazyjne, 2017, 2, 147-153.	0.7	3
5	Approaches to the Sexual Function of 26-36-year-old Lithuanian Men. Acta Endocrinologica, 2016, 12, 168-176.	0.3	0
6	Comparison the sexuality of 26 - 36-years-old Lithuanian healthy and type-1 diabetic males with older than 40 years men sexuality of 8 European countries. Problemy Endokrinologii, 2016, 62, 37-39.	0.8	0
7	Adrenal Androgen Producing Adenoma Associated with Epileptic Seizures. Acta Endocrinologica, 2014, 10, 487-494.	0.3	0
8	Comparison of Changes in Blood Glucose, Insulin Resistance Indices, and Adipokine Levels in Diabetic and Nondiabetic Subjects With Morbid Obesity After Laparoscopic Adjustable Gastric Banding. Medicina (Lithuania), 2013, 49, 2.	2.0	7
9	Hyperinsulinaemia impairs gastrointestinal motility and slows carbohydrate absorption. Diabetologia, 1995, 38, 79-85.	6.3	75
10	Carotid Artery Wall Intima-Media Thickness Is Associated With Insulin-Mediated Glucose Disposal in Men at High and Low Coronary Risk. Stroke, 1995, 26, 956-960.	2.0	90
11	Insulin sensitivity is more related to fat distribution than to heredity for hypertension in normotensive men. Metabolism: Clinical and Experimental, 1994, 43, 883-886.	3.4	15
12	Low-Dose Angiotensin II Increases Glucose Disposal Rate During Euglycemic Hyperinsulinemia. American Journal of Hypertension, 1993, 6, 892-895.	2.0	27
13	Clinical features and therapeutic outcomes of acromegaly during the recent 5 years: single centre experience. Endocrine Abstracts, 0, , .	0.0	0
14	Sexual function of 26-36-year-old men with type 1 diabetes. Endocrine Abstracts, 0, , .	0.0	0
15	Adrenal androgen secreting tumour in 39-year-old woman: Hormones and sexuality. Endocrine Abstracts, 0, , .	0.0	0
16	Effectiveness of somatostatin analogs as first-line or second-line treatment of acromegaly: single centre experience. Endocrine Abstracts, 0, , .	0.0	0
17	Search for DHEASism and DHEASoma. Endocrine Abstracts, 0, , .	0.0	0
18	Referral of patients from Lithuania to determination of dehydroepiandrosterone sulphate and no clinical consequences of results. Endocrine Abstracts, 0, , .	0.0	0

#	ARTICLE	IF	CITATIONS
19	Concentration of dehydroepiandrosterone sulphate in 109 males and 54 females with adrenal tumors. Endocrine Abstracts, 0, , .	0.0	0