

Nicholas F Chilton

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6512915/nicholas-f-chilton-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

8,862
citations

43
h-index

92
g-index

143
ext. papers

10,437
ext. citations

7.7
avg, IF

6.67
L-index

#	Paper	IF	Citations
137	Ultrafast magnetism from mixed-valence dilanthanide complexes with metal-metal bonding.. <i>Science</i> , 2022 , 375, 198-202	33.3	32
136	Analysis of vibronic coupling in a 4f molecular magnet with FIRMS.. <i>Nature Communications</i> , 2022 , 13, 825	17.4	7
135	Organometallic lanthanide bismuth cluster single-molecule magnets. <i>Chem</i> , 2022 , 8, 717-730	16.2	4
134	Single Isomer Heterometallic {CrM} Rings Templated by Tetramethylammonium. <i>Inorganic Chemistry</i> , 2021 , 60, 15675-15685	5.1	
133	Ab Initio Prediction of High-Temperature Magnetic Relaxation Rates in Single-Molecule Magnets. <i>Journal of the American Chemical Society</i> , 2021 , 143, 5943-5950	16.4	36
132	Anomalous magnetism of uranium(IV)-oxo and -imido complexes reveals unusual doubly degenerate electronic ground states. <i>Chem</i> , 2021 , 7, 1666-1680	16.2	3
131	Magnetic Properties and Second Harmonic Generation of Noncentrosymmetric Cyanido-Bridged Ln(III)-W(V) Assemblies. <i>Inorganic Chemistry</i> , 2021 , 60, 12009-12019	5.1	2
130	Opening Magnetic Hysteresis by Axial Ferromagnetic Coupling: From Mono-Decker to Double-Decker Metallocrown. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 5299-5306	16.4	29
129	Insights into @metal-symmetry single-molecule magnetism: the case of a dysprosium-bis(boryloxide) complex. <i>Chemical Communications</i> , 2021 , 57, 733-736	5.8	9
128	Opening Magnetic Hysteresis by Axial Ferromagnetic Coupling: From Mono-Decker to Double-Decker Metallocrown. <i>Angewandte Chemie</i> , 2021 , 133, 5359-5366	3.6	5
127	Isolation and electronic structures of derivatized manganocene, ferrocene and cobaltocene anions. <i>Nature Chemistry</i> , 2021 , 13, 243-248	17.6	14
126	Practical and Selective sp ³ C-H Bond Chlorination via Aminium Radicals. <i>Angewandte Chemie</i> , 2021 , 133, 7208-7215	3.6	
125	Practical and Selective sp C-H Bond Chlorination via Aminium Radicals. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 7132-7139	16.4	12
124	A Cost-Effective Semi-Ab Initio Approach to Model Relaxation in Rare-Earth Single-Molecule Magnets. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 8826-8832	6.4	5
123	Assessment of minimal active space CASSCF-SO methods for calculation of atomic Slater-Condon and spin-orbit coupling parameters in d- and f-block ions. <i>Dalton Transactions</i> , 2021 , 50, 14130-14138	4.3	1
122	Correlating axial and equatorial ligand field effects to the single-molecule magnet performances of a family of dysprosium bis-methanediide complexes. <i>Chemical Science</i> , 2021 , 12, 3911-3920	9.4	8
121	Studies of the Temperature Dependence of the Structure and Magnetism of a Hexagonal-Bipyramidal Dysprosium(III) Single-Molecule Magnet.. <i>Inorganic Chemistry</i> , 2021 ,	5.1	2

120	Understanding magnetic relaxation in single-ion magnets with high blocking temperature. <i>Physical Review B</i> , 2020 , 101,	3.3	41
119	Enhancing Magnetic Hysteresis in Single-Molecule Magnets by Ligand Functionalization. <i>Chem</i> , 2020 , 6, 1777-1793	16.2	55
118	Probing Relaxation Dynamics in Five-Coordinate Dysprosium Single-Molecule Magnets. <i>Chemistry - A European Journal</i> , 2020 , 26, 7774-7778	4.8	17
117	A perfect triangular dysprosium single-molecule magnet with virtually antiparallel Ising-like anisotropy. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 2941-2948	6.8	10
116	Exchange-Biasing in a Dinuclear Dysprosium(III) Single-Molecule Magnet with a Large Energy Barrier for Magnetisation Reversal. <i>Chemistry - A European Journal</i> , 2020 , 26, 6773-6777	4.8	20
115	A Study of Magnetic Relaxation in Dysprosium(III) Single-Molecule Magnets. <i>Chemistry - A European Journal</i> , 2020 , 26, 5893-5902	4.8	60
114	A double-dysprosocenium single-molecule magnet bound together with neutral ligands. <i>Chemical Communications</i> , 2020 , 56, 5677-5680	5.8	11
113	How the Ligand Field in Lanthanide Coordination Complexes Determines Magnetic Susceptibility Anisotropy, Paramagnetic NMR Shift, and Relaxation Behavior. <i>Accounts of Chemical Research</i> , 2020 , 53, 1520-1534	24.3	52
112	Magnetic exchange interactions in symmetric lanthanide dimetallics. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 3909-3918	6.8	4
111	Slow magnetic relaxation in a {EuCu} metallocrown. <i>Dalton Transactions</i> , 2019 , 48, 1686-1692	4.3	18
110	A large barrier single-molecule magnet without magnetic memory. <i>Dalton Transactions</i> , 2019 , 48, 10795-10798	4.9	20
109	Unravelling the Complexities of Pseudocontact Shift Analysis in Lanthanide Coordination Complexes of Differing Symmetry. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 10290-10294	16.4	11
108	Unravelling the Complexities of Pseudocontact Shift Analysis in Lanthanide Coordination Complexes of Differing Symmetry. <i>Angewandte Chemie</i> , 2019 , 131, 10396-10400	3.6	2
107	A dichlorido-bridged dinuclear Dy(III) single-molecule magnet with an effective energy barrier larger than 600 K. <i>Chemical Communications</i> , 2019 , 55, 7930-7933	5.8	29
106	Periodic trends and hidden dynamics of magnetic properties in three series of triazacyclononane lanthanide complexes. <i>Dalton Transactions</i> , 2019 , 48, 8400-8409	4.3	8
105	Studies of hysteresis and quantum tunnelling of the magnetisation in dysprosium(III) single molecule magnets. <i>Dalton Transactions</i> , 2019 , 48, 8541-8545	4.3	38
104	Sensitivity of Magnetic Anisotropy in the Solid State for Lanthanide Complexes with Small Crystal Field Splitting. <i>Inorganic Chemistry</i> , 2019 , 58, 5733-5745	5.1	13
103	Correlating blocking temperatures with relaxation mechanisms in monometallic single-molecule magnets with high energy barriers ($U > 600$ K). <i>Chemical Communications</i> , 2019 , 55, 7025-7028	5.8	66

102	Light Lanthanide Metallocenium Cations Exhibiting Weak Equatorial Anion Interactions. <i>Chemistry - A European Journal</i> , 2019 , 25, 7749-7758	4.8	16
101	Engineering electronic structure to prolong relaxation times in molecular qubits by minimising orbital angular momentum. <i>Nature Communications</i> , 2019 , 10, 3330	17.4	34
100	Uncertainty estimates for magnetic relaxation times and magnetic relaxation parameters. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 23567-23575	3.6	108
99	Bis-Monophospholyl Dysprosium Cation Showing Magnetic Hysteresis at 48 K. <i>Journal of the American Chemical Society</i> , 2019 , 141, 19935-19940	16.4	66
98	Electronic structures of bent lanthanide(III) complexes with two N-donor ligands. <i>Chemical Science</i> , 2019 , 10, 10493-10502	9.4	17
97	Measurement of Magnetic Exchange in Asymmetric Lanthanide Dimetallics: Toward a Transferable Theoretical Framework. <i>Journal of the American Chemical Society</i> , 2018 , 140, 2504-2513	16.4	60
96	Modular [FeM] (M = Pd, Co, Ni, Cu) Coordination Cages. <i>Inorganic Chemistry</i> , 2018 , 57, 3500-3506	5.1	11
95	Self-assembly of a mixed-valence Fe-Fe tetranuclear star. <i>Dalton Transactions</i> , 2018 , 47, 7118-7122	4.3	4
94	Iron Precatalysts with Bulky Tri(tert-butyl)cyclopentadienyl Ligands for the Dehydrocoupling of Dimethylamine-Borane. <i>Chemistry - A European Journal</i> , 2018 , 24, 14127-14136	4.8	4
93	The performance of density functional theory for the description of ground and excited state properties of inorganic and organometallic uranium compounds. <i>Journal of Organometallic Chemistry</i> , 2018 , 857, 58-74	2.3	22
92	Terbocenium: completing a heavy lanthanide metallocenium cation family with an alternative anion abstraction strategy. <i>Chemical Communications</i> , 2018 , 54, 9182-9185	5.8	16
91	Exquisite sensitivity of the ligand field to solvation and donor polarisability in coordinatively saturated lanthanide complexes. <i>Chemical Communications</i> , 2018 , 54, 8486-8489	5.8	26
90	Field- and temperature-dependent quantum tunnelling of the magnetisation in a large barrier single-molecule magnet. <i>Nature Communications</i> , 2018 , 9, 3134	17.4	120
89	Lanthanide-induced relaxation anisotropy. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 17676-17686	3.6	29
88	Analysis of Lanthanide-Radical Magnetic Interactions in Ce(III) 2,2'-Bipyridyl Complexes. <i>Inorganic Chemistry</i> , 2017 , 56, 2496-2505	5.1	24
87	Measuring Spin-Spin Interactions between Heterospins in a Hybrid [2]Rotaxane. <i>Angewandte Chemie</i> , 2017 , 129, 3934-3937	3.6	7
86	Measuring Spin-Spin Interactions between Heterospins in a Hybrid [2]Rotaxane. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 3876-3879	16.4	20
85	Cu(II) Coordination Polymers as Vehicles in the A Coupling. <i>Inorganic Chemistry</i> , 2017 , 56, 4898-4910	5.1	38

84	Investigation into the Effects of a Trigonal-Planar Ligand Field on the Electronic Properties of Lanthanide(II) Tris(silylamide) Complexes (Ln = Sm, Eu, Tm, Yb). <i>Inorganic Chemistry</i> , 2017 , 56, 5959-5970 ^{5.1}	34
83	Molecules Designed to Contain Two Weakly Coupled Spins with a Photoswitchable Spacer. <i>Chemistry - A European Journal</i> , 2017 , 23, 13648-13659	4.8 17
82	[MIII2MII3] trigonal bipyramidal cages based on diamagnetic and paramagnetic metalloligands. <i>Chemical Science</i> , 2017 , 8, 5526-5535	9.4 12
81	Exploring the Coordination Capabilities of a Family of Flexible Benzotriazole-Based Ligands Using Cobalt(II) Sources. <i>Crystal Growth and Design</i> , 2017 , 17, 2718-2729	3.5 13
80	Antimony-ligated dysprosium single-molecule magnets as catalysts for stibine dehydrocoupling. <i>Chemical Science</i> , 2017 , 8, 2073-2080	9.4 61
79	Molecular magnetic hysteresis at 60 kelvin in dysprosocenium. <i>Nature</i> , 2017 , 548, 439-442	50.4 1061
78	Rationalization of Anomalous Pseudocontact Shifts and Their Solvent Dependence in a Series of C-Symmetric Lanthanide Complexes. <i>Journal of the American Chemical Society</i> , 2017 , 139, 14166-14172	16.4 48
77	Metallacrowns as Templates for Diabolo-like {LnCu} Complexes with Nearly Perfect Square Antiprismatic Geometry. <i>Chemistry - A European Journal</i> , 2017 , 23, 15617-15622	4.8 16
76	Rare-Earth- and Uranium-Mesoionic Carbenes: A New Class of f-Block Carbene Complex Derived from an N-Heterocyclic Olefin. <i>Angewandte Chemie</i> , 2017 , 129, 11692-11696	3.6 7
75	Rare-Earth- and Uranium-Mesoionic Carbenes: A New Class of f-Block Carbene Complex Derived from an N-Heterocyclic Olefin. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 11534-11538	16.4 28
74	Synthesis and Electronic Structures of Heavy Lanthanide Metallocenium Cations. <i>Journal of the American Chemical Society</i> , 2017 , 139, 18714-18724	16.4 76
73	Assessing crystal field and magnetic interactions in diuranium- μ -chalcogenide triamidoamine complexes with U-E-U cores (E = S, Se, Te): implications for determining the presence or absence of actinide-actinide magnetic exchange. <i>Chemical Science</i> , 2017 , 8, 6207-6217	9.4 33
72	A Low-Symmetry Dysprosium Metallocene Single-Molecule Magnet with a High Anisotropy Barrier. <i>Angewandte Chemie</i> , 2016 , 128, 11248-11251	3.6 30
71	On Approaching the Limit of Molecular Magnetic Anisotropy: A Near-Perfect Pentagonal Bipyramidal Dysprosium(III) Single-Molecule Magnet. <i>Angewandte Chemie</i> , 2016 , 128, 16305-16308	3.6 102
70	On Approaching the Limit of Molecular Magnetic Anisotropy: A Near-Perfect Pentagonal Bipyramidal Dysprosium(III) Single-Molecule Magnet. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 16071-16074	16.4 616
69	A Low-Symmetry Dysprosium Metallocene Single-Molecule Magnet with a High Anisotropy Barrier. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 11082-5	16.4 135
68	Unprecedented hexagonal bipyramidal single-ion magnets based on metallacrowns. <i>Chemical Communications</i> , 2016 , 52, 13365-13368	5.8 43
67	A monometallic lanthanide bis(methanediide) single molecule magnet with a large energy barrier and complex spin relaxation behaviour. <i>Chemical Science</i> , 2016 , 7, 155-165	9.4 264

66	Evidence of Slow Magnetic Relaxation in $\text{Co}(\text{AcO})_2(\text{py})_2(\text{H}_2\text{O})_2$. <i>Magnetochemistry</i> , 2016 , 2, 23	3.1	31
65	Innenfunktionalbild: Strong Exchange Coupling in a Trimetallic Radical-Bridged Cobalt(II)-Hexaazatrinaphthylene Complex (<i>Angew. Chem.</i> 18/2016). <i>Angewandte Chemie</i> , 2016 , 128, 5701-5701	3.6	
64	Molecular and electronic structure of terminal and alkali metal-capped uranium(V) nitride complexes. <i>Nature Communications</i> , 2016 , 7, 13773	17.4	63
63	Strong Exchange Coupling in a Trimetallic Radical-Bridged Cobalt(II)-Hexaazatrinaphthylene Complex. <i>Angewandte Chemie</i> , 2016 , 128, 5611-5615	3.6	17
62	Strong Exchange Coupling in a Trimetallic Radical-Bridged Cobalt(II)-Hexaazatrinaphthylene Complex. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 5521-5	16.4	36
61	Tetranuclear Zn/4f coordination clusters as highly efficient catalysts for Friedel-Crafts alkylation. <i>Chemical Communications</i> , 2016 , 52, 7866-9	5.8	45
60	Physicochemical Properties of Near-Linear Lanthanide(II) Bis(silylamide) Complexes (Ln = Sm, Eu, Tm, Yb). <i>Inorganic Chemistry</i> , 2016 , 55, 10057-10067	5.1	54
59	Three-Coordinate Iron(II) Expanded Ring N-Heterocyclic Carbene Complexes. <i>Organometallics</i> , 2016 , 35, 1098-1106	3.8	20
58	Single-molecule magnetism in $\{\text{Co}^{\text{III}}\text{Dy}^{\text{III}}\}_2$ -amine-polyalcohol-acetylacetonate complexes: effects of ligand replacement at the Dy ^{III} sites on the dynamics of magnetic relaxation. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 867-875	6.8	33
57	Coordination polymers from a highly flexible alkyldiamine-derived ligand: structure, magnetism and gas adsorption studies. <i>Dalton Transactions</i> , 2015 , 44, 17494-507	4.3	26
56	Salts of the two-coordinate homoleptic manganese(I) dialkyl anion $[\text{Mn}\{\text{C}(\text{SiMe}_3)_3\}_2]^-$ with quenched orbital magnetism. <i>Chemical Communications</i> , 2015 , 51, 13275-8	5.8	16
55	Molecular and electronic structures of donor-functionalized dysprosium pentadienyl complexes. <i>Dalton Transactions</i> , 2015 , 44, 7109-13	4.3	12
54	A Family of $\{\text{Cr}^{\text{III}}\text{Ln}^{\text{III}}\}_2$ Butterfly Complexes: Effect of the Lanthanide Ion on the Single-Molecule Magnet Properties. <i>Inorganic Chemistry</i> , 2015 , 54, 10497-503	5.1	35
53	The first 4d/4f single-molecule magnet containing a $\{\text{Ru}^{\text{III}}\text{Dy}^{\text{III}}\}_2$ core. <i>Chemical Communications</i> , 2015 , 51, 2044-7	5.8	23
52	Spectroscopic and Crystal Field Consequences of Fluoride Binding by $[\text{Yb}^{\text{III}}\text{DTMA}](3+)$ in Aqueous Solution. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 10783-6	16.4	46
51	Spectroscopic and Crystal Field Consequences of Fluoride Binding by $[\text{Yb}^{\text{III}}\text{DTMA}]$ in Aqueous Solution. <i>Angewandte Chemie</i> , 2015 , 127, 10933-10936	3.6	14
50	Ligand field influence on the electronic and magnetic properties of quasi-linear two-coordinate iron(II) complexes. <i>Dalton Transactions</i> , 2015 , 44, 11202-11	4.3	11
49	Systematic Study of a Family of Butterfly-Like $\{\text{M}_2\text{Ln}_2\}$ Molecular Magnets (M = Mg(II), Mn(III), Co(II), Ni(II), and Cu(II); Ln = Y(III), Gd(III), Tb(III), Dy(III), Ho(III), and Er(III)). <i>Inorganic Chemistry</i> , 2015 , 54, 5930-41	5.1	87

48	Design criteria for high-temperature single-molecule magnets. <i>Inorganic Chemistry</i> , 2015 , 54, 2097-9	5.1	165
47	The first near-linear bis(amide) f-block complex: a blueprint for a high temperature single molecule magnet. <i>Chemical Communications</i> , 2015 , 51, 101-3	5.8	191
46	Theoretical studies on polynuclear {Cu(II)5Gd(III)n} clusters (n = 4, 2): towards understanding their large magnetocaloric effect. <i>Inorganic Chemistry</i> , 2015 , 54, 1661-70	5.1	50
45	Single-molecule magnetism in a family of {Co(III)2Dy(III)2} butterfly complexes: effects of ligand replacement on the dynamics of magnetic relaxation. <i>Inorganic Chemistry</i> , 2014 , 53, 4303-15	5.1	78
44	Large zero-field splittings of the ground spin state arising from antisymmetric exchange effects in heterometallic triangles. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 5310-3	16.4	19
43	Fast magnetic relaxation in an octahedral dysprosium tetramethyl-aluminate complex. <i>Dalton Transactions</i> , 2014 , 43, 3035-8	4.3	41
42	Direct measurement of dysprosium(III)⋯dysprosium(III) interactions in a single-molecule magnet. <i>Nature Communications</i> , 2014 , 5, 5243	17.4	190
41	Redox and acid-base properties of asymmetric non-heme (hydr)oxo-bridged diiron complexes. <i>Dalton Transactions</i> , 2014 , 43, 9740-53	4.3	13
40	The acid test: the chemistry of carboxylic acid functionalised {Cr7Ni} rings. <i>Chemical Science</i> , 2014 , 5, 235-239	9.4	25
39	On the possibility of magneto-structural correlations: detailed studies of dinickel carboxylate complexes. <i>Inorganic Chemistry</i> , 2014 , 53, 8464-72	5.1	27
38	Structure, magnetic behavior, and anisotropy of homoleptic trinuclear lanthanoid 8-quinolinolate complexes. <i>Inorganic Chemistry</i> , 2014 , 53, 2528-34	5.1	37
37	Modulation of slow magnetic relaxation by tuning magnetic exchange in {Cr2Dy2} single molecule magnets. <i>Chemical Science</i> , 2014 , 5, 3246-3256	9.4	111
36	Large Zero-Field Splittings of the Ground Spin State Arising from Antisymmetric Exchange Effects in Heterometallic Triangles. <i>Angewandte Chemie</i> , 2014 , 126, 5414-5417	3.6	1
35	Rücktitelbild: Large Zero-Field Splittings of the Ground Spin State Arising from Antisymmetric Exchange Effects in Heterometallic Triangles (Angew. Chem. 21/2014). <i>Angewandte Chemie</i> , 2014 , 126, 5578-5578	3.6	
34	Synthesis, structural and magnetic characterisation of iron(II/III), cobalt(II) and copper(II) cluster complexes of the polytopic ligand: N-(2-pyridyl)-3-carboxypropanamide. <i>Dalton Transactions</i> , 2013 , 42, 13576-83	4.3	9
33	Di- and Tetranuclear Complexes of Bis-Tetradentate Pyrimidine-Based Ligands with All-Methylene-Versus Mixed Methylene/Ethylene-Linked Arms. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 4485-4498	2.3	10
32	Anisotropy barrier enhancement via ligand substitution in tetranuclear {Co(III)2Ln(III)2} single molecule magnets. <i>Chemical Communications</i> , 2013 , 49, 6965-7	5.8	77
31	A {CrIII2DyIII2} Single-Molecule Magnet: Enhancing the Blocking Temperature through 3d Magnetic Exchange. <i>Angewandte Chemie</i> , 2013 , 125, 12236-12241	3.6	61

30	An electrostatic model for the determination of magnetic anisotropy in dysprosium complexes. <i>Nature Communications</i> , 2013 , 4, 2551	17.4	438
29	Magnetic properties of octa- and heptadeca-nuclear heterometallic CoII/III complexes derived from the ligand 6-chloro-2-hydroxypyridine. <i>Polyhedron</i> , 2013 , 66, 48-55	2.7	16
28	Dispersion force stabilized two-coordinate transition metal-amido complexes of the -N(SiMe ₃)Dipp (Dipp = C ₆ H ₃ -2,6-Pr(i) ₂) ligand: structural, spectroscopic, magnetic, and computational studies. <i>Inorganic Chemistry</i> , 2013 , 52, 13584-93	5.1	80
27	A {Cr(III)Dy(III)} single-molecule magnet: enhancing the blocking temperature through 3d magnetic exchange. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 12014-9	16.4	289
26	Crown-linked dipyridylamino-triazine ligands and their spin-crossover iron(II) derivatives: magnetism, photomagnetism and cooperativity. <i>Dalton Transactions</i> , 2013 , 42, 16494-509	4.3	25
25	PHI: a powerful new program for the analysis of anisotropic monomeric and exchange-coupled polynuclear d- and f-block complexes. <i>Journal of Computational Chemistry</i> , 2013 , 34, 1164-75	3.5	1206
24	Structure and magnetism of a mixed-valence octanuclear manganese(II/III) cluster derived from carbamoylcyanonitrosomethanide (ccnm). <i>Dalton Transactions</i> , 2013 , 42, 1400-5	4.3	6
23	Single molecule magnetism in a family of mononuclear β -diketonate lanthanide(III) complexes: rationalization of magnetic anisotropy in complexes of low symmetry. <i>Chemical Science</i> , 2013 , 4, 1719	9.4	185
22	Trinuclear and tetranuclear manganese clusters derived from cyano(imino(methoxy)methyl)nitrosomethanide (cmnm). <i>Polyhedron</i> , 2013 , 52, 797-803	2.7	11
21	Spin Crossover in a 3,5-Bis(2-pyridyl)-1,2,4-triazolate-Bridged Dinuclear Iron(II) Complex [{Fe(NCBH ₃ (py)) ₂ (L1) ₂] [Powder versus Single Crystal Study. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 850-864	2.3	26
20	Post-synthetic monovalent central-metal exchange, specific I ₂ sensing, and polymerization of a catalytic [3B] grid of [Cu(II) ₅ Cu(I) ₄ L ₆](I) ₂ ·13 H ₂ O. <i>Chemistry - A European Journal</i> , 2013 , 19, 6321-8	4.8	45
19	Observation of ferromagnetic exchange, spin crossover, reductively induced oxidation, and field-induced slow magnetic relaxation in monomeric cobalt nitroxides. <i>Inorganic Chemistry</i> , 2013 , 52, 7557-72	5.1	53
18	Single-molecule magnetism in three related {Co(III) ₂ Dy(III) ₂ }-acetylacetonate complexes with multiple relaxation mechanisms. <i>Inorganic Chemistry</i> , 2013 , 52, 7183-92	5.1	86
17	Iron(II) Complexes of Two Amine/Imine N ₅ Chelate Ligands Containing a 1,4-Diazepane Core [To Crossover or Not To Crossover. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 958-967	2.3	16
16	Structure and magnetic exchange in heterometallic 3d-3d transition metal triethanolamine clusters. <i>Dalton Transactions</i> , 2012 , 41, 1033-46	4.3	21
15	Heterometallic tetranuclear [Ln(III) ₂ Co(III) ₂] complexes including suppression of quantum tunneling of magnetization in the [Dy(III) ₂ Co(III) ₂] single molecule magnet. <i>Inorganic Chemistry</i> , 2012 , 51, 11873-81	5.1	143
14	Single molecule magnetism in a β -phenolato dinuclear lanthanide motif ligated by heptadentate Schiff base ligands. <i>Dalton Transactions</i> , 2012 , 41, 13711-5	4.3	37
13	Ln(III) ₂ Mn(III) ₂ heterobimetallic "butterfly" complexes displaying antiferromagnetic coupling (Ln = Eu, Gd, Tb, Er). <i>Dalton Transactions</i> , 2012 , 41, 11402-12	4.3	31

12	Unusual oxidation state distributions observed for two mixed-valence heptanuclear manganese disc-like clusters. <i>Dalton Transactions</i> , 2012 , 41, 9789-96	4.3	18
11	Molecular coolers: The case for [CuII5GdIII4]. <i>Chemical Science</i> , 2011 , 2, 1166	9.4	190
10	Planar tetranuclear lanthanide clusters with the Dy4 analogue displaying slow magnetic relaxation. <i>Dalton Transactions</i> , 2011 , 40, 12656-9	4.3	65
9	Structure, magnetism and theory of a family of nonanuclear Cu(II)5Ln(III)4-triethanolamine clusters displaying single-molecule magnet behaviour. <i>Chemistry - A European Journal</i> , 2011 , 17, 9209-18	4.8	105
8	Self-assembled decanuclear Na(I)2Mn(II)4Mn(III)4 complexes: from discrete clusters to 1-D and 2-D structures, with the Mn(II)4Mn(III)4 unit displaying a large spin ground state and probable SMM behaviour. <i>Dalton Transactions</i> , 2011 , 40, 12201-9	4.3	27
7	Partial spin crossover behaviour in a dinuclear iron(II) triple helicate. <i>Dalton Transactions</i> , 2011 , 40, 12368-73	4.3	48
6	A high nuclearity mixed valence {Mn32} complex. <i>Chemical Communications</i> , 2011 , 47, 6281-3	5.8	41
5	Synthesis, structural and magnetic studies of an isostructural family of mixed 3d/4f tetranuclear 'star' clusters. <i>Chemical Communications</i> , 2010 , 46, 7787-9	5.8	68
4	Synthesis and characterization of homo- and heterovalent tetra- hexa- hepta- and decanuclear manganese clusters using pyridyl functionalized beta-diketone, carboxylate and triethanolamine ligands. <i>Dalton Transactions</i> , 2010 , 39, 7236-49	4.3	42
3	Zero-Field Quantum Tunneling of the Magnetization in a Series of High Energy-Barrier Dysprosium (III) Single-Molecule Magnets		2
2	Extraction of hidden relaxation times from AC susceptibility data		3
1	Single-Molecule Magnets		1-21