

Hedvig Nordeng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/651322/publications.pdf>

Version: 2024-02-01

172
papers

5,726
citations

61857

43
h-index

102304

66
g-index

190
all docs

190
docs citations

190
times ranked

5433
citing authors

#	ARTICLE	IF	CITATIONS
1	Medication use in pregnancy: a cross-sectional, multinational web-based study. <i>BMJ Open</i> , 2014, 4, e004365.	0.8	311
2	Prenatal paracetamol exposure and child neurodevelopment: a sibling-controlled cohort study. <i>International Journal of Epidemiology</i> , 2013, 42, 1702-1713.	0.9	227
3	Use of herbal drugs in pregnancy: a survey among 400 Norwegian women. <i>Pharmacoepidemiology and Drug Safety</i> , 2004, 13, 371-380.	0.9	206
4	Perception of risk regarding the use of medications and other exposures during pregnancy. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 207-214.	0.8	191
5	Herbal medicine use in pregnancy: results of a multinational study. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 355.	3.7	158
6	Mental health status of pregnant and breastfeeding women during the COVID-19 pandemic – A multinational cross-sectional study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1219-1229.	1.3	140
7	Prenatal Exposure to Acetaminophen and Risk of ADHD. <i>Pediatrics</i> , 2017, 140, .	1.0	138
8	The Use and the User of Herbal Remedies During Pregnancy. <i>Journal of Alternative and Complementary Medicine</i> , 2009, 15, 787-792.	2.1	121
9	Pregnancy Outcome After Exposure to Antidepressants and the Role of Maternal Depression. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 186-194.	0.7	119
10	Triptan Exposure During Pregnancy and the Risk of Major Congenital Malformations and Adverse Pregnancy Outcomes: Results From The Norwegian Mother and Child Cohort Study. <i>Headache</i> , 2010, 50, 563-575.	1.8	96
11	Use of herbal drugs during pregnancy among 600 Norwegian women in relation to concurrent use of conventional drugs and pregnancy outcome. <i>Complementary Therapies in Clinical Practice</i> , 2011, 17, 147-151.	0.7	95
12	Effects of ibuprofen, diclofenac, naproxen, and piroxicam on the course of pregnancy and pregnancy outcome: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 948-959.	1.1	84
13	Vaccine Willingness and Impact of the COVID-19 Pandemic on Women's Perinatal Experiences and Practices – A Multinational, Cross-Sectional Study Covering the First Wave of the Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3367.	1.2	83
14	Adherence to medication for chronic disorders during pregnancy: results from a multinational study. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 145-153.	1.0	81
15	Antidepressant use during pregnancy: the benefit-risk ratio. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 157-163.	0.7	79
16	The burden of nausea and vomiting during pregnancy: severe impacts on quality of life, daily life functioning and willingness to become pregnant again – results from a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 75.	0.9	77
17	Safety and efficacy of herbal remedies in obstetrics – review and clinical implications. <i>Midwifery</i> , 2011, 27, 80-86.	1.0	76
18	Consumption of alcohol during pregnancy – A multinational European study. <i>Women and Birth</i> , 2017, 30, e207-e213.	0.9	75

#	ARTICLE	IF	CITATIONS
19	Safety classification of herbal medicines used in pregnancy in a multinational study. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 102.	3.7	73
20	Multiple Information Sources and Consequences of Conflicting Information About Medicine Use During Pregnancy: A Multinational Internet-Based Survey. <i>Journal of Medical Internet Research</i> , 2014, 16, e60.	2.1	73
21	Women's perception of risks of adverse fetal pregnancy outcomes: a large-scale multinational survey. <i>BMJ Open</i> , 2015, 5, e007390-e007390.	0.8	72
22	Impact of socio-demographic factors, knowledge and attitude on the use of herbal drugs in pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 26-33.	1.3	70
23	Cell type specific DNA methylation in cord blood: A 450K-reference data set and cell count-based validation of estimated cell type composition. <i>Epigenetics</i> , 2016, 11, 690-698.	1.3	69
24	Use of herbal drugs during early pregnancy in relation to maternal characteristics and pregnancy outcome. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 151-159.	0.9	68
25	Medicines information needs during pregnancy: a multinational comparison. <i>BMJ Open</i> , 2013, 3, e002594.	0.8	67
26	Health literacy and its association with perception of teratogenic risks and health behavior during pregnancy. <i>Patient Education and Counseling</i> , 2014, 96, 171-178.	1.0	67
27	Pharmacological treatment of migraine during pregnancy and breastfeeding. <i>Nature Reviews Neurology</i> , 2015, 11, 209-219.	4.9	66
28	Safety of ginger use in pregnancy: results from a large population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 269-277.	0.8	65
29	Behavioural effects of fetal antidepressant exposure in a Norwegian cohort of discordant siblings. <i>International Journal of Epidemiology</i> , 2015, 44, 1397-1407.	0.9	65
30	Short- and Long-term Mortality Risk Associated with the Use of Antipsychotics Among 26,940 Dementia Outpatients: A Population-Based Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 321-331.	0.6	64
31	Treatment with Selective Serotonin Reuptake Inhibitors in the Third Trimester of Pregnancy. <i>Drug Safety</i> , 2005, 28, 565-581.	1.4	61
32	Pregnant Women's Beliefs About Medications – A Study Among 866 Norwegian Women. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1478-1484.	0.9	61
33	Exposure to Non-Steroidal Anti-Inflammatory Drugs during Pregnancy and the Risk of Selected Birth Defects: A Prospective Cohort Study. <i>PLoS ONE</i> , 2011, 6, e22174.	1.1	61
34	Use of herbal preparations during pregnancy: Focus group discussion among expectant mothers attending a hospital antenatal clinic in Norwich, UK. <i>Complementary Therapies in Clinical Practice</i> , 2009, 15, 225-229.	0.7	60
35	Neonatal withdrawal syndrome after in utero exposure to selective serotonin reuptake inhibitors. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001, 90, 288-291.	0.7	58
36	The use of medicinal plants by pregnant women in Africa: A systematic review. <i>Journal of Ethnopharmacology</i> , 2018, 224, 297-313.	2.0	54

#	ARTICLE	IF	CITATIONS
37	SARS-CoV-2 Vaccine Willingness among Pregnant and Breastfeeding Women during the First Pandemic Wave: A Cross-Sectional Study in Switzerland. <i>Viruses</i> , 2021, 13, 1199.	1.5	54
38	Knowledge of antibiotics and antibiotic resistance among Norwegian pharmacy customers – a cross-sectional study. <i>BMC Public Health</i> , 2019, 19, 66.	1.2	52
39	Long-term prenatal exposure to paracetamol is associated with DNA methylation differences in children diagnosed with ADHD. <i>Clinical Epigenetics</i> , 2017, 9, 77.	1.8	51
40	Effect of Time-Dependent Selective Serotonin Reuptake Inhibitor Antidepressants During Pregnancy on Behavioral, Emotional, and Social Development in Preschool-Aged Children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 200-208.	0.3	49
41	Women's beliefs about medication use during their pregnancy: a UK perspective. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 968-976.	1.0	48
42	Pregnancy outcome after gestational exposure to erythromycin – a population-based register study from Norway. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 1053-1062.	1.1	47
43	PATTERNS AND FACTORS ASSOCIATED WITH LOW ADHERENCE TO PSYCHOTROPIC MEDICATIONS DURING PREGNANCY-A CROSS-SECTIONAL, MULTINATIONAL WEB-BASED STUDY. <i>Depression and Anxiety</i> , 2015, 32, 426-436.	2.0	47
44	Attitudes and use of medicinal plants during pregnancy among women at health care centers in three regions of Mali, West-Africa. <i>Journal of Ethnobiology and Ethnomedicine</i> , 2015, 11, 73.	1.1	46
45	The relationship between maternal depression and smoking cessation during pregnancy – a cross-sectional study of pregnant women from 15 European countries. <i>Archives of Women's Mental Health</i> , 2015, 18, 73-84.	1.2	46
46	Neonatal Outcomes After Gestational Exposure to Nitrofurantoin. <i>Obstetrics and Gynecology</i> , 2013, 121, 306-313.	1.2	45
47	Fear of childbirth, mental health, and medication use during pregnancy. <i>Archives of Women's Mental Health</i> , 2012, 15, 203-209.	1.2	44
48	Raspberry leaf – Should it be recommended to pregnant women?. <i>Complementary Therapies in Clinical Practice</i> , 2009, 15, 204-208.	0.7	41
49	Triptan safety during pregnancy: a Norwegian population registry study. <i>European Journal of Epidemiology</i> , 2013, 28, 759-769.	2.5	40
50	Maternal Characteristics and Migraine Pharmacotherapy During Pregnancy: Cross-Sectional Analysis of Data from a Large Cohort Study. <i>Cephalalgia</i> , 2009, 29, 1267-1276.	1.8	37
51	Neurodevelopmental problems at 18 months among children exposed to paracetamol in utero: a propensity score matched cohort study. <i>International Journal of Epidemiology</i> , 2016, 45, dyw192.	0.9	37
52	Risk of Vaginal Bleeding and Postpartum Hemorrhage After Use of Antidepressants in Pregnancy. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 143-148.	0.7	36
53	Association of Maternal Use of Benzodiazepines and Z-Hypnotics During Pregnancy With Motor and Communication Skills and Attention-Deficit/Hyperactivity Disorder Symptoms in Preschoolers. <i>JAMA Network Open</i> , 2019, 2, e191435.	2.8	34
54	Making fair comparisons in pregnancy medication safety studies: An overview of advanced methods for confounding control. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 140-147.	0.9	33

#	ARTICLE	IF	CITATIONS
55	Women's perspectives on the management and consequences of hyperemesis gravidarum – a descriptive interview study. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 30-40.	0.6	33
56	Neonatal withdrawal syndrome after in utero exposure to selective serotonin reuptake inhibitors. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001, 90, 288-91.	0.7	33
57	History of depression and risk of hyperemesis gravidarum: a population-based cohort study. <i>Archives of Women's Mental Health</i> , 2017, 20, 397-404.	1.2	32
58	Use of macrolides during pregnancy and the risk of birth defects: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1241-1248.	0.9	31
59	Administrative Claims Data Versus Augmented Pregnancy Data for the Study of Pharmaceutical Treatments in Pregnancy. <i>Current Epidemiology Reports</i> , 2017, 4, 106-116.	1.1	30
60	From Inception to ConcePTION: Genesis of a Network to Support Better Monitoring and Communication of Medication Safety During Pregnancy and Breastfeeding. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 321-331.	2.3	30
61	Effects of personality on use of medications, alcohol, and cigarettes during pregnancy. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 845-851.	0.8	29
62	Traditional medicine practitioners' knowledge and views on treatment of pregnant women in three regions of Mali. <i>Journal of Ethnobiology and Ethnomedicine</i> , 2013, 9, 67.	1.1	29
63	Safety profile of medication used during pregnancy: results of a multinational European study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 802-811.	0.9	29
64	Association of prenatal exposure to benzodiazepines and child internalizing problems: A sibling-controlled cohort study. <i>PLoS ONE</i> , 2017, 12, e0181042.	1.1	28
65	Prenatal Triptan Exposure and Internalising and Externalising Behaviour Problems in 3-Year-Old Children: Results from the Norwegian Mother and Child Cohort Study. <i>Paediatric and Perinatal Epidemiology</i> , 2016, 30, 190-200.	0.8	26
66	Women's Beliefs About Medicines and Adherence to Pharmacotherapy in Pregnancy: Opportunities for Community Pharmacists. <i>Current Pharmaceutical Design</i> , 2019, 25, 469-482.	0.9	26
67	Associations of Maternal Use of Benzodiazepines or Benzodiazepine-like Hypnotics During Pregnancy With Immediate Pregnancy Outcomes in Norway. <i>JAMA Network Open</i> , 2020, 3, e205860.	2.8	24
68	Treatment of nausea and vomiting during pregnancy – a cross-sectional study among 712 Norwegian women. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 593-604.	0.8	23
69	Risk of preeclampsia after gestational exposure to selective serotonin reuptake inhibitors and other antidepressants: A study from The Norwegian Mother and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1266-1276.	0.9	23
70	Medication use and drug-related problems among women at maternity wards – a cross-sectional study from two Norwegian hospitals. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 849-857.	0.8	22
71	Patterns and predictors of analgesic use in pregnancy: a longitudinal drug utilization study with special focus on women with migraine. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 224.	0.9	22
72	Use and validity of child neurodevelopment outcome measures in studies on prenatal exposure to psychotropic and analgesic medications – A systematic review. <i>PLoS ONE</i> , 2019, 14, e0219778.	1.1	22

#	ARTICLE	IF	CITATIONS
73	Medication adherence among pregnant women with hypothyroidismâ€”missed opportunities to improve reproductive health? A cross-sectional, web-based study. <i>Patient Education and Counseling</i> , 2016, 99, 1699-1707.	1.0	21
74	Use of antimigraine medications and information needs during pregnancy and breastfeeding: a cross-sectional study among 401 Norwegian women. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 1525-1535.	0.8	21
75	Drug use during early pregnancy. <i>European Journal of Clinical Pharmacology</i> , 2001, 57, 259-263.	0.8	20
76	Self-reported perinatal depressive symptoms and postnatal symptom severity after treatment with antidepressants in pregnancy: a cross-sectional study across 12 European countries using the Edinburgh Postnatal Depression Scale. <i>Clinical Epidemiology</i> , 2018, Volume 10, 655-669.	1.5	20
77	Use of Decision Support Tools to Empower Pregnant Women: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e19436.	2.1	20
78	Pregnancy outcome after use of cranberry in pregnancy â€” the Norwegian mother and child cohort study. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 345.	3.7	19
79	Transfer of Aripiprazole to Breast Milk. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 272-275.	0.7	19
80	Treatment of nausea in pregnancy: a cross-sectional multinational web-based study of pregnant women and new mothers. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 321.	0.9	19
81	A comprehensive review on non-clinical methods to study transfer of medication into breast milk â€” A contribution from the ConcePTION project. <i>Biomedicine and Pharmacotherapy</i> , 2021, 136, 111038.	2.5	19
82	Translation and factor analysis of structural models of Edinburgh Postnatal Depression Scale in Serbian pregnant and postpartum women â€” Web-based study. <i>Women and Birth</i> , 2015, 28, e31-e35.	0.9	18
83	Maternal use of thyroid hormone replacement therapy before, during, and after pregnancy: agreement between self-report and prescription records and group-based trajectory modeling of prescription patterns. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1801-1816.	1.5	18
84	Medicinal Plants and Concomitant Use with Pharmaceutical Drugs Among Pregnant Women. <i>Journal of Alternative and Complementary Medicine</i> , 2019, 25, 427-434.	2.1	18
85	Legemiddelbruk ved amming. <i>Tidsskrift for Den Norske Laegeforening</i> , 2012, 132, 1089-1093.	0.2	18
86	Predictors of the use of medications before and during pregnancy. <i>International Journal of Clinical Pharmacy</i> , 2013, 35, 408-416.	1.0	17
87	Factors associated with the need for information about medicines among pregnant women â€” A multinational internet-based survey. <i>Research in Social and Administrative Pharmacy</i> , 2015, 11, 297-302.	1.5	17
88	Safety of triptans for migraine headaches during pregnancy and breastfeeding. <i>Canadian Family Physician</i> , 2010, 56, 537-9.	0.1	17
89	Pregnancy outcomes after prenatal exposure to echinacea: the Norwegian Mother and Child Cohort Study. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 623-630.	0.8	16
90	Sick leave and medication use in pregnancy: a European web-based study. <i>BMJ Open</i> , 2017, 7, e014934.	0.8	16

#	ARTICLE	IF	CITATIONS
91	Agreement between paternal self-reported medication use and records from a national prescription database. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 413-421.	0.9	16
92	Impact of prenatal exposure to benzodiazepines and z-hypnotics on behavioral problems at 5 years of age: A study from the Norwegian Mother and Child Cohort Study. <i>PLoS ONE</i> , 2019, 14, e0217830.	1.1	16
93	Prenatal paracetamol exposure and neurodevelopmental outcomes in preschool-aged children. <i>Paediatric and Perinatal Epidemiology</i> , 2020, 34, 247-256.	0.8	16
94	Self-Reported Medication Use among Pregnant and Breastfeeding Women during the COVID-19 Pandemic: A Cross-Sectional Study in Five European Countries. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1389.	1.2	16
95	Pharmacists counselling of pregnant women: Web-based, comparative study between Serbia and Norway. <i>Midwifery</i> , 2016, 40, 79-86.	1.0	15
96	Impact of socio-demographic factors, knowledge and attitude on the use of herbal drugs in pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 26-33.	1.3	15
97	Prenatal triptan exposure and parent-reported early childhood neurodevelopmental outcomes: an application of propensity score calibration to adjust for unmeasured confounding by migraine severity. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 493-502.	0.9	14
98	Risk perception, beliefs about medicines and medical adherence among pregnant and breastfeeding women with migraine: findings from a cross-sectional study in Norway. <i>BMJ Open</i> , 2019, 9, e026690.	0.8	14
99	Antithyroid drug use during pregnancy and the risk of birth defects in offspring: systematic review and meta-analysis of observational studies with methodological considerations. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 3890-3900.	1.1	14
100	Self-Reported Medication Use among Pregnant and Postpartum Women during the Third Wave of the COVID-19 Pandemic: A European Multinational Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5335.	1.2	14
101	Prenatal triptan exposure and neurodevelopmental outcomes in 5-year-old children: Follow-up from the Norwegian Mother and Child Cohort Study. <i>Paediatric and Perinatal Epidemiology</i> , 2018, 32, 247-255.	0.8	13
102	Social media monitoring on the perceived safety of medication use during pregnancy: A case study from the Netherlands. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 2580-2590.	1.1	13
103	Paternal antidepressant use as a negative control for maternal use: assessing familial confounding on gestational length and anxiety traits in offspring. <i>International Journal of Epidemiology</i> , 2019, 48, 1665-1672.	0.9	13
104	Analyzing Missing Data in Perinatal Pharmacoepidemiology Research: Methodological Considerations to Limit the Risk of Bias. <i>Clinical Therapeutics</i> , 2019, 41, 2477-2487.	1.1	13
105	Longitudinal Methods for Modeling Exposures in Pharmacoepidemiologic Studies in Pregnancy. <i>Epidemiologic Reviews</i> , 2022, 43, 130-146.	1.3	13
106	Transfer of Carisoprodol to Breast Milk. <i>Therapeutic Drug Monitoring</i> , 2001, 23, 298-300.	1.0	11
107	Echinacea and elderberry—should they be used against upper respiratory tract infections during pregnancy?. <i>Frontiers in Pharmacology</i> , 2014, 5, 31.	1.6	11
108	Effect of prenatal selective serotonin reuptake inhibitor (SSRI) exposure on birthweight and gestational age: a sibling-controlled cohort study. <i>International Journal of Epidemiology</i> , 2016, 45, dyw049.	0.9	11

#	ARTICLE	IF	CITATIONS
109	Differences in medication beliefs between pregnant women using medication, or not, for chronic diseases: a cross-sectional, multinational, web-based study. <i>BMJ Open</i> , 2020, 10, e034529.	0.8	11
110	Genetic Susceptibility to Drug Teratogenicity: A Systematic Literature Review. <i>Frontiers in Genetics</i> , 2021, 12, 645555.	1.1	11
111	Antihistamine use during breastfeeding with focus on breast milk transfer and safety in humans: A systematic literature review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 130, 171-181.	1.2	11
112	Medication Use before, during, and after Pregnancy among Women with Eating Disorders: A Study from the Norwegian Mother and Child Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0133045.	1.1	11
113	Community pharmacist counseling in early pregnancy—Results from the SafeStart feasibility study. <i>PLoS ONE</i> , 2019, 14, e0219424.	1.1	10
114	Attention-deficit/hyperactivity disorder in children following prenatal exposure to antidepressants: results from the Norwegian mother, father and child cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1917-1927.	1.1	10
115	Concomitant use of anti-dementia drugs with psychotropic drugs in Norway—a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 1319-1326.	0.9	9
116	Counselling pregnant women at the crossroads of Europe and Asia: effect of Teratology Information Service in Turkey. <i>International Journal of Clinical Pharmacy</i> , 2017, 39, 783-790.	1.0	9
117	Reported time to onset of neurological adverse drug reactions among different age and gender groups using metoclopramide: an analysis of the global database Vigibase®. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 627-636.	0.8	9
118	Antiemetic Prescription Fills in Pregnancy: A Drug Utilization Study Among 762,437 Pregnancies in Norway. <i>Clinical Epidemiology</i> , 2021, Volume 13, 161-174.	1.5	9
119	Prenatal medication exposure and epigenetic outcomes: a systematic literature review and recommendations for prenatal pharmacoepigenetic studies. <i>Epigenetics</i> , 2022, 17, 357-380.	1.3	9
120	Association of Prenatal Ibuprofen Exposure with Birth Weight and Gestational Age: A Population-Based Sibling Study. <i>PLoS ONE</i> , 2016, 11, e0166971.	1.1	9
121	Antidepressant and mental health care utilization in pregnant women with depression and/or anxiety: An interrupted time-series analysis. <i>Journal of Affective Disorders</i> , 2022, 308, 458-465.	2.0	9
122	Requests for new oral antibiotic prescriptions in children within 2 days: a Norwegian population-based study. <i>Family Practice</i> , 2018, 35, 690-697.	0.8	8
123	Perceived sensitivity to medicines: a study among chronic medicine users in Norway. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 804-812.	1.0	8
124	Use and Intentional Avoidance of Prescribed Medications in Pregnancy: A Cross-Sectional, Web-Based Study among 926 Women in Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3830.	1.2	8
125	Acetaminophen use during pregnancy and offspring attention deficit hyperactivity disorder—a longitudinal sibling control study. <i>JCPP Advances</i> , 2021, 1, e12020.	1.4	8
126	Medicinal plants used among pregnant women in a tertiary teaching hospital in Jimma, Ethiopia: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e046495.	0.8	8

#	ARTICLE	IF	CITATIONS
127	Cardiovascular co-medication among users of antiobesity drugs: a population-based study. <i>International Journal of Clinical Pharmacy</i> , 2010, 32, 752-758.	1.4	7
128	Longitudinal changes in neurodevelopmental outcomes between 18 and 36 months in children with prenatal triptan exposure: findings from the Norwegian Mother and Child Cohort Study. <i>BMJ Open</i> , 2016, 6, e011971.	0.8	7
129	The Impact of Nondifferential Exposure Misclassification on the Performance of Propensity Scores for Continuous and Binary Outcomes. <i>Medical Care</i> , 2018, 56, e46-e53.	1.1	7
130	Association between antidepressant use in pregnancy and gestational diabetes mellitus: Results from the Norwegian Mother, Father and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 247-256.	0.9	7
131	Perinatal antidepressant use and breastfeeding outcomes: Findings from the Norwegian Mother, Father and Child Cohort Study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 344-354.	1.3	7
132	Safety of Psychotropic Drugs in Pregnancy and Breastfeeding. , 2016, , 299-319.		6
133	Low reliability of DNA methylation across Illumina Infinium platforms in cord blood: implications for replication studies and meta-analyses of prenatal exposures. <i>Clinical Epigenetics</i> , 2022, 14, .	1.8	6
134	Authors' Response: More research on paracetamol is required. <i>International Journal of Epidemiology</i> , 2014, 43, 975-976.	0.9	5
135	Prenatal exposure to antidepressants and increased risk of psychiatric disorders. <i>BMJ: British Medical Journal</i> , 2017, 358, j3950.	2.4	5
136	Learning the effects of psychotropic drugs during pregnancy using real-world safety data: a paradigm shift toward modern pharmacovigilance. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 783-786.	1.0	5
137	Association of Timing and Duration of Prenatal Analgesic Opioid Exposure With Attention-Deficit/Hyperactivity Disorder in Children. <i>JAMA Network Open</i> , 2021, 4, e2124324.	2.8	5
138	Impact of a Mobile Application for Tracking Nausea and Vomiting During Pregnancy (NVP) on NVP Symptoms, Quality of Life, and Decisional Conflict Regarding NVP Treatments: MinSafeStart Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2022, 10, e36226.	1.8	5
139	Personality and its relation to the use of alcohol and cigarettes during pregnancy: A multinational study. <i>Journal of Health Psychology</i> , 2021, 26, 1293-1306.	1.3	4
140	Thyroid hormone replacement therapy patterns in pregnant women and perinatal outcomes in the offspring. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 111-121.	0.9	4
141	Modeling exposures of medications used episodically during pregnancy: Triptans as a motivating example. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1111-1119.	0.9	4
142	Transfer of triptans into human breast milk and estimation of infant drug exposure through breastfeeding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 795-804.	1.2	4
143	Management of cluster headache and other trigeminal autonomic cephalalgias in pregnancy and breastfeeding. <i>European Journal of Neurology</i> , 2021, 28, 2443-2455.	1.7	4
144	Incidence, antibiotic treatment and outcomes of lactational mastitis: Findings from The Norwegian Mother, Father and Child Cohort Study (MoBa). <i>Paediatric and Perinatal Epidemiology</i> , 2022, 36, 254-263.	0.8	4

#	ARTICLE	IF	CITATIONS
145	Use of interrupted time-series analysis to characterise antibiotic prescription fills across pregnancy: a Norwegian nationwide cohort study. <i>BMJ Open</i> , 2021, 11, e050569.	0.8	4
146	Use of psychotropic drugs and analgesics among users of antiobesity drugs—a population based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 273-279.	0.9	3
147	Annotations and Reflections. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 6-8.	1.2	3
148	Drug utilization in pregnant women. , 2016, , 240-247.		3
149	Complex patterns of concomitant medication use: A study among Norwegian women using paracetamol during pregnancy. <i>PLoS ONE</i> , 2017, 12, e0190101.	1.1	3
150	Risk factors for discontinuation of thyroid hormone replacement therapy in early pregnancy: a study from the Norwegian Mother and Child Cohort Study and the Medical Birth Registry of Norway. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 852-860.	1.3	3
151	Medication-related problems among hospitalized pregnant women in a tertiary teaching hospital in Ethiopia: a prospective observational study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 737.	0.9	3
152	The effect of a pharmacist consultation on pregnant women's quality of life with a special focus on nausea and vomiting: an intervention study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 766.	0.9	3
153	Prenatal exposure to nitrofurantoin and risk of childhood leukaemia: a registry-based cohort study in four Nordic countries. <i>International Journal of Epidemiology</i> , 2022, 51, 778-788.	0.9	3
154	Association between Antidepressant Treatment during Pregnancy and Postpartum Self-Harm Ideation in Women with Psychiatric Disorders: A Cross-Sectional, Multinational Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 46.	1.2	3
155	Ondansetron use in nausea and vomiting during pregnancy: A descriptive analysis of prescription patterns and patient characteristics in UK general practice. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 4526-4539.	1.1	3
156	Association of Maternal Use of Triptans During Pregnancy With Risk of Attention-Deficit/Hyperactivity Disorder in Offspring. <i>JAMA Network Open</i> , 2022, 5, e2215333.	2.8	3
157	Maternal Thyroid Hormone Replacement Therapy Exposure and Language and Communication Skills of Offspring at 8 Years of Age. <i>JAMA Network Open</i> , 2019, 2, e1912424.	2.8	2
158	Thyroid hormone replacement therapy in pregnancy and motor function, communication skills, and behavior of preschool children: The Norwegian Mother, Father, and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 716-726.	0.9	2
159	Prenatal exposure to non-steroidal anti-inflammatory drugs and risk of attention-deficit/hyperactivity disorder: A follow-up study in the Norwegian mother, father and child cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1380-1390.	0.9	2
160	Does progestin-only contraceptive use after pregnancy affect recovery from pelvic girdle pain? A prospective population study. <i>PLoS ONE</i> , 2017, 12, e0184071.	1.1	2
161	Post natal use of analgesics: comparisons between conventional postnatal wards and a maternity hotel. <i>International Journal of Clinical Pharmacy</i> , 2010, 32, 206-211.	1.4	1
162	Factors associated with alcohol consumption during pregnancy—a cross-sectional study in 15 European countries. <i>European Journal of Public Health</i> , 2014, 24, .	0.1	1

#	ARTICLE	IF	CITATIONS
163	Hypnotics use in children 0â€“18Âmonths: moderate agreement between mother-reported survey data and prescription registry data. <i>Journal of Pharmaceutical Policy and Practice</i> , 2017, 10, 28.	1.1	1
164	Fertility treatment and oral contraceptive discontinuation for identification of pregnancy planning in routinely collected health data â€” an application to analgesic and antibiotic utilisation. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 731.	0.9	1
165	Perinatal use of triptans and other drugs for migraineâ€”A nationwide drug utilization study. <i>PLoS ONE</i> , 2021, 16, e0256214.	1.1	1
166	Extending balance assessment for the generalized propensity score under multiple imputation. <i>Epidemiologic Methods</i> , 2020, 9, .	0.8	1
167	SafeStart â€” An intervention study to promote healthier pregnancies. <i>Reproductive Toxicology</i> , 2017, 72, 213-214.	1.3	0
168	Dr. Lupattelli etÂal. Reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 699-700.	0.3	0
169	Registerâ€based study showed that the age when children were prescribed antibiotic tablets and capsules instead of liquids increased from 2004 to 2016. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 699-706.	0.7	0
170	Response to: Modelling paternal exposure as a negative control. <i>International Journal of Epidemiology</i> , 2020, 49, 1054-1055.	0.9	0
171	Comment to â€œPregnancy and COVID-19, focus on vaccine and pharmacological treatmentâ€: <i>Journal of Reproductive Immunology</i> , 2022, 152, 103639.	0.8	0
172	Does Intrapartum Epidural Analgesia Increase the Risk of Autism Spectrum Disorder in Offspring? Most Likely Not. <i>JAMA Network Open</i> , 2022, 5, e2214279.	2.8	0